Yasuo Nagasaka

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5502689/publications.pdf

Version: 2024-02-01

687363 752698 26 928 13 20 citations h-index g-index papers 36 36 36 1243 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A new method for quantifying the performance of EEG blind source separation algorithms by referencing a simultaneously recorded ECoG signal. Neural Networks, 2017, 93, 1-6.	5.9	33
2	Social Suppressive Behavior Is Organized by the Spatiotemporal Integration of Multiple Cortical Regions in the Japanese Macaque. PLoS ONE, 2016, 11, e0150934.	2.5	3
3	Study of the neural dynamics for understanding communication in terms of complex hetero systems. Neuroscience Research, 2015, 90, 51-55.	1.9	9
4	Cortical network architecture for context processing in primate brain. ELife, 2015, 4, .	6.0	8
5	Validating the virtual string task with the gap test. Animal Cognition, 2014, 17, 1427-1431.	1.8	3
6	An artificial network model for estimating the network structure underlying partially observed neuronal signals. Neuroscience Research, 2014, 81-82, 69-77.	1.9	1
7	Higher Order Partial Least Squares (HOPLS): A Generalized Multilinear Regression Method. IEEE Transactions on Pattern Analysis and Machine Intelligence, 2013, 35, 1660-1673.	13.9	203
8	Pigeons learn virtual patterned-string problems in a computerized touch screen environment. Animal Cognition, 2013, 16, 737-753.	1.8	15
9	Spontaneous synchronization of arm motion between Japanese macaques. Scientific Reports, 2013, 3, 1151.	3.3	50
10	Unintentional Synchronization of Behavior in Japanese Monkeys., 2013,, 745-751.		O
10	Unintentional Synchronization of Behavior in Japanese Monkeys. , 2013, , 745-751. Encoding of social state information by neuronal activities in the macaque caudate nucleus. Social Neuroscience, 2012, 7, 42-58.	1.3	0
	Encoding of social state information by neuronal activities in the macaque caudate nucleus. Social	1.3	
11	Encoding of social state information by neuronal activities in the macaque caudate nucleus. Social Neuroscience, 2012, 7, 42-58. Decoding continuous three-dimensional hand trajectories from epidural electrocorticographic		19
11 12	Encoding of social state information by neuronal activities in the macaque caudate nucleus. Social Neuroscience, 2012, 7, 42-58. Decoding continuous three-dimensional hand trajectories from epidural electrocorticographic signals in Japanese macaques. Journal of Neural Engineering, 2012, 9, 036015. Estimation of functional brain connectivity from electrocorticograms using an artificial network		19 90
11 12 13	Encoding of social state information by neuronal activities in the macaque caudate nucleus. Social Neuroscience, 2012, 7, 42-58. Decoding continuous three-dimensional hand trajectories from epidural electrocorticographic signals in Japanese macaques. Journal of Neural Engineering, 2012, 9, 036015. Estimation of functional brain connectivity from electrocorticograms using an artificial network model., 2012,,. Multidimensional Recording (MDR) and Data Sharing: An Ecological Open Research and Educational	3.5	19 90 1
11 12 13	Encoding of social state information by neuronal activities in the macaque caudate nucleus. Social Neuroscience, 2012, 7, 42-58. Decoding continuous three-dimensional hand trajectories from epidural electrocorticographic signals in Japanese macaques. Journal of Neural Engineering, 2012, 9, 036015. Estimation of functional brain connectivity from electrocorticograms using an artificial network model., 2012,,. Multidimensional Recording (MDR) and Data Sharing: An Ecological Open Research and Educational Platform for Neuroscience. PLoS ONE, 2011, 6, e22561. Long-term asynchronous decoding of arm motion using electrocorticographic signals in monkey.	3.5 2.5	19 90 1 91
11 12 13 14	Encoding of social state information by neuronal activities in the macaque caudate nucleus. Social Neuroscience, 2012, 7, 42-58. Decoding continuous three-dimensional hand trajectories from epidural electrocorticographic signals in Japanese macaques. Journal of Neural Engineering, 2012, 9, 036015. Estimation of functional brain connectivity from electrocorticograms using an artificial network model., 2012,,. Multidimensional Recording (MDR) and Data Sharing: An Ecological Open Research and Educational Platform for Neuroscience. PLoS ONE, 2011, 6, e22561. Long-term asynchronous decoding of arm motion using electrocorticographic signals in monkey. Frontiers in Neuroengineering, 2010, 3, 3.	3.5 2.5 4.8	19 90 1 91 272

YASUO NAGASAKA

#	Article	IF	CITATIONS
19	Social state representation in prefrontal cortex. Social Neuroscience, 2009, 4, 73-84.	1.3	45
20	Long-term asynchronous decoding of 3D hand trajectories using electrocorticographic signals in primates Toward a chronic asynchronous brain-machine interface., 2009,,.		2
21	Perception of neonâ€color spreading in squirrel monkeys ¹ . Japanese Psychological Research, 2009, 51, 132-145.	1.1	1
22	Long-term asynchronous decoding of intended hand and eye positions using electrocorticographic signals in monkey. Neuroscience Research, 2009, 65, S182.	1.9	0
23	Amodal Completion of Moving Objects by Pigeons. Perception, 2008, 37, 557-570.	1.2	16
24	Prior experience affects amodal completion in pigeons. Perception & Psychophysics, 2007, 69, 596-605.	2.3	30
25	Perceptual Grouping in Pigeons. Perception, 2005, 34, 625-632.	1.2	14
26	Subjective contours, amodal completion, and transparency in animals. Japanese Journal of Animal Psychology, 2000, 50, 61-73.	0.3	15