

Benkang Shi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5503395/publications.pdf>

Version: 2024-02-01

43
papers

777
citations

516710

16
h-index

580821

25
g-index

46
all docs

46
docs citations

46
times ranked

1114
citing authors

#	ARTICLE	IF	CITATIONS
1	Prostate cancer in Asia: A collaborative report. <i>Asian Journal of Urology</i> , 2014, 1, 15-29.	1.2	136
2	Incidence and Risk of Sorafenib-Induced Hypertension: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Hypertension</i> , 2014, 16, 177-185.	2.0	59
3	FGFR3 Destabilizes PD-L1 via NEDD4 to Control T-cell-Mediated Bladder Cancer Immune Surveillance. <i>Cancer Research</i> , 2022, 82, 114-129.	0.9	50
4	KDM6A-ARHGDI1 axis blocks metastasis of bladder cancer by inhibiting Rac1. <i>Molecular Cancer</i> , 2021, 20, 77.	19.2	38
5	Grape Seed Proanthocyanidin Extract Ameliorates Diabetic Bladder Dysfunction via the Activation of the Nrf2 Pathway. <i>PLoS ONE</i> , 2015, 10, e0126457.	2.5	37
6	KIF15-Mediated Stabilization of AR and AR-V7 Contributes to Enzalutamide Resistance in Prostate Cancer. <i>Cancer Research</i> , 2021, 81, 1026-1039.	0.9	35
7	Pyroptosis engagement and bladder urothelial cell-derived exosomes recruit mast cells and induce barrier dysfunction of bladder urothelium after uropathogenic <i>E. coli</i> infection. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 317, C544-C555.	4.6	26
8	Cigarette smoke induces the pyroptosis of urothelial cells through ROS/NLRP3/caspase-1 signaling pathway. <i>Neurourology and Urodynamics</i> , 2020, 39, 613-624.	1.5	26
9	BTF3 sustains cancer stem-like phenotype of prostate cancer via stabilization of BMI1. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 227.	8.6	25
10	KIF15 promotes bladder cancer proliferation via the MEK–ERK signaling pathway. <i>Cancer Management and Research</i> , 2019, Volume 11, 1857-1868.	1.9	22
11	Cannabinoid receptor 2 activation decreases severity of cyclophosphamide-induced cystitis via regulating autophagy. <i>Neurourology and Urodynamics</i> , 2020, 39, 158-169.	1.5	21
12	TP53 alterations of hormone-naïve prostate cancer in the Chinese population. <i>Prostate Cancer and Prostatic Diseases</i> , 2021, 24, 482-491.	3.9	21
13	Wogonin Induces Apoptosis and Reverses Sunitinib Resistance of Renal Cell Carcinoma Cells via Inhibiting CDK4-RB Pathway. <i>Frontiers in Pharmacology</i> , 2020, 11, 1152.	3.5	20
14	Berberine suppresses bladder cancer cell proliferation by inhibiting JAK1-STAT3 signaling via upregulation of miR-17-5p. <i>Biochemical Pharmacology</i> , 2021, 188, 114575.	4.4	19
15	Grape seed proanthocyanidin extract alleviates urethral dysfunction in diabetic rats through modulating the NO‐cGMP pathway. <i>Experimental and Therapeutic Medicine</i> , 2017, 15, 1053-1061.	1.8	18
16	High expression of SMYD3 indicates poor survival outcome and promotes tumour progression through an IGF-1R/AKT/E2F-1 positive feedback loop in bladder cancer. <i>Aging</i> , 2020, 12, 2030-2048.	3.1	17
17	Cannabinoid receptors 1 and 2 are associated with bladder dysfunction in an experimental diabetic rat model. <i>BJU International</i> , 2013, 112, E143-50.	2.5	16
18	TERT Promoter Hypermethylation in Gastrointestinal Cancer: A Potential Stool Biomarker. <i>Oncologist</i> , 2017, 22, 1178-1188.	3.7	15

#	ARTICLE	IF	CITATIONS
19	Grape seed proanthocyanidin extract attenuates varicocele-induced testicular oxidative injury in rats by activating the Nrf2 antioxidant system. <i>Molecular Medicine Reports</i> , 2018, 17, 1799-1806.	2.4	15
20	CCL17-CCR4 axis promotes metastasis via ERK/MMP13 pathway in bladder cancer. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 1979-1989.	2.6	15
21	Remotely programmed sacral neuromodulation for the treatment of patients with refractory overactive bladder: a prospective randomized controlled trial evaluating the safety and efficacy of a novel sacral neuromodulation device. <i>World Journal of Urology</i> , 2019, 37, 2481-2492.	2.2	13
22	Single-cell transcriptomes of mouse bladder urothelium uncover novel cell type markers and urothelial differentiation characteristics. <i>Cell Proliferation</i> , 2021, 54, e13007.	5.3	13
23	Metformin ameliorates bladder dysfunction in a rat model of partial bladder outlet obstruction. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 320, F838-F858.	2.7	13
24	Pelvic Floor Reconstruction After Radical Prostatectomy: A Systematic Review and Meta-analysis of Different Surgical Techniques. <i>Scientific Reports</i> , 2017, 7, 2737.	3.3	12
25	Intravesicular administration of sodium hyaluronate ameliorates the inflammation and cell proliferation of cystitis cystica et glandularis involving interleukin-6/JAK2/Stat3 signaling pathway. <i>Scientific Reports</i> , 2017, 7, 15892.	3.3	11
26	Preoperative prognostic nutritional index and nomogram predicting recurrence-free survival in patients with primary non-muscle-invasive bladder cancer without carcinoma in situ. <i>OncoTargets and Therapy</i> , 2017, Volume 10, 5541-5550.	2.0	10
27	Lipopolysaccharide stimulates BK channel activity in bladder umbrella cells. <i>American Journal of Physiology - Cell Physiology</i> , 2018, 314, C643-C653.	4.6	9
28	The role of c-Met in prognosis and clinicopathology of renal cell carcinoma: Results from a single-centre study and systematic review. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017, 35, 532.e15-532.e23.	1.6	8
29	Identification of a Nuclear Mitochondrial-Related Multi-Genes Signature to Predict the Prognosis of Bladder Cancer. <i>Frontiers in Oncology</i> , 2021, 11, 746029.	2.8	8
30	Comprehensive analysis of N6-methyladenosine regulators with the tumor immune landscape and correlation between the insulin-like growth factor 2 mRNA-binding protein 3 and programmed death ligand 1 in bladder cancer. <i>Cancer Cell International</i> , 2022, 22, 72.	4.1	8
31	Long-term outcome following thulium vaporesction of the prostate. <i>Lasers in Surgery and Medicine</i> , 2016, 48, 505-510.	2.1	7
32	Amyloid precursor protein is overexpressed in bladder cancer and contributes to the malignant bladder cancer cell behaviors. <i>International Journal of Urology</i> , 2018, 25, 808-816.	1.0	7
33	Early Increased Urinary IL-2 and IL-10 Levels Were Associated With Development of Chronic UTI in a Murine Model. <i>Urology</i> , 2020, 141, 188.e1-188.e6.	1.0	6
34	The effect of biofeedback treatment for children with non-neurogenic voiding dysfunction: A systematic review and meta-analysis. <i>Neurourology and Urodynamics</i> , 2022, 41, 868-883.	1.5	5
35	G-CSF mediates lung injury in mice with adenine-induced acute kidney injury. <i>International Immunopharmacology</i> , 2018, 63, 1-8.	3.8	4
36	CUL4B promotes aggressive phenotypes of renal cell carcinoma via upregulating c-Met expression. <i>International Journal of Biochemistry and Cell Biology</i> , 2021, 130, 105887.	2.8	3

#	ARTICLE	IF	CITATIONS
37	Aggressive Fibromatosis in the Urological System. <i>Urologia Internationalis</i> , 2007, 78, 93-96.	1.3	2
38	Ectopic Cushing's syndrome due to retroperitoneal ACTH-producing paragangliomas. <i>Canadian Urological Association Journal</i> , 2016, 10, 320.	0.6	2
39	A Case Report of Adrenal Castleman's Disease. <i>SN Comprehensive Clinical Medicine</i> , 2019, 1, 479-482.	0.6	2
40	Intermediate-term results of a prospective, multicenter study on remote programming sacral neuromodulation for refractory overactive bladder. <i>Translational Andrology and Urology</i> , 2021, 10, 1966-1975.	1.4	2
41	TRPM3 channel activation inhibits contraction of the isolated human ureter via CGRP released from sensory nerves. <i>Life Sciences</i> , 2021, 268, 118967.	4.3	1
42	Urine and Tissue Bacterial Loads Correlate With Voiding Behaviors in a Murine Urinary Tract Infection Model. <i>Urology</i> , 2021, 154, 344.e1-344.e7.	1.0	0
43	"Two-zone and Three-segment" Laparoscopic Radical Cystectomy vs Conventional Laparoscopic Radical Cystectomy for Male Patients With Bladder Urothelial Carcinoma: A Retrospective Analysis. <i>Urology Journal</i> , 2022, , .	0.4	0