Kangho Lee

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5504233/kangho-lee-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26 18 28 7,773 h-index g-index citations papers 8.6 28 8,644 4.89 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|----|--|---------------------|-----------|
| 26 | Hybrid Devices by Selective and Conformal Deposition of PtSe2 at Low Temperatures. <i>Advanced Functional Materials</i> , 2021 , 31, 2103936 | 15.6 | 4 |
| 25 | Calibration of Nonstationary Gas Sensors Based on Two-Dimensional Materials. <i>ACS Omega</i> , 2020 , 5, 5959-5963 | 3.9 | 7 |
| 24 | Production and processing of graphene and related materials. 2D Materials, 2020, 7, 022001 | 5.9 | 179 |
| 23 | Nanoelectromechanical Sensors Based on Suspended 2D Materials. <i>Research</i> , 2020 , 2020, 8748602 | 7.8 | 39 |
| 22 | Quantum Confinement and Gas Sensing of Mechanically Exfoliated GaSe. <i>Advanced Materials Technologies</i> , 2017 , 2, 1600197 | 6.8 | 22 |
| 21 | High-Performance Hybrid Electronic Devices from Layered PtSe Films Grown at Low Temperature. <i>ACS Nano</i> , 2016 , 10, 9550-9558 | 16.7 | 245 |
| 20 | Investigations of vapour-phase deposited transition metal dichalcogenide films for future electronic applications. <i>Solid-State Electronics</i> , 2016 , 125, 39-51 | 1.7 | 30 |
| 19 | Investigation of 2D transition metal dichalcogenide films for electronic devices 2015, | | 3 |
| 18 | Liquid exfoliation of solvent-stabilized few-layer black phosphorus for applications beyond electronics. <i>Nature Communications</i> , 2015 , 6, 8563 | 17.4 | 764 |
| 17 | Low wavenumber Raman spectroscopy of highly crystalline MoSe2 grown by chemical vapor deposition. <i>Physica Status Solidi (B): Basic Research</i> , 2015 , 252, 2385-2389 | 1.3 | 21 |
| 16 | Transition metal dichalcogenide growth via close proximity precursor supply. <i>Scientific Reports</i> , 2014 , 4, 7374 | 4.9 | 60 |
| 15 | Controlled synthesis of transition metal dichalcogenide thin films for electronic applications. <i>Applied Surface Science</i> , 2014 , 297, 139-146 | 6.7 | 122 |
| 14 | Plasma assisted synthesis of WS2 for gas sensing applications. <i>Chemical Physics Letters</i> , 2014 , 615, 6-10 | 2.5 | 123 |
| 13 | Growth optimisation of high quality graphene from ethene at low temperatures. <i>Chemical Physics Letters</i> , 2014 , 595-596, 192-196 | 2.5 | 8 |
| 12 | Highly sensitive, transparent, and flexible gas sensors based on gold nanoparticle decorated carbon nanotubes. <i>Sensors and Actuators B: Chemical</i> , 2013 , 188, 571-575 | 8.5 | 62 |
| 11 | High-performance sensors based on molybdenum disulfide thin films. <i>Advanced Materials</i> , 2013 , 25, 669 | 9 2. 702 | 359 |
| 10 | Investigation of carbon-silicon schottky diodes and their use as chemical sensors 2013, | | 4 |

LIST OF PUBLICATIONS

| 9 | Chemically modulated graphene diodes. <i>Nano Letters</i> , 2013 , 13, 2182-8 | 11.5 | 132 | |
|---|--|------|------|--|
| 8 | Electrical properties of high density arrays of silicon nanowire field effect transistors. <i>Journal of Applied Physics</i> , 2013 , 114, 144503 | 2.5 | 6 | |
| 7 | Cell Proliferation Tracking Using Graphene Sensor Arrays. Journal of Sensors, 2012, 2012, 1-7 | 2 | 5 | |
| 6 | The effect of downstream plasma treatments on graphene surfaces. <i>Carbon</i> , 2012 , 50, 395-403 | 10.4 | 86 | |
| 5 | Two-dimensional nanosheets produced by liquid exfoliation of layered materials. <i>Science</i> , 2011 , 331, 568-71 | 33.3 | 5221 | |
| 4 | Reliable processing of graphene using metal etchmasks. <i>Nanoscale Research Letters</i> , 2011 , 6, 390 | 5 | 30 | |
| 3 | CVD growth and processing of graphene for electronic applications. <i>Physica Status Solidi (B): Basic Research</i> , 2011 , 248, 2604-2608 | 1.3 | 23 | |
| 2 | Electrical characteristics of molybdenum disulfide flakes produced by liquid exfoliation. <i>Advanced Materials</i> , 2011 , 23, 4178-82 | 24 | 208 | |
| 1 | Influence of electrical contacts on the 1/f noise in individual multi-walled carbon nanotubes. Nanotechnology, 2010 , 21, 335702 | 3.4 | 10 | |