

# Hassan Moghanian

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/5504398/hassan-moghanian-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58  
papers

1,107  
citations

18  
h-index

31  
g-index

70  
ext. papers

1,204  
ext. citations

2.7  
avg, IF

4.5  
L-index

#	Paper	IF	Citations
58	A Facile, Simple and Convenient Method for the Synthesis of 14-Alkyl or Aryl-14-H-Dibenzo[a,j]xanthenes Catalyzed by pTSA in Solution and Solvent-Free Conditions. <i>Synlett</i> , <b>2005</b> , 2005, 0955-0958	2.2	175
57	A Simple and Efficient Procedure for the Synthesis of Amidoalkyl Naphthols by p-TSA in Solution or under Solvent-Free Conditions. <i>Synlett</i> , <b>2006</b> , 2006, 916-920	2.2	149
56	Sulfanilic acid-functionalized silica-coated magnetite nanoparticles as an efficient, reusable and magnetically separable catalyst for the solvent-free synthesis of 1-amido- and 1-aminoalkyl-2-naphthols. <i>RSC Advances</i> , <b>2014</b> , 4, 28176-28185	3.7	80
55	Efficient One-Pot Synthesis of Polyhydroquinoline Derivatives Using Silica Sulfuric Acid as a Heterogeneous and Reusable Catalyst Under Conventional Heating and Energy-Saving Microwave Irradiation. <i>Synthetic Communications</i> , <b>2009</b> , 39, 1166-1174	1.7	42
54	Synthesis of a new class of azathia crown macrocycles containing two 1,2,4-triazole or two 1,3,4-thiadiazole rings as subunits. <i>Tetrahedron Letters</i> , <b>2009</b> , 50, 836-839	2	35
53	Development of one-step synthesized LDH reinforced multifunctional poly(amide-imide) matrix containing xanthene rings: study on thermal stability and flame retardancy. <i>RSC Advances</i> , <b>2015</b> , 5, 53726-53733	2.7	33
52	A Catalytic and Green Procedure for Synthesis of 12-Aryl- or 12-Alkyl-8,9,10,12-Tetrahydrobenzo[h]xanthen-11-one Derivatives under Solvent-Free Conditions. <i>International Journal of Green Nanotechnology: Physics and Chemistry</i> , <b>2009</b> , 1, P57-P63		29
51	Bis(p-sulfoanilino)triazine-functionalized silica-coated magnetite nanoparticles as an efficient and magnetically reusable nano-catalyst for Biginelli-type reaction. <i>Research on Chemical Intermediates</i> , <b>2018</b> , 44, 4083-4101	2.8	26
50	Microwave-Assisted One-Pot Synthesis of 2-Amino-2-chromenes Using Piperazine as a Catalyst Under Solvent-Free Conditions. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>2011</b> , 41, 262-265		24
49	Efficient poly(methyl-ether-imide)/LDH nanocomposite derived from a methyl rich bisphenol: From synthesis to properties. <i>Applied Clay Science</i> , <b>2016</b> , 123, 285-291	5.2	23
48	Simple and Efficient Method for Synthesis of Novel 4-Substituted 1-Acylthiosemicarbazides via One-Pot Multicomponent Reactions. <i>Synthetic Communications</i> , <b>2009</b> , 39, 3668-3676	1.7	23
47	Synthesis, spectroscopy (vibrational, NMR and UV-vis) studies, HOMO-LUMO and NBO analysis of 8-formyl-7-hydroxy-4-methylcoumarin by ab initio calculations. <i>Journal of Molecular Structure</i> , <b>2013</b> , 1052, 135-145	3.4	22
46	Ammonium Chloride-Catalyzed One-Pot Synthesis of Tetrahydrobenzo[h]xanthen-11-one Derivatives Under Solvent-Free Conditions. <i>Synthetic Communications</i> , <b>2011</b> , 41, 2663-2673	1.7	22
45	Synthesis and Characterization of New Optically Active Poly(amide-imide)s Based on N,N'-(Pyromellitoyl)-bis-L-Amino Acids and 1,3,4-Oxadiazole Moieties. <i>Designed Monomers and Polymers</i> , <b>2010</b> , 13, 207-220	3.1	21
44	Synthesis, characterization and magnetic properties of novel heat resistant polyimide nanocomposites derived from 14H-dibenzo [a,j] xanthene. <i>Journal of Polymer Research</i> , <b>2014</b> , 21, 1	2.7	20
43	L-proline N-sulfonic acid-functionalized magnetic nanoparticles: a novel and magnetically reusable catalyst for one-pot synthesis of 3,4-dihydropyrimidine-2-(1H)-thiones under solvent-free conditions. <i>RSC Advances</i> , <b>2016</b> , 6, 59343-59351	3.7	19
42	A Straightforward and Efficient Catalyst-free One-pot Synthesis of N-Acyl-1,3-diaryl-2-azaphenalene Derivatives via Multicomponent Reactions. <i>Chemistry Letters</i> , <b>2010</b> , 39, 180-181	1.7	19

41	Synthesis and characterization of sodium polyaspartate-functionalized silica-coated magnetite nanoparticles: A heterogeneous, reusable and magnetically separable catalyst for the solvent-free synthesis of 2-amino-4H-chromene derivatives. <i>Applied Organometallic Chemistry</i> , <b>2018</b> , 32, e4108	3.1	18
40	pTSA-catalyzed condensation of xylenols and aldehydes under solvent-free conditions: One-pot synthesis of 9H-xanthene or bisphenol derivatives. <i>Comptes Rendus Chimie</i> , <b>2013</b> , 16, 1035-1041	2.7	18
39	Chitosan and imide-functional Fe <sub>3</sub> O <sub>4</sub> nanoparticles to prepare new xanthene based poly(ether-imide) nanocomposites. <i>RSC Advances</i> , <b>2016</b> , 6, 112568-112575	3.7	17
38	A Novel Efficient Four- and Five-Component, One-Pot Synthesis of 4-Semicarbazonoalkyl-2-Naphthols. <i>Synlett</i> , <b>2008</b> , 2008, 821-826	2.2	16
37	Efficient, one-pot synthesis of xanthene derivatives using boron sulphonic acid as a solid heterogeneous catalyst under solvent-free conditions. <i>Research on Chemical Intermediates</i> , <b>2015</b> , 41, 4387-4394	2.8	15
36	Efficient Synthesis of 2-amino-4H-chromene Derivatives in the Presence of Piperazine-functionalized Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> Magnetic Nanoparticles as a New Heterogeneous Reusable Catalyst Under Solvent-free Conditions. <i>Letters in Organic Chemistry</i> , <b>2014</b> , 11, 432-439	0.6	15
35	Copper containing poly(melamine-terephthaldehyde)-magnetite mesoporous nanoparticles: a highly active and recyclable catalyst for the synthesis of benzimidazole derivatives. <i>Journal of Porous Materials</i> , <b>2018</b> , 25, 1123-1134	2.4	15
34	Microwave-assisted efficient synthesis of azlactone derivatives using 2-aminopyridine-functionalized sphere SiO <sub>2</sub> nanoparticles as a reusable heterogeneous catalyst. <i>Chinese Chemical Letters</i> , <b>2015</b> , 26, 557-563	8.1	14
33	A Simple and Efficient Procedure for Synthesis of Optically Active 1,2,4-Triazolo-[3,4-b]-1,3,4-Thiadiazole Derivatives Containing l-Amino Acid Moieties. <i>Journal of the Chinese Chemical Society</i> , <b>2009</b> , 56, 1043-1047	1.5	14
32	Sulfamic Acid Catalyzed One-Pot Synthesis of Polyhydroquinolines via the Hantzsch Four Component Condensation Reaction. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>2009</b> , 39, 161-164		14
31	Synthesis and characterization of new optically active poly(amide-imide)s containing 1,3,4-oxadiazole moiety in the main chain. <i>Polymer Bulletin</i> , <b>2010</b> , 65, 319-332	2.4	14
30	Microwave-assisted efficient synthesis of azlactone derivatives using TsCl/DMF under solvent-free conditions. <i>Comptes Rendus Chimie</i> , <b>2012</b> , 15, 346-349	2.7	12
29	Thermal, combustion and optical properties of new polyimide/ODA-functionalized Fe <sub>3</sub> O <sub>4</sub> nanocomposites containing xanthene and amide groups. <i>Journal of Thermal Analysis and Calorimetry</i> , <b>2017</b> , 129, 147-159	4.1	11
28	Facile green one-pot synthesis of novel thiazolo[3,2-a]pyrimidine derivatives using Fe <sub>3</sub> O <sub>4</sub> @l-arginine and their biological investigation as potent antimicrobial agents. <i>Applied Organometallic Chemistry</i> , <b>2017</b> , 31, e3683	3.1	11
27	Three component, one-pot synthesis of amidoalkyl naphthols using polyphosphate ester under solvent-free conditions. <i>Journal of Saudi Chemical Society</i> , <b>2014</b> , 18, 165-168	4.3	11
26	Magnetic and Heat Resistant Poly(imide-ether) Nanocomposites Derived from Methyl Rich 9H-xanthene: Synthesis and Characterization. <i>Chinese Journal of Polymer Science (English Edition)</i> , <b>2018</b> , 36, 822-834	3.5	10
25	Simple and Efficient Procedure for the Synthesis of Novel 1,3-Diphenyl-2-azaphenalene Derivatives via One-Pot Multicomponent Reactions. <i>Synthetic Communications</i> , <b>2010</b> , 40, 1812-1821	1.7	10
24	Synthesis and characterization of optically active poly(amide-imide)s containing photosensitive chalcone units in the main chain. <i>Chinese Journal of Polymer Science (English Edition)</i> , <b>2010</b> , 28, 695-704	3.5	10

23	Synthesis and characterization of novel aliphatic-aromatic polyamide/Fe <sub>3</sub> O <sub>4</sub> nanocomposites containing pendent 9H-xanthene groups. <i>Designed Monomers and Polymers</i> , <b>2015</b> , 18, 157-169	3.1	9
22	Synthesis, characterization, anti-diabetic potential and DFT studies of 7-hydroxy-4-methyl-2-oxo-2H-chromene-8-carbaldehyde oxime. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2018</b> , 205, 111-131	4.4	9
21	A Simple and Convenient Method for the Synthesis of Perimidine Derivatives Catalyzed by Nano-Silica Sulfuric Acid. <i>International Journal of Green Nanotechnology: Physics and Chemistry</i> , <b>2010</b> , 2, P47-P52		9
20	One-Pot Synthesis of Amidoalkyl Naphthols Using POCl <sub>3</sub> /Na <sub>2</sub> B <sub>4</sub> O <sub>7</sub> as a Heterogeneous Catalyst. <i>Letters in Organic Chemistry</i> , <b>2012</b> , 9, 273-275	0.6	7
19	Piperazine catalyzed convenient synthesis of 4H-pyran derivatives from bis(substituted-benzylidene) cycloalkanones and malononitrile under reflux conditions. <i>Journal of Saudi Chemical Society</i> , <b>2015</b> , 19, 399-403	4.3	6
18	A DFT study of solvation effects and NBO analysis on the tautomerism of 1-substituted hydantoin. <i>Arabian Journal of Chemistry</i> , <b>2016</b> , 9, S776-S780	5.9	6
17	Novel Semi Crystalline, Soluble and Magnetic Poly(imide-ether)/Zeolite Nanocomposites: Synthesis, Characterization and Computational Study. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , <b>2018</b> , 28, 1072-1089	3.2	6
16	Synthesis and Characterization of Novel Heat Resistant, Superparamagnetic Poly(ether-imide) Nanocomposites Containing Xanthene: Representing a Strategy for Improving Thermal Stability of Magnetic Polymer-Based Nanocomposites. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , <b>2018</b> , 28, 631-642	3.2	6
15	Theoretical investigation on tautomerism and NBO analysis of 3-hydroxy-1,2,5-thiadiazole derivatives: solvent and substituent effects. <i>Heterocyclic Communications</i> , <b>2012</b> , 18,	1.7	6
14	Synthesis of new aza crown macrocycles and lariat ethers. <i>Heterocyclic Communications</i> , <b>2012</b> , 18,	1.7	5
13	Microwave-Assisted Erlenmeyer Synthesis of Azlactones Catalyzed by MgO/Al <sub>2</sub> O <sub>3</sub> Under Solvent-Free Conditions. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>2016</b> , 46, 631-634		4
12	Soluble New Optically Active Poly(amide-imide)s Derived From Photosensitive 4,4'-Diaminochalcone and Chiral N,N'--(Pyromellitoyl)-bis-L-Amino Acids: Synthesis and Characterization. <i>Arabian Journal for Science and Engineering</i> , <b>2013</b> , 38, 1721-1729		4
11	Direct synthesis of p-nitrobenzoic acid and benzoic acids from benzyl ketones and acetophenones using the CAN/HOAc system. <i>Journal of the Iranian Chemical Society</i> , <b>2007</b> , 4, 336-339	2	4
10	Novel heat-resistant and soluble poly(amide-ether)/zinc oxide nanocomposites: synthesis, characterization and computational study. <i>Polymer Bulletin</i> , <b>2018</b> , 75, 4445-4468	2.4	3
9	Microwave-assisted efficient synthesis of azlactones using zeolite NaY as a reusable heterogeneous catalyst. <i>Inorganic and Nano-Metal Chemistry</i> , <b>2017</b> , 47, 845-849	1.2	3
8	Synthesis and characterization of silica-coated magnetite nanoparticles modified with bis(pyrazolyl) triazine ruthenium(II) complex and the application of these nanoparticles as a highly efficient catalyst for the hydrogen transfer reduction of ketones. <i>Applied Organometallic Chemistry</i> , <b>2020</b> , 34, e5366	3.1	3
7	Convenient one-pot synthesis of N-acyl-1,3-diaryl-2-azaphenylene derivatives via solvent-free five-component condensation reactions. <i>Research on Chemical Intermediates</i> , <b>2015</b> , 41, 6523-6532	2.8	2
6	Ammonium Oxalate as an Efficient Catalyst for One-Pot Synthesis of Tetrahydrobenzo [a]xanthene-11-one Derivatives Under Solvent-Free Conditions. <i>Synthesis and Reactivity in Inorganic, Metal Organic, and Nano Metal Chemistry</i> , <b>2013</b> , 43, 752-755		2

5	Theoretical Investigation of Solvation Effects on the Tautomerism of Maleic Hydrazide. <i>E-Journal of Chemistry</i> , <b>2012</b> , 9, 107-112		2
4	EFFECT OF RING IN IMINES AND ENAMINES TAUTOMERISM IN GAS PHASE AND SOLUTION: A COMPUTATIONAL STUDY. <i>Journal of the Chilean Chemical Society</i> , <b>2013</b> , 58, 1659-1662	2.5	2
3	Synthesis of Trans-cinnamic Acids from Aryl Aldehydes and Aryl Aldehyde Bisulfite Adducts with Malonic Acid Using Piperazine. <i>Journal of Chemical Research</i> , <b>2005</b> , 2005, 364-365	0.6	1
2	Design and synthesis of some new biologically active amidoalkyl naphthols in the presence of sulfonic acid functionalized silica-coated Fe <sub>3</sub> O <sub>4</sub> nanoparticles. <i>Research on Chemical Intermediates</i> , 1	2.8	0
1	Magnetic tetraethylenepentamine-functionalized graphene oxide to prepare new methyl rich bisphenol-based soluble and heat-resistant polyamide ether nanocomposites: Synthesis and characterization. <i>Journal of Thermoplastic Composite Materials</i> , <b>2020</b> , 089270572093914	1.9	