

Judith M Ford

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5506607/publications.pdf>

Version: 2024-02-01

152
papers

12,651
citations

27035

58
h-index

32181

105
g-index

161
all docs

161
docs citations

161
times ranked

12829
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Thalamic dysconnectivity in the psychosis risk syndrome and early illness schizophrenia. <i>Psychological Medicine</i> , 2022, 52, 2767-2775. | 2.7 | 12 |
| 2 | Virtual Ontogeny of Cortical Growth Preceding Mental Illness. <i>Biological Psychiatry</i> , 2022, 92, 299-313. | 0.7 | 11 |
| 3 | Path analysis: A method to estimate altered pathways in time-varying graphs of neuroimaging data. <i>Network Neuroscience</i> , 2022, 6, 634-664. | 1.4 | 2 |
| 4 | Validation of ketamine as a pharmacological model of thalamic dysconnectivity across the illness course of schizophrenia. <i>Molecular Psychiatry</i> , 2022, 27, 2448-2456. | 4.1 | 15 |
| 5 | Theta Phase Synchrony Is Sensitive to Corollary Discharge Abnormalities in Early Illness Schizophrenia but Not in the Psychosis Risk Syndrome. <i>Schizophrenia Bulletin</i> , 2021, 47, 415-423. | 2.3 | 14 |
| 6 | Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47. | 6.0 | 136 |
| 7 | Multiple overlapping dynamic patterns of the visual sensory network in schizophrenia. <i>Schizophrenia Research</i> , 2021, 228, 103-111. | 1.1 | 25 |
| 8 | Aberrant Dynamic Functional Connectivity of Default Mode Network in Schizophrenia and Links to Symptom Severity. <i>Frontiers in Neural Circuits</i> , 2021, 15, 649417. | 1.4 | 42 |
| 9 | Sparse deep neural networks on imaging genetics for schizophrenia case-control classification. <i>Human Brain Mapping</i> , 2021, 42, 2556-2568. | 1.9 | 17 |
| 10 | Brain Density Clustering Analysis: A New Approach to Brain Functional Dynamics. <i>Frontiers in Neuroscience</i> , 2021, 15, 621716. | 1.4 | 2 |
| 11 | Vocalizing and singing reveal complex patterns of corollary discharge function in schizophrenia. <i>International Journal of Psychophysiology</i> , 2021, 164, 30-40. | 0.5 | 3 |
| 12 | Response to targeted cognitive training may be neuroprotective in patients with early schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2021, 312, 111285. | 0.9 | 9 |
| 13 | Multi-model Order ICA: A Data-driven Method for Evaluating Brain Functional Network Connectivity Within and Between Multiple Spatial Scales. <i>Brain Connectivity</i> , 2021, , . | 0.8 | 7 |
| 14 | Reward Processing in Novelty Seekers: A Transdiagnostic Psychiatric Imaging Biomarker. <i>Biological Psychiatry</i> , 2021, 90, 529-539. | 0.7 | 25 |
| 15 | Reconciling competing mechanisms posited to underlie auditory verbal hallucinations. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2021, 376, 20190702. | 1.8 | 12 |
| 16 | Aperiodic measures of neural excitability are associated with anticorrelated hemodynamic networks at rest: A combined EEG-fMRI study. <i>NeuroImage</i> , 2021, 245, 118705. | 2.1 | 23 |
| 17 | From Sound Perception to Automatic Detection of Schizophrenia: An EEG-Based Deep Learning Approach. <i>Frontiers in Psychiatry</i> , 2021, 12, 813460. | 1.3 | 14 |
| 18 | Dentate gyrus volume deficit in schizophrenia. <i>Psychological Medicine</i> , 2020, 50, 1267-1277. | 2.7 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Oxytocin Enhances an Amygdala Circuit Associated With Negative Symptoms in Schizophrenia: A Single-Dose, Placebo-Controlled, Crossover, Randomized Control Trial. <i>Schizophrenia Bulletin</i> , 2020, 46, 661-669. | 2.3 | 12 |
| 20 | Task-induced brain connectivity promotes the detection of individual differences in brain-behavior relationships. <i>NeuroImage</i> , 2020, 207, 116370. | 2.1 | 88 |
| 21 | Genetic correlations and genome-wide associations of cortical structure in general population samples of 22,824 adults. <i>Nature Communications</i> , 2020, 11, 4796. | 5.8 | 61 |
| 22 | Anatomical Dysconnectivity in Psychosis Across the Illness Course: Expanding and Extending the Functional Dysconnectivity Literature. <i>Schizophrenia Bulletin</i> , 2020, 46, 1060-1061. | 2.3 | 0 |
| 23 | Reward processing electrophysiology in schizophrenia: Effects of age and illness phase. <i>NeuroImage: Clinical</i> , 2020, 28, 102492. | 1.4 | 10 |
| 24 | The genetic architecture of the human cerebral cortex. <i>Science</i> , 2020, 367, . | 6.0 | 450 |
| 25 | Covarying structural alterations in laterality of the temporal lobe in schizophrenia: A case for source-based laterality. <i>NMR in Biomedicine</i> , 2020, 33, e4294. | 1.6 | 6 |
| 26 | Increased global cognition correlates with increased thalamo-temporal connectivity in response to targeted cognitive training for recent onset schizophrenia. <i>Schizophrenia Research</i> , 2020, 218, 131-137. | 1.1 | 13 |
| 27 | Motor Impairment and Developmental Psychotic Risk: Connecting the Dots and Narrowing the Pathophysiological Gap. <i>Schizophrenia Bulletin</i> , 2019, 45, 503-508. | 2.3 | 27 |
| 28 | Characterizing Whole Brain Temporal Variation of Functional Connectivity via Zero and First Order Derivatives of Sliding Window Correlations. <i>Frontiers in Neuroscience</i> , 2019, 13, 634. | 1.4 | 17 |
| 29 | Efference Copy, Corollary Discharge, Predictive Coding, and Psychosis. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 764-767. | 1.1 | 18 |
| 30 | Aberrant activity in conceptual networks underlies N400 deficits and unusual thoughts in schizophrenia. <i>NeuroImage: Clinical</i> , 2019, 24, 101960. | 1.4 | 7 |
| 31 | Test-retest reliability of time-frequency measures of auditory steady-state responses in patients with schizophrenia and healthy controls. <i>NeuroImage: Clinical</i> , 2019, 23, 101878. | 1.4 | 31 |
| 32 | Parallel group ICA+ICA: Joint estimation of linked functional network variability and structural covariation with application to schizophrenia. <i>Human Brain Mapping</i> , 2019, 40, 3795-3809. | 1.9 | 23 |
| 33 | The spatial chronnectome reveals a dynamic interplay between functional segregation and integration. <i>Human Brain Mapping</i> , 2019, 40, 3058-3077. | 1.9 | 67 |
| 34 | A method for building a genome-connectome bipartite graph model. <i>Journal of Neuroscience Methods</i> , 2019, 320, 64-71. | 1.3 | 1 |
| 35 | Group ICA for identifying biomarkers in schizophrenia: "Adaptive"™ networks via spatially constrained ICA show more sensitivity to group differences than spatio-temporal regression. <i>NeuroImage: Clinical</i> , 2019, 22, 101747. | 1.4 | 79 |
| 36 | Positive and general psychopathology associated with specific gray matter reductions in inferior temporal regions in patients with schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 242-249. | 1.1 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Saliency "Default Mode Functional Network Connectivity Linked to Positive and Negative Symptoms of Schizophrenia. Schizophrenia Bulletin, 2019, 45, 892-901. | 2.3 | 71 |
| 38 | Gamma Band Phase Delay in Schizophrenia. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4, 131-139. | 1.1 | 18 |
| 39 | Spatial dynamics within and between brain functional domains: A hierarchical approach to study time-varying brain function. Human Brain Mapping, 2019, 40, 1969-1986. | 1.9 | 52 |
| 40 | Effects of conflict and strategic processing on neural responses to errors in schizophrenia. Biological Psychology, 2019, 140, 9-18. | 1.1 | 6 |
| 41 | Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. Biological Psychiatry, 2019, 85, e35-e39. | 0.7 | 5 |
| 42 | Efference copy/corollary discharge function and targeted cognitive training in patients with schizophrenia. International Journal of Psychophysiology, 2019, 145, 91-98. | 0.5 | 11 |
| 43 | A framework for linking resting-state connectome/genome features in schizophrenia: A pilot study. NeuroImage, 2019, 184, 843-854. | 2.1 | 24 |
| 44 | Deficient auditory predictive coding during vocalization in the psychosis risk syndrome and in early illness schizophrenia: the final expanded sample. Psychological Medicine, 2019, 49, 1897-1904. | 2.7 | 32 |
| 45 | Should I Stay or Should I Go? fMRI Study of Response Inhibition in Early Illness Schizophrenia and Risk for Psychosis. Schizophrenia Bulletin, 2019, 45, 158-168. | 2.3 | 27 |
| 46 | The function and failure of sensory predictions. Annals of the New York Academy of Sciences, 2018, 1426, 199-220. | 1.8 | 45 |
| 47 | Deficits in Cortical Suppression During Vocalization are Associated With Structural Abnormalities in the Arcuate Fasciculus in Early Illness Schizophrenia and Clinical High Risk for Psychosis. Schizophrenia Bulletin, 2018, 44, 1312-1322. | 2.3 | 17 |
| 48 | Disrupted network cross talk, hippocampal dysfunction and hallucinations in schizophrenia. Schizophrenia Research, 2018, 199, 226-234. | 1.1 | 29 |
| 49 | The Difficulty in Finding Relationships Between ERPs and Clinical Symptoms of Schizophrenia. Clinical EEG and Neuroscience, 2018, 49, 6-7. | 0.9 | 10 |
| 50 | Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. Biological Psychiatry, 2018, 84, 644-654. | 0.7 | 627 |
| 51 | A positive take on schizophrenia negative symptom scales: Converting scores between the SANS, NSA and SDS. Schizophrenia Research, 2018, 201, 113-119. | 1.1 | 3 |
| 52 | Multimodal neuromarkers in schizophrenia via cognition-guided MRI fusion. Nature Communications, 2018, 9, 3028. | 5.8 | 127 |
| 53 | Polygenic risk score, genome-wide association, and gene set analyses of cognitive domain deficits in schizophrenia. Schizophrenia Research, 2018, 201, 393-399. | 1.1 | 19 |
| 54 | Modality-Dependent Impact of Hallucinations on Low-Frequency Fluctuations in Schizophrenia. Schizophrenia Bulletin, 2017, 43, sbw093. | 2.3 | 37 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Role of N-Methyl-D-Aspartate Receptors in Action-Based Predictive Coding Deficits in Schizophrenia. <i>Biological Psychiatry</i> , 2017, 81, 514-524. | 0.7 | 40 |
| 56 | Abnormal Coupling Between Default Mode Network and Delta and Beta Band Brain Electric Activity in Psychotic Patients. <i>Brain Connectivity</i> , 2017, 7, 34-44. | 0.8 | 8 |
| 57 | Trait aspects of auditory mismatch negativity predict response to auditory training in individuals with early illness schizophrenia. <i>Neuropsychiatric Electrophysiology</i> , 2017, 3, . | 4.1 | 40 |
| 58 | Interaction of language, auditory and memory brain networks in auditory verbal hallucinations. <i>Progress in Neurobiology</i> , 2017, 148, 1-20. | 2.8 | 169 |
| 59 | Current Approaches to Studying Hallucinations: Overcoming Barriers to Progress. <i>Schizophrenia Bulletin</i> , 2017, 43, 21-23. | 2.3 | 5 |
| 60 | Biclustered Independent Component Analysis for Complex Biomarker and Subtype Identification from Structural Magnetic Resonance Images in Schizophrenia. <i>Frontiers in Psychiatry</i> , 2017, 8, 179. | 1.3 | 25 |
| 61 | Inefficient Preparatory fMRI-BOLD Network Activations Predict Working Memory Dysfunctions in Patients with Schizophrenia. <i>Frontiers in Psychiatry</i> , 2016, 7, 29. | 1.3 | 4 |
| 62 | Studying auditory verbal hallucinations using the RDoC framework. <i>Psychophysiology</i> , 2016, 53, 298-304. | 1.2 | 35 |
| 63 | Using concurrent EEG and fMRI to probe the state of the brain in schizophrenia. <i>NeuroImage: Clinical</i> , 2016, 12, 429-441. | 1.4 | 36 |
| 64 | Self-initiated actions result in suppressed auditory but amplified visual evoked components in healthy participants. <i>Psychophysiology</i> , 2016, 53, 723-732. | 1.2 | 49 |
| 65 | Auditory Hallucinations and the Brain's Resting-State Networks: Findings and Methodological Observations. <i>Schizophrenia Bulletin</i> , 2016, 42, 1110-1123. | 2.3 | 107 |
| 66 | The Function Biomedical Informatics Research Network Data Repository. <i>NeuroImage</i> , 2016, 124, 1074-1079. | 2.1 | 114 |
| 67 | Cortical Suppression to Delayed Self-Initiated Auditory Stimuli in Schizotypy. <i>Clinical EEG and Neuroscience</i> , 2016, 47, 3-10. | 0.9 | 36 |
| 68 | Neural Correlates of Schizophrenia Negative Symptoms: Distinct Subtypes Impact Dissociable Brain Circuits. <i>Molecular Neuropsychiatry</i> , 2015, 1, 191-200. | 3.0 | 39 |
| 69 | Impaired target detection in schizophrenia and the ventral attentional network: Findings from a joint event-related potential functional MRI analysis. <i>NeuroImage: Clinical</i> , 2015, 9, 95-102. | 1.4 | 41 |
| 70 | Functional Magnetic Resonance Imaging of Motor Cortex Activation in Schizophrenia. <i>Journal of Korean Medical Science</i> , 2015, 30, 625. | 1.1 | 2 |
| 71 | Neuropsychological profile in adult schizophrenia measured with the CMINDS. <i>Psychiatry Research</i> , 2015, 230, 826-834. | 1.7 | 45 |
| 72 | Resting-state EEG delta power is associated with psychological pain in adults with a history of depression. <i>Biological Psychology</i> , 2015, 105, 106-114. | 1.1 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Patterns of Gray Matter Abnormalities in Schizophrenia Based on an International Mega-analysis. <i>Schizophrenia Bulletin</i> , 2015, 41, 1133-1142. | 2.3 | 183 |
| 74 | Δ ⁹ -THC Disrupts Gamma (β)-Band Neural Oscillations in Humans. <i>Neuropsychopharmacology</i> , 2015, 40, 2124-2134. | 2.8 | 57 |
| 75 | Subnormal sensory attenuation to self-generated speech in schizotypy: Electrophysiological evidence for a "continuum of psychosis". <i>International Journal of Psychophysiology</i> , 2015, 97, 131-138. | 0.5 | 50 |
| 76 | Equivalent mismatch negativity deficits across deviant types in early illness schizophrenia-spectrum patients. <i>Biological Psychology</i> , 2015, 105, 130-137. | 1.1 | 41 |
| 77 | Relating Intrinsic Low-Frequency BOLD Cortical Oscillations to Cognition in Schizophrenia. <i>Neuropsychopharmacology</i> , 2015, 40, 2705-2714. | 2.8 | 68 |
| 78 | The Psychosis-like Effects of Δ ⁹ -Tetrahydrocannabinol Are Associated With Increased Cortical Noise in Healthy Humans. <i>Biological Psychiatry</i> , 2015, 78, 805-813. | 0.7 | 44 |
| 79 | Visual Hallucinations Are Associated With Hyperconnectivity Between the Amygdala and Visual Cortex in People With a Diagnosis of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 223-232. | 2.3 | 104 |
| 80 | EEG Findings of Reduced Neural Synchronization during Visual Integration in Schizophrenia. <i>PLoS ONE</i> , 2015, 10, e0119849. | 1.1 | 18 |
| 81 | Effects of Nicotine on the Neurophysiological and Behavioral Effects of Ketamine in Humans. <i>Frontiers in Psychiatry</i> , 2014, 5, 3. | 1.3 | 34 |
| 82 | Decomposing P300 to identify its genetic basis. <i>Psychophysiology</i> , 2014, 51, 1325-1326. | 1.2 | 11 |
| 83 | Did I Do That? Abnormal Predictive Processes in Schizophrenia When Button Pressing to Deliver a Tone. <i>Schizophrenia Bulletin</i> , 2014, 40, 804-812. | 2.3 | 139 |
| 84 | A multi-scanner study of subcortical brain volume abnormalities in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 10-16. | 0.9 | 39 |
| 85 | Converting positive and negative symptom scores between PANSS and SAPS/SANS. <i>Schizophrenia Research</i> , 2014, 152, 289-294. | 1.1 | 111 |
| 86 | Schizophrenia miR-137 Locus Risk Genotype Is Associated with Dorsolateral Prefrontal Cortex Hyperactivation. <i>Biological Psychiatry</i> , 2014, 75, 398-405. | 0.7 | 65 |
| 87 | Action planning and predictive coding when speaking. <i>NeuroImage</i> , 2014, 91, 91-98. | 2.1 | 68 |
| 88 | Automatic Auditory Processing Deficits in Schizophrenia and Clinical High-Risk Patients: Forecasting Psychosis Risk with Mismatch Negativity. <i>Biological Psychiatry</i> , 2014, 75, 459-469. | 0.7 | 204 |
| 89 | Studying Hallucinations Within the NIMH RDoC Framework. <i>Schizophrenia Bulletin</i> , 2014, 40, S295-S304. | 2.3 | 124 |
| 90 | Neurophysiological Evidence of Corollary Discharge Function During Vocalization in Psychotic Patients and Their Nonpsychotic First-Degree Relatives. <i>Schizophrenia Bulletin</i> , 2013, 39, 1272-1280. | 2.3 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Auditory Cortex Processes Variation in Our Own Speech. PLoS ONE, 2013, 8, e82925. | 1.1 | 40 |
| 92 | Deficient Suppression of Default Mode Regions during Working Memory in Individuals with Early Psychosis and at Clinical High-Risk for Psychosis. Frontiers in Psychiatry, 2013, 4, 92. | 1.3 | 62 |
| 93 | Early auditory gamma-band responses in patients at clinical high risk for schizophrenia. Supplements To Clinical Neurophysiology, 2013, 62, 147-162. | 2.1 | 34 |
| 94 | Functional Brain Imaging of Auditory Hallucinations: From Self-Monitoring Deficits to Co-opted Neural Resources. , 2013, , 359-373. | | 9 |
| 95 | Auditory Cortex Responsiveness During Talking and Listening: Early Illness Schizophrenia and Patients at Clinical High-Risk for Psychosis. Schizophrenia Bulletin, 2012, 38, 1216-1224. | 2.3 | 57 |
| 96 | Schizophrenia, Myelination, and Delayed Corollary Discharges: A Hypothesis. Schizophrenia Bulletin, 2012, 38, 486-494. | 2.3 | 110 |
| 97 | Neurobiology of Schizophrenia: Search for the Elusive Correlation with Symptoms. Frontiers in Human Neuroscience, 2012, 6, 136. | 1.0 | 65 |
| 98 | Neurophysiology of a possible fundamental deficit in schizophrenia. World Psychiatry, 2012, 11, 58-60. | 4.8 | 6 |
| 99 | Neurophysiological Studies of Auditory Verbal Hallucinations. Schizophrenia Bulletin, 2012, 38, 715-723. | 2.3 | 78 |
| 100 | Anticipating the future: Automatic prediction failures in schizophrenia. International Journal of Psychophysiology, 2012, 83, 232-239. | 0.5 | 88 |
| 101 | Default Mode Network Activity and Connectivity in Psychopathology. Annual Review of Clinical Psychology, 2012, 8, 49-76. | 6.3 | 1,137 |
| 102 | Impaired Visual Cortical Plasticity in Schizophrenia. Biological Psychiatry, 2012, 71, 512-520. | 0.7 | 118 |
| 103 | Perceptual Measurement in Schizophrenia: Promising Electrophysiology and Neuroimaging Paradigms From CNTRICS. Schizophrenia Bulletin, 2012, 38, 81-91. | 2.3 | 59 |
| 104 | Neurophysiological Research: EEG and MEG. , 2012, , 283-295. | | 0 |
| 105 | Relationships between pre-stimulus gamma power and subsequent P300 and reaction time breakdown in schizophrenia. International Journal of Psychophysiology, 2011, 79, 16-24. | 0.5 | 40 |
| 106 | The Neurophysiology of Auditory Hallucinations – A Historical and Contemporary Review. Frontiers in Psychiatry, 2011, 2, 28. | 1.3 | 26 |
| 107 | Frontally mediated inhibitory processing and white matter microstructure: age and alcoholism effects. Psychopharmacology, 2011, 213, 669-679. | 1.5 | 73 |
| 108 | The Corollary Discharge in Humans Is Related to Synchronous Neural Oscillations. Journal of Cognitive Neuroscience, 2011, 23, 2892-2904. | 1.1 | 70 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Assessing corollary discharge in humans using noninvasive neurophysiological methods. <i>Nature Protocols</i> , 2010, 5, 1160-1168. | 5.5 | 73 |
| 110 | Automatic semantic priming abnormalities in schizophrenia. <i>International Journal of Psychophysiology</i> , 2010, 75, 157-166. | 0.5 | 58 |
| 111 | When it's time for a change: Failures to track context in schizophrenia. <i>International Journal of Psychophysiology</i> , 2010, 78, 3-13. | 0.5 | 38 |
| 112 | Neurophysiological distinction between schizophrenia and schizoaffective disorder. <i>Frontiers in Human Neuroscience</i> , 2009, 3, 70. | 1.0 | 42 |
| 113 | Tuning in to the Voices: A Multisite fMRI Study of Auditory Hallucinations. <i>Schizophrenia Bulletin</i> , 2009, 35, 58-66. | 2.3 | 100 |
| 114 | Widespread Cortical Dysfunction in Schizophrenia: The FBIRN Imaging Consortium. <i>Schizophrenia Bulletin</i> , 2009, 35, 15-18. | 2.3 | 62 |
| 115 | The dependence of P300 amplitude on gamma synchrony breaks down in schizophrenia. <i>Brain Research</i> , 2008, 1235, 133-142. | 1.1 | 80 |
| 116 | Corollary Discharge Dysfunction in Schizophrenia: Evidence for an Elemental Deficit. <i>Clinical EEG and Neuroscience</i> , 2008, 39, 82-86. | 0.9 | 80 |
| 117 | Out-of-Synch and Out-of-Sorts: Dysfunction of Motor-Sensory Communication in Schizophrenia. <i>Biological Psychiatry</i> , 2008, 63, 736-743. | 0.7 | 120 |
| 118 | Reduced auditory evoked potential component N100 in schizophrenia – A critical review. <i>Psychiatry Research</i> , 2008, 161, 259-274. | 1.7 | 201 |
| 119 | Neural Synchrony in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2008, 34, 904-906. | 2.3 | 38 |
| 120 | Synch Before You Speak: Auditory Hallucinations in Schizophrenia. <i>American Journal of Psychiatry</i> , 2007, 164, 458-466. | 4.0 | 171 |
| 121 | Relationship of Imprecise Corollary Discharge in Schizophrenia to Auditory Hallucinations. <i>Archives of General Psychiatry</i> , 2007, 64, 286. | 13.8 | 184 |
| 122 | Neural Synchrony in Schizophrenia: From Networks to New Treatments. <i>Schizophrenia Bulletin</i> , 2007, 33, 848-852. | 2.3 | 115 |
| 123 | Results of the Phase I Dose-Escalating Study of Motexafin Gadolinium With Standard Radiotherapy in Patients With Glioblastoma Multiforme. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, 831-838. | 0.4 | 38 |
| 124 | Dissecting corollary discharge dysfunction in schizophrenia. <i>Psychophysiology</i> , 2007, 44, 522-529. | 1.2 | 163 |
| 125 | Fine-tuning of auditory cortex during speech production. <i>Psychophysiology</i> , 2005, 42, 180-190. | 1.2 | 219 |
| 126 | Delayed hemodynamic responses in schizophrenia. <i>NeuroImage</i> , 2005, 26, 922-931. | 2.1 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Corollary discharge dysfunction in schizophrenia: Can it explain auditory hallucinations?. <i>International Journal of Psychophysiology</i> , 2005, 58, 179-189. | 0.5 | 215 |
| 128 | Reduced gamma-band coherence to distorted feedback during speech when what you say is not what you hear. <i>International Journal of Psychophysiology</i> , 2005, 57, 143-150. | 0.5 | 92 |
| 129 | Cortico-thalamo cortical interactions, gamma resonance, and auditory hallucinations in schizophrenia. <i>Behavioral and Brain Sciences</i> , 2004, 27, 797-798. | 0.4 | 1 |
| 130 | Electrophysiological evidence of corollary discharge dysfunction in schizophrenia during talking and thinking. <i>Journal of Psychiatric Research</i> , 2004, 38, 37-46. | 1.5 | 221 |
| 131 | Acquiring and Inhibiting Prepotent Responses in Schizophrenia. <i>Archives of General Psychiatry</i> , 2004, 61, 119. | 13.8 | 135 |
| 132 | Are Impairments of Action Monitoring and Executive Control True Dissociative Dysfunctions in Patients With Schizophrenia?. <i>American Journal of Psychiatry</i> , 2003, 160, 1881-1883. | 4.0 | 85 |
| 133 | N400 and Automatic Semantic Processing Abnormalities in Patients With Schizophrenia. <i>Archives of General Psychiatry</i> , 2002, 59, 641. | 13.8 | 104 |
| 134 | Reduced communication between frontal and temporal lobes during talking in schizophrenia. <i>Biological Psychiatry</i> , 2002, 51, 485-492. | 0.7 | 300 |
| 135 | Cortical responsiveness during talking and listening in schizophrenia: an event-related brain potential study. <i>Biological Psychiatry</i> , 2001, 50, 540-549. | 0.7 | 119 |
| 136 | Multicenter Phase Ib/II Trial of the Radiation Enhancer Motexafin Gadolinium in Patients With Brain Metastases. <i>Journal of Clinical Oncology</i> , 2001, 19, 2074-2083. | 0.8 | 126 |
| 137 | Cortical Responsiveness During Inner Speech in Schizophrenia: An Event-Related Potential Study. <i>American Journal of Psychiatry</i> , 2001, 158, 1914-1916. | 4.0 | 71 |
| 138 | Event-related brain potential evidence of spared knowledge in Alzheimer's disease.. <i>Psychology and Aging</i> , 2001, 16, 161-176. | 1.4 | 44 |
| 139 | Neurophysiological Evidence of Corollary Discharge Dysfunction in Schizophrenia. <i>American Journal of Psychiatry</i> , 2001, 158, 2069-2071. | 4.0 | 267 |
| 140 | Hypofractionated Stereotactic Radiotherapy for Recurrent Malignant Gliomas. <i>Journal of Radiosurgery</i> , 2000, 3, 3-12. | 0.1 | 20 |
| 141 | Trait and state aspects of p300 amplitude reduction in schizophrenia: a retrospective longitudinal study. <i>Biological Psychiatry</i> , 2000, 47, 434-449. | 0.7 | 279 |
| 142 | Schizophrenia: The broken P300 and beyond. <i>Psychophysiology</i> , 1999, 36, 667-682. | 1.2 | 379 |
| 143 | Failures of automatic and strategic processing in schizophrenia: comparisons of event-related brain potential and startle blink modification. <i>Schizophrenia Research</i> , 1999, 37, 149-163. | 1.1 | 55 |
| 144 | Schizophrenics have fewer and smaller P300s: A single-trial analysis. <i>Biological Psychiatry</i> , 1994, 35, 96-103. | 0.7 | 181 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | The relationship between P300 amplitude and regional gray matter volumes depends upon the attentional system engaged. <i>Electroencephalography and Clinical Neurophysiology</i> , 1994, 90, 214-228. | 0.3 | 135 |
| 146 | Event-Related Potentials in Alcoholic Men: P3 Amplitude Reflects Family History But Not Alcohol Consumption. <i>Alcoholism: Clinical and Experimental Research</i> , 1991, 15, 839-850. | 1.4 | 178 |
| 147 | Clinical application of the P3 component of event-related potentials. II. Dementia, depression and schizophrenia. <i>Electroencephalography and Clinical Neurophysiology - Evoked Potentials</i> , 1984, 59, 104-124. | 2.0 | 527 |
| 148 | Event-Related Potentials to a Change of Pace in a Visual Sequence. <i>Psychophysiology</i> , 1982, 19, 173-177. | 1.2 | 12 |
| 149 | Long-Latency Evoked Potentials and Reaction Time. <i>Psychophysiology</i> , 1978, 15, 17-23. | 1.2 | 134 |
| 150 | Attention effects on auditory evoked potentials to infrequent events. <i>Biological Psychology</i> , 1976, 4, 65-77. | 1.1 | 102 |
| 151 | Auditory Evoked Potentials to Unpredictable Shifts in Pitch. <i>Psychophysiology</i> , 1976, 13, 32-39. | 1.2 | 201 |
| 152 | Differences in Readiness Potential Associated with Push-Button Construction. <i>Psychophysiology</i> , 1972, 9, 564-567. | 1.2 | 8 |