

Susanne J Pedersen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5506732/publications.pdf>

Version: 2024-02-01

101
papers

3,985
citations

126907

33
h-index

123424

61
g-index

105
all docs

105
docs citations

105
times ranked

2233
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Defining active sacroiliitis on MRI for classification of axial spondyloarthritis: update by the ASAS MRI working group. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 1958-1963. | 0.9 | 383 |
| 2 | Inflammatory lesions of the spine on magnetic resonance imaging predict the development of new syndesmophytes in ankylosing spondylitis: Evidence of a relationship between inflammation and new bone formation. <i>Arthritis and Rheumatism</i> , 2009, 60, 93-102. | 6.7 | 322 |
| 3 | The diagnostic utility of magnetic resonance imaging in spondylarthritis: An international multicenter evaluation of one hundred eighty-seven subjects. <i>Arthritis and Rheumatism</i> , 2010, 62, 3048-3058. | 6.7 | 261 |
| 4 | MRI lesions in the sacroiliac joints of patients with spondyloarthritis: an update of definitions and validation by the ASAS MRI working group. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1550-1558. | 0.9 | 171 |
| 5 | A Comprehensive Hip Fracture Program Reduces Complication Rates and Mortality. <i>Journal of the American Geriatrics Society</i> , 2008, 56, 1831-1838. | 2.6 | 159 |
| 6 | Imaging in rheumatoid arthritis – status and recent advances for magnetic resonance imaging, ultrasonography, computed tomography and conventional radiography. <i>Best Practice and Research in Clinical Rheumatology</i> , 2008, 22, 1019-1044. | 3.3 | 132 |
| 7 | Fat Metaplasia and Backfill Are Key Intermediaries in the Development of Sacroiliac Joint Ankylosis in Patients With Ankylosing Spondylitis. <i>Arthritis and Rheumatology</i> , 2014, 66, 2958-2967. | 5.6 | 117 |
| 8 | Development and Preliminary Validation of the Spondyloarthritis Research Consortium of Canada Magnetic Resonance Imaging Sacroiliac Joint Structural Score. <i>Journal of Rheumatology</i> , 2015, 42, 79-86. | 2.0 | 115 |
| 9 | Assessment of structural lesions in sacroiliac joints enhances diagnostic utility of magnetic resonance imaging in early spondylarthritis. <i>Arthritis Care and Research</i> , 2010, 62, 1763-1771. | 3.4 | 112 |
| 10 | Responsiveness of the Ankylosing Spondylitis Disease Activity Score (ASDAS) and clinical and MRI measures of disease activity in a 1-year follow-up study of patients with axial spondyloarthritis treated with tumour necrosis factor \pm inhibitors. <i>Annals of the Rheumatic Diseases</i> , 2010, 69, 1065-1071. | 0.9 | 108 |
| 11 | ASDAS, BASDAI and different treatment responses and their relation to biomarkers of inflammation, cartilage and bone turnover in patients with axial spondyloarthritis treated with TNF α inhibitors. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1375-1381. | 0.9 | 106 |
| 12 | Enthesitis in patients with psoriatic arthritis, axial spondyloarthritis and healthy subjects assessed by “head-to-toe” whole-body MRI and clinical examination. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 823-829. | 0.9 | 106 |
| 13 | Resolution of Inflammation Following Treatment of Ankylosing Spondylitis Is Associated with New Bone Formation. <i>Journal of Rheumatology</i> , 2011, 38, 1349-1354. | 2.0 | 94 |
| 14 | Can erosions on MRI of the sacroiliac joints be reliably detected in patients with ankylosing spondylitis? A cross-sectional study. <i>Arthritis Research and Therapy</i> , 2012, 14, R124. | 3.5 | 92 |
| 15 | Does spinal MRI add incremental diagnostic value to MRI of the sacroiliac joints alone in patients with non-radiographic axial spondyloarthritis?. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 985-992. | 0.9 | 89 |
| 16 | Radiographic progression is associated with resolution of systemic inflammation in patients with axial spondylarthritis treated with tumor necrosis factor \pm inhibitors: A study of radiographic progression, inflammation on magnetic resonance imaging, and c. <i>Arthritis and Rheumatism</i> , 2011, 63, 3789-3800. | 6.7 | 88 |
| 17 | Candidate lesion-based criteria for defining a positive sacroiliac joint MRI in two cohorts of patients with axial spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1976-1982. | 0.9 | 81 |
| 18 | Associations Between Spondyloarthritis Features and Magnetic Resonance Imaging Findings: A Cross-sectional Analysis of 1,020 Patients With Persistent Low Back Pain. <i>Arthritis and Rheumatology</i> , 2016, 68, 892-900. | 5.6 | 71 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The Pathogenesis of Ankylosing Spondylitis: an Update. <i>Current Rheumatology Reports</i> , 2019, 21, 58. | 4.7 | 67 |
| 20 | Circulating levels of interleukin-6, vascular endothelial growth factor, YKL-40, matrix metalloproteinase-3, and total aggrecan in spondyloarthritis patients during 3Åyears of treatment with TNF± inhibitors. <i>Clinical Rheumatology</i> , 2010, 29, 1301-1309. | 2.2 | 60 |
| 21 | Development and Validation of a Magnetic Resonance Imaging Reference Criterion for Defining a Positive Sacroiliac Joint Magnetic Resonance Imaging Finding in Spondyloarthritis. <i>Arthritis Care and Research</i> , 2013, 65, 977-985. | 3.4 | 55 |
| 22 | Head-to-toe whole-body MRI in psoriatic arthritis, axial spondyloarthritis and healthy subjects: first steps towards global inflammation and damage scores of peripheral and axial joints. <i>Rheumatology</i> , 2015, 54, 1039-1049. | 1.9 | 55 |
| 23 | Whole-body Magnetic Resonance Imaging in Inflammatory Arthritis: Systematic Literature Review and First Steps Toward Standardization and an OMERACT Scoring System. <i>Journal of Rheumatology</i> , 2017, 44, 1699-1705. | 2.0 | 48 |
| 24 | Limited Reliability of Radiographic Assessment of Sacroiliac Joints in Patients with Suspected Early Spondyloarthritis. <i>Journal of Rheumatology</i> , 2017, 44, 70-77. | 2.0 | 48 |
| 25 | Diagnostic Utility of Candidate Definitions for Demonstrating Axial Spondyloarthritis on Magnetic Resonance Imaging of the Spine. <i>Arthritis and Rheumatology</i> , 2015, 67, 924-933. | 5.6 | 44 |
| 26 | Data-driven definitions for active and structural MRI lesions in the sacroiliac joint in spondyloarthritis and their predictive utility. <i>Rheumatology</i> , 2021, 60, 4778-4789. | 1.9 | 44 |
| 27 | Fat Infiltration on Magnetic Resonance Imaging of the Sacroiliac Joints Has Limited Diagnostic Utility in Nonradiographic Axial Spondyloarthritis. <i>Journal of Rheumatology</i> , 2014, 41, 75-83. | 2.0 | 43 |
| 28 | Magnetic resonance imaging in spondyloarthritis â€“ how to quantify findings and measure response. <i>Best Practice and Research in Clinical Rheumatology</i> , 2010, 24, 637-657. | 3.3 | 42 |
| 29 | Course of Magnetic Resonance Imagingâ€“Detected Inflammation and Structural Lesions in the Sacroiliac Joints of Patients in the Randomized, Doubleâ€“Blind, Placeboâ€“Controlled Danish Multicenter Study of Adalimumab in Spondyloarthritis, as Assessed by the Berlin and Spondyloarthritis Research Consortium of Canada Methods. <i>Arthritis and Rheumatology</i> , 2016, 68, 418-429. | 5.6 | 42 |
| 30 | Whole-body MRI assessment of disease activity and structural damage in rheumatoid arthritis: first step towards an MRI joint count. <i>Rheumatology</i> , 2014, 53, 845-853. | 1.9 | 40 |
| 31 | Magnetic Resonance Imaging of Lesions in the Sacroiliac Joints for Differentiation of Patients With Axial Spondyloarthritis From Control Subjects With or Without Pelvic or Buttock Pain: A Prospective, Crossâ€“Sectional Study of 204 Participants. <i>Arthritis and Rheumatology</i> , 2019, 71, 2034-2046. | 5.6 | 38 |
| 32 | The OMERACT MRI in Enthesitis Initiative: Definitions of Key Pathologies, Suggested MRI Sequences, and a Novel Heel Enthesitis Scoring System. <i>Journal of Rheumatology</i> , 2019, 46, 1232-1238. | 2.0 | 37 |
| 33 | Development and Validation of an OMERACT MRI Whole-Body Score for Inflammation in Peripheral Joints and Entheses in Inflammatory Arthritis (MRI-WIPE). <i>Journal of Rheumatology</i> , 2019, 46, 1215-1221. | 2.0 | 35 |
| 34 | No overall damage progression despite persistent inflammation in adalimumab-treated psoriatic arthritis patients: results from an investigator-initiated 48-week comparative magnetic resonance imaging, computed tomography and radiography trial. <i>Rheumatology</i> , 2014, 53, 746-756. | 1.9 | 34 |
| 35 | Whole-body Magnetic Resonance Imaging in Axial Spondyloarthritis: Reduction of Sacroiliac, Spinal, and Enteseal Inflammation in a Placebo-controlled Trial of Adalimumab. <i>Journal of Rheumatology</i> , 2018, 45, 621-629. | 2.0 | 33 |
| 36 | Active Inflammatory Lesions Detected by Magnetic Resonance Imaging in the Spine of Patients with Spondyloarthritis - Definitions, Assessment System, and Reference Image Set. <i>Journal of rheumatology Supplement, The</i> , 2009, 84, 3-17. | 2.2 | 32 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Inflammatory and structural changes in vertebral bodies and posterior elements of the spine in axial spondyloarthritis: construct validity, responsiveness and discriminatory ability of the anatomy-based CANDEN scoring system in a randomised placebo-controlled trial. <i>RMD Open</i> , 2018, 4, e000624. | 3.8 | 31 |
| 38 | Structural Lesions Detected by Magnetic Resonance Imaging in the Spine of Patients with Spondyloarthritis - Definitions, Assessment System, and Reference Image Set. <i>Journal of rheumatology Supplement, The</i> , 2009, 84, 18-34. | 2.2 | 29 |
| 39 | Tumor necrosis factor inhibitor therapy but not standard therapy is associated with resolution of erosion in the sacroiliac joints of patients with axial spondyloarthritis. <i>Arthritis Research and Therapy</i> , 2014, 16, R100. | 3.5 | 28 |
| 40 | MRI lesions of the spine in patients with axial spondyloarthritis: an update of lesion definitions and validation by the ASAS MRI working group. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1243-1251. | 0.9 | 22 |
| 41 | Whole-body Magnetic Resonance Imaging Inflammation in Peripheral Joints and Entheses in Axial Spondyloarthritis: Distribution and Changes during Adalimumab Treatment. <i>Journal of Rheumatology</i> , 2020, 47, 50-58. | 2.0 | 21 |
| 42 | Recent Advances in Imaging in Psoriatic Arthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2011, 3, 43-53. | 2.7 | 20 |
| 43 | Canada-Denmark MRI scoring system of the spine in patients with axial spondyloarthritis: updated definitions, scoring rules and inter-reader reliability in a multiple reader setting. <i>RMD Open</i> , 2019, 5, e001057. | 3.8 | 20 |
| 44 | Structural progression rate decreases over time on serial radiography and magnetic resonance imaging of sacroiliac joints and spine in a five-year follow-up study of patients with ankylosing spondylitis treated with tumour necrosis factor inhibitor. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 185-197. | 1.1 | 20 |
| 45 | Anatomic Distribution of Sacroiliac Joint Lesions on Magnetic Resonance Imaging in Patients With Axial Spondyloarthritis and Control Subjects: A Prospective Cross-sectional Study, Including Postpartum Women, Patients With Disc Herniation, Cleaning Staff, Runners, and Healthy Individuals. <i>Arthritis Care and Research</i> , 2021, 73, 742-754. | 3.4 | 20 |
| 46 | Influence of field strength, coil type and image resolution on assessment of synovitis by unenhanced MRI – a comparison with contrast-enhanced MRI. <i>European Radiology</i> , 2015, 25, 1059-1067. | 4.5 | 19 |
| 47 | Development and Validation of MRI Sacroiliac Joint Scoring Methods for the Semiaxial Scan Plane Corresponding to the Berlin and SPARCC MRI Scoring Methods, and of a New Global MRI Sacroiliac Joint Method. <i>Journal of Rheumatology</i> , 2018, 45, 70-77. | 2.0 | 19 |
| 48 | The diagnostic utility of MRI in spondyloarthritis. <i>Best Practice and Research in Clinical Rheumatology</i> , 2012, 26, 751-766. | 3.3 | 17 |
| 49 | The discriminative value of inflammatory back pain in patients with persistent low back pain. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 321-328. | 1.1 | 17 |
| 50 | Does evaluation of the ligamentous compartment enhance diagnostic utility of sacroiliac joint MRI in axial spondyloarthritis?. <i>Arthritis Research and Therapy</i> , 2015, 17, 246. | 3.5 | 16 |
| 51 | Beyond the TNF- \pm Inhibitors: New and Emerging Targeted Therapies for Patients with Axial Spondyloarthritis and their Relation to Pathophysiology. <i>Drugs</i> , 2018, 78, 1397-1418. | 10.9 | 16 |
| 52 | Monitoring total-body inflammation and damage in joints and entheses: the first follow-up study of whole-body magnetic resonance imaging in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 253-262. | 1.1 | 15 |
| 53 | Bone marrow oedema assessment by magnetic resonance imaging in rheumatoid arthritis wrist and metacarpophalangeal joints: the importance of field strength, coil type and image resolution. <i>Rheumatology</i> , 2014, 53, 1446-1451. | 1.9 | 14 |
| 54 | Pattern of bone erosion and bone proliferation in psoriatic arthritis hands: a high-resolution computed tomography and radiography follow-up study during adalimumab therapy. <i>Scandinavian Journal of Rheumatology</i> , 2014, 43, 202-208. | 1.1 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | What Level of Inflammation Leads to Structural Damage in the Sacroiliac Joints? A Four-Year Magnetic Resonance Imaging Follow-Up Study of Low Back Pain Patients. <i>Arthritis and Rheumatology</i> , 2019, 71, 2027-2033. | 5.6 | 14 |
| 56 | Atlas of the OMERACT Heel Enthesitis MRI Scoring System (HEMRIS). <i>RMD Open</i> , 2020, 6, e001150. | 3.8 | 14 |
| 57 | Central reader evaluation of MRI scans of the sacroiliac joints from the ASAS classification cohort: discrepancies with local readers and impact on the performance of the ASAS criteria. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 935-942. | 0.9 | 14 |
| 58 | The utility of magnetic resonance imaging lesion combinations in the sacroiliac joints for diagnosing patients with axial spondyloarthritis. A prospective study of 204 participants including post-partum women, patients with disc herniation, cleaning staff, runners and healthy persons. <i>Rheumatology</i> , 2020, 59, 3237-3249. | 1.9 | 13 |
| 59 | Novel whole-body magnetic resonance imaging response and remission criteria document diminished inflammation during golimumab treatment in axial spondyloarthritis. <i>Rheumatology</i> , 2020, 59, 3358-3368. | 1.9 | 13 |
| 60 | Development and Validation of Web-based Training Modules for Systematic Evaluation of Active Inflammatory Lesions in the Spine and Sacroiliac Joints in Spondyloarthritis. <i>Journal of rheumatology Supplement, The</i> , 2009, 84, 48-57. | 2.2 | 12 |
| 61 | Magnetic resonance imaging for diagnosing, monitoring and prognostication in psoriatic arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, S66-9. | 0.8 | 12 |
| 62 | Do tender joints in active psoriatic arthritis reflect inflammation assessed by ultrasound and magnetic resonance imaging?. <i>Rheumatology</i> , 2022, 61, 723-733. | 1.9 | 10 |
| 63 | The FAt Spondyloarthritis Spine Score (FASSS): development and validation of a new scoring method for the evaluation of fat lesions in the spine of patients with axial spondyloarthritis. <i>Arthritis Research and Therapy</i> , 2013, 15, R216. | 3.5 | 9 |
| 64 | Validation of Definitions for Structural Lesions Detected by Magnetic Resonance Imaging in the Spine of Patients with Spondyloarthritis. <i>Journal of rheumatology Supplement, The</i> , 2009, 84, 39-47. | 2.2 | 8 |
| 65 | No diagnostic utility of antibody patterns against <i>Klebsiella pneumoniae</i> capsular serotypes in patients with axial spondyloarthritis vs. patients with non-specific low back pain: a cross-sectional study. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 296-302. | 1.1 | 8 |
| 66 | Assessing the construct validity of clinical tests to identify sacroiliac joint inflammation in patients with non-radiographic axial spondyloarthritis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1521-1528. | 1.9 | 8 |
| 67 | Peripheral Enthesitis Detected by Ultrasonography in Patients With Axial Spondyloarthritis: Anatomical Distribution, Morphology, and Response to Tumor Necrosis Factor-Inhibitor Therapy. <i>Frontiers in Medicine</i> , 2020, 7, 341. | 2.6 | 8 |
| 68 | OMERACT Hip Inflammation Magnetic Resonance Imaging Scoring System (HIMRISS) Assessment in Longitudinal Study. <i>Journal of Rheumatology</i> , 2019, 46, 1239-1242. | 2.0 | 7 |
| 69 | Morphological characteristics of sacroiliac joint MRI lesions in axial spondyloarthritis and control subjects. <i>Rheumatology</i> , 2022, 61, 1005-1017. | 1.9 | 7 |
| 70 | Quantifying bone marrow inflammatory edema in the spine and sacroiliac joints with thresholding. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 497. | 1.9 | 6 |
| 71 | Development and Validation of 3 Preliminary MRI Sacroiliac Joint Composite Structural Damage Scores in a 5-year Longitudinal Axial Spondyloarthritis Study. <i>Journal of Rheumatology</i> , 2021, 48, 1537-1546. | 2.0 | 6 |
| 72 | Arthritis and enthesitis in the hip and pelvis region in spondyloarthritis - OMERACT validation of two whole-body MRI methods. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 940-945. | 3.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Utility in Clinical Trials of Magnetic Resonance Imaging for Psoriatic Arthritis: A Report from the GRAPPA 2014 Annual Meeting. <i>Journal of Rheumatology</i> , 2015, 42, 1044-1047. | 2.0 | 5 |
| 74 | Testâ€“retest repeatability of the apparent diffusion coefficient in sacroiliac joint MRI in patients with axial spondyloarthritis and healthy individuals. <i>Acta Radiologica Open</i> , 2020, 9, 205846012090601. | 0.6 | 5 |
| 75 | Extracellular matrix protein turnover markers are associated with axial spondyloarthritisâ€“a comparison with postpartum women and other non-axial spondyloarthritis controls with or without back pain. <i>Arthritis Research and Therapy</i> , 2022, 24, . | 3.5 | 5 |
| 76 | The OMERACT Knee Inflammation MRI Scoring System: Validation of quantitative methodologies and tri-compartmental overlays in osteoarthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 925-928. | 3.4 | 4 |
| 77 | Joint and enthesal inflammation in the knee region in spondyloarthritis - reliability and responsiveness of two OMERACT whole-body MRI scores. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 933-939. | 3.4 | 4 |
| 78 | Tapering of TNF inhibitors in axial spondyloarthritis in routine care â€” 2-year clinical and MRI outcomes and predictors of successful tapering. <i>Rheumatology</i> , 2021, , . | 1.9 | 4 |
| 79 | Recent Advances in Imaging of the Axial Skeleton in Spondyloarthritis for Diagnosis, Assessment of Treatment Effect, and Prognostication. <i>Current Rheumatology Reports</i> , 2015, 17, 60. | 4.7 | 3 |
| 80 | Scoring magnetic resonance imaging (MRI) inflammation and structural lesions in sacroiliac joints of patients with axial spondyloarthritis: assessment of all MRI slices of the cartilaginous compartment versus standardized six or five slices. <i>Scandinavian Journal of Rheumatology</i> , 2020, 49, 200-209. | 1.1 | 2 |
| 81 | Whole-Body Magnetic Resonance Imaging Assessment of Joint Inflammation in Rheumatoid Arthritisâ€“Agreement With Ultrasonography and Clinical Evaluation. <i>Frontiers in Medicine</i> , 2020, 7, 285. | 2.6 | 2 |
| 82 | Utility of magnetic resonance imaging in Crohn's associated sacroiliitis: A crossâ€“sectional study. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 582-590. | 1.9 | 2 |
| 83 | Validation of assessment methods for the apparent diffusion coefficient in a clinical trial of axial spondyloarthritis patients treated with golimumab. <i>European Journal of Radiology Open</i> , 2020, 7, 100285. | 1.6 | 2 |
| 84 | Atlas of Magnetic Resonance Imaging Abnormalities in the Spine in Spondyloarthritis: Definitions, Reliability, Training, and Conceptual Framework. A Report from the Canada (SPARCC) - Denmark International Spondyloarthritis Working Group. <i>Journal of rheumatology Supplement</i> , The, 2009, 84, 1-2. | 2.2 | 1 |
| 85 | FRI0194â€“Is There an Association Between Spondyloarthritis and Antibodies Towards <i>Borrelia</i> , <i>Ehrlichia</i> and <i>Chlamydia</i> Species?. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 495.1-495. | 0.9 | 1 |
| 86 | OPO287â€“Ultrasonography-detected peripheral enthesitis in patients with axial spondyloarthritis â€“ anatomical distribution, morphology and response to anti-tnf therapy. , 2017, , . | | 1 |
| 87 | AB1174â€“IS MONITORING SYNOVITIS IN THE HANDS BY ULTRASOUND ENOUGH TO ASSESS TREATMENT EFFECT IN PATIENTS WITH RA IN CLINICAL PRACTICE?. , 2019, , . | | 1 |
| 88 | FRI0170â€“Consensus definitions for mri lesions in the sacroiliac joints of patients with axial spondyloarthritis: first analysis from the assessments in spondyloarthritis international society (ASAS) classification cohort. , 2018, , . | | 1 |
| 89 | FRI0592â€“Scoring mri inflammation and structural lesions in sacroiliac joints of patients with axial spondyloarthritis: is inter-reader reliability dependent on the number of mri slices?. , 2018, , . | | 1 |
| 90 | THU0276â€“Mri lesion definitions in axial spondyloarthritis: a consensus reappraisal from the assessments in spondyloarthritis international society (ASAS). , 2018, , . | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | FRI0597â€¦Validation of web-based calibration modules for imaging scoring systems based on principles of artificial intelligence: the sparcc mri sacroiliac joint inflammation score. , 2018, , . | | 1 |
| 92 | OP0249â€¦The contribution of structural mri lesions to detection of sacroiliitis in patients in the assessments in spondyloarthritis international society (ASAS) classification cohort. , 2018, , . | | 1 |
| 93 | AB0946â€¦Anti-TNF treated psoriatic arthritis: Course of composite disease activity measures and clinical core domains:. Annals of the Rheumatic Diseases, 2013, 71, 692.16-692. | 0.9 | 0 |
| 94 | SAT0417â€¦Evolution of MRI Inflammation and Structural Lesions on Serial Scans over 5 Years in Patients with Ankylosing Spondylitis Treated with Tumor-Necrosis-Factor-Alpha Inhibitors: Table 1.. Annals of the Rheumatic Diseases, 2016, 75, 821.1-821. | 0.9 | 0 |
| 95 | THU0366â€¦MAGNETIC RESONANCE IMAGING IN COMPARISON WITH CONVENTIONAL RADIOGRAPHY FOR DETECTION OF STRUCTURAL CHANGES TYPICAL FOR SPA â€œ DATA FROM THE ASSESSMENT OF SPONDYLOARTHRITIS INTERNATIONAL SOCIETY (ASAS) COHORT. , 2019, , . | | 0 |
| 96 | High versus standard magnetic resonance image resolution of the cervical spine in patients with axial spondyloarthritis. Acta Radiologica, 2020, 61, 471-479. | 1.1 | 0 |
| 97 | Diffusion-weighted MR imaging in chronic non-bacterial osteitis: Proof-of-concept of the apparent diffusion coefficient as an outcome measure. Acta Radiologica Open, 2021, 10, 205846012110444. | 0.6 | 0 |
| 98 | SAT0671â€¦Initial development of a whole-body magnetic resonance imaging inflammation index for active disease of peripheral joints and entheses in patients with inflammatory arthritis. , 2018, , . | | 0 |
| 99 | FRI0169â€¦First validation of consensus definitions for mri lesions in the sacroiliac joint by the assessments in spondyloarthritis international society (ASAS) mri group. , 2018, , . | | 0 |
| 100 | AB1175â€¦Development and preliminary validation of an omeract mri enthesitis scoring system for the ankle in spondyloarthritis. , 2018, , . | | 0 |
| 101 | Repeatability and reproducibility of MRI apparent diffusion coefficient applied on four different regions of interest for patients with axial spondyloarthritis and healthy volunteers scanned twice within a week. BJR Open, 2020, 2, 20200004. | 0.6 | 0 |