

# Mariusz A Kuztal

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5507273/publications.pdf>

Version: 2024-02-01

128  
papers

1,095  
citations

471061

17  
h-index

525886

27  
g-index

131  
all docs

131  
docs citations

131  
times ranked

1413  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-ETAR and suPAR as markers of disease activity in renal ANCA-associated vasculitis. <i>Advances in Medical Sciences</i> , 2022, 67, 23-28.	0.9	3
2	Non-HLA Antibodies in Hand Transplant Recipients Are Connected to Multiple Acute Rejection Episodes and Endothelial Activation. <i>Journal of Clinical Medicine</i> , 2022, 11, 833.	1.0	6
3	The Relationship of Epicardial Adipose Tissue and Cardiovascular Disease in Chronic Kidney Disease and Hemodialysis Patients. <i>Journal of Clinical Medicine</i> , 2022, 11, 1308.	1.0	5
4	Cognitive Impairment in End Stage Renal Disease Patients Undergoing Hemodialysis: Markers and Risk Factors. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 2389.	1.2	12
5	Prone Position Facilitates Creation of Ulnar-Basilic Arteriovenous Fistula. <i>Journal of Clinical Medicine</i> , 2022, 11, 2610.	1.0	0
6	Hemodialysis vascular access affects heart function and outcomes: Tips for choosing the right access for the individual patient. <i>Journal of Vascular Access</i> , 2021, 22, 32-41.	0.5	15
7	Carotid artery tortuosity may pose a problem during insertion of the tunneled catheter for hemodialysis. <i>Artificial Organs</i> , 2021, 45, 303-308.	1.0	1
8	Simultaneous placement of leadless pacemaker and dialysis catheter in patient with exhausted vasculature. <i>Journal of Vascular Access</i> , 2021, 22, 147-150.	0.5	0
9	Therapeutic dilemmas in dialysis patients hospitalized for COVID-19: balancing between nihilism, off-label treatment and side effects. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1039-1041.	1.4	3
10	Exhausted Capacity of Bicarbonate Buffer in Renal Failure Diagnosed Using Point of Care Analyzer. <i>Diagnostics</i> , 2021, 11, 226.	1.3	4
11	Overhydration: A cause or an effect of kidney damage and how to treat it. <i>Advances in Clinical and Experimental Medicine</i> , 2021, 30, 219-227.	0.6	2
12	Is home-based therapy in Fabry disease the answer to compelling patients'™ needs during the COVID-19 pandemic? Survey results from the Polish FD Collaborative Group. <i>Advances in Clinical and Experimental Medicine</i> , 2021, 30, 449-454.	0.6	7
13	Cardiac Implantable Electronic Devices in Hemodialysis and Chronic Kidney Disease Patients'™ An Experience-Based Narrative Review. <i>Journal of Clinical Medicine</i> , 2021, 10, 1745.	1.0	2
14	Machine Learning in Prediction of IgA Nephropathy Outcome: A Comparative Approach. <i>Journal of Personalized Medicine</i> , 2021, 11, 312.	1.1	6
15	MO162IMPACT OF THE IMMUNOSUPPRESSIVE TREATMENT, X-RAY EXPOSITION AND RENAL PATHOLOGY ON OVARIAN RESERVE IN YOUNG WOMEN. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.4	0
16	MO743FACTORS AFFECTING CEREBRAL OXYGENATION IN HEMODIALYSIS PATIENTS: ARTERIAL STIFFNESS, MENTAL ACTIVITIES, SMOKING. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, .	0.4	0
17	Kidney Transplantation in COVID Pandemic'™ A Review of Guidelines. <i>Journal of Clinical Medicine</i> , 2021, 10, 2877.	1.0	6
18	Beneficial Effect of Successful Simultaneous Pancreas-Kidney Transplantation on Plasma Profile of Metalloproteinases in Type 1 Diabetes Mellitus Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 3800.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Considerations for Home-Based Treatment of Fabry Disease in Poland during the COVID-19 Pandemic and Beyond. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8242.	1.2	4
20	First two years of reimbursed enzyme replacement therapy in the treatment of Fabry disease in Poland. <i>F1000Research</i> , 2021, 10, 841.	0.8	1
21	Clinical and Histopathological Factors Influencing IgA Nephropathy Outcome. <i>Diagnostics</i> , 2021, 11, 1764.	1.3	6
22	Comparing Humoral and Cellular Adaptive Immunity during Convalescent Phase of COVID-19 in Hemodialysis Patients and Kidney Transplant Recipients. <i>Journal of Clinical Medicine</i> , 2021, 10, 4833.	1.0	5
23	Assessment of Depression and Anxiety in Patients with Chronic Kidney Disease and after Kidney Transplantation – A Comparative Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10517.	1.2	9
24	Artificial Intelligence – A Tool for Risk Assessment of Delayed-Graft Function in Kidney Transplant. <i>Journal of Clinical Medicine</i> , 2021, 10, 5244.	1.0	10
25	Subphenotypes of ANCA-associated vasculitis identified by latent class analysis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 129, 62-68.	0.4	1
26	Subphenotypes of ANCA-associated vasculitis identified by latent class analysis. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 62-68.	0.4	4
27	Quality assessment of vascular access procedures for hemodialysis: A position paper of the Vascular Access Society based on the analysis of existing guidelines. <i>Journal of Vascular Access</i> , 2020, 21, 148-153.	0.5	15
28	Dialysis Catheter Insertion with Extended Ultrasound Monitoring. <i>Blood Purification</i> , 2020, 49, 102-106.	0.9	2
29	Unintentional puncture of thyroid cyst during insertion of dialysis catheter. <i>Journal of Vascular Access</i> , 2020, , 112972982096223.	0.5	0
30	ANCA-associated vasculitis patients treated in Polish intensive care units – retrospective characteristics based on the POLVAS registry. <i>Anaesthesiology Intensive Therapy</i> , 2020, 52, 281-286.	0.4	2
31	Hyponatremia in Infectious Diseases – A Literature Review. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5320.	1.2	25
32	Abnormal Nailfold Capillaries in Patients after Hand Transplantation. <i>Journal of Clinical Medicine</i> , 2020, 9, 3422.	1.0	3
33	Disability of Dialysis Patients and the Condition of Blood Vessels. <i>Journal of Clinical Medicine</i> , 2020, 9, 1806.	1.0	5
34	Arterial Stiffness Assessed by Oscillometric Method in Kidney Transplant, Predialysis, and Dialysis Patients. <i>Transplantation Proceedings</i> , 2020, 52, 2337-2340.	0.3	4
35	The attitude of kidney transplant recipients towards elective arteriovenous fistula ligation. <i>PLoS ONE</i> , 2020, 15, e0234931.	1.1	6
36	The attitude of kidney transplant recipients towards elective arteriovenous fistula ligation. , 2020, 15, e0234931.		0

#	ARTICLE	IF	CITATIONS
37	The attitude of kidney transplant recipients towards elective arteriovenous fistula ligation. , 2020, 15, e0234931.		0
38	The attitude of kidney transplant recipients towards elective arteriovenous fistula ligation. , 2020, 15, e0234931.		0
39	The attitude of kidney transplant recipients towards elective arteriovenous fistula ligation. , 2020, 15, e0234931.		0
40	The attitude of kidney transplant recipients towards elective arteriovenous fistula ligation. , 2020, 15, e0234931.		0
41	The attitude of kidney transplant recipients towards elective arteriovenous fistula ligation. , 2020, 15, e0234931.		0
42	SP423MEASUREMENT OF HEMODIALYSIS EFFECTS ON MUSCLE TONE AND MECHANICAL PROPERTIES OF RECTUS FEMORIS USING A NOVEL MYOMETRIC DEVICE. Nephrology Dialysis Transplantation, 2019, 34, .	0.4	1
43	Muscle strength and bone mass density in haemodialysis patients. Physiotherapy Quarterly, 2019, 27, 39-45.	0.1	0
44	Difficulties with tunneling of the cuffed catheter: a single-centre experience. Scientific Reports, 2018, 8, 3314.	1.6	2
45	Very Long-term Survival of the Transplanted Kidneyâ€™Characteristics of Recipients. Transplantation Proceedings, 2018, 50, 1730-1732.	0.3	7
46	Type 1 diabetic patients have better endothelial function after simultaneous pancreasâ€™kidney transplantation than after kidney transplantation with continued insulin therapy. Diabetes and Vascular Disease Research, 2018, 15, 122-130.	0.9	4
47	Cardiac implantable electronic device and vascular access: Strategies to overcome problems. Journal of Vascular Access, 2018, 19, 521-527.	0.5	19
48	SP590VASCULAR ACCESS FLOW IN PATIENTS AFTER KIDNEY TRANSPLANTATION. Nephrology Dialysis Transplantation, 2018, 33, i546-i546.	0.4	0
49	SP405HEMODYNAMIC PARAMETERS CORRELATE WITH CA AND PTH LEVELS IN CHRONIC HD PATIENTS 65+ WITHOUT PHYSICAL DISABILITY. Nephrology Dialysis Transplantation, 2018, 33, i483-i483.	0.4	0
50	SP162CLINICAL CHARACTERISTICS AND CORRELATES OF ENDOTHELIAL DYSFUNCTION IN ANCA-ASSOCIATED VASCULITIS. Nephrology Dialysis Transplantation, 2018, 33, i399-i399.	0.4	0
51	SP158SUPAR AND ANTI-ETAR AS PROGNOSTIC BIOMARKERS IN RENAL ANCA-ASSOCIATED VASCULITIS. Nephrology Dialysis Transplantation, 2018, 33, i397-i397.	0.4	0
52	Reduction of lung congestion following arteriovenous fistula flow reduction in renal graft recipient. Journal of Vascular Access, 2018, 19, 207-208.	0.5	1
53	Depressive symptoms but not chronic pain have an impact on the survival of patients undergoing maintenance hemodialysis. Archives of Medical Science, 2018, 14, 265-275.	0.4	14
54	Nutritional assessment of patients with end-stage renal disease using the MNA scale. Advances in Clinical and Experimental Medicine, 2018, 27, 1117-1123.	0.6	14

#	ARTICLE	IF	CITATIONS
55	Dialysis membranes: A 2018 update. <i>Polimery W Medycynie</i> , 2018, 48, 57-63.	0.6	13
56	Heparin-free hemodialysis. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2018, 72, 671-677.	0.1	0
57	Dialysis-Related Parameters Influence Remodeling in the Venous Part of the Native Arteriovenous Fistula. <i>Annals of Vascular Surgery</i> , 2017, 45, 179-185.	0.4	0
58	Over-catheter tract suture to prevent bleeding and air embolism after tunnelled catheter removal. <i>Journal of Vascular Access</i> , 2017, 18, 170-172.	0.5	7
59	MP468PULSE PRESSURE INCREASES AFTER 6-MIN WALK TEST WITH ADVANCEMENT OF CKD. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii600-iii601.	0.4	0
60	MP196ANTI-ETAR AND SUPAR AS SURROGATE MARKERS OF DISEASE ACTIVITY IN RENAL ANCA-ASSOCIATED VASCULITIS. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii500-iii500.	0.4	0
61	The Sleeve Method for Creation of Radiocephalic Arteriovenous Fistulas in Patients with Calcified Vessels. <i>Journal of Vascular Access</i> , 2017, 18, 384-389.	0.5	4
62	Evaluation of Exercise Tolerance in Dialysis Patients Performing Tai Chi Training: Preliminary Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-7.	0.5	9
63	TO016COMPARISON OF DIFFERENT MARKERS OF VASCULAR DAMAGE IN TYPE 1 DIABETIC PATIENTS WITH END-STAGE RENAL DISEASE AFTER KIDNEY OR SIMULTANEOUS PANCREAS-KIDNEY TRANSPLANTATION. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i68-i68.	0.4	0
64	SP503DIALYSIS RELATED PARAMETERS HAVE INFLUENCE ON REMODELING IN VENOUS PART OF NATIVE ARTERIOVENOUS FISTULA. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i261-i262.	0.4	0
65	SP510IMPACT OF ACCESS LOCATION AND COMORBIDITY ON ARTERIOVENOUS FISTULA FUNCTION. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i263-i264.	0.4	0
66	MP411PROGNOSTIC SIGNIFICANCE OF CARDIOPULMONARY EXERCISE TEST (SPIROERGOMETRY) AND 6 MINUTE WALK TEST IN CHRONIC DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i476-i477.	0.4	0
67	MP400RFID-BASED AUTOMATIC SCORING SYSTEM FOR 6-MIN WALK TESTING IN CKD PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i473-i473.	0.4	0
68	Urgent hemodialysis with the use of peripheral veins to avoid catheter insertion. <i>Hemodialysis International</i> , 2016, 20, E4-E6.	0.4	1
69	The possibility of renal function recovery in chronic hemodialysis patients should not be overlooked: Single center experience. <i>Hemodialysis International</i> , 2016, 20, E12-4.	0.4	5
70	Balloon Dilatation for Removal of an Irretrievable Permanent Hemodialysis Catheter: The Safest Approach. <i>Artificial Organs</i> , 2016, 40, E84-E88.	1.0	7
71	Vascular access should be tailored to the patient. <i>Seminars in Vascular Surgery</i> , 2016, 29, 146-152.	1.1	6
72	The Level of Anxiety and Depression in Dialysis Patients Undertaking Regular Physical Exercise Training - a Preliminary Study. <i>Kidney and Blood Pressure Research</i> , 2016, 41, 86-98.	0.9	63

#	ARTICLE	IF	CITATIONS
73	External dilator-assisted banding for high-flow hemodialysis arteriovenous fistula. <i>Renal Failure</i> , 2016, 38, 1067-1070.	0.8	10
74	Regarding a randomized controlled trial of interrupted versus continuous suturing techniques for radiocephalic fistulas. <i>Journal of Vascular Surgery</i> , 2016, 63, 1666.	0.6	0
75	Check the guide wire after catheter placement. <i>Hemodialysis International</i> , 2016, 20, 492-492.	0.4	0
76	Three-month endurance training improves functional fitness and knee muscle performance of patients with end stage renal disease (ESRD). <i>Isokinetics and Exercise Science</i> , 2016, 24, 237-246.	0.2	3
77	The snuffbox fistula should be preferred over the wrist arteriovenous fistula. <i>Journal of Vascular Surgery</i> , 2016, 63, 436-440.	0.6	16
78	Treatment of renal ANCA-associated vasculitides. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2016, 70, 654-667.	0.1	1
79	Single-lumen tunneled catheter: An old but useful option. <i>Hemodialysis International</i> , 2015, 19, E21-3.	0.4	2
80	Use of the subcutaneous venous network of the forearm to create an arteriovenous fistula. <i>Hemodialysis International</i> , 2015, 19, E24-E28.	0.4	0
81	The Effects of Aquatic Exercises on Physical Fitness and Muscle Function in Dialysis Patients. <i>BioMed Research International</i> , 2015, 2015, 1-9.	0.9	17
82	SP597THE SNUFF-BOX FISTULA SHOULD BE PREFERRED OVER THE WRIST ARTERIOVENOUS FISTULA. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii575-iii575.	0.4	0
83	SP739WHEN HAEMODIALYSIS CAN BE STOPPED?. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii621-iii622.	0.4	0
84	The kidneys and ANCA-associated vasculitis: from pathogenesis to diagnosis. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 343-350.	1.4	61
85	Use of Plastic Needles for Early Arteriovenous Fistula Cannulation. <i>Blood Purification</i> , 2015, 40, 155-159.	0.9	13
86	Iatrogenic or congenital arteriovenous fistula of left upper arm used for hemodialysis after venous superficialization. <i>Hemodialysis International</i> , 2015, 19, 140-143.	0.4	2
87	Different body fluid volumes measured by single- and multi-frequency bioelectrical impedance analyzers in overweight/obese renal patients. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2015, 69, 633-7.	0.1	1
88	Creation of arteriovenous fistulae for hemodialysis in octogenarians. <i>Hemodialysis International</i> , 2014, 18, 113-117.	0.4	17
89	Catatonic episode after kidney transplantation. <i>General Hospital Psychiatry</i> , 2014, 36, 360.e3-360.e5.	1.2	8
90	Consider Use of a Collateral Venous Circuit Before Abandoning the Arteriovenous Fistula—The Experience of a Complex Vascular Access Case. <i>Annals of Vascular Surgery</i> , 2014, 28, 1320.e9-1320.e13.	0.4	1

#	ARTICLE	IF	CITATIONS
91	Anatomical Vascular Variations and Practical Implications for access Creation on the Upper Limb. <i>Journal of Vascular Access</i> , 2014, 15, 70-75.	0.5	22
92	Routine use of the transradial approach in primary percutaneous coronary intervention. <i>Heart</i> , 2012, 98, 1106.1-1106.	1.2	1
93	A Program of Physical Rehabilitation during Hemodialysis Sessions Improves the Fitness of Dialysis Patients. <i>Kidney and Blood Pressure Research</i> , 2012, 35, 290-296.	0.9	28
94	Repair of Damaged Connectors of Tunneled Cuffed Catheters with a Two-Piece Adaptor for Peritoneal Dialysis. <i>Journal of Vascular Access</i> , 2012, 13, 203-207.	0.5	4
95	Superficialization of the Radial Artery – An Alternative Secondary Vascular Access. <i>Journal of Vascular Access</i> , 2012, 13, 504-507.	0.5	12
96	An inconspicuous insect bite as the cause of sepsis in a patient treated with infliximab due to rheumatoid arthritis. <i>Advances in Medical Sciences</i> , 2011, 56, 106-108.	0.9	3
97	Application of Extracorporeal Photopheresis in Kidney Transplant Recipients: Technical Considerations and Procedure Tolerance. <i>Transplantation Proceedings</i> , 2011, 43, 2941-2942.	0.3	14
98	Extracorporeal Photopheresis as an Antirejection Prophylaxis in Kidney Transplant Recipients: Preliminary Results. <i>Transplantation Proceedings</i> , 2011, 43, 2938-2940.	0.3	26
99	The increased risk of post-transplant diabetes mellitus in peritoneal dialysis-treated kidney allograft recipients. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 1396-1401.	0.4	24
100	A rare variant route of the ulnar artery does not contraindicate the creation of a fistula in the wrist of a diabetic patient with end-stage renal disease. <i>Postepy Higieny i Medycyny Doswiadczalnej</i> , 2011, 65, 654-657.	0.1	2
101	Serum levels of proANP and albumin are independent predictors of mortality in the high-risk patients (elderly and diabetics) treated by haemodialysis (HD) and continuous peritoneal dialysis in 4-year prospective observation. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3800-3801.	0.4	2
102	Plasma and urine leukocyte elastase- $\alpha$ 1protease inhibitor complex as a marker of early and long-term kidney graft function. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 2346-2351.	0.4	7
103	Cognitive-behavioral group therapy is an effective treatment for major depression in hemodialysis (HD) patients. <i>Kidney International</i> , 2010, 77, 646-647.	2.6	8
104	The influence of CTLA-4 gene polymorphism on long-term kidney allograft function in Caucasian recipients. <i>Transplant Immunology</i> , 2010, 23, 121-124.	0.6	39
105	Increased Aortic Wall Stiffness Associated with Low Circulating Fetuin A and High C-Reactive Protein in Predialysis Patients. <i>Nephron Clinical Practice</i> , 2009, 113, c81-c87.	2.3	15
106	Hyperuricemia Is a Mediator of Endothelial Dysfunction and Inflammation in Renal Allograft Recipients. <i>Transplantation Proceedings</i> , 2009, 41, 3052-3055.	0.3	32
107	Recipient Genetic Determinants of Inflammatory Process and Nonstandard Atherosclerosis Risk Factors Affect Kidney Graft Function Early Posttransplantation. <i>Transplantation Proceedings</i> , 2009, 41, 3060-3062.	0.3	2
108	Impact of Donor-Dependent Genetic Factors on Long-Term Renal Graft Function. <i>Transplantation Proceedings</i> , 2009, 41, 2978-2980.	0.3	10



#	ARTICLE	IF	CITATIONS
109	Arteriovenous fistula reconstruction in patients with kidney allograft failure. <i>Clinical Transplantation</i> , 2008, 22, 185-190.	0.8	15
110	CD28 downregulation on CD4+T cells is associated with age of kidney transplant recipient. <i>Transplant International</i> , 2008, 21, 661-668.	0.8	4
111	S-cystatin C formulae or combination of s-cystatin C and s-creatinine formulae do not improve prediction of GFR. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2425-2426.	0.4	4
112	Pulse Volume Changes Recorded by Air Plethysmography during Single Hemodialysis Sessions. <i>Blood Purification</i> , 2008, 26, 498-504.	0.9	6
113	IL-18 is involved in vascular injury in end-stage renal disease patients. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 589-596.	0.4	37
114	HYPERURICEMIA IS A MEDIATOR OF ENDOTHELIAL DYSFUNCTION AND INFLAMMATION IN RENAL ALLOGRAFT RECIPIENTS. <i>Transplantation</i> , 2008, 86, 365-366.	0.5	0
115	Native forearm fistulas utilizing the basilic vein: an underused type of vascular access. <i>Journal of Nephrology</i> , 2008, 21, 363-7.	0.9	20
116	The effect of dialysis modality (PD and HD) on cardiac morphology and functions in chronic kidney disease patients at very high cardiovascular risk. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 768-769.	0.4	0
117	Haemodialysis in a patient with haemophilia B. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 424-425.	0.4	11
118	Obesity is not an obstacle for successful autogenous arteriovenous fistula creation in haemodialysis. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 1318-1322.	0.4	36
119	Risk Factors for Glucose Metabolism Disorders After Kidney Transplantation With Uneventful Course. <i>Transplantation Proceedings</i> , 2007, 39, 2766-2768.	0.3	2
120	Possible Association of CTLA-4 Gene Polymorphism With Cyclosporine-Induced Gingival Overgrowth in Kidney Transplant Recipients. <i>Transplantation Proceedings</i> , 2007, 39, 2763-2765.	0.3	14
121	Radial Artery“Perforating Vein Fistula for Hemodialysis. <i>American Journal of Kidney Diseases</i> , 2007, 49, 824-830.	2.1	21
122	Dissecting aneurysm of the thoracic aorta in a patient with nephrotic syndrome and brucellosis. <i>International Urology and Nephrology</i> , 2007, 39, 641-645.	0.6	14
123	Possible Association of Cytotoxic T-Lymphocyte Antigen 4 Gene Promoter Single Nucleotide Polymorphism With Acute Rejection of Allogeneic Kidney Transplant. <i>Transplantation Proceedings</i> , 2006, 38, 56-58.	0.3	30
124	Outcome of Autogenous Fistula Construction in Hemodialyzed Patients Over 75 Years of Age. <i>Blood Purification</i> , 2006, 24, 190-195.	0.9	27
125	Obesity promotes forearm primary arteriovenous fistula creation in chronic haemodialyzed patients. <i>Hemodialysis International</i> , 2005, 9, 73-73.	0.4	0
126	Long-term quality of life and symptoms of patients who underwent esophageal reconstruction employing intestinal pedicle grafts. <i>American Journal of Surgery</i> , 2004, 187, 422-426.	0.9	3



#	ARTICLE	IF	CITATIONS
127	Biopsy eosinophilia as a predictor of renal graft dysfunction. Transplantation Proceedings, 2003, 35, 2182-2185.	0.3	6
128	Uremic Pruritus: A Clinical Study of Maintenance Hemodialysis Patients. Journal of Dermatology, 2002, 29, 621-627.	0.6	82