

Beth Payne

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/550785/beth-payne-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

184
papers

7,132
citations

35
h-index

80
g-index

199
ext. papers

8,702
ext. citations

4.6
avg, IF

5.91
L-index

#	Paper	IF	Citations
184	Prognostic Value of an Estimate-of-Risk Model in Critically Ill Obstetric Patients in Brazil.. <i>Obstetrics and Gynecology</i> , 2022 , 139, 83-90	4.9	2
183	How Gender Influenced the Experience of Using a mHealth Intervention in Rural Mozambique: Secondary Qualitative Analysis of Community Health Worker Survey Data.. <i>Frontiers in Global Women S Health</i> , 2022 , 3, 661000	8.4	
182	Diagnosis and Monitoring of White Coat Hypertension in Pregnancy: an ISSHP Consensus Delphi Procedure.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12118356	8.5	0
181	"We Shall Tell them with Love, Inform them what we have Learnt and then Allow them to go"- Men's Perspectives of Self-Collected Cervical Cancer Screening in Rural Uganda: A Qualitative Inquiry.. <i>Journal of Cancer Education</i> , 2022 , 1	1.8	0
180	Comprehensive human amniotic fluid metagenomics supports the sterile womb hypothesis.. <i>Scientific Reports</i> , 2022 , 12, 6875	4.9	2
179	Preeclampsia.. <i>New England Journal of Medicine</i> , 2022 , 386, 1817-1832	59.2	6
178	Guideline No. 426: Hypertensive Disorders of Pregnancy: Diagnosis, Prediction, Prevention, and Management.. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2022 , 44, 547-571.e1	1.3	2
177	Directive clinique n 426 : Troubles hypertensifs de la grossesse : Diagnostic, prédiction, prévention et prise en charge.. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2022 , 44, 572-597.e1	1.3	
176	Anemia and adverse outcomes in pregnancy: subgroup analysis of the CLIP cluster-randomized trial in India.. <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 407	3.2	
175	Role of community engagement in maternal health in rural Pakistan: Findings from the CLIP randomized trial. <i>Journal of Global Health</i> , 2021 , 11, 04045	4.3	
174	The 2021 International Society for the Study of Hypertension in Pregnancy classification, diagnosis & management recommendations for international practice.. <i>Pregnancy Hypertension</i> , 2021 , 27, 148-169	2.6	12
173	Management of Preeclampsia in Low- and Middle-Income Countries: Lessons to Date, and Questions Arising, From the PRE-EMPT and Related Initiatives. <i>Maternal-Fetal Medicine</i> , 2021 , 3, 136-150	0.6	1
172	"Now You Have Become Doctors": Lady Health Workers' Experiences Implementing an mHealth Application in Rural Pakistan. <i>Frontiers in Global Women S Health</i> , 2021 , 2, 645705	8.4	0
171	Maternal Dietary Patterns and Pregnancy Hypertension in Low- and Middle-Income Countries: A Systematic Review and Meta-analysis. <i>Advances in Nutrition</i> , 2021 , 12, 2387-2400	10	3
170	Implementation of the PIERS on the Move mHealth Application From the Perspective of Community Health Workers and Nurses in Rural Mozambique. <i>Frontiers in Global Women S Health</i> , 2021 , 2, 659582	8.4	1
169	The ability and safety of community-based health workers to safely initiate lifesaving therapies for pre-eclampsia in Ogun State, Nigeria: An analysis of 260 community treatments with MgSO and/or methyldopa. <i>Pregnancy Hypertension</i> , 2021 , 25, 179-184	2.6	0
168	Pregnancy Outcomes and Blood Pressure Visit-to-Visit Variability and Level in Three Less-Developed Countries. <i>Hypertension</i> , 2021 , 77, 1714-1722	8.5	1

167	Management of Severe Preeclampsia and Eclampsia 2021 , 26-34		
166	A literature review and best practice advice for second and third trimester risk stratification, monitoring, and management of pre-eclampsia: Compiled by the Pregnancy and Non-Communicable Diseases Committee of FIGO (the International Federation of Gynecology and Obstetrics). <i>International Journal of Gynecology and Obstetrics</i> , 2021 , 154 Suppl 1, 3-31	4	6
165	Impact of new definitions of preeclampsia at term on identification of adverse maternal and perinatal outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 518.e1-518.e11	6.4	12
164	Effect of COVID-19 on maternal and neonatal services. <i>The Lancet Global Health</i> , 2021 , 9, e112	13.6	3
163	COVID-19 and preterm birth. <i>The Lancet Global Health</i> , 2021 , 9, e117	13.6	2
162	Acceptability and preferences for self-collected screening for cervical cancer within health systems in rural Uganda: A mixed-methods approach. <i>International Journal of Gynecology and Obstetrics</i> , 2021 , 152, 103-111	4	1
161	Effects of Maternal Nutritional Supplements and Dietary Interventions on Placental Complications: An Umbrella Review, Meta-Analysis and Evidence Map. <i>Nutrients</i> , 2021 , 13,	6.7	7
160	Blood pressure thresholds in pregnancy for identifying maternal and infant risk: a secondary analysis of Community-Level Interventions for Pre-eclampsia (CLIP) trial data. <i>The Lancet Global Health</i> , 2021 , 9, e1119-e1128	13.6	2
159	SARS-CoV-2 vaccination in pregnancy: a unique opportunity for equity. <i>Lancet, The</i> , 2021 , 398, 951	40	5
158	Causes and circumstances of maternal death: a secondary analysis of the Community-Level Interventions for Pre-eclampsia (CLIP) trials cohort. <i>The Lancet Global Health</i> , 2021 , 9, e1242-e1251	13.6	1
157	Community Health Worker Evaluation of Implementing an mHealth Application to Support Maternal Health Care in Rural India. <i>Frontiers in Global Women S Health</i> , 2021 , 2, 645690	8.4	2
156	Women@ experiences of maternity service reconfiguration during the COVID-19 pandemic: A qualitative investigation. <i>Midwifery</i> , 2021 , 102, 103116	2.8	7
155	Placental growth factor for the prognosis of women with preeclampsia (fullPIERS model extension): context matters. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 668	3.2	4
154	The contribution of qualitative research within the PRECISE study in sub-Saharan Africa. <i>Reproductive Health</i> , 2020 , 17, 58	3.5	3
153	The PRECISE (PREgnancy Care Integrating translational Science, Everywhere) Network@ first protocol: deep phenotyping in three sub-Saharan African countries. <i>Reproductive Health</i> , 2020 , 17, 51	3.5	5
152	The PRECISE (PREgnancy Care Integrating translational Science, Everywhere) database: open-access data collection in maternal and newborn health. <i>Reproductive Health</i> , 2020 , 17, 50	3.5	5
151	Harnessing the PRECISE network as a platform to strengthen global capacity for maternal and child health research in sub-Saharan Africa. <i>Reproductive Health</i> , 2020 , 17, 52	3.5	1
150	Community-level interventions for pre-eclampsia (CLIP) in Mozambique: A cluster randomised controlled trial. <i>Pregnancy Hypertension</i> , 2020 , 21, 96-105	2.6	12

149	Community level interventions for pre-eclampsia (CLIP) in India: A cluster randomised controlled trial. <i>Pregnancy Hypertension</i> , 2020 , 21, 166-175	2.6	11
148	SARS-CoV-2 infection in pregnancy: A systematic review and meta-analysis of clinical features and pregnancy outcomes. <i>EClinicalMedicine</i> , 2020 , 25, 100446	11.3	154
147	Is the closest health facility the one used in pregnancy care-seeking? A cross-sectional comparative analysis of self-reported and modelled geographical access to maternal care in Mozambique, India and Pakistan. <i>International Journal of Health Geographics</i> , 2020 , 19, 1	3.5	29
146	Are blood pressure level and variability related to pregnancy outcome? Analysis of control of hypertension in pregnancy study data. <i>Pregnancy Hypertension</i> , 2020 , 19, 87-93	2.6	7
145	Maternal Risk Modeling in Critical Care-Development of a Multivariable Risk Prediction Model for Death and Prolonged Intensive Care. <i>Critical Care Medicine</i> , 2020 , 48, 663-672	1.4	6
144	Pregnancy cohorts and biobanking in sub-Saharan Africa: a systematic review. <i>BMJ Global Health</i> , 2020 , 5,	6.6	1
143	Population-level data on antenatal screening for proteinuria; India, Mozambique, Nigeria, Pakistan. <i>Bulletin of the World Health Organization</i> , 2020 , 98, 661-670	8.2	2
142	SARS-CoV-2 Infection in Pregnant Women and Their Newborns. <i>Annals of Global Health</i> , 2020 , 86, 132	3.3	1
141	Toward personalized management of chronic hypertension in pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2020 ,	6.4	4
140	Community-level interventions for pre-eclampsia (CLIP) in Pakistan: A cluster randomised controlled trial. <i>Pregnancy Hypertension</i> , 2020 , 22, 109-118	2.6	10
139	Interactions between the Physical and Social Environments with Adverse Pregnancy Events Related to Placental Disorders-A Scoping Review. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
138	The Community-Level Interventions for Pre-eclampsia (CLIP) cluster randomised trials in Mozambique, Pakistan, and India: an individual participant-level meta-analysis. <i>Lancet, The</i> , 2020 , 396, 553-563	4.0	17
137	Self-reported maternal morbidity: Results from the community level interventions for pre-eclampsia (CLIP) baseline survey in Sindh, Pakistan. <i>Pregnancy Hypertension</i> , 2019 , 17, 113-120	2.6	3
136	Place-specific factors associated with adverse maternal and perinatal outcomes in Southern Mozambique: a retrospective cohort study. <i>BMJ Open</i> , 2019 , 9, e024042	3	7
135	The International Federation of Gynecology and Obstetrics (FIGO) initiative on pre-eclampsia: A pragmatic guide for first-trimester screening and prevention. <i>International Journal of Gynecology and Obstetrics</i> , 2019 , 145 Suppl 1, 1-33	4	209
134	Policy review on the management of pre-eclampsia and eclampsia by community health workers in Mozambique. <i>Human Resources for Health</i> , 2019 , 17, 15	4.6	5
133	The incidence of pregnancy hypertension in India, Pakistan, Mozambique, and Nigeria: A prospective population-level analysis. <i>PLoS Medicine</i> , 2019 , 16, e1002783	11.6	40
132	Mothers' satisfaction with care during facility-based childbirth: a cross-sectional survey in southern Mozambique. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 303	3.2	18

131	Prognostic models for adverse pregnancy outcomes in low-income and middle-income countries: a systematic review. <i>BMJ Global Health</i> , 2019 , 4, e001759	6.6	5
130	Temporal and external validation of the fullPIERS model for the prediction of adverse maternal outcomes in women with pre-eclampsia. <i>Pregnancy Hypertension</i> , 2019 , 15, 42-50	2.6	15
129	Assessment of the fullPIERS Risk Prediction Model in Women With Early-Onset Preeclampsia. <i>Hypertension</i> , 2018 , 71, 659-665	8.5	20
128	Early diagnosis of preeclampsia using placental growth factor: An operational pilot study in Maputo, Mozambique. <i>Pregnancy Hypertension</i> , 2018 , 11, 26-31	2.6	10
127	MAGnesium sulphate for fetal neuroprotection to prevent Cerebral Palsy (MAG-CP)-implementation of a national guideline in Canada. <i>Implementation Science</i> , 2018 , 13, 8	8.4	17
126	The feasibility of task-sharing the identification, emergency treatment, and referral for women with pre-eclampsia by community health workers in India. <i>Reproductive Health</i> , 2018 , 15, 101	3.5	9
125	Availability and use of magnesium sulphate at health care facilities in two selected districts of North Karnataka, India. <i>Reproductive Health</i> , 2018 , 15, 91	3.5	5
124	Activated protein C as disease-modifying therapy in antenatal preeclampsia: An open-label, single arm safety and efficacy trial. <i>Pregnancy Hypertension</i> , 2018 , 13, 121-126	2.6	3
123	Health and socio-demographic profile of women of reproductive age in rural communities of southern Mozambique. <i>PLoS ONE</i> , 2018 , 13, e0184249	3.7	17
122	Prediction of adverse maternal outcomes from pre-eclampsia and other hypertensive disorders of pregnancy: A systematic review. <i>Pregnancy Hypertension</i> , 2018 , 11, 115-123	2.6	53
121	State-of-the-Art Diagnosis and Treatment of Hypertension in Pregnancy. <i>Mayo Clinic Proceedings</i> , 2018 , 93, 1664-1677	6.4	26
120	A comparison of maternal and newborn health services costs in Sindh Pakistan. <i>PLoS ONE</i> , 2018 , 13, e0208299	3.7	5
119	Characterization of maternal plasma biomarkers associated with delivery of small and large for gestational age infants in the MIREC study cohort. <i>PLoS ONE</i> , 2018 , 13, e0204863	3.7	9
118	Development and internal validation of the multivariable CIPHER (Collaborative Integrated Pregnancy High-dependency Estimate of Risk) clinical risk prediction model. <i>Critical Care</i> , 2018 , 22, 278	10.8	9
117	Creating biobanks in low and middle-income countries to improve knowledge - The PREPARE initiative. <i>Pregnancy Hypertension</i> , 2018 , 13, 62-64	2.6	7
116	Diagnostic Performance of Placental Growth Factor in Women With Suspected Preeclampsia Attending Antenatal Facilities in Maputo, Mozambique. <i>Hypertension</i> , 2017 , 69, 469-474	8.5	16
115	Visual or automated dipstick testing for proteinuria in pregnancy?. <i>Pregnancy Hypertension</i> , 2017 , 7, 50-53	3.6	8
114	Seasonal variation in geographical access to maternal health services in regions of southern Mozambique. <i>International Journal of Health Geographics</i> , 2017 , 16, 1	3.5	65

113	Development and validation of prediction models for risk of adverse outcomes in women with early-onset pre-eclampsia: protocol of the prospective cohort PREP study. <i>Diagnostic and Prognostic Research</i> , 2017 , 1, 6	5.5	2
112	External Validation of the fullPIERS Model for Predicting Adverse Maternal Outcomes in Pregnancy Hypertension in Low- and Middle-Income Countries. <i>Hypertension</i> , 2017 , 69, 705-711	8.5	17
111	Reverse innovation in maternal health. <i>Obstetric Medicine</i> , 2017 , 10, 113-119	1.5	4
110	Validating the Performance of the Modified Early Obstetric Warning System Multivariable Model to Predict Maternal Intensive Care Unit Admission. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2017 , 39, 728-733.e3	1.3	19
109	Strategies to reduce the global burden of direct maternal deaths. <i>Obstetric Medicine</i> , 2017 , 10, 5-9	1.5	5
108	Massive Urinary Protein Excretion Associated with Greater Neonatal Risk in Preeclampsia. <i>AJP Reports</i> , 2017 , 7, e49-e58	1.2	15
107	Determinants of magnesium sulphate use in women hospitalized at . <i>PLoS ONE</i> , 2017 , 12, e0189966	3.7	5
106	SOCIETAL PERSPECTIVE ON COST DRIVERS FOR HEALTH TECHNOLOGY ASSESSMENT IN SINDH, PAKISTAN. <i>International Journal of Technology Assessment in Health Care</i> , 2017 , 33, 192-198	1.8	0
105	Placental Growth Factor as a Prognostic Tool in Women With Hypertensive Disorders of Pregnancy: A Systematic Review. <i>Hypertension</i> , 2017 , 70, 1228-1237	8.5	23
104	A process evaluation plan for assessing a complex community-based maternal health intervention in Ogun State, Nigeria. <i>BMC Health Services Research</i> , 2017 , 17, 238	2.9	10
103	Prediction of complications in early-onset pre-eclampsia (PREP): development and external multinational validation of prognostic models. <i>BMC Medicine</i> , 2017 , 15, 68	11.4	27
102	Addendum: Massive Urinary Protein Excretion Associated with Greater Neonatal Risk in Preeclampsia. <i>AJP Reports</i> , 2017 , 07, e127-e127	1.2	78
101	Maternal and Newborn Health in Karnataka State, India: The Community Level Interventions for Pre-Eclampsia (CLIP) Trial® Baseline Study Results. <i>PLoS ONE</i> , 2017 , 12, e0166623	3.7	7
100	The Cost Implications of Less Tight Versus Tight Control of Hypertension in Pregnancy (CHIPS Trial). <i>Hypertension</i> , 2016 , 68, 1049-55	8.5	9
99	The CHIPS Randomized Controlled Trial (Control of Hypertension in Pregnancy Study): Is Severe Hypertension Just an Elevated Blood Pressure?. <i>Hypertension</i> , 2016 , 68, 1153-1159	8.5	114
98	Health care provider knowledge and routine management of pre-eclampsia in Pakistan. <i>Reproductive Health</i> , 2016 , 13, 104	3.5	16
97	Guidelines for creating framework data for GIS analysis in low- and middle-income countries. <i>Canadian Geographer / Geographie Canadien</i> , 2016 , 60, 320-332	1.1	8
96	The Impact of a History of Adverse Childhood Experiences on Breastfeeding Initiation and Exclusivity: Findings from a National Population Health Survey. <i>Breastfeeding Medicine</i> , 2016 , 11, 544-550 ^{2.1}		6

95	The feasibility of community level interventions for pre-eclampsia in South Asia and Sub-Saharan Africa: a mixed-methods design. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 56	3.5	23
94	Community perceptions of pre-eclampsia and eclampsia in Ogun State, Nigeria: a qualitative study. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 37	3.5	10
93	Community perceptions of pre-eclampsia and eclampsia in southern Mozambique. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 33	3.5	13
92	Community perceptions of pre-eclampsia in rural Karnataka State, India: a qualitative study. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 35	3.5	8
91	Utilization of maternal health care services and their determinants in Karnataka State, India. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 37	3.5	39
90	Potential for task-sharing to Lady Health Workers for identification and emergency management of pre-eclampsia at community level in Pakistan. <i>Reproductive Health</i> , 2016 , 13, 107	3.5	14
89	Community perspectives on the determinants of maternal health in rural southern Mozambique: a qualitative study. <i>Reproductive Health</i> , 2016 , 13, 112	3.5	19
88	Community health worker knowledge and management of pre-eclampsia in rural Karnataka State, India. <i>Reproductive Health</i> , 2016 , 13, 113	3.5	20
87	Can adverse maternal and perinatal outcomes be predicted when blood pressure becomes elevated? Secondary analyses from the CHIPS (Control of Hypertension In Pregnancy Study) randomized controlled trial. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 763-76	3.8	9
86	Benchmarking the Hypertensive Disorders of Pregnancy. <i>Pregnancy Hypertension</i> , 2016 , 6, 279-284	2.6	12
85	Extending the scope of pooled analyses of individual patient biomarker data from heterogeneous laboratory platforms and cohorts using merging algorithms. <i>Pregnancy Hypertension</i> , 2016 , 6, 53-9	2.6	15
84	The Placental Distal Villous Hypoplasia Pattern: Interobserver Agreement and Automated Fractal Dimension as an Objective Metric. <i>Pediatric and Developmental Pathology</i> , 2016 , 19, 31-6	2.2	15
83	Fetal, Infant and Maternal Outcomes among Women with Prolapsed Membranes Admitted before 29 Weeks Gestation. <i>PLoS ONE</i> , 2016 , 11, e0168285	3.7	4
82	Preventing deaths due to the hypertensive disorders of pregnancy. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2016 , 36, 83-102	4.6	60
81	Community perceptions of pre-eclampsia and eclampsia in Sindh Pakistan: a qualitative study. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 36	3.5	11
80	Determinants of health care seeking behaviour during pregnancy in Ogun State, Nigeria. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 32	3.5	25
79	A scoping review of geographic information systems in maternal health. <i>International Journal of Gynecology and Obstetrics</i> , 2016 , 134, 13-7	4	33
78	Placental growth factor as a marker of fetal growth restriction caused by placental dysfunction. <i>Placenta</i> , 2016 , 42, 1-8	3.4	123

77	Barriers and facilitators to health care seeking behaviours in pregnancy in rural communities of southern Mozambique. <i>Reproductive Health</i> , 2016 , 13 Suppl 1, 31	3.5	65
76	Magnocaine: Physical Compatibility and Chemical Stability of Magnesium Sulphate and Lidocaine Hydrochloride in Prefilled Syringes. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2016 , 38, 936-944.e3	1.3	5
75	The Usefulness of the APACHE II Score in Obstetric Critical Care: A Structured Review. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2016 , 38, 909-918	1.3	21
74	Maternal vitamin D supplementation at 50 µg/d protects against low serum 25-hydroxyvitamin D in infants at 8 wk of age: a randomized controlled trial of 3 doses of vitamin D beginning in gestation and continued in lactation. <i>American Journal of Clinical Nutrition</i> , 2015 , 102, 402-10	7	43
73	Moving beyond silos: How do we provide distributed personalized medicine to pregnant women everywhere at scale? Insights from PRE-EMPT. <i>International Journal of Gynecology and Obstetrics</i> , 2015 , 131 Suppl 1, S10-5	4	8
72	Genome-wide DNA methylation identifies trophoblast invasion-related genes: Claudin-4 and Fucosyltransferase IV control mobility via altering matrix metalloproteinase activity. <i>Molecular Human Reproduction</i> , 2015 , 21, 452-65	4.4	9
71	The hypertensive disorders of pregnancy (29.3). <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2015 , 29, 643-57	4.6	37
70	Magnesium sulphate for fetal neuroprotection: benefits and challenges of a systematic knowledge translation project in Canada. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 347	3.2	3
69	Assessing the incremental value of blood oxygen saturation (SpO ₂) in the miniPIERS (Pre-eclampsia Integrated Estimate of Risk) Risk Prediction Model. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2015 , 37, 16-24	1.3	24
68	Maternal and perinatal outcomes of pregnancies delivered at 23 weeks of gestation. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2015 , 37, 214-224	1.3	16
67	Development and internal validation of a multivariable model to predict perinatal death in pregnancy hypertension. <i>Pregnancy Hypertension</i> , 2015 , 5, 315-21	2.6	18
66	Economic evaluation of Community Level Interventions for Pre-eclampsia (CLIP) in South Asian and African countries: a study protocol. <i>Implementation Science</i> , 2015 , 10, 76	8.4	12
65	Magnesium Sulphate for Eclampsia and Fetal Neuroprotection: A Comparative Analysis of Protocols Across Canadian Tertiary Perinatal Centres. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2015 , 37, 975-87	1.3	8
64	Usability and Feasibility of PIERS on the Move: An mHealth App for Pre-Eclampsia Triage. <i>JMIR MHealth and UHealth</i> , 2015 , 3, e37	5.5	51
63	Pre-eclampsia: an update. <i>Current Hypertension Reports</i> , 2014 , 16, 454	4.7	69
62	Predicting complications in pre-eclampsia: external validation of the fullPIERS model using the PETRA trial dataset. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2014 , 179, 58-62 [†]	2.4	18
61	Uric Acid as a predictor of adverse maternal and perinatal outcomes in women hospitalized with preeclampsia. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014 , 36, 870-877	1.3	31
60	Effect of magnesium sulphate on fetal heart rate parameters: a systematic review. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014 , 36, 1055-1064	1.3	16

59	34 weeks of gestation-lost in translation. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014 , 36, 480-481	1.3	1
58	Urinary dipstick proteinuria testing: does automated strip analysis offer an advantage over visual testing?. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014 , 36, 605-612	1.3	8
57	Diagnosis, evaluation, and management of the hypertensive disorders of pregnancy: executive summary. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014 , 36, 575-576	1.3	106
56	Hypertensive disorders of pregnancy: a systematic review of international clinical practice guidelines. <i>PLoS ONE</i> , 2014 , 9, e113715	3.7	129
55	Early Administration of Low-Dose Aspirin for the Prevention of Severe and Mild Preeclampsia: A Systematic Review and Meta-Analysis. <i>American Journal of Perinatology</i> , 2014 , 31, e3-e3	3.3	3
54	A risk prediction model for the assessment and triage of women with hypertensive disorders of pregnancy in low-resourced settings: the miniPIERS (Pre-eclampsia Integrated Estimate of RiSk) multi-country prospective cohort study. <i>PLoS Medicine</i> , 2014 , 11, e1001589	11.6	117
53	Magnesium sulphate for the management of preeclampsia and eclampsia in low and middle income countries: a systematic review of tested dosing regimens. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2014 , 36, 154-163	1.3	20
52	Development of mHealth applications for pre-eclampsia triage. <i>IEEE Journal of Biomedical and Health Informatics</i> , 2014 , 18, 1857-64	7.2	55
51	Random urine albumin:creatinine ratio in high-risk pregnancy - Is it clinically useful?. <i>Pregnancy Hypertension</i> , 2013 , 3, 112-4	2.6	6
50	An assessment of predictive value of the biophysical profile in women with preeclampsia using data from the fullPIERS database. <i>Pregnancy Hypertension</i> , 2013 , 3, 166-71	2.6	11
49	Measurement of sST2 is comparable to PlGF in the diagnosis of early-onset pre-eclampsia. <i>Pregnancy Hypertension</i> , 2013 , 3, 115-7	2.6	5
48	Performance of the fullPIERS model in predicting adverse maternal outcomes in pre-eclampsia using patient data from the PIERS (Pre-eclampsia Integrated Estimate of RiSk) cohort, collected on admission. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013 , 120, 113-8	3.7	22
47	Pharmacotherapy for preeclampsia in low and middle income countries: an analysis of essential medicines lists. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2013 , 35, 215-223	1.3	16
46	The effect of vitamin D supplementation during pregnancy and lactation on maternal & infant 25-hydroxyvitamin D (25OHD) concentration. <i>FASEB Journal</i> , 2013 , 27, lb259	0.9	3
45	Improving maternal and perinatal outcomes in the hypertensive disorders of pregnancy: a vision of a community-focused approach. <i>International Journal of Gynecology and Obstetrics</i> , 2012 , 119 Suppl 1, S30-4	4	13
44	A single rapid point-of-care placental growth factor determination as an aid in the diagnosis of preeclampsia. <i>Pregnancy Hypertension</i> , 2012 , 2, 8-15	2.6	42
43	Indications for, timing of, and modes of delivery in a national cohort of women admitted with antepartum hemorrhage at 22+0 to 28+6 weeks of gestation. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2012 , 34, 1043-1052	1.3	2
42	Preeclampsia in low and middle income countries-health services lessons learned from the PRE-EMPT (PRE-Eclampsia-Eclampsia Monitoring, Prevention and Treatment) project. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2012 , 34, 917-926	1.3	24

41	Prediction of adverse maternal outcomes in pre-eclampsia: development and validation of the fullPIERS model. <i>Lancet, The</i> , 2011 , 377, 219-27	40	306
40	PIERS proteinuria: relationship with adverse maternal and perinatal outcome. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 588-597	1.3	37
39	Oxygen saturation as a predictor of adverse maternal outcomes in women with preeclampsia. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 705-714	1.3	22
38	Using clinical symptoms to predict adverse maternal and perinatal outcomes in women with preeclampsia: data from the PIERS (Pre-eclampsia Integrated Estimate of RiSk) study. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 803-809	1.3	19
37	Abnormal liver function tests as predictors of adverse maternal outcomes in women with preeclampsia. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 995-1004	1.3	40
36	The Canadian Perinatal Network: a national network focused on threatened preterm birth at 22 to 28 weeks gestation. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 111-120	1.3	9
35	The role of platelet counts in the assessment of inpatient women with preeclampsia. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2011 , 33, 900-8	1.3	17
34	Assessment, surveillance and prognosis in pre-eclampsia. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011 , 25, 449-62	4.6	26
33	Hypertensive disease in pregnancy. Preface. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011 , 25, 389-90	4.6	2
32	Pre-eclampsia in low and middle income countries. <i>Best Practice and Research in Clinical Obstetrics and Gynaecology</i> , 2011 , 25, 537-48	4.6	74
31	Approach to Hypertensive Emergencies in Pregnancy 2010 , 695-699		
30	The active implementation of pregnancy hypertension guidelines in British Columbia. <i>Obstetrics and Gynecology</i> , 2010 , 116, 659-666	4.9	32
29	Pre-eclampsia. <i>Lancet, The</i> , 2010 , 376, 631-44	40	2050
28	Predicting adverse outcomes in women with severe pre-eclampsia. <i>Seminars in Perinatology</i> , 2009 , 33, 152-7	3.3	42
27	Caesarean section on maternal request: risks and benefits in healthy nulliparous women and their infants. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2009 , 31, 808-817	1.3	20
26	A current landscape of provincial perinatal data collection in Canada. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2009 , 31, 236-246	1.3	2
25	Placental weight in pregnancies with trisomy confined to the placenta. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2009 , 31, 605-610	1.3	12
24	Diagnostic accuracy of urinary spot protein:creatinine ratio for proteinuria in hypertensive pregnant women: systematic review. <i>BMJ, The</i> , 2008 , 336, 1003-6	5.9	145

23	Diagnosis, evaluation, and management of the hypertensive disorders of pregnancy. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2008 , 30, S1-S2	1.3	250
22	Our patients do not need endocarditis prophylaxis for genitourinary tract procedures: insights from the 2007 American Heart Association guidelines. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2008 , 30, 796-799	1.3	7
21	The role of decidual natural killer cells in normal placentation and in the pathogenesis of preeclampsia. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2008 , 30, 467-476	1.3	31
20	What matters in preeclampsia are the associated adverse outcomes: the view from Canada. <i>Current Opinion in Obstetrics and Gynecology</i> , 2008 , 20, 110-5	2.4	21
19	The 24-hour urine collection: gold standard or historical practice?. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 625.e1-6	6.4	97
18	Evidence-based management for preeclampsia. <i>Frontiers in Bioscience - Landmark</i> , 2007 , 12, 2876-89	2.8	22
17	Placental pathology and clinical outcomes in a cohort of infants admitted to a neonatal intensive care unit. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2007 , 29, 315-323	1.3	12
16	Instituting surveillance guidelines and adverse outcomes in preeclampsia. <i>Obstetrics and Gynecology</i> , 2007 , 110, 121-7	4.9	62
15	Maternal hypertension and neonatal outcome among small for gestational age infants. <i>Obstetrics and Gynecology</i> , 2005 , 106, 335-9	4.9	31
14	Antihypertensive medications in management of gestational hypertension-preeclampsia. <i>Clinical Obstetrics and Gynecology</i> , 2005 , 48, 441-59	1.7	19
13	A randomised controlled trial of biopsy forceps and cannula aspiration for transcervical chorionic villus sampling. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005 , 112, 559-66	3.7	12
12	The prediction of adverse maternal outcomes in preeclampsia. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2004 , 26, 871-9	1.3	48
11	Levels of antibodies against cytomegalovirus and Chlamydomphila pneumoniae are increased in early onset pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 725-730	3.7	11
10	Subclassification of preeclampsia. <i>Hypertension in Pregnancy</i> , 2003 , 22, 143-8	2	559
9	The association between early membrane rupture, latency, clinical chorioamnionitis, neonatal infection, and adverse perinatal outcomes in twin pregnancies complicated by preterm prelabour rupture of membranes. <i>Twin Research and Human Genetics</i> , 2003 , 6, 257-62		10
8	Levels of antibodies against cytomegalovirus and Chlamydomphila pneumoniae are increased in early onset pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2003 , 110, 725-30	3.7	22
7	Activated protein C in normal human pregnancy and pregnancies complicated by severe preeclampsia: a therapeutic opportunity?. <i>Critical Care Medicine</i> , 2002 , 30, 1883-92	1.4	54
6	Fall in mean arterial pressure and fetal growth restriction in pregnancy hypertension: an updated metaregression analysis. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2002 , 24, 941-5	1.3	87

5	Could an infectious trigger explain the differential maternal response to the shared placental pathology of preeclampsia and normotensive intrauterine growth restriction?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2002 , 81, 642-8	3.8	42
4	Erythropoiesis and renal transplant pregnancy. <i>Clinical Transplantation</i> , 2000 , 14, 127-35	3.8	13
3	The Maternal Syndrome of Preeclampsia: A forme fruste of the Systemic Inflammatory Response Syndrome. <i>Sepsis</i> , 2000 , 4, 43-47		31
2	Pre-eclampsia403-417		
1	New-Onset Seizures in Pregnancy724-729		