

Xiang-Yang Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5508347/xiang-yang-wang-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

103
papers

3,661
citations

31
h-index

58
g-index

107
ext. papers

4,711
ext. citations

6
avg, IF

5.41
L-index

#	Paper	IF	Citations
103	Itaconate attenuates osteoarthritis by inhibiting STING/NF- κ B axis in chondrocytes and promoting M2 polarization in macrophages.. <i>Biochemical Pharmacology</i> , 2022 , 114935	6	5
102	Tangeretin suppresses osteoarthritis progression via the Nrf2/NF- κ B and MAPK/NF- κ B signaling pathways.. <i>Phytomedicine</i> , 2022 , 98, 153928	6.5	1
101	The SQSTM1/p62 UBA domain regulates Ajuba localisation, degradation and NF- κ B signalling function. <i>PLoS ONE</i> , 2021 , 16, e0259556	3.7	0
100	Enhanced BMP signalling causes growth plate cartilage dysrepair in rats. <i>Bone</i> , 2021 , 145, 115874	4.7	3
99	Inhibition of LRRK2 restores parkin-mediated mitophagy and attenuates intervertebral disc degeneration. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 579-591	6.2	2
98	The investigation of bone fracture healing under intramembranous and endochondral ossification. <i>Bone Reports</i> , 2021 , 14, 100740	2.6	5
97	Novel vertebrate- and brain-specific driver of neuronal outgrowth. <i>Progress in Neurobiology</i> , 2021 , 202, 102069	10.9	0
96	Morin improves functional recovery after spinal cord injury in rats by enhancing axon regeneration via the Nrf2/HO-1 pathway. <i>Phytotherapy Research</i> , 2021 , 35, 5754-5766	6.7	1
95	Injectable and Self-Healing Hydrogels with Double-Dynamic Bond Tunable Mechanical, Gel-Sol Transition and Drug Delivery Properties for Promoting Periodontium Regeneration in Periodontitis.. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 61638-61652	9.5	5
94	Association between Bone Mineral Density and Severity of Chronic Kidney Disease. <i>International Journal of Endocrinology</i> , 2020 , 2020, 8852690	2.7	2
93	Prevalence of the thoracic scoliosis in children and adolescents candidates for strabismus surgery: results from a 1935-patient cross-sectional study in China. <i>European Spine Journal</i> , 2020 , 29, 786-793	2.7	1
92	Urolithin A-induced mitophagy suppresses apoptosis and attenuates intervertebral disc degeneration via the AMPK signaling pathway. <i>Free Radical Biology and Medicine</i> , 2020 , 150, 109-119	7.8	36
91	Guidelines for clinical diagnosis and treatment of osteonecrosis of the femoral head in adults (2019 version). <i>Journal of Orthopaedic Translation</i> , 2020 , 21, 100-110	4.2	63
90	Cytoplasmic PCNA is located in the actin belt and involved in osteoclast differentiation. <i>Aging</i> , 2020 , 12, 13297-13317	5.6	3
89	The emerging roles of hnRNPK. <i>Journal of Cellular Physiology</i> , 2020 , 235, 1995-2008	7	31
88	PIP5k1 α controls bone homeostasis through modulating both osteoclast and osteoblast differentiation. <i>Journal of Molecular Cell Biology</i> , 2020 , 12, 55-70	6.3	5
87	Nomogram for Individualized Prediction and Prognostic Factors for Survival in Patients with Primary Spinal Chordoma: A Population-Based Longitudinal Cohort Study. <i>World Neurosurgery</i> , 2019 , 128, e603-e614	2.1	3

86	Design and Application of Individualized, 3-Dimensional-Printed Navigation Template for Placing Cortical Bone Trajectory Screws in Middle-Upper Thoracic Spine: Cadaver Research Study. <i>World Neurosurgery</i> , 2019 , 125, e348-e352	2.1	5
85	Relationship Between Apoptosis of Endplate Microvasculature and Degeneration of the Intervertebral Disk. <i>World Neurosurgery</i> , 2019 , 125, e392-e397	2.1	3
84	Baicalein Inhibits the IL-1 β Induced Inflammatory Response in Nucleus Pulposus Cells and Attenuates Disc Degeneration In vivo. <i>Inflammation</i> , 2019 , 42, 1032-1044	5.1	21
83	Reply to the Letter to the Editor of Fei Jia et al. concerning "Comparison of combined anterior-posterior approach versus posterior-only approach in neuromuscular scoliosis: a systematic review and meta-analysis" by Shao ZX, et al. [Eur Spine J; (2018) 27(9): 2213-2222]. <i>European Spine Journal</i> , 2019 , 28, 2227-2228	2.7	
82	Activation of Nrf2/HO-1 signal with Myricetin for attenuating ECM degradation in human chondrocytes and ameliorating the murine osteoarthritis. <i>International Immunopharmacology</i> , 2019 , 75, 105742	5.8	14
81	Connecting Versatile lncRNAs with Heterogeneous Nuclear Ribonucleoprotein K and Pathogenic Disorders. <i>Trends in Biochemical Sciences</i> , 2019 , 44, 733-736	10.3	7
80	Stabilization of Hypoxia Inducible Factor-1 β by Dimethyloxalyglycine Promotes Recovery from Acute Spinal Cord Injury by Inhibiting Neural Apoptosis and Enhancing Axon Regeneration. <i>Journal of Neurotrauma</i> , 2019 , 36, 3394-3409	5.4	13
79	Ligustilide alleviated IL-1 β Induced apoptosis and extracellular matrix degradation of nucleus pulposus cells and attenuates intervertebral disc degeneration in vivo. <i>International Immunopharmacology</i> , 2019 , 69, 398-407	5.8	33
78	Sclareol prevents ovariectomy-induced bone loss in vivo and inhibits osteoclastogenesis in vitro via suppressing NF- κ B and MAPK/ERK signaling pathways. <i>Food and Function</i> , 2019 , 10, 6556-6567	6.1	15
77	Cytochalasin Z11 inhibits RANKL-induced osteoclastogenesis suppressing NFATc1 activation.. <i>RSC Advances</i> , 2019 , 9, 38438-38446	3.7	4
76	TFEB protects nucleus pulposus cells against apoptosis and senescence via restoring autophagic flux. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 347-357	6.2	35
75	Helvolic acid attenuates osteoclast formation and function via suppressing RANKL-induced NFATc1 activation. <i>Journal of Cellular Physiology</i> , 2019 , 234, 6477-6488	7	11
74	Schisandrin B attenuates epidural fibrosis in postlaminectomy rats by inhibiting proliferation and extracellular matrix production of fibroblasts. <i>Phytotherapy Research</i> , 2019 , 33, 107-116	6.7	7
73	Retraction of: A005, a novel inhibitor of phosphatidylinositol 3-kinase/mammalian target of rapamycin, prevents osteosarcoma-induced osteolysis. <i>Carcinogenesis</i> , 2019 , 40, e1-e13	4.6	4
72	TSC1 regulates osteoclast podosome organization and bone resorption through mTORC1 and Rac1/Cdc42. <i>Cell Death and Differentiation</i> , 2018 , 25, 1549-1566	12.7	15
71	Rheumatoid arthritis: pathological mechanisms and modern pharmacologic therapies. <i>Bone Research</i> , 2018 , 6, 15	13.3	501
70	Reduction-Responsive Codelivery System Based on a Metal-Organic Framework for Eliciting Potent Cellular Immune Response. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 12463-12473	9.5	36
69	Zoledronic Acid: Pleiotropic Anti-Tumor Mechanism and Therapeutic Outlook for Osteosarcoma. <i>Current Drug Targets</i> , 2018 , 19, 409-421	3	14

68	Light-Triggered Biomimetic Nanoerythrocyte for Tumor-Targeted Lung Metastatic Combination Therapy of Malignant Melanoma. <i>Small</i> , 2018 , 14, e1801754	11	58
67	Osteoblast derived-neurotrophin-3 induces cartilage removal proteases and osteoclast-mediated function at injured growth plate in rats. <i>Bone</i> , 2018 , 116, 232-247	4-7	7
66	MiR-214 is an important regulator of the musculoskeletal metabolism and disease. <i>Journal of Cellular Physiology</i> , 2018 , 234, 231-245	7	27
65	MicroRNAs as Potential Targets for Treatment of Osteoclast-Related Diseases. <i>Current Drug Targets</i> , 2018 , 19, 422-431	3	6
64	Three-dimensional printing of shape memory hydrogels with internal structure for drug delivery. <i>Materials Science and Engineering C</i> , 2018 , 84, 44-51	8-3	41
63	A Novel Technique for Cervical Facet Joint Hyperplasia-Spondylotic Radiculopathy by Laminar and Lateral Mass Screw Cofixations. <i>World Neurosurgery</i> , 2018 , 110, e490-e495	2-1	3
62	TNF- α inhibits SATB2 expression and osteoblast differentiation through NF- κ B and MAPK pathways. <i>Oncotarget</i> , 2018 , 9, 4833-4850	3-3	15
61	Construction of a High-Efficiency Drug and Gene Co-Delivery System for Cancer Therapy from a pH-Sensitive Supramolecular Inclusion between Oligoethylenimine-graft- β -cyclodextrin and Hyperbranched Polyglycerol Derivative. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 35812-35829	9-5	37
60	Risk Factor of Failed Reduction of Posterior Ligamentolysis Reduction Instrumentation in Managing Thoracolumbar Burst Fractures: A Retrospective Study. <i>World Neurosurgery</i> , 2018 , 119, e475-e481	2-1	3
59	Redox-responsive chemosensitive polyspermine delivers ursolic acid targeting to human breast tumor cells: The depletion of intracellular GSH contents arouses chemosensitizing effects. <i>Colloids and Surfaces B: Biointerfaces</i> , 2018 , 170, 293-302	6	6
58	Cistanche deserticola polysaccharide attenuates osteoclastogenesis and bone resorption via inhibiting RANKL signaling and reactive oxygen species production. <i>Journal of Cellular Physiology</i> , 2018 , 233, 9674-9684	7	17
57	Biocompatibility and cellular uptake mechanisms of poly(N-isopropylacrylamide) in different cells. <i>Journal of Bioactive and Compatible Polymers</i> , 2017 , 32, 17-31	2	14
56	Metformin Improves Functional Recovery After Spinal Cord Injury via Autophagy Flux Stimulation. <i>Molecular Neurobiology</i> , 2017 , 54, 3327-3341	6-2	87
55	Three dimensional microstructural network of elastin, collagen, and cells in Achilles tendons. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 1203-1214	3-8	32
54	Hydrogen sulfide protects against endoplasmic reticulum stress and mitochondrial injury in nucleus pulposus cells and ameliorates intervertebral disc degeneration. <i>Pharmacological Research</i> , 2017 , 117, 357-369	10-2	52
53	High-resolution study of the 3D collagen fibrillary matrix of Achilles tendons without tissue labelling and dehydrating. <i>Journal of Microscopy</i> , 2017 , 266, 273-287	1-9	6
52	Hemostasis mechanism and applications of N-alkylated chitosan sponge. <i>Polymers for Advanced Technologies</i> , 2017 , 28, 1107-1114	3-2	18
51	Celastrol reduces IL-1 α induced matrix catabolism, oxidative stress and inflammation in human nucleus pulposus cells and attenuates rat intervertebral disc degeneration in vivo. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 91, 208-219	7-5	41

50	Injectable supramolecular hydrogel formed from β -cyclodextrin and PEGylated arginine-functionalized poly(L-lysine) dendron for sustained MMP-9 shRNA plasmid delivery. <i>Acta Biomaterialia</i> , 2017 , 49, 456-471	10.8	58
49	Evaluation of N-phosphonium chitosan as a novel vaccine carrier for intramuscular immunization. <i>Journal of Biomaterials Applications</i> , 2017 , 32, 677-685	2.9	7
48	Percutaneous anterior C1/2 transarticular screw fixation: salvage of failed percutaneous odontoid screw fixation for odontoid fracture. <i>Journal of Orthopaedic Surgery and Research</i> , 2017 , 12, 141	2.8	8
47	Melphalan modifies the bone microenvironment by enhancing osteoclast formation. <i>Oncotarget</i> , 2017 , 8, 68047-68058	3.3	8
46	Molecular structure and differential function of choline kinases CHK1 and CHK2 in musculoskeletal system and cancer. <i>Cytokine and Growth Factor Reviews</i> , 2017 , 33, 65-72	17.9	8
45	Biocompatible hyperbranched polyglycerol modified β -cyclodextrin derivatives for docetaxel delivery. <i>Materials Science and Engineering C</i> , 2017 , 71, 965-972	8.3	20
44	Artesunate suppresses RANKL-induced osteoclastogenesis through inhibition of PLC γ -Ca-NFATc1 signaling pathway and prevents ovariectomy-induced bone loss. <i>Biochemical Pharmacology</i> , 2017 , 124, 57-68	6	36
43	A polyamidoamine dendrimer functionalized graphene oxide for DOX and MMP-9 shRNA plasmid co-delivery. <i>Materials Science and Engineering C</i> , 2017 , 70, 572-585	8.3	74
42	Neohesperidin suppresses osteoclast differentiation, bone resorption and ovariectomised-induced osteoporosis in mice. <i>Molecular and Cellular Endocrinology</i> , 2017 , 439, 369-378	4.4	24
41	The radiologic assessment of posterior ligamentous complex injury in patients with thoracolumbar fracture. <i>European Spine Journal</i> , 2017 , 26, 1454-1462	2.7	14
40	Deficiency of sorting nexin 10 prevents bone erosion in collagen-induced mouse arthritis through promoting NFATc1 degradation. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1211-8	2.4	22
39	Morc3 mutant mice exhibit reduced cortical area and thickness, accompanied by altered haematopoietic stem cells niche and bone cell differentiation. <i>Scientific Reports</i> , 2016 , 6, 25964	4.9	19
38	NPNT is Expressed by Osteoblasts and Mediates Angiogenesis via the Activation of Extracellular Signal-regulated Kinase. <i>Scientific Reports</i> , 2016 , 6, 36210	4.9	14
37	Osteoclast-derived exosomal miR-214-3p inhibits osteoblastic bone formation. <i>Nature Communications</i> , 2016 , 7, 10872	17.4	286
36	Current research on pharmacologic and regenerative therapies for osteoarthritis. <i>Bone Research</i> , 2016 , 4, 15040	13.3	226
35	Neurotrophin-3 Induces BMP-2 and VEGF Activities and Promotes the Bony Repair of Injured Growth Plate Cartilage and Bone in Rats. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 1258-74	6.3	32
34	The γ_6 receptor suppresses bone resorption and stimulates bone formation in mice via a suprachiasmatic nucleus relay. <i>Bone</i> , 2016 , 84, 139-147	4.7	15
33	Sinomenine down-regulates TLR4/TRAF6 expression and attenuates lipopolysaccharide-induced osteoclastogenesis and osteolysis. <i>European Journal of Pharmacology</i> , 2016 , 779, 66-79	5.3	25

32	Amyloid β Peptide Enhances RANKL-Induced Osteoclast Activation through NF- κ B, ERK, and Calcium Oscillation Signaling. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	22
31	Hemocompatibility evaluation in vitro of methoxy polyethyleneglycol-polycaprolactone copolymer solutions. <i>Journal of Biomedical Materials Research - Part A</i> , 2016 , 104, 802-812	5.4	12
30	Dihydroartemisinin, an Anti-Malaria Drug, Suppresses Estrogen Deficiency-Induced Osteoporosis, Osteoclast Formation, and RANKL-Induced Signaling Pathways. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 964-74	6.3	66
29	Bafilomycin A1 Attenuates Osteoclast Acidification and Formation, Accompanied by Increased Levels of SQSTM1/p62 Protein. <i>Journal of Cellular Biochemistry</i> , 2016 , 117, 1464-70	4.7	4
28	Calmodulin interacts with Rab3D and modulates osteoclastic bone resorption. <i>Scientific Reports</i> , 2016 , 6, 37963	4.9	12
27	Star-Shaped Amphiphilic Hyperbranched Polyglycerol Conjugated with Dendritic Poly(L-lysine) for the Codelivery of Docetaxel and MMP-9 siRNA in Cancer Therapy. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 12609-19	9.5	68
26	A novel technique of two-hole guide tube for percutaneous anterior odontoid screw fixation. <i>Spine Journal</i> , 2015 , 15, 1141-5	4	15
25	Non-severe burn injury leads to depletion of bone volume that can be ameliorated by inhibiting TNF- α . <i>Burns</i> , 2015 , 41, 558-64	2.3	18
24	Effects of shear force on intervertebral disc: an in vivo rabbit study. <i>European Spine Journal</i> , 2015 , 24, 1711-9	2.7	18
23	Redox poly(ethylene glycol)-b-poly(L-lactide) micelles containing diselenide bonds for effective drug delivery. <i>Journal of Materials Science: Materials in Medicine</i> , 2015 , 26, 234	4.5	22
22	MAGED1 is a negative regulator of bone remodeling in mice. <i>American Journal of Pathology</i> , 2015 , 185, 2653-67	5.8	12
21	Triptolide inhibits osteoclast formation, bone resorption, RANKL-mediated NF- κ B activation and titanium particle-induced osteolysis in a mouse model. <i>Molecular and Cellular Endocrinology</i> , 2015 , 399, 346-53	4.4	31
20	Cytoplasmic hnRNPk interacts with GSK3 β and is essential for the osteoclast differentiation. <i>Scientific Reports</i> , 2015 , 5, 17732	4.9	18
19	Parthenolide reduces empty lacunae and osteoclastic bone surface resorption induced by polyethylene particles in a murine calvarial model of peri-implant osteolysis. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 3572-9	5.4	9
18	Berberine Sulfate Attenuates Osteoclast Differentiation through RANKL Induced NF- κ B and NFAT Pathways. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 27087-96	6.3	24
17	A delivery system specifically approaching bone resorption surfaces to facilitate therapeutic modulation of microRNAs in osteoclasts. <i>Biomaterials</i> , 2015 , 52, 148-60	15.6	59
16	Chronic unilateral locked facet joint with spinal cord injury in a 26-month-old child: A case report. <i>Journal of Spinal Cord Medicine</i> , 2015 , 38, 245-8	1.9	
15	Macrophage migration inhibitory factor is essential for osteoclastogenic mechanisms in vitro and in vivo mouse model of arthritis. <i>Cytokine</i> , 2015 , 72, 135-45	4	30

14	Aptamer-functionalized lipid nanoparticles targeting osteoblasts as a novel RNA interference-based bone anabolic strategy. <i>Nature Medicine</i> , 2015 , 21, 288-94	50.5	188
13	An effective and practical immunohistochemical protocol for bone specimens characterized by hyaluronidase and pepsin predigestion combined with alkaline phosphatase-mediated chromogenic detection. <i>Histology and Histopathology</i> , 2015 , 30, 331-43	1.4	1
12	HtrA1 is upregulated during RANKL-induced osteoclastogenesis, and negatively regulates osteoblast differentiation and BMP2-induced Smad1/5/8, ERK and p38 phosphorylation. <i>FEBS Letters</i> , 2014 , 588, 143-50	3.8	26
11	Electrochemical behavior of (Ti 1-x Nb x)5Si3 nanocrystalline films in simulated physiological media. <i>Acta Biomaterialia</i> , 2014 , 10, 1005-13	10.8	20
10	The role of SATB2 in skeletogenesis and human disease. <i>Cytokine and Growth Factor Reviews</i> , 2014 , 25, 35-44	17.9	55
9	Differential expression of extracellular-signal-regulated kinase 5 (ERK5) in normal and degenerated human nucleus pulposus tissues and cells. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 449, 466-70	3.4	3
8	Epidermal stem cells cultured on collagen-modified chitin membrane induce in situ tissue regeneration of full-thickness skin defects in mice. <i>PLoS ONE</i> , 2014 , 9, e87557	3.7	20
7	Interspinous spacer versus traditional decompressive surgery for lumbar spinal stenosis: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2014 , 9, e97142	3.7	57
6	Construction and biomechanical properties of polyaxial self-locking anatomical plate based on the geometry of distal tibia. <i>BioMed Research International</i> , 2014 , 2014, 436325	3	2
5	An overview of the regulation of bone remodelling at the cellular level. <i>Clinical Biochemistry</i> , 2012 , 45, 863-73	3.5	285
4	Myocyte enhancer factor 2 and microphthalmia-associated transcription factor cooperate with NFATc1 to transactivate the V-ATPase d2 promoter during RANKL-induced osteoclastogenesis. <i>Journal of Biological Chemistry</i> , 2009 , 284, 14667-76	5.4	79
3	INTERCELLULAR COMMUNICATION OF OSTEOBLAST AND OSTEOCLAST IN BONE DISEASES 2005 , 95-123		1
2	Effects of Bafilomycin A1: an inhibitor of vacuolar H (+)-ATPases on endocytosis and apoptosis in RAW cells and RAW cell-derived osteoclasts. <i>Journal of Cellular Biochemistry</i> , 2003 , 88, 1256-64	4.7	76
1	Cloning, sequencing, and functional characterization of the rat homologue of receptor activator of NF-kappaB ligand. <i>Journal of Bone and Mineral Research</i> , 2000 , 15, 2178-86	6.3	134