

Hung Chak ho

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5508860/hung-chak-ho-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

2,023
citations

24
h-index

43
g-index

98
ext. papers

3,087
ext. citations

6.3
avg, IF

5.36
L-index

#	Paper	IF	Citations
90	The association between anthropogenic heat and adult hypertension in Northeast China.. <i>Science of the Total Environment</i> , 2022 , 815, 152926	10.2	
89	Community planning for a "healthy built environment" via a human-environment nexus? A multifactorial assessment of environmental characteristics and age-specific stroke mortality in Hong Kong. <i>Chemosphere</i> , 2022 , 287, 132043	8.4	0
88	Associations between metabolic syndrome and anthropogenic heat emissions in northeastern China. <i>Environmental Research</i> , 2022 , 204, 111974	7.9	1
87	Neighborhood built environments and cognition in later life.. <i>Aging and Mental Health</i> , 2022 , 1-9	3.5	0
86	Planned greenspace or natural greenspace in a high-density city with compact environment? An empirical study of osteoporosis among senior population. <i>Building and Environment</i> , 2022 , 109117	6.5	0
85	Does air pollution contribute to urban-rural disparity in male lung cancer diseases in China?. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	
84	Neighborhood Built Environment and Late-Life Depression: A Multilevel Path Analysis in a Chinese Society. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2021 , 76, 2143-2154	4.6	5
83	Impacts of social and environmental perceptions on preparedness and knowledge of air pollution risk: A study of adolescent males in an urbanized, high-density city. <i>Sustainable Cities and Society</i> , 2021 , 66, 102678	10.1	4
82	The direct and interactive impacts of hydrological factors on bacillary dysentery across different geographical regions in central China. <i>Science of the Total Environment</i> , 2021 , 764, 144609	10.2	0
81	Temperature variation and preterm birth among live singleton deliveries in Shenzhen, China: A time-to-event analysis. <i>Environmental Research</i> , 2021 , 195, 110834	7.9	1
80	Ridership exceedance exposure risk: Novel indicators to assess PM health exposure of bike sharing riders. <i>Environmental Research</i> , 2021 , 197, 111020	7.9	5
79	Ambient particulate matter (PM, PM, PM) and childhood pneumonia: The smaller particle, the greater short-term impact?. <i>Science of the Total Environment</i> , 2021 , 772, 145509	10.2	15
78	Lower-than-standard particulate matter air pollution reduced life expectancy in Hong Kong: A time-series analysis of 8.5 million years of life lost. <i>Chemosphere</i> , 2021 , 272, 129926	8.4	8
77	Neighbourhood physical environment, intrinsic capacity, and 4-year late-life functional ability trajectories of low-income Chinese older population: A longitudinal study with the parallel process of latent growth curve modelling. <i>EClinicalMedicine</i> , 2021 , 36, 100927	11.3	3
76	Evaluation of life expectancy loss associated with submicron and fine particulate matter (PM and PM) air pollution in Nanjing, China. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	5
75	Longitudinal associations between neighbourhood physical environments and depressive symptoms of older adults in Hong Kong: The moderating effects of terrain slope and declining functional abilities. <i>Health and Place</i> , 2021 , 70, 102585	4.6	3
74	Comparative assessment of gridded population data sets for complex topography: a study of Southwest China. <i>Population and Environment</i> , 2021 , 42, 360-378	4	3

73	Intraday effects of ambient PM on emergency department visits in Guangzhou, China: A case-crossover study. <i>Science of the Total Environment</i> , 2021 , 750, 142347	10.2	15
72	Trends in prevalence of blindness and distance and near vision impairment over 30 years: an analysis for the Global Burden of Disease Study. <i>The Lancet Global Health</i> , 2021 , 9, e130-e143	13.6	122
71	Causes of blindness and vision impairment in 2020 and trends over 30 years, and prevalence of avoidable blindness in relation to VISION 2020: the Right to Sight: an analysis for the Global Burden of Disease Study. <i>The Lancet Global Health</i> , 2021 , 9, e144-e160	13.6	253
70	Community health risk associated with weather-related air pollution events: Perspectives of urban resilience and mitigation 2021 , 273-279		
69	Do socioeconomic factors modify the effects of PM1 and SO2 on lung cancer incidence in China?. <i>Science of the Total Environment</i> , 2021 , 756, 143998	10.2	9
68	Low ambient temperature shortened life expectancy in Hong Kong: A time-series analysis of 1.4 million years of life lost from cardiorespiratory diseases. <i>Environmental Research</i> , 2021 , 201, 111652	7.9	1
67	The half-degree matters for heat-related health impacts under the 1.5°C and 2°C warming scenarios: Evidence from ambulance data in Shenzhen, China. <i>Advances in Climate Change Research</i> , 2021 , 12, 628-637	4.1	1
66	Effects of Urban Green Space on Cardiovascular and Respiratory Biomarkers in Chinese Adults: Panel Study Using Digital Tracking Devices.. <i>JMIR Cardio</i> , 2021 , 5, e31316	3.1	0
65	The associations between social, built and geophysical environment and age-specific dementia mortality among older adults in a high-density Asian city. <i>International Journal of Health Geographics</i> , 2020 , 19, 53	3.5	3
64	Spatially differentiating the effects of long-term air pollution on specific causes of death from cardiovascular and respiratory mortality in Hong Kong: a territory-wide register-based study. <i>Air Quality, Atmosphere and Health</i> , 2020 , 13, 721-730	5.6	5
63	Mortality risk of a future heat event across a subtropical city: implications for community planning and health policy. <i>Natural Hazards</i> , 2020 , 103, 623-637	3	1
62	Vertical Gradient Variations in Radiation Budget and Heat Fluxes in the Urban Boundary Layer: A Comparison Study Between Polluted and Clean Air Episodes in Beijing During Winter. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020 , 125, e2020JD032478	4.4	5
61	Perceived differences in the (re)production of environmental deprivation between sub-populations: A study combining citizens' perceptions with remote-sensed and administrative data. <i>Building and Environment</i> , 2020 , 174, 106769	6.5	3
60	Neighbourhood green space, perceived stress and sleep quality in an urban population. <i>Urban Forestry and Urban Greening</i> , 2020 , 54, 126763	5.4	13
59	Urbanization and regional air pollution across South Asian developing countries - A nationwide land use regression for ambient PM assessment in Pakistan. <i>Environmental Pollution</i> , 2020 , 266, 115145	9.3	19
58	The effect of urban morphology on the solar capacity of three-dimensional cities. <i>Renewable Energy</i> , 2020 , 153, 1111-1126	8.1	15
57	Evaluation of risk perception, knowledge, and preparedness of extreme storm events for the improvement of coastal resilience among migrants: A lesson from Hong Kong. <i>Population, Space and Place</i> , 2020 , 26, e2318	2	2
56	Characteristics and determinants of personal exposure to PM2.5 mass and components in adult subjects in the megacity of Guangzhou, China. <i>Atmospheric Environment</i> , 2020 , 224, 117295	5.3	6

55	A Data-Driven Framework for Walkability Measurement with Open Data: A Case Study of Triple Cities, New York. <i>ISPRS International Journal of Geo-Information</i> , 2020 , 9, 36	2.9	4
54	Spatiotemporal variability in long-term population exposure to PM and lung cancer mortality attributable to PM across the Yangtze River Delta (YRD) region over 2010-2016: A multistage approach. <i>Chemosphere</i> , 2020 , 257, 127153	8.4	4
53	Assessing the effectiveness and pathways of planned shelters in protecting mental health of flood victims in China. <i>Environmental Research Letters</i> , 2020 , 15, 125006	6.2	2
52	Utilizing daily excessive concentration hours to estimate cardiovascular mortality and years of life lost attributable to fine particulate matter in Tehran, Iran. <i>Science of the Total Environment</i> , 2020 , 703, 134909	10.2	12
51	Individual- and community-level shifts in mortality patterns during the January 2016 East Asia cold wave associated with a super El Niño event: Empirical evidence in Hong Kong. <i>Science of the Total Environment</i> , 2020 , 711, 135050	10.2	5
50	A semi-empirical method for estimating complete surface temperature from radiometric surface temperature, a study in Hong Kong city. <i>Remote Sensing of Environment</i> , 2020 , 237, 111540	13.2	10
49	Impact of information seeking, disaster preparedness and typhoon emergency response on perceived community resilience in Hong Kong. <i>International Journal of Disaster Risk Reduction</i> , 2020 , 50, 101744	4.5	10
48	The Impact of the Environment on the Quality of Life and the Mediating Effects of Sleep and Stress. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
47	Coupling mobile phone data with machine learning: How misclassification errors in ambient PM2.5 exposure estimates are produced?. <i>Science of the Total Environment</i> , 2020 , 745, 141034	10.2	7
46	Estimating global injuries morbidity and mortality: methods and data used in the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020 , 26, i125-i153	3.2	12
45	Geospatial context of social and environmental factors associated with health risk during temperature extremes: Review and discussion. <i>Geospatial Health</i> , 2020 , 15,	2.2	3
44	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. <i>Injury Prevention</i> , 2020 , 26, i96-i114	3.2	39
43	Finding a Home Away from Home: An Explorative Study on the Use of Social Space with the Voices of Foreign Domestic Workers in Hong Kong. <i>Annals of the American Association of Geographers</i> , 2020 , 1-17	2.6	2
42	Short-term impacts of ambient fine particulate matter on emergency department visits: Comparative analysis of three exposure metrics. <i>Chemosphere</i> , 2020 , 241, 125012	8.4	9
41	Characteristics of Fine Particulate Matter (PM2.5) over Urban, Suburban, and Rural Areas of Hong Kong. <i>Atmosphere</i> , 2019 , 10, 496	2.7	14
40	Mortality risk and burden associated with temperature variability in China, United Kingdom and United States: Comparative analysis of daily and hourly exposure metrics. <i>Environmental Research</i> , 2019 , 179, 108771	7.9	19
39	Urban environmental influences on the temperature-mortality relationship associated mental disorders and cardiorespiratory diseases during normal summer days in a subtropical city. <i>Environmental Science and Pollution Research</i> , 2019 , 26, 24272-24285	5.1	11
38	Influence of Urban Green Space and Facility Accessibility on Exercise and Healthy Diet in Hong Kong. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	13

37	Comparison of Machine Learning Algorithms for Retrieval of Water Quality Indicators in Case-II Waters: A Case Study of Hong Kong. <i>Remote Sensing</i> , 2019 , 11, 617	5	55
36	Spatiotemporal Prediction of Increasing Winter Perceived Temperature across a Sub-Tropical City for Sustainable Planning and Climate Change Mitigation. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	5
35	Characterizing spatiotemporal dynamics of anthropogenic heat fluxes: A 20-year case study in Beijing-Tianjin-Hebei region in China. <i>Environmental Pollution</i> , 2019 , 249, 923-931	9.3	39
34	Abandoned rural residential land: Using machine learning techniques to identify rural residential land vulnerable to be abandoned in mountainous areas. <i>Habitat International</i> , 2019 , 84, 43-56	4.6	22
33	Retrieval of Urban Surface Temperature Using Remote Sensing Satellite Imagery 2019 , 129-154		1
32	The impact of extremely hot weather events on all-cause mortality in a highly urbanized and densely populated subtropical city: A 10-year time-series study (2006-2015). <i>Science of the Total Environment</i> , 2019 , 690, 923-931	10.2	35
31	Development of the Adjusted Wind Chill Equivalent Temperature (AWCET) for cold mortality assessment across a subtropical city: validation and comparison with a spatially-controlled time-stratified approach. <i>BMC Public Health</i> , 2019 , 19, 1290	4.1	
30	Suburban neighborhood environments and depression: A case study of Guangzhou, China. <i>Journal of Transport and Health</i> , 2019 , 15, 100624	3	4
29	High-Spatial-Resolution Population Exposure to PM2.5 Pollution Based on Multi-Satellite Retrievals: A Case Study of Seasonal Variation in the Yangtze River Delta, China in 2013. <i>Remote Sensing</i> , 2019 , 11, 2724	5	12
28	Neighborhood-based subjective environmental vulnerability index for community health assessment: Development, validation and evaluation. <i>Science of the Total Environment</i> , 2019 , 654, 1082-1090	10.2	14
27	Influences of socioeconomic vulnerability and intra-urban air pollution exposure on short-term mortality during extreme dust events. <i>Environmental Pollution</i> , 2018 , 235, 155-162	9.3	35
26	Population stress: A spatiotemporal analysis of population change and land development at the county level in the contiguous United States, 2001-2011. <i>Land Use Policy</i> , 2018 , 70, 128-137	5.6	37
25	Towards a Smart City: Development and Application of an Improved Integrated Environmental Monitoring System. <i>Sustainability</i> , 2018 , 10, 623	3.6	18
24	Improving satellite aerosol optical Depth-PM2.5 correlations using land use regression with microscale geographic predictors in a high-density urban context. <i>Atmospheric Environment</i> , 2018 , 190, 23-34	5.3	30
23	Spatiotemporal analysis of regional socio-economic vulnerability change associated with heat risks in Canada. <i>Applied Geography</i> , 2018 , 95, 61-70	4.4	27
22	Evaluation of machine learning techniques with multiple remote sensing datasets in estimating monthly concentrations of ground-level PM. <i>Environmental Pollution</i> , 2018 , 242, 1417-1426	9.3	83
21	Spatiotemporal influence of temperature, air quality, and urban environment on cause-specific mortality during hazy days. <i>Environment International</i> , 2018 , 112, 10-22	12.9	47
20	Warming over the Tibetan Plateau in the last 55 years based on area-weighted average temperature. <i>Regional Environmental Change</i> , 2017 , 17, 2339-2347	4.3	28

19	The Heat Exposure Integrated Deprivation Index (HEIDI): A data-driven approach to quantifying neighborhood risk during extreme hot weather. <i>Environment International</i> , 2017 , 109, 42-52	12.9	29
18	Delineation of Spatial Variability in the Temperature-Mortality Relationship on Extremely Hot Days in Greater Vancouver, Canada. <i>Environmental Health Perspectives</i> , 2017 , 125, 66-75	8.4	43
17	Characterizing prolonged heat effects on mortality in a sub-tropical high-density city, Hong Kong. <i>International Journal of Biometeorology</i> , 2017 , 61, 1935-1944	3.7	31
16	Reconstruction of historical datasets for analyzing spatiotemporal influence of built environment on urban microclimates across a compact city. <i>Building and Environment</i> , 2017 , 123, 649-660	6.5	19
15	Spatial variability of excess mortality during prolonged dust events in a high-density city: a time-stratified spatial regression approach. <i>International Journal of Health Geographics</i> , 2017 , 16, 26	3.5	15
14	Spatial Variability of Geriatric Depression Risk in a High-Density City: A Data-Driven Socio-Environmental Vulnerability Mapping Approach. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	21
13	Qualitative risk assessment of soil erosion for karst landforms in Chahe town, Southwest China: A hazard index approach. <i>Catena</i> , 2016 , 144, 184-193	5.8	31
12	A comparison of urban heat islands mapped using skin temperature, air temperature, and apparent temperature (Humidex), for the greater Vancouver area. <i>Science of the Total Environment</i> , 2016 , 544, 929-38	10.2	90
11	An overview and comparison of machine-learning techniques for classification purposes in digital soil mapping. <i>Geoderma</i> , 2016 , 265, 62-77	6.7	218
10	Estimation of Continuous Urban Sky View Factor from Landsat Data Using Shadow Detection. <i>Remote Sensing</i> , 2016 , 8, 568	5	19
9	Using multiple disparate data sources to map heat vulnerability: Vancouver case study. <i>Canadian Geographer / Geographie Canadien</i> , 2016 , 60, 356-368	1.1	28
8	Microscale mobile monitoring of urban air temperature. <i>Urban Climate</i> , 2016 , 18, 58-72	6.8	34
7	Mapping a pollution index for the transboundary Red River Valley, Asia, 2009-2011. <i>Journal of Maps</i> , 2015 , 11, 396-404	2.2	1
6	Urbanization and Land-Use Change: A Human Ecology of Deforestation Across the United States, 2001-2006. <i>Sociological Inquiry</i> , 2015 , 85, 628-653	1.2	14
5	A Spatial Framework to Map Heat Health Risks at Multiple Scales. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 16110-23	4.6	42
4	Mapping maximum urban air temperature on hot summer days. <i>Remote Sensing of Environment</i> , 2014 , 154, 38-45	13.2	120
3	Estimating daily maximum air temperature from MODIS in British Columbia, Canada. <i>International Journal of Remote Sensing</i> , 2014 , 35, 8108-8121	3.1	64
2	Fuzzy-based spatial modeling approach to predict island karst distribution: a conceptual model. <i>Environmental Earth Sciences</i> , 2014 , 71, 1369-1377	2.9	5

- 1 The role of karst in engineering and environmental geosciences. *Solid Earth*, **2011**, 2, 155-158 3.3 2