

PÃl Aukrust

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5510861/publications.pdf>

Version: 2024-02-01

296
papers

10,851
citations

57719

44
h-index

51562

86
g-index

303
all docs

303
docs citations

303
times ranked

21270
citing authors

#	ARTICLE	IF	CITATIONS
1	Lower circulating neuron-specific enolase concentrations in adults and adolescents with severe mental illness. <i>Psychological Medicine</i> , 2023, 53, 1479-1488.	2.7	6
2	Plasma Levels of Leptin and Risk of Future Incident Venous Thromboembolism. <i>Thrombosis and Haemostasis</i> , 2022, 122, 560-569.	1.8	5
3	Neutrophil count predicts clinical outcome in hospitalized COVID-19 patients: Results from the NOR-Solidarity trial. <i>Journal of Internal Medicine</i> , 2022, 291, 241-243.	2.7	9
4	Plasma Levels of the Cytokines B Cell-Activating Factor (BAFF) and A Proliferation-Inducing Ligand (APRIL) in Schizophrenia, Bipolar, and Major Depressive Disorder: A Cross Sectional, Multisite Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 37-46.	2.3	10
5	Altered Plasma Fatty Acids Associate with Gut Microbial Composition in Common Variable Immunodeficiency. <i>Journal of Clinical Immunology</i> , 2022, 42, 146-157.	2.0	7
6	Targeting the Inflammasome in Cardiovascular Disease. <i>JACC Basic To Translational Science</i> , 2022, 7, 84-98.	1.9	53
7	Reduced Cardiac Function by Echocardiography in a Minority of COVID-19 Patients 3 Months after Hospitalization. <i>Journal of the American Society of Echocardiography</i> , 2022, 35, 243-244.	1.2	6
8	Increased circulating IL-18 levels in severe mental disorders indicate systemic inflammasome activation. <i>Brain, Behavior, and Immunity</i> , 2022, 99, 299-306.	2.0	33
9	Hepcidin predicts 5-year mortality after community-acquired pneumonia. <i>Infectious Diseases</i> , 2022, , 1-7.	1.4	1
10	Immune marker levels in severe mental disorders: associations with polygenic risk scores of related mental phenotypes and psoriasis. <i>Translational Psychiatry</i> , 2022, 12, 38.	2.4	13
11	NEIL3-deficient bone marrow displays decreased hematopoietic capacity and reduced telomere length. <i>Biochemistry and Biophysics Reports</i> , 2022, 29, 101211.	0.7	2
12	Limited association between infections, autoimmune disease and genetic risk and immune activation in severe mental disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 116, 110511.	2.5	4
13	Anti-PF4/polyanion antibodies in COVID-19 patients are associated with disease severity and pulmonary pathology. <i>Platelets</i> , 2022, 33, 640-644.	1.1	7
14	Serum markers of cardiac complications in a systemic sclerosis cohort. <i>Scientific Reports</i> , 2022, 12, 4661.	1.6	4
15	Elevated plasma levels of plasminogen activator inhibitor-1 are associated with risk of future incident venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2022, 20, 1618-1626.	1.9	27
16	Respiratory dysfunction three months after severe COVID-19 is associated with gut microbiota alterations. <i>Journal of Internal Medicine</i> , 2022, 291, 801-812.	2.7	38
17	Effects of liraglutide vs. lifestyle changes on soluble suppression of tumorigenesis-2 (sST2) and galectin-3 in obese subjects with prediabetes or type 2 diabetes after comparable weight loss. <i>Cardiovascular Diabetology</i> , 2022, 21, 36.	2.7	4
18	A Nationwide Study of GATA2 Deficiency in Norway—the Majority of Patients Have Undergone Allo-HSCT. <i>Journal of Clinical Immunology</i> , 2022, 42, 404-420.	2.0	10

#	ARTICLE	IF	CITATIONS
19	Circulating levels and prognostic cutoffs of sST2, hsTnT, and NT-proBNP in women vs. men with chronic heart failure. <i>ESC Heart Failure</i> , 2022, 9, 2084-2095.	1.4	15
20	Iron homeostasis in heart transplant recipients randomized to ferric derisomaltose or placebo. <i>Clinical Transplantation</i> , 2022, 36, e14695.	0.8	2
21	Interleukin-6 inhibition in ST-elevation myocardial infarction: Immune cell profile in the randomised ASSAIL-MI trial. <i>EBioMedicine</i> , 2022, 80, 104013.	2.7	22
22	Raised Serum Markers of T Cell Activation and Exhaustion in Granulomatous-Lymphocytic Interstitial Lung Disease in Common Variable Immunodeficiency. <i>Journal of Clinical Immunology</i> , 2022, 42, 1553-1563.	2.0	11
23	Lung CD4+ T-cells in patients with lung fibrosis produce pro-fibrotic interleukin-13 together with interferon- γ . <i>European Respiratory Journal</i> , 2021, 57, 2000983.	3.1	6
24	Repurposed Antiviral Drugs for Covid-19 – Interim WHO Solidarity Trial Results. <i>New England Journal of Medicine</i> , 2021, 384, 497-511.	13.9	2,014
25	Subjects with familial hypercholesterolemia have lower aortic valve area and higher levels of inflammatory biomarkers. <i>Journal of Clinical Lipidology</i> , 2021, 15, 134-141.	0.6	6
26	Elevated plasma sTIM-3 levels in patients with severe COVID-19. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 92-98.	1.5	31
27	Plasma levels of von Willebrand factor and future risk of incident venous thromboembolism. <i>Blood Advances</i> , 2021, 5, 224-232.	2.5	32
28	Hepcidin and Ferritin Predict Microbial Etiology in Community-Acquired Pneumonia. <i>Open Forum Infectious Diseases</i> , 2021, 8, ofab082.	0.4	5
29	The use of eculizumab in Capnocytophaga canimorsus associated thrombotic microangiopathy: a case report. <i>BMC Infectious Diseases</i> , 2021, 21, 137.	1.3	1
30	Low CETP activity and unique composition of large VLDL and small HDL in women giving birth to small-for-gestational age infants. <i>Scientific Reports</i> , 2021, 11, 6213.	1.6	7
31	Blood neurofilament light concentration at admittance: a potential prognostic marker in COVID-19. <i>Journal of Neurology</i> , 2021, 268, 3574-3583.	1.8	56
32	Secreted Wnt antagonists in scrub typhus. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009185.	1.3	3
33	Circulating regulators of the wntless pathway in precapillary pulmonary hypertension. <i>Respirology</i> , 2021, 26, 574-581.	1.3	4
34	The relationship between Fibroblast Growth Factor 23 (FGF23) and cardiac MRI findings following primary PCI in patients with acute first time STEMI. <i>IJC Heart and Vasculature</i> , 2021, 33, 100727.	0.6	3
35	Randomized Trial of Interleukin-6 Receptor Inhibition in Patients With Acute ST-Segment Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2021, 77, 1845-1855.	1.2	169
36	Real-World Experiences With Facilitated Subcutaneous Immunoglobulin Substitution in Patients With Hypogammaglobulinemia, Using a Three-Step Ramp-Up Schedule. <i>Frontiers in Immunology</i> , 2021, 12, 670547.	2.2	1

#	ARTICLE	IF	CITATIONS
37	DNA glycosylase Neil3 regulates vascular smooth muscle cell biology during atherosclerosis development. <i>Atherosclerosis</i> , 2021, 324, 123-132.	0.4	11
38	Targeting IL-6 Trans-Signaling. <i>JACC Basic To Translational Science</i> , 2021, 6, 444-446.	1.9	1
39	Tocilizumab increases citrullinated histone 3 in non-ST segment elevation myocardial infarction. <i>Open Heart</i> , 2021, 8, e001492.	0.9	4
40	Angiotensin II and angiotensin-like 4 protein provide prognostic information in patients with suspected acute coronary syndrome. <i>Journal of Internal Medicine</i> , 2021, 290, 894-909.	2.7	9
41	Rifaximin or <i>Saccharomyces boulardii</i> in heart failure with reduced ejection fraction: Results from the randomized GutHeart trial. <i>EBioMedicine</i> , 2021, 70, 103511.	2.7	34
42	Instability in NAD ⁺ metabolism leads to impaired cardiac mitochondrial function and communication. <i>ELife</i> , 2021, 10, .	2.8	19
43	Immune complexes, innate immunity, and NETosis in ChAdOx1 vaccine-induced thrombocytopenia. <i>European Heart Journal</i> , 2021, 42, 4064-4072.	1.0	49
44	NT-proBNP for Risk Prediction in Heart Failure. <i>JACC: Heart Failure</i> , 2021, 9, 653-663.	1.9	20
45	Evaluation of the Effects of Remdesivir and Hydroxychloroquine on Viral Clearance in COVID-19. <i>Annals of Internal Medicine</i> , 2021, 174, 1261-1269.	2.0	84
46	Dysregulated non-coding telomerase RNA component and associated exonuclease XRN1 in leucocytes from women developing preeclampsia-possible link to enhanced senescence. <i>Scientific Reports</i> , 2021, 11, 19735.	1.6	7
47	Growth differentiation factor 15 predicts poor prognosis in patients with heart failure and reduced ejection fraction and anemia: results from RED-HF. <i>Clinical Research in Cardiology</i> , 2021, 111, 440.	1.5	4
48	Complement component 7 is associated with total- and cardiac death in chest-pain patients with suspected acute coronary syndrome. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 496.	0.7	2
49	IL-18 and IL-18 binding protein are related to disease severity and parasitemia during falciparum malaria. <i>BMC Infectious Diseases</i> , 2021, 21, 1073.	1.3	4
50	NEIL3-deficiency increases gut permeability and contributes to a pro-atherogenic metabolic phenotype. <i>Scientific Reports</i> , 2021, 11, 19749.	1.6	4
51	Elevated plasma D-dimer levels are associated with risk of future incident venous thromboembolism. <i>Thrombosis Research</i> , 2021, 208, 121-126.	0.8	9
52	Persistent pulmonary pathology after COVID-19 is associated with high viral load, weak antibody response, and high levels of matrix metalloproteinase-9. <i>Scientific Reports</i> , 2021, 11, 23205.	1.6	26
53	Synergistic Interferon-Alpha-Based Combinations for Treatment of SARS-CoV-2 and Other Viral Infections. <i>Viruses</i> , 2021, 13, 2489.	1.5	20
54	The Alternative Complement Pathway Is Activated Without a Corresponding Terminal Pathway Activation in Patients With Heart Failure. <i>Frontiers in Immunology</i> , 2021, 12, 800978.	2.2	2

#	ARTICLE	IF	CITATIONS
55	41â€fCirculating levels and prognostic cut-offs of sST2, high-sensitivity troponin T, and NT-proBNP in women vs. men with chronic heart failure. <i>European Heart Journal Supplements</i> , 2021, 23, .	0.0	1
56	Plasma tumour necrosis factor correlates with mRNA expression of tumour necrosis factor and mitochondrial transcription factors in skeletal muscle in patients with chronic heart failure treated with cardiac resynchronization therapy: potential role in myopathy. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 2362-2366.	0.8	2
57	Pentraxin-3 vs C-reactive protein and other prognostic biomarkers in acute coronary syndrome: A substudy of the Platelet Inhibition and Patients Outcomes (PLATO) trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, 9, 313-322.	0.4	12
58	Serum levels of inflammationâ€™related markers and metabolites predict response to neoadjuvant chemotherapy with and without bevacizumab in breast cancers. <i>International Journal of Cancer</i> , 2020, 146, 223-235.	2.3	13
59	Elevated Cholesteryl Ester Transfer Protein Activity Early in Pregnancy Predicts Prediabetes 5 Years Later. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 854-865.	1.8	1
60	Variant in ERAP1 promoter region is associated with low expression in a patient with a Behçet-like MHC-I-opathy. <i>Journal of Human Genetics</i> , 2020, 65, 325-335.	1.1	4
61	Legumain is upregulated in acute cardiovascular events and associated with improved outcome - potentially related to anti-inflammatory effects on macrophages. <i>Atherosclerosis</i> , 2020, 296, 74-82.	0.4	14
62	Interruption of the CXCL13/CXCR5 Chemokine Axis Enhances Plasma IgM Levels and Attenuates Atherosclerosis Development. <i>Thrombosis and Haemostasis</i> , 2020, 120, 344-347.	1.8	10
63	ALCAM predicts future cardiovascular death in acute coronary syndromes: Insights from the PLATO trial. <i>Atherosclerosis</i> , 2020, 293, 35-41.	0.4	5
64	Increased interleukin 18 activity in adolescents with early-onset psychosis is associated with cortisol and depressive symptoms. <i>Psychoneuroendocrinology</i> , 2020, 112, 104513.	1.3	21
65	Hemophagocytic lymphohistiocytosis in a patient with COVID-19 treated with tocilizumab: a case report. <i>Journal of Medical Case Reports</i> , 2020, 14, 187.	0.4	24
66	N6-methyladenosine in RNA of atherosclerotic plaques: An epitranscriptomic signature of human carotid atherosclerosis. <i>Biochemical and Biophysical Research Communications</i> , 2020, 533, 631-637.	1.0	33
67	Elevated levels of the secreted wingless agonist R-spondin 3 in preeclamptic pregnancies. <i>Journal of Hypertension</i> , 2020, 38, 1347-1354.	0.3	2
68	Interleukin 18 (IL-18) and its binding protein (IL-18BP) are increased in patients with epilepsy suggesting low-grade systemic inflammation. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020, 80, 221-225.	0.9	15
69	YKL-40 (Chitinase-3-Like Protein 1) Serum Levels in Aortic Stenosis. <i>Circulation: Heart Failure</i> , 2020, 13, e006643.	1.6	6
70	Cannabis Use Is Associated With Increased Levels of Soluble gp130 in Schizophrenia but Not in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2020, 11, 642.	1.3	5
71	Atherogenic Lipid Ratios Related to Myeloperoxidase and C-Reactive Protein Levels in Psychotic Disorders. <i>Frontiers in Psychiatry</i> , 2020, 11, 672.	1.3	15
72	Distinct patterns of soluble leukocyte activation markers are associated with etiology and outcomes in precapillary pulmonary hypertension. <i>Scientific Reports</i> , 2020, 10, 18540.	1.6	2

#	ARTICLE	IF	CITATIONS
73	Commentary: Gut Antibody Deficiency in a Mouse Model of CVID Results in Spontaneous Development of a Gluten-Sensitive Enteropathy. <i>Frontiers in Immunology</i> , 2020, 11, 1921.	2.2	5
74	Systemic complement activation is associated with respiratory failure in COVID-19 hospitalized patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25018-25025.	3.3	279
75	Cholesterol crystals use complement to increase NLRP3 signaling pathways in coronary and carotid atherosclerosis. <i>EBioMedicine</i> , 2020, 60, 102985.	2.7	41
76	Gut Microbiota-Dependent Trimethylamine N-Oxide Associates With Inflammation in Common Variable Immunodeficiency. <i>Frontiers in Immunology</i> , 2020, 11, 574500.	2.2	38
77	Reduced levels of circulating adhesion molecules in adolescents with early-onset psychosis. <i>NPJ Schizophrenia</i> , 2020, 6, 20.	2.0	10
78	Increased interleukin-6 and macrophage chemoattractant protein-1 are associated with respiratory failure in COVID-19. <i>Scientific Reports</i> , 2020, 10, 21697.	1.6	65
79	NLRP3 inflammasome deficiency attenuates metabolic disturbances involving alterations in the gut microbial profile in mice exposed to high fat diet. <i>Scientific Reports</i> , 2020, 10, 21006.	1.6	21
80	Anti-inflammatory effects of non-statin low-density lipoprotein cholesterol-lowering drugs: an unused potential?. <i>Scandinavian Cardiovascular Journal</i> , 2020, 54, 274-279.	0.4	9
81	OXR1A, a Coactivator of PRMT5 Regulating Histone Arginine Methylation. <i>Cell Reports</i> , 2020, 30, 4165-4178.e7.	2.9	23
82	Plasma parasitemia as assessed by quantitative PCR in relation to clinical disease severity in African adults with falciparum malaria with and without HIV co-infection. <i>Infection</i> , 2020, 48, 367-373.	2.3	3
83	Plasma levels of growth differentiation factor 15 are associated with future risk of venous thromboembolism. <i>Blood</i> , 2020, 136, 1863-1870.	0.6	11
84	Soluble T-Cell Immunoglobulin Mucin Domain-3 Is Associated With Hepatitis C Virus Coinfection and Low-Grade Inflammation During Chronic Human Immunodeficiency Virus Infection. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa033.	0.4	9
85	Decreased IL-1 β -induced CCL20 response in human iPSC-astrocytes in schizophrenia: Potential attenuating effects on recruitment of regulatory T cells. <i>Brain, Behavior, and Immunity</i> , 2020, 87, 634-644.	2.0	49
86	Deletion of Endonuclease V suppresses chemically induced hepatocellular carcinoma. <i>Nucleic Acids Research</i> , 2020, 48, 4463-4479.	6.5	9
87	Complement component C3 and the TLR co-receptor CD14 are not involved in angiotensin II induced cardiac remodelling. <i>Biochemical and Biophysical Research Communications</i> , 2020, 523, 867-873.	1.0	3
88	Low fibre intake is associated with gut microbiota alterations in chronic heart failure. <i>ESC Heart Failure</i> , 2020, 7, 456-466.	1.4	56
89	Plasma levels of interleukin 27 in falciparum malaria is increased independently of co-infection with HIV: potential immune-regulatory role during malaria. <i>BMC Infectious Diseases</i> , 2020, 20, 65.	1.3	8
90	Rosuvastatin alters the genetic composition of the human gut microbiome. <i>Scientific Reports</i> , 2020, 10, 5397.	1.6	20

#	ARTICLE	IF	CITATIONS
91	Granulomatous-Lymphocytic Interstitial Lung Disease in Common Variable Immunodeficiency—Features of CT and 18F-FDG Positron Emission Tomography/CT in Clinically Progressive Disease. <i>Frontiers in Immunology</i> , 2020, 11, 617985.	2.2	9
92	Absence of NLRP3 Inflammasome in Hematopoietic Cells Reduces Adverse Remodeling After Experimental Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2020, 5, 1210-1224.	1.9	19
93	Exploring the potential effect of paricalcitol on markers of inflammation in de novo renal transplant recipients. <i>PLoS ONE</i> , 2020, 15, e0243759.	1.1	1
94	Title is missing!. , 2020, 15, e0243759.		0
95	Title is missing!. , 2020, 15, e0243759.		0
96	Title is missing!. , 2020, 15, e0243759.		0
97	Title is missing!. , 2020, 15, e0243759.		0
98	T cell and monocyte/macrophage activation markers associate with adverse outcome, but give limited prognostic value in anemic patients with heart failure: results from RED-HF. <i>Clinical Research in Cardiology</i> , 2019, 108, 133-141.	1.5	6
99	Serum lipoprotein(a) is not modified by interleukin-6 receptor antagonism or associated with inflammation in non-ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2019, 274, 348-350.	0.8	11
100	Reduced brain-derived neurotrophic factor is associated with childhood trauma experiences and number of depressive episodes in severe mental disorders. <i>Schizophrenia Research</i> , 2019, 205, 45-50.	1.1	22
101	NLRP3 Inflammasome Promotes Myocardial Remodeling During Diet-Induced Obesity. <i>Frontiers in Immunology</i> , 2019, 10, 1621.	2.2	33
102	Low Cellular NAD ⁺ Compromises Lipopolysaccharide-Induced Inflammatory Responses via Inhibiting TLR4 Signal Transduction in Human Monocytes. <i>Journal of Immunology</i> , 2019, 203, 1598-1608.	0.4	31
103	Homeostatic Chemokines and Prognosis in Patients With Acute Coronary Syndromes. <i>Journal of the American College of Cardiology</i> , 2019, 74, 774-782.	1.2	15
104	The carnitine-butyrobetaine-TMAO pathway after cardiac transplant: Impact on cardiac allograft vasculopathy and acute rejection. <i>Journal of Heart and Lung Transplantation</i> , 2019, 38, 1097-1103.	0.3	13
105	Early increase of specialized pro-resolving lipid mediators in patients with ST-elevation myocardial infarction. <i>EBioMedicine</i> , 2019, 46, 264-273.	2.7	23
106	Mammalian Target of Rapamycin (mTOR) and the Proteasome Attenuates IL-1 β Expression in Primary Mouse Cardiac Fibroblasts. <i>Frontiers in Immunology</i> , 2019, 10, 1285.	2.2	10
107	Effects of interval training on inflammatory biomarkers in patients with ischemic heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2019, 53, 213-219.	0.4	8
108	Impaired HDL Function Amplifies Systemic Inflammation in Common Variable Immunodeficiency. <i>Scientific Reports</i> , 2019, 9, 9427.	1.6	24

#	ARTICLE	IF	CITATIONS
109	Lipoprotein(a) concentration is associated with plasma arachidonic acid in subjects with familial hypercholesterolaemia. <i>British Journal of Nutrition</i> , 2019, 122, 790-799.	1.2	4
110	Increased Complement Factor B and Bb Levels Are Associated with Mortality in Patients with Severe Aortic Stenosis. <i>Journal of Immunology</i> , 2019, 203, 1973-1980.	0.4	8
111	Effect of hormone replacement therapy on atherogenic lipid profile in postmenopausal women. <i>Thrombosis Research</i> , 2019, 184, 1-7.	0.8	21
112	Encephalitis and aseptic meningitis: short-term and long-term outcome, quality of life and neuropsychological functioning. <i>Scientific Reports</i> , 2019, 9, 16158.	1.6	11
113	T8. ATHEROGENIC LIPID RATIOS RELATED TO MYELOPEROXIDASE AND C-REACTIVE PROTEIN LEVELS IN PSYCHOTIC DISORDERS. <i>Schizophrenia Bulletin</i> , 2019, 45, S206-S206.	2.3	3
114	C-X-C Ligand 16 Is an Independent Predictor of Cardiovascular Death and Morbidity in Acute Coronary Syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 2402-2410.	1.1	25
115	Inflammatory markers are altered in severe mental disorders independent of comorbid cardiometabolic disease risk factors. <i>Psychological Medicine</i> , 2019, 49, 1749-1757.	2.7	40
116	Serum Omega-6 Fatty Acids and Immunology-Related Gene Expression in Peripheral Blood Mononuclear Cells: A Cross-Sectional Analysis in Healthy Children. <i>Molecular Nutrition and Food Research</i> , 2019, 63, 1800990.	1.5	3
117	Plasma levels of mannose-binding lectin and future risk of venous thromboembolism. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1661-1669.	1.9	14
118	Soluble Markers of Interleukin 1 Activation as Predictors of First-Time Myocardial Infarction in HIV-Infected Individuals. <i>Journal of Infectious Diseases</i> , 2019, 221, 506-509.	1.9	14
119	Levels of Lipoprotein (a) in patients with coronary artery disease with and without inflammatory rheumatic disease: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e030651.	0.8	5
120	Risk factors for lung cancer in COPD – results from the Bergen COPD cohort study. <i>Respiratory Medicine</i> , 2019, 152, 81-88.	1.3	24
121	Caspase-1 induces smooth muscle cell growth in hypoxia-induced pulmonary hypertension. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2019, 316, L999-L1012.	1.3	35
122	Selective IgA deficiency in humans is associated with reduced gut microbial diversity. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 1969-1971.e11.	1.5	33
123	Inflammatory biomarkers are associated with aetiology and predict outcomes in community-acquired pneumonia: results of a 5-year follow-up cohort study. <i>ERJ Open Research</i> , 2019, 5, 00014-2019.	1.1	21
124	Index of microvascular resistance to assess the effect of rosuvastatin on microvascular function in women with chest pain and no obstructive coronary artery disease: A double-blind randomized study. <i>Catheterization and Cardiovascular Interventions</i> , 2019, 94, 660-668.	0.7	10
125	Rationale for the ASSAIL-MI-trial: a randomised controlled trial designed to assess the effect of tocilizumab on myocardial salvage in patients with acute ST-elevation myocardial infarction (STEMI). <i>Open Heart</i> , 2019, 6, e001108.	0.9	34
126	NLRP3 Inflammasome. <i>Journal of Cardiovascular Pharmacology</i> , 2019, 74, 276-284.	0.8	24

#	ARTICLE	IF	CITATIONS
127	Autoimmunity and Inflammation in COVID: a Possible Crosstalk between Immune Activation, Gut Microbiota, and Epigenetic Modifications. <i>Journal of Clinical Immunology</i> , 2019, 39, 30-36.	2.0	50
128	Prevalence and prognostic implication of iron deficiency and anaemia in patients with severe aortic stenosis. <i>Open Heart</i> , 2019, 5, e000901.	0.9	8
129	Admission Levels of DKK1 (Dickkopf-1) Are Associated With Future Cardiovascular Death in Patients With Acute Coronary Syndromes. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019, 39, 294-302.	1.1	20
130	Variation in Serum PCSK9 (Proprotein Convertase Subtilisin/Kexin Type 9), Cardiovascular Disease Risk, and an Investigation of Potential Unanticipated Effects of PCSK9 Inhibition. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002335.	1.6	11
131	Circulating delta-like Notch ligand 1 is correlated with cardiac allograft vasculopathy and suppressed in heart transplant recipients on everolimus-based immunosuppression. <i>American Journal of Transplantation</i> , 2019, 19, 1050-1060.	2.6	15
132	Pentraxin 3 level is elevated in hereditary hemorrhagic telangiectasia and reflects the severity of disease-associated epistaxis. <i>Laryngoscope</i> , 2019, 129, E44-E49.	1.1	6
133	CCL21 and prognosis in acute coronary syndrome. <i>Aging</i> , 2019, 11, 9225-9226.	1.4	4
134	Exploring the Wnt signaling pathway in schizophrenia and bipolar disorder. <i>Translational Psychiatry</i> , 2018, 8, 55.	2.4	94
135	Serum neutrophil gelatinase-associated lipocalin (NGAL) concentration is independently associated with mortality in patients with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2018, 262, 79-84.	0.8	15
136	CCL21 as a Potential Serum Biomarker for Pulmonary Arterial Hypertension in Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2018, 70, 1644-1653.	2.9	28
137	Low Levels of Immunoglobulins and Mannose-Binding Lectin Are Not Associated With Etiology, Severity, or Outcome in Community-Acquired Pneumonia. <i>Open Forum Infectious Diseases</i> , 2018, 5, ofy002.	0.4	9
138	Increased Levels of Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 in Ischemic Stroke and Transient Ischemic Attack. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	41
139	Inflammatory and related biomarkers are associated with post-transplant diabetes mellitus in kidney recipients: a retrospective study. <i>Transplant International</i> , 2018, 31, 510-519.	0.8	19
140	Osteoprotegerin Is Associated With Major Bleeding But Not With Cardiovascular Outcomes in Patients With Acute Coronary Syndromes: Insights From the PLATO (Platelet Inhibition and Patient) Trial. <i>Overlook 10 Tf 5</i>	0.0	0
141	Impact of HIV and Type 2 diabetes on Gut Microbiota Diversity, Tryptophan Catabolism and Endothelial Dysfunction. <i>Scientific Reports</i> , 2018, 8, 6725.	1.6	35
142	Attenuated Notch signaling in schizophrenia and bipolar disorder. <i>Scientific Reports</i> , 2018, 8, 5349.	1.6	37
143	Prognostic importance of emerging cardiac, inflammatory, and renal biomarkers in chronic heart failure patients with reduced ejection fraction and anaemia: RED-HF study. <i>European Journal of Heart Failure</i> , 2018, 20, 268-277.	2.9	42
144	Cytokine responses, microbial aetiology and short-term outcome in community-acquired pneumonia. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12865.	1.7	27

#	ARTICLE	IF	CITATIONS
145	Augmented concentrations of CX3CL1 are associated with interstitial lung disease in systemic sclerosis. <i>PLoS ONE</i> , 2018, 13, e0206545.	1.1	25
146	Serum PCSK9 is modified by interleukin-6 receptor antagonism in patients with hypercholesterolaemia following non-ST-elevation myocardial infarction. <i>Open Heart</i> , 2018, 5, e000765.	0.9	15
147	High neopterin and IP-10 levels in cerebrospinal fluid are associated with neurotoxic tryptophan metabolites in acute central nervous system infections. <i>Journal of Neuroinflammation</i> , 2018, 15, 327.	3.1	19
148	Treatment of sleep apnea in patients with paroxysmal atrial fibrillation: design and rationale of a randomized controlled trial. <i>Scandinavian Cardiovascular Journal</i> , 2018, 52, 372-377.	0.4	6
149	Soluble markers of neutrophil, T-cell and monocyte activation are associated with disease severity and parasitemia in falciparum malaria. <i>BMC Infectious Diseases</i> , 2018, 18, 670.	1.3	21
150	Adipokines and macrophage markers during pregnancy – possible role for sCD163 in prediction and progression of gestational diabetes mellitus. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 35, e3114.	1.7	12
151	Effect of Everolimus Initiation and Calcineurin Inhibitor Elimination on Cardiac Allograft Vasculopathy in De Novo Heart Transplant Recipients. <i>Circulation: Heart Failure</i> , 2018, 11, e004050.	1.6	39
152	Prediction of Gestational Diabetes Mellitus and Pre-diabetes 5 Years Postpartum using 75%g Oral Glucose Tolerance Test at 14-16 Weeks™ Gestation. <i>Scientific Reports</i> , 2018, 8, 13392.	1.6	20
153	Plasma hepcidin is associated with future risk of venous thromboembolism. <i>Blood Advances</i> , 2018, 2, 1191-1197.	2.5	13
154	Soluble IL-1 receptor 2 is associated with left ventricular remodelling in patients with ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2018, 268, 187-192.	0.8	15
155	Runaway Train: A Leaky Radiosensitive SCID with Skin Lesions and Multiple Lymphomas. <i>Case Reports in Immunology</i> , 2018, 2018, 1-6.	0.2	6
156	Interleukin-6 receptor inhibition with tocilizumab induces a selective and substantial increase in plasma IP-10 and MIP-1 β in non-ST-elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2018, 271, 1-7.	0.8	22
157	NLRP3 inflammasome mediates oxidative stress-induced pancreatic islet dysfunction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 315, E912-E923.	1.8	39
158	Levels and prognostic impact of circulating markers of inflammation, endothelial activation and extracellular matrix remodelling in patients with lung cancer and chronic obstructive pulmonary disease. <i>BMC Cancer</i> , 2018, 18, 739.	1.1	27
159	Differential expression of vitamin D associated genes in the aorta of coronary artery disease patients with and without rheumatoid arthritis. <i>PLoS ONE</i> , 2018, 13, e0202346.	1.1	4
160	Pro-gastrin-releasing peptide and outcome in patients with heart failure and anaemia: results from the RED-HF study. <i>ESC Heart Failure</i> , 2018, 5, 1052-1059.	1.4	1
161	Design of the GutHeart™ targeting gut microbiota to treat heart failure™ trial: a Phase II, randomized clinical trial. <i>ESC Heart Failure</i> , 2018, 5, 977-984.	1.4	39
162	The gut microbial profile in patients with primary sclerosing cholangitis is distinct from patients with ulcerative colitis without biliary disease and healthy controls. <i>Gut</i> , 2017, 66, 611-619.	6.1	308

#	ARTICLE	IF	CITATIONS
163	Low YKL-40 in chronic heart failure may predict beneficial effects of statins: analysis from the controlled rosuvastatin multinational trial in heart failure (CORONA). <i>Biomarkers</i> , 2017, 22, 261-267.	0.9	8
164	A Study of TNF Pathway Activation in Schizophrenia and Bipolar Disorder in Plasma and Brain Tissue. <i>Schizophrenia Bulletin</i> , 2017, 43, sbw183.	2.3	47
165	Data on circulating leukocyte subpopulations and inflammatory proteins in children with familial hypercholesterolemia and healthy children. <i>Data in Brief</i> , 2017, 10, 587-592.	0.5	1
166	Adaptive NK cells can persist in patients with GATA2 mutation depleted of stem and progenitor cells. <i>Blood</i> , 2017, 129, 1927-1939.	0.6	89
167	CVID and Celiac Disease. <i>American Journal of Gastroenterology</i> , 2017, 112, 393.	0.2	8
168	The alternative complement pathway is dysregulated in patients with chronic heart failure. <i>Scientific Reports</i> , 2017, 7, 42532.	1.6	35
169	Extracellular matrix markers and risk of myocardial infarction: The HUNT Study in Norway. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 1161-1167.	0.8	13
170	Defective IL-4 signaling in T cells defines severe common variable immunodeficiency. <i>Journal of Autoimmunity</i> , 2017, 81, 110-119.	3.0	14
171	Large Reduction in Adiponectin During Pregnancy Is Associated With Large-for-Gestational-Age Newborns. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 2552-2559.	1.8	44
172	Monocyte/macrophage and T cell activation markers are not independently associated with MI risk in healthy individuals - results from the HUNT Study. <i>International Journal of Cardiology</i> , 2017, 243, 502-504.	0.8	4
173	Childhood maltreatment severity is associated with elevated C-reactive protein and body mass index in adults with schizophrenia and bipolar diagnoses. <i>Brain, Behavior, and Immunity</i> , 2017, 65, 342-349.	2.0	67
174	The Notch Ligands DLL1 and Periostin Are Associated with Symptom Severity and Diastolic Function in Dilated Cardiomyopathy. <i>Journal of Cardiovascular Translational Research</i> , 2017, 10, 401-410.	1.1	24
175	Limited Added Value of Circulating Inflammatory Biomarkers in Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2017, 5, 256-264.	1.9	30
176	Wnt5a is elevated in heart failure and affects cardiac fibroblast function. <i>Journal of Molecular Medicine</i> , 2017, 95, 767-777.	1.7	45
177	Liver transplantation in patients with primary antibody deficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 1708-1710.e2.	1.5	14
178	Patterns of constitutively phosphorylated kinases in B cells are associated with disease severity in common variable immunodeficiency. <i>Clinical Immunology</i> , 2017, 175, 69-74.	1.4	6
179	Altered leukocyte distribution under hypercholesterolemia: A cross-sectional study in children with familial hypercholesterolemia. <i>Atherosclerosis</i> , 2017, 256, 67-74.	0.4	20
180	NEIL3-Dependent Regulation of Cardiac Fibroblast Proliferation Prevents Myocardial Rupture. <i>Cell Reports</i> , 2017, 18, 82-92.	2.9	45

#	ARTICLE	IF	CITATIONS
181	Comprehensive lipid and metabolite profiling of children with and without familial hypercholesterolemia: A cross-sectional study. <i>Atherosclerosis</i> , 2017, 266, 48-57.	0.4	28
182	Cyclodextrin Reduces Cholesterol Crystal-Induced Inflammation by Modulating Complement Activation. <i>Journal of Immunology</i> , 2017, 199, 2910-2920.	0.4	31
183	CXC chemokine ligand 16 is increased in gestational diabetes mellitus and preeclampsia and associated with lipoproteins in gestational diabetes mellitus at 5-years follow-up. <i>Diabetes and Vascular Disease Research</i> , 2017, 14, 525-533.	0.9	17
184	Bariatric surgery reduces fasting total fatty acids and increases n-3 polyunsaturated fatty acids in morbidly obese individuals. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2017, 77, 628-633.	0.6	9
185	Increased Secondary/Primary Bile Acid Ratio in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2017, 23, 666-671.	0.7	98
186	Leptin and adiponectin as predictors of cardiovascular risk after gestational diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2017, 16, 5.	2.7	43
187	Severe hypertriglyceridemia in Norway: prevalence, clinical and genetic characteristics. <i>Lipids in Health and Disease</i> , 2017, 16, 115.	1.2	26
188	Wnt5a is associated with right ventricular dysfunction and adverse outcome in dilated cardiomyopathy. <i>Scientific Reports</i> , 2017, 7, 3490.	1.6	31
189	Plasma Levels of Marine n-3 Fatty Acids Are Inversely Correlated With Proinflammatory Markers sTNFR1 and IL-6 in Renal Transplant Recipients. , 2017, 27, 161-168.		8
190	Palmitate promotes inflammatory responses and cellular senescence in cardiac fibroblasts. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017, 1862, 234-245.	1.2	41
191	Complement activation by cholesterol crystals triggers a subsequent cytokine response. <i>Molecular Immunology</i> , 2017, 84, 43-50.	1.0	38
192	Primary immunodeficiency diseases: Genomic approaches delineate heterogeneous Mendelian disorders. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 232-245.	1.5	261
193	Toll-Like Receptor 9 Promotes Survival in SERCA2a KO Heart Failure Mice. <i>Mediators of Inflammation</i> , 2017, 2017, 1-11.	1.4	5
194	A Young, Immunocompetent Woman with Small Bowel and Hepatic Mucormycosis Successfully Treated with Aggressive Surgical Debridements and Antifungal Therapy. <i>Case Reports in Infectious Diseases</i> , 2017, 2017, 1-4.	0.2	2
195	Osteoprotegerin levels in ST-elevation myocardial infarction: Temporal profile and association with myocardial injury and left ventricular function. <i>PLoS ONE</i> , 2017, 12, e0173034.	1.1	8
196	TLR9 stimulation of B-cells induces transcription of p53 and prevents spontaneous and irradiation-induced cell death independent of DNA damage responses. Implications for Common variable immunodeficiency. <i>PLoS ONE</i> , 2017, 12, e0185708.	1.1	6
197	Immediate response in markers of inflammation and angiogenesis during exercise: a randomised cross-over study in heart transplant recipients. <i>Open Heart</i> , 2017, 4, e000635.	0.9	12
198	Associations of brain natriuretic peptide, high-sensitive troponin T, and high-sensitive C-reactive protein with outcomes in severe aortic stenosis. <i>PLoS ONE</i> , 2017, 12, e0179304.	1.1	13

#	ARTICLE	IF	CITATIONS
199	Interleukin 27 is increased in carotid atherosclerosis and promotes NLRP3 inflammasome activation. PLoS ONE, 2017, 12, e0188387.	1.1	26
200	Patients with depression display cytokine levels in serum and cerebrospinal fluid similar to patients with diffuse neurological symptoms without a defined diagnosis. Neuropsychiatric Disease and Treatment, 2016, 12, 817.	1.0	28
201	Rhabdomyolysis and capillary leak syndrome in a patient treated with topical imiquimod. International Journal of Dermatology, 2016, 55, 1030-1032.	0.5	1
202	Enhanced base excision repair capacity in carotid atherosclerosis may protect nuclear DNA but not mitochondrial DNA. Free Radical Biology and Medicine, 2016, 97, 386-397.	1.3	3
203	Low Circulating Levels of Mitochondrial and High Levels of Nuclear DNA Predict Mortality in Chronic Heart Failure. Journal of Cardiac Failure, 2016, 22, 823-828.	0.7	19
204	Low levels of short- and medium-chain acylcarnitines in HIV-infected patients. European Journal of Clinical Investigation, 2016, 46, 408-417.	1.7	14
205	Neil3-dependent base excision repair regulates lipid metabolism and prevents atherosclerosis in Apoe-deficient mice. Scientific Reports, 2016, 6, 28337.	1.6	26
206	Circulating PCSK9 and Risk of Myocardial Infarction. JACC Basic To Translational Science, 2016, 1, 568-575.	1.9	21
207	High Level of Chemokine CCL18 Is Associated With Pulmonary Function Deterioration, Lung Fibrosis Progression, and Reduced Survival in Systemic Sclerosis. Chest, 2016, 150, 299-306.	0.4	73
208	Soluble CXCL16 and risk of myocardial infarction: The HUNT study in Norway. Atherosclerosis, 2016, 244, 188-194.	0.4	18
209	NLRP3 Inflammasome Expression and Activation in Human Atherosclerosis. Journal of the American Heart Association, 2016, 5, .	1.6	220
210	Cholesterol Crystals Activate the Lectin Complement Pathway via Ficolin-2 and Mannose-Binding Lectin: Implications for the Progression of Atherosclerosis. Journal of Immunology, 2016, 196, 5064-5074.	0.4	35
211	Response to letter from Toldo et al. on "NLRP3 inflammasome activation during myocardial ischemia reperfusion is cardioprotective". Biochemical and Biophysical Research Communications, 2016, 474, 328-329.	1.0	6
212	Effect of a single dose of the interleukin-6 receptor antagonist tocilizumab on inflammation and troponin T release in patients with non-ST-elevation myocardial infarction: a double-blind, randomized, placebo-controlled phase 2 trial. European Heart Journal, 2016, 37, 2406-2413.	1.0	270
213	High serum CXCL10 in Rickettsia conorii infection is endothelial cell mediated subsequent to whole blood activation. Cytokine, 2016, 83, 269-274.	1.4	3
214	Brief Report: Proatherogenic Cytokine Microenvironment in the Aortic Adventitia of Patients With Rheumatoid Arthritis. Arthritis and Rheumatology, 2016, 68, 1361-1366.	2.9	27
215	A Cross-Sectional Study of the Prevalence of Gastrointestinal Symptoms and Pathology in Patients With Common Variable Immunodeficiency. American Journal of Gastroenterology, 2016, 111, 1467-1475.	0.2	85
216	Macrophage migration inhibitory factor, a role in COPD. American Journal of Physiology - Lung Cellular and Molecular Physiology, 2016, 311, L1-L7.	1.3	19

#	ARTICLE	IF	CITATIONS
217	Circulating cell-free DNA is elevated in community-acquired bacterial pneumonia and predicts short-term outcome. <i>Journal of Infection</i> , 2016, 73, 383-386.	1.7	6
218	LIGHT/TNFSF14 is increased in patients with type 2 diabetes mellitus and promotes islet cell dysfunction and endothelial cell inflammation in vitro. <i>Diabetologia</i> , 2016, 59, 2134-2144.	2.9	45
219	Low circulating pentraxin 3 levels in pregnancy is associated with gestational diabetes and increased apoB/apoA ratio: a 5-year follow-up study. <i>Cardiovascular Diabetology</i> , 2016, 15, 23.	2.7	23
220	A focus on inflammation as a major risk factor for atherosclerotic cardiovascular diseases. <i>Expert Review of Cardiovascular Therapy</i> , 2016, 14, 391-403.	0.6	26
221	The Carnitine-butYRObetaine-trimethylamine-N-oxide pathway and its association with cardiovascular mortality in patients with carotid atherosclerosis. <i>Atherosclerosis</i> , 2016, 247, 64-69.	0.4	116
222	Specific allergen immunotherapy: effect on IgE, IgG4 and chemokines in patients with allergic rhinitis. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016, 76, 118-127.	0.6	14
223	Impact of Systemic Inflammation on the Progression of Gestational Diabetes Mellitus. <i>Current Diabetes Reports</i> , 2016, 16, 26.	1.7	87
224	Lessons Learned From a Randomized Study of Oral Valganciclovir Versus Parenteral Ganciclovir Treatment of Cytomegalovirus Disease in Solid Organ Transplant Recipients: The VICTOR Trial. <i>Clinical Infectious Diseases</i> , 2016, 62, 1154-1160.	2.9	24
225	Inflammatory evidence for the psychosis continuum model. <i>Psychoneuroendocrinology</i> , 2016, 67, 189-197.	1.3	39
226	Increased Serum Levels of the Notch Ligand DLL1 Are Associated With Diastolic Dysfunction, Reduced Exercise Capacity, and Adverse Outcome in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, 218-223.	0.7	27
227	Identifying Novel Gene Variants in Coronary Artery Disease and Shared Genes With Several Cardiovascular Risk Factors. <i>Circulation Research</i> , 2016, 118, 83-94.	2.0	52
228	Risk Factors for Long-Term Mortality after Hospitalization for Community-Acquired Pneumonia: A 5-Year Prospective Follow-Up Study. <i>PLoS ONE</i> , 2016, 11, e0148741.	1.1	44
229	Vitamin D Status and Long-Term Mortality in Community-Acquired Pneumonia: Secondary Data Analysis from a Prospective Cohort. <i>PLoS ONE</i> , 2016, 11, e0158536.	1.1	15
230	Endostatin is higher and associated with pulmonary involvement in primary Sjögren's syndrome. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 690-3.	0.4	0
231	Associations between circulating endostatin levels and vascular organ damage in systemic sclerosis and mixed connective tissue disease: an observational study. <i>Arthritis Research and Therapy</i> , 2015, 17, 231.	1.6	29
232	Secreted Frizzled Related Protein 3 in Chronic Heart Failure: Analysis from the Controlled Rosuvastatin Multinational Trial in Heart Failure (CORONA). <i>PLoS ONE</i> , 2015, 10, e0133970.	1.1	19
233	Aortic Stiffness and Cardiovascular Risk in Women with Previous Gestational Diabetes Mellitus. <i>PLoS ONE</i> , 2015, 10, e0136892.	1.1	37
234	Sustained Toll-Like Receptor 9 Activation Promotes Systemic and Cardiac Inflammation, and Aggravates Diastolic Heart Failure in SERCA2a KO Mice. <i>PLoS ONE</i> , 2015, 10, e0139715.	1.1	13

#	ARTICLE	IF	CITATIONS
235	Complement Activation Correlates With Disease Severity and Contributes to Cytokine Responses in <i>Plasmodium falciparum</i> Malaria. <i>Journal of Infectious Diseases</i> , 2015, 212, 1835-1840.	1.9	15
236	Absence of the inflammasome adaptor ASC reduces hypoxia-induced pulmonary hypertension in mice. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015, 309, L378-L387.	1.3	63
237	Elevated inflammatory markers in preeclamptic pregnancies, but no relation to systemic arterial stiffness. <i>Pregnancy Hypertension</i> , 2015, 5, 325-329.	0.6	17
238	Genetic variants in the DNA repair gene NEIL3 and the risk of myocardial infarction in a nested case-control study. The HUNT Study. <i>DNA Repair</i> , 2015, 28, 21-27.	1.3	20
239	Inflammatory cytokines as biomarkers in heart failure. <i>Clinica Chimica Acta</i> , 2015, 443, 71-77.	0.5	85
240	Novel Extracellular Matrix Biomarkers as Predictors of Adverse Outcome in Chronic Heart Failure: Association Between Biglycan and Response to Statin Therapy in the CORONA Trial. <i>Journal of Cardiac Failure</i> , 2015, 21, 153-159.	0.7	12
241	Interleukin 23 Levels Are Increased in Carotid Atherosclerosis. <i>Stroke</i> , 2015, 46, 793-799.	1.0	79
242	The complement system and toll-like receptors as integrated players in the pathophysiology of atherosclerosis. <i>Atherosclerosis</i> , 2015, 241, 480-494.	0.4	90
243	Serum brain-derived neurotrophic factor levels in relation to comorbid depression and cytokine levels in Nepalese men with alcohol-use disorders. <i>Alcohol</i> , 2015, 49, 471-478.	0.8	20
244	Secreted Frizzled-Related Protein 3 (sFRP3) in acute coronary syndromes. <i>International Journal of Cardiology</i> , 2015, 190, 217-219.	0.8	9
245	Etiology of community-acquired pneumonia and diagnostic yields of microbiological methods: a 3-year prospective study in Norway. <i>BMC Infectious Diseases</i> , 2015, 15, 64.	1.3	115
246	Association of CLEC16A with human common variable immunodeficiency disorder and role in murine B cells. <i>Nature Communications</i> , 2015, 6, 6804.	5.8	63
247	Inflammatory markers are associated with general cognitive abilities in schizophrenia and bipolar disorder patients and healthy controls. <i>Schizophrenia Research</i> , 2015, 165, 188-194.	1.1	85
248	Vitamin D status and effect of interferon- β 1a treatment on MRI activity and serum inflammation markers in relapsing-remitting multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 280, 21-28.	1.1	19
249	Increased expression of NAMPT in PBMC from patients with acute coronary syndrome and in inflammatory M1 macrophages. <i>Atherosclerosis</i> , 2015, 243, 204-210.	0.4	48
250	Body mass index influence interferon-beta treatment response in multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2015, 288, 92-97.	1.1	56
251	Altered Levels of Fatty Acids and Inflammatory and Metabolic Mediators in Epicardial Adipose Tissue in Patients With Systolic Heart Failure. <i>Journal of Cardiac Failure</i> , 2015, 21, 916-923.	0.7	22
252	Increased Serum Levels of LIGHT/TNFSF14 in Nonalcoholic Fatty Liver Disease: Possible Role in Hepatic Inflammation. <i>Clinical and Translational Gastroenterology</i> , 2015, 6, e95.	1.3	16

#	ARTICLE	IF	CITATIONS
253	Vitamin D supplementation and systemic inflammation in relapsing-remitting multiple sclerosis. <i>Journal of Neurology</i> , 2015, 262, 2713-2721.	1.8	36
254	IRF4 Is a Critical Gene in Retinoic Acid-Mediated Plasma Cell Formation and Is Deregulated in Common Variable Immunodeficiency-Derived B Cells. <i>Journal of Immunology</i> , 2015, 195, 2601-2611.	0.4	25
255	Maternal inheritance does not predict cholesterol levels in children with familial hypercholesterolemia. <i>Atherosclerosis</i> , 2015, 243, 155-160.	0.4	28
256	Association between altered brain morphology and elevated peripheral endothelial markers " Implications for psychotic disorders. <i>Schizophrenia Research</i> , 2015, 161, 222-228.	1.1	23
257	The Notch ligand Delta-like 1 is elevated and associated with mortality in patients with symptomatic aortic stenosis. <i>International Journal of Cardiology</i> , 2015, 180, 18-20.	0.8	13
258	Soluble ST2 reflects hemodynamic stress in non-ischemic heart failure. <i>International Journal of Cardiology</i> , 2015, 179, 378-384.	0.8	31
259	Vitamin D, Vitamin D Binding Protein, and Longitudinal Outcomes in COPD. <i>PLoS ONE</i> , 2015, 10, e0121622.	1.1	30
260	Abundant Genetic Overlap between Blood Lipids and Immune-Mediated Diseases Indicates Shared Molecular Genetic Mechanisms. <i>PLoS ONE</i> , 2015, 10, e0123057.	1.1	40
261	The Effect of Rosuvastatin on Inflammation, Matrix Turnover and Left Ventricular Remodeling in Dilated Cardiomyopathy: A Randomized, Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e89732.	1.1	9
262	Toll-Like Receptor 9-Activation during Onset of Myocardial Ischemia Does Not Influence Infarct Extension. <i>PLoS ONE</i> , 2014, 9, e104407.	1.1	12
263	The Homeostatic Chemokine CCL21 Predicts Mortality in Aortic Stenosis Patients and Modulates Left Ventricular Remodeling. <i>PLoS ONE</i> , 2014, 9, e112172.	1.1	21
264	Interleukin-10 increases reverse cholesterol transport in macrophages through its bidirectional interaction with liver X receptor 1. <i>Biochemical and Biophysical Research Communications</i> , 2014, 450, 1525-1530.	1.0	8
265	Circulating Dickkopf1 in Diabetes Mellitus: Association With Platelet Activation and Effects of Improved Metabolic Control and Low-Dose Aspirin. <i>Journal of the American Heart Association</i> , 2014, 3, .	1.6	53
266	Cytokine Network in Scrub Typhus: High Levels of Interleukin-8 Are Associated with Disease Severity and Mortality. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2648.	1.3	45
267	Increasing serum levels of vitamin A, D and E are associated with alterations of different inflammation markers in patients with multiple sclerosis. <i>Journal of Neuroimmunology</i> , 2014, 271, 60-65.	1.1	25
268	Activated platelets promote increased monocyte expression of CXCR5 through prostaglandin E2-related mechanisms and enhance the anti-inflammatory effects of CXCL13. <i>Atherosclerosis</i> , 2014, 234, 352-359.	0.4	24
269	A vital role for complement in heart disease. <i>Molecular Immunology</i> , 2014, 61, 126-134.	1.0	61
270	Increased endothelial and macrophage markers are associated with disease severity and mortality in scrub typhus. <i>Journal of Infection</i> , 2014, 69, 462-469.	1.7	22

#	ARTICLE	IF	CITATIONS
271	Subjects with familial hypercholesterolemia are characterized by an inflammatory phenotype despite long-term intensive cholesterol lowering treatment. <i>Atherosclerosis</i> , 2014, 233, 561-567.	0.4	48
272	Markers of atherosclerotic development in children with familial hypercholesterolemia: A literature review. <i>Atherosclerosis</i> , 2014, 235, 299-309.	0.4	88
273	Matrix Metalloproteinase 7 Is Associated with Symptomatic Lesions and Adverse Events in Patients with Carotid Atherosclerosis. <i>PLoS ONE</i> , 2014, 9, e84935.	1.1	61
274	Increased Severity and Mortality in Adults Co-Infected with Malaria and HIV in Maputo, Mozambique: A Prospective Cross-Sectional Study. <i>PLoS ONE</i> , 2014, 9, e88257.	1.1	41
275	Toll-Like Receptor 9 Mediated Responses in Cardiac Fibroblasts. <i>PLoS ONE</i> , 2014, 9, e104398.	1.1	16
276	Efficacy of High Intensity Exercise on Disease Activity and Cardiovascular Risk in Active Axial Spondyloarthritis: A Randomized Controlled Pilot Study. <i>PLoS ONE</i> , 2014, 9, e108688.	1.1	83
277	Predictors of Exacerbations in Chronic Obstructive Pulmonary Disease - Results from the Bergen COPD Cohort Study. <i>PLoS ONE</i> , 2014, 9, e109721.	1.1	62
278	Cytokine Network in Adults with Falciparum Malaria and HIV-1: Increased IL-8 and IP-10 Levels Are Associated with Disease Severity. <i>PLoS ONE</i> , 2014, 9, e114480.	1.1	26
279	Unraveling the role of nicotinamide phosphoribosyltransferase on lipids in atherosclerosis. <i>Clinical Lipidology</i> , 2012, 7, 697-707.	0.4	1
280	Tumor necrosis factor superfamily molecules in acute coronary syndromes. <i>Annals of Medicine</i> , 2011, 43, 90-103.	1.5	31
281	Activated platelets and atherosclerosis. <i>Expert Review of Cardiovascular Therapy</i> , 2010, 8, 1297-1307.	0.6	48
282	Chemokines and Cardiovascular Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1909-1919.	1.1	161
283	Potential Mechanisms of Benefit with Thalidomide in Chronic Heart Failure. <i>American Journal of Cardiovascular Drugs</i> , 2007, 7, 127-134.	1.0	5
284	Chemokines in cardiovascular risk prediction. <i>Thrombosis and Haemostasis</i> , 2007, 97, 748-54.	1.8	22
285	The role of intravenous immunoglobulin in the treatment of chronic heart failure. <i>International Journal of Cardiology</i> , 2006, 112, 40-45.	0.8	29
286	Anti-inflammatory trials in chronic heart failure. <i>Heart Failure Monitor</i> , 2006, 5, 2-9.	0.7	9
287	Inflammatory and anti-inflammatory cytokines in chronic heart failure: Potential therapeutic implications. <i>Annals of Medicine</i> , 2005, 37, 74-85.	1.5	140
288	Inflammation and chronic heart failure – potential therapeutic role of intravenous immunoglobulin. <i>Autoimmunity Reviews</i> , 2004, 3, 221-227.	2.5	38

#	ARTICLE	IF	CITATIONS
289	Peripheral endothelial dysfunction in heart transplant recipients: possible role of proinflammatory cytokines. <i>Clinical Transplantation</i> , 2000, 14, 218-225.	0.8	49
290	Protein kinase A type I antagonist restores immune responses of T cells from HIV-1 infected patients. <i>FASEB Journal</i> , 1998, 12, 855-862.	0.2	105
291	Elevated Levels of Serum-Soluble CD14 in Human Immunodeficiency Virus Type 1 (HIV-1) Infection: Correlation to Disease Progression and Clinical Events. <i>Blood</i> , 1998, 92, 2084-2092.	0.6	150
292	Enhanced activation of platelets with abnormal release of RANTES in human immunodeficiency virus type 1 infection. <i>FASEB Journal</i> , 1998, 12, 79-89.	0.2	41
293	Elevated Levels of Serum-Soluble CD14 in Human Immunodeficiency Virus Type 1 (HIV-1) Infection: Correlation to Disease Progression and Clinical Events. <i>Blood</i> , 1998, 92, 2084-2092.	0.6	56
294	Neuropsychological Deficits In HIV-1 seropositive and seronegative intravenous drug users (IVDUs): A follow-up study. <i>Journal of the International Neuropsychological Society</i> , 1996, 2, 126-133.	1.2	9
295	Neuropsychological deficits in HIV-1 seropositive and seronegative intravenous drug users. <i>Neuropsychology, Development and Cognition Section A: Journal of Clinical and Experimental Neuropsychology</i> , 1993, 15, 732-742.	1.4	17
296	Fatal cytomegalovirus (CMV) colitis in a patient receiving low dose prednisolone therapy. <i>Scandinavian Journal of Infectious Diseases</i> , 1991, 23, 495-499.	1.5	29