

Kerstin Pannek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5512362/kerstin-pannek-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72
papers

1,342
citations

22
h-index

33
g-index

73
ext. papers

1,616
ext. citations

4.4
avg, IF

4.4
L-index

#	Paper	IF	Citations
72	Cognitive, academic, executive and psychological functioning in children with spastic motor type cerebral palsy: Influence of extent, location, and laterality of brain lesions.. <i>European Journal of Paediatric Neurology</i> , 2022 , 38, 33-46	3.8	0
71	Early clinical and MRI biomarkers of cognitive and motor outcomes in very preterm born infants. <i>Pediatric Research</i> , 2021 ,	3.2	3
70	Neural Changes Induced by a Speech Motor Treatment in Childhood Apraxia of Speech: A Case Series. <i>Journal of Child Neurology</i> , 2021 , 36, 958-967	2.5	0
69	Automating Quantitative Measures of an Established Conventional MRI Scoring System for Preterm-Born Infants Scanned between 29 and 47 WeeksTPostmenstrual Age. <i>American Journal of Neuroradiology</i> , 2021 , 42, 1870-1877	4.4	
68	Prediction of childhood brain outcomes in infants born preterm using neonatal MRI and concurrent clinical biomarkers (PREBO-6): study protocol for a prospective cohort study. <i>BMJ Open</i> , 2020 , 10, e036480	3.8	4
67	Understanding the impact of bilateral brain injury in children with unilateral cerebral palsy. <i>Human Brain Mapping</i> , 2020 , 41, 2794-2807	5.9	3
66	How many streamlines are required for reliable probabilistic tractography? Solutions for microstructural measurements and neurosurgical planning. <i>NeuroImage</i> , 2020 , 211, 116646	7.9	10
65	A fixel-based analysis of micro- and macro-structural changes to white matter following adult traumatic brain injury. <i>Human Brain Mapping</i> , 2020 , 41, 2187-2197	5.9	11
64	Predicting motor outcome in preterm infants from very early brain diffusion MRI using a deep learning convolutional neural network (CNN) model. <i>NeuroImage</i> , 2020 , 215, 116807	7.9	20
63	Chronic white matter changes detected using diffusion tensor imaging following adult traumatic brain injury and their relationship to cognition. <i>Neuropsychology</i> , 2020 , 34, 881-893	3.8	3
62	Study protocol of a randomized controlled trial of home-based computerized executive function training for children with cerebral palsy. <i>BMC Pediatrics</i> , 2020 , 20, 9	2.6	3
61	Brain microstructure and morphology of very preterm-born infants at term equivalent age: Associations with motor and cognitive outcomes at 1 and 2 years. <i>NeuroImage</i> , 2020 , 221, 117163	7.9	7
60	Serial MRI studies over 12 months using manual and atlas-based region of interest in patients with amyotrophic lateral sclerosis. <i>BMC Medical Imaging</i> , 2020 , 20, 90	2.9	0
59	Advanced MRI analysis to detect white matter brain injury in growth restricted newborn lambs. <i>NeuroImage: Clinical</i> , 2019 , 24, 101991	5.3	9
58	Tract integrity in amyotrophic lateral sclerosis: 6-month evaluation using MR diffusion tensor imaging. <i>BMC Medical Imaging</i> , 2019 , 19, 19	2.9	2
57	Protocol for a multisite randomised trial of Hand-Arm Bimanual Intensive Training Including Lower Extremity training for children with bilateral cerebral palsy: HABIT-ILE Australia. <i>BMJ Open</i> , 2019 , 9, e032194	3.1	6
56	Fixel-based analysis reveals alterations in brain microstructure and macrostructure of preterm-born infants at term equivalent age. <i>NeuroImage: Clinical</i> , 2018 , 18, 51-59	5.3	27

55	Relationship between very early brain structure and neuromotor, neurological and neurobehavioral function in infants born . <i>Early Human Development</i> , 2018 , 117, 74-82	2.2	21
54	. <i>American Journal of Neuroradiology</i> , 2018 , 39, E40-E41	4.4	
53	Discovering the sense of touch: protocol for a randomised controlled trial examining the efficacy of a somatosensory discrimination intervention for children with hemiplegic cerebral palsy. <i>BMC Pediatrics</i> , 2018 , 18, 252	2.6	4
52	Brain lesion scores obtained using a simple semi-quantitative scale from MR imaging are associated with motor function, communication and cognition in dyskinetic cerebral palsy. <i>NeuroImage: Clinical</i> , 2018 , 19, 892-900	5.3	8
51	Diagnostic accuracy of early magnetic resonance imaging to determine motor outcomes in infants born preterm: a systematic review and meta-analysis. <i>Developmental Medicine and Child Neurology</i> , 2018 , 60, 134-146	3.3	12
50	A combined tract-based spatial statistics and voxel-based morphometry study of the first MRI scan after diagnosis of amyotrophic lateral sclerosis with subgroup analysis. <i>Journal of Neuroradiology</i> , 2018 , 45, 41-48	3.1	16
49	IC-P-091: TAU, AβAMYLOID, BRAIN STRUCTURE AND COGNITIVE FUNCTION FOLLOWING SERVICE-RELATED TRAUMATIC BRAIN INJURY IN AUSTRALIAN VIETNAM WAR VETERANS 2018 , 14, P76-P76		
48	Investigating Brain Age Deviation in Preterm Infants: A Deep Learning Approach. <i>Lecture Notes in Computer Science</i> , 2018 , 87-96	0.9	1
47	Network over-connectivity differentiates autism spectrum disorder from other developmental disorders in toddlers: A diffusion MRI study. <i>Human Brain Mapping</i> , 2017 , 38, 2333-2344	5.9	32
46	Validation of an MRI Brain Injury and Growth Scoring System in Very Preterm Infants Scanned at 29- to 35-Week Postmenstrual Age. <i>American Journal of Neuroradiology</i> , 2017 , 38, 1435-1442	4.4	21
45	White matter integrity in dyskinetic cerebral palsy: Relationship with intelligence quotient and executive function. <i>NeuroImage: Clinical</i> , 2017 , 15, 789-800	5.3	15
44	REACH: study protocol of a randomised trial of rehabilitation very early in congenital hemiplegia. <i>BMJ Open</i> , 2017 , 7, e017204	3	27
43	A spatio-temporal atlas of neonatal diffusion MRI based on kernel ridge regression 2017 ,		2
42	Neuroanatomical correlates of childhood apraxia of speech: A connectomic approach. <i>NeuroImage: Clinical</i> , 2016 , 12, 894-901	5.3	15
41	Diffusion Tractography Biomarkers of Pediatric Cerebellar Hypoplasia/Atrophy: Preliminary Results Using Constrained Spherical Deconvolution. <i>American Journal of Neuroradiology</i> , 2016 , 37, 917-23	4.4	5
40	Statistical machine learning to identify traumatic brain injury (TBI) from structural disconnections of white matter networks. <i>NeuroImage</i> , 2016 , 129, 247-259	7.9	37
39	Lateralization of Brain Networks and Clinical Severity in Toddlers with Autism Spectrum Disorder: A HARDI Diffusion MRI Study. <i>Autism Research</i> , 2016 , 9, 382-92	5.1	21
38	Extent of altered white matter in unilateral and bilateral periventricular white matter lesions in children with unilateral cerebral palsy. <i>Research in Developmental Disabilities</i> , 2016 , 55, 368-76	2.7	10

37	PREMM: preterm early massage by the mother: protocol of a randomised controlled trial of massage therapy in very preterm infants. <i>BMC Pediatrics</i> , 2016 , 16, 146	2.6	9
36	Validity of semi-quantitative scale for brain MRI in unilateral cerebral palsy due to periventricular white matter lesions: Relationship with hand sensorimotor function and structural connectivity. <i>NeuroImage: Clinical</i> , 2015 , 8, 104-9	5.3	30
35	Corticopontocerebellar Connectivity Disruption in Congenital Hemiplegia. <i>Neurorehabilitation and Neural Repair</i> , 2015 , 29, 858-66	4.7	10
34	Exposing asymmetric gray matter vulnerability in amyotrophic lateral sclerosis. <i>NeuroImage: Clinical</i> , 2015 , 7, 782-7	5.3	21
33	Changes in the integrity of thalamocortical connections are associated with sensorimotor deficits in children with congenital hemiplegia. <i>Brain Structure and Function</i> , 2015 , 220, 307-18	4	30
32	Motor pathway degeneration in young ataxia telangiectasia patients: A diffusion tractography study. <i>NeuroImage: Clinical</i> , 2015 , 9, 206-15	5.3	13
31	Structural connectivity of the anterior cingulate in children with unilateral cerebral palsy due to white matter lesions. <i>NeuroImage: Clinical</i> , 2015 , 9, 498-505	5.3	19
30	Is one motor cortex enough for two hands?. <i>Developmental Medicine and Child Neurology</i> , 2015 , 57, 977-80	3.5	4
29	PPREMO: a prospective cohort study of preterm infant brain structure and function to predict neurodevelopmental outcome. <i>BMC Pediatrics</i> , 2015 , 15, 123	2.6	19
28	High angular resolution diffusion imaging in a child with autism spectrum disorder and comparison with his unaffected identical twin. <i>Functional Neurology</i> , 2015 , 30, 203-8	2.2	3
27	Reduced integrity of sensorimotor projections traversing the posterior limb of the internal capsule in children with congenital hemiparesis. <i>Research in Developmental Disabilities</i> , 2014 , 35, 250-60	2.7	25
26	Quantitative comparison of cortical and deep grey matter in pathological subtypes of unilateral cerebral palsy. <i>Developmental Medicine and Child Neurology</i> , 2014 , 56, 968-75	3.3	16
25	Magnetic resonance diffusion tractography of the preterm infant brain: a systematic review. <i>Developmental Medicine and Child Neurology</i> , 2014 , 56, 113-24	3.3	35
24	Assessment of the structural brain network reveals altered connectivity in children with unilateral cerebral palsy due to periventricular white matter lesions. <i>NeuroImage: Clinical</i> , 2014 , 5, 84-92	5.3	49
23	Radiological imaging in ataxia telangiectasia: a review. <i>Cerebellum</i> , 2014 , 13, 521-30	4.3	40
22	Volumetrics relate to the development of depression after traumatic brain injury. <i>Behavioural Brain Research</i> , 2014 , 271, 147-53	3.4	15
21	Altered corticomotor-cerebellar integrity in young ataxia telangiectasia patients. <i>Movement Disorders</i> , 2014 , 29, 1289-98	7	9
20	The (Eigen)value of diffusion tensor imaging to investigate depression after traumatic brain injury. <i>Human Brain Mapping</i> , 2014 , 35, 227-37	5.9	22

19	Distance informed Track-Weighted Imaging (diTWI): a framework for sensitising streamline information to neuropathology. <i>NeuroImage</i> , 2014 , 86, 60-6	7.9	2
18	Diffusion-weighted magnetic resonance imaging detection of basal forebrain cholinergic degeneration in a mouse model. <i>NeuroImage</i> , 2013 , 66, 133-41	7.9	18
17	Maturation of corpus callosum anterior midbody is associated with neonatal motor function in eight preterm-born infants. <i>Neural Plasticity</i> , 2013 , 2013, 359532	3.3	18
16	Assessment of structural connectivity in the preterm brain at term equivalent age using diffusion MRI and T2 relaxometry: a network-based analysis. <i>PLoS ONE</i> , 2013 , 8, e68593	3.7	25
15	Structural hemispheric asymmetries in the human precentral gyrus hand representation. <i>Neuroscience</i> , 2012 , 210, 211-21	3.9	23
14	Direct evidence of intra- and interhemispheric corticomotor network degeneration in amyotrophic lateral sclerosis: an automated MRI structural connectivity study. <i>NeuroImage</i> , 2012 , 59, 2661-9	7.9	55
13	HOMOR: higher order model outlier rejection for high b-value MR diffusion data. <i>NeuroImage</i> , 2012 , 63, 835-42	7.9	37
12	Diffusion MRI of the neonate brain: acquisition, processing and analysis techniques. <i>Pediatric Radiology</i> , 2012 , 42, 1169-82	2.8	40
11	Contrast agent derived determination of the total circulating blood volume using magnetic resonance. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2012 , 25, 215-22	2.8	2
10	The average pathlength map: a diffusion MRI tractography-derived index for studying brain pathology. <i>NeuroImage</i> , 2011 , 55, 133-41	7.9	52
9	MRI structural connectivity, disruption of primary sensorimotor pathways, and hand function in cerebral palsy. <i>Brain Connectivity</i> , 2011 , 1, 309-16	2.7	77
8	MRI diffusion indices sampled along streamline trajectories: quantitative tractography mapping. <i>Brain Connectivity</i> , 2011 , 1, 331-8	2.7	11
7	Distinguishing recurrent primary brain tumor from radiation injury: a preliminary study using a susceptibility-weighted MR imaging-guided apparent diffusion coefficient analysis strategy. <i>American Journal of Neuroradiology</i> , 2010 , 31, 1049-54	4.4	44
6	Biomarkers of disease in a case of familial lower motor neuron ALS. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2010 , 11, 486-9		8
5	Comparative mouse brain tractography of diffusion magnetic resonance imaging. <i>NeuroImage</i> , 2010 , 51, 1027-36	7.9	59
4	An automated strategy for the delineation and parcellation of commissural pathways suitable for clinical populations utilising high angular resolution diffusion imaging tractography. <i>NeuroImage</i> , 2010 , 50, 1044-53	7.9	34
3	Traumatic brain injury, major depression, and diffusion tensor imaging: making connections. <i>Brain Research Reviews</i> , 2010 , 64, 213-40		75
2	Dynamic corticospinal white matter connectivity changes during stroke recovery: a diffusion tensor probabilistic tractography study. <i>Journal of Magnetic Resonance Imaging</i> , 2009 , 29, 529-36	5.6	35

- 1 Assessment of inhibitory potency of antibiotics by MRI: apparent T2 as a marker of cell growth. 2.8 3
Magnetic Resonance Materials in Physics, Biology, and Medicine, **2006**, 19, 247-55