

Irene Lorand-Metze

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5513988/publications.pdf>

Version: 2024-02-01

178
papers

2,556
citations

218592

26
h-index

302012

39
g-index

182
all docs

182
docs citations

182
times ranked

3310
citing authors

#	ARTICLE	IF	CITATIONS
1	A randomised, prospective comparison of allogeneic bone marrow and peripheral blood progenitor cell transplantation in the treatment of haematological malignancies. <i>Bone Marrow Transplantation</i> , 1998, 22, 1145-1151.	1.3	178
2	Increased risk for acute myeloid leukaemia in individuals with glutathione S-transferase mu 1 (GSTM1) and theta 1 (GSTT1) gene defects. <i>European Journal of Haematology</i> , 2001, 66, 383-388.	1.1	69
3	Thalidomide plus dexamethasone as a maintenance therapy after autologous hematopoietic stem cell transplantation improves progression-free survival in multiple myeloma. <i>American Journal of Hematology</i> , 2012, 87, 948-952.	2.0	63
4	Participation of leptin in the determination of the macrophage phenotype: an additional role in adipocyte and macrophage crosstalk. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2013, 49, 473-478.	0.7	60
5	Factors influencing survival in myelodysplastic syndromes in a Brazilian population: comparison of FAB and WHO classifications. <i>Leukemia Research</i> , 2004, 28, 587-594.	0.4	54
6	Pancytopenia in Untreated Patients with Graves' Disease. <i>Thyroid</i> , 2006, 16, 403-409.	2.4	54
7	Detection of hematopoietic maturation abnormalities by flow cytometry in myelodysplastic syndromes and its utility for the differential diagnosis with non-clonal disorders. <i>Leukemia Research</i> , 2007, 31, 147-155.	0.4	53
8	The impact of maternal HIV infection on cord blood lymphocyte subsets and cytokine profile in exposed non-infected newborns. <i>BMC Infectious Diseases</i> , 2011, 11, 38.	1.3	51
9	Fractal Characteristics of May-Grünwald-Giemsa Stained Chromatin Are Independent Prognostic Factors for Survival in Multiple Myeloma. <i>PLoS ONE</i> , 2011, 6, e20706.	1.1	50
10	Leptin Inhibits Apoptosis in Thymus through a Janus Kinase-2-Independent, Insulin Receptor Substrate-1/Phosphatidylinositol-3 Kinase-Dependent Pathway. <i>Endocrinology</i> , 2006, 147, 5470-5479.	1.4	47
11	Familial systemic mastocytosis with germline KIT K509I mutation is sensitive to treatment with imatinib, dasatinib and PKC412. <i>Leukemia Research</i> , 2014, 38, 1245-1251.	0.4	47
12	p53, Mdm2, and c-Myc overexpression is associated with a poor prognosis in aggressive non-Hodgkin's lymphomas. <i>American Journal of Hematology</i> , 2001, 67, 84-92.	2.0	43
13	Effect of Cytokines and Chemokines on Sickle Neutrophil Adhesion to Fibronectin. <i>Acta Haematologica</i> , 2005, 113, 130-136.	0.7	41
14	Nitric oxide regulates human eosinophil adhesion mechanisms in vitro by changing integrin expression and activity on the eosinophil cell surface. <i>British Journal of Pharmacology</i> , 2001, 134, 632-638.	2.7	39
15	Causes of incidental neutropenia in adulthood. <i>Annals of Hematology</i> , 2006, 85, 705-709.	0.8	35
16	Adherence to Tyrosine Kinase Inhibitor Therapy for Chronic Myeloid Leukemia: A Brazilian Single-Center Cohort. <i>Acta Haematologica</i> , 2013, 130, 16-22.	0.7	34
17	Polymorphisms of methylenetetrahydrofolate reductase (MTHFR), methionine synthase (MTR), methionine synthase reductase (MTRR), and thymidylate synthase (TYMS) in multiple myeloma risk. <i>Leukemia Research</i> , 2008, 32, 401-405.	0.4	32
18	Bone Marrow Morphology in Patients with Neutropenia Due to Chronic Exposure to Organic Solvents (Benzene): Early Lesions. <i>Pathology Research and Practice</i> , 1994, 190, 151-154.	1.0	31

#	ARTICLE	IF	CITATIONS
19	Nucleolus organizer regions (AgNORs) and total tumor mass are independent prognostic parameters for treatment-free period in chronic lymphocytic leukemia. <i>International Journal of Cancer</i> , 2000, 89, 440-443.	2.3	30
20	Spontaneous apoptosis in chronic lymphocytic leukemia and its relationship to clinical and cell kinetic parameters. <i>Cytometry</i> , 2001, 46, 329-335.	1.8	30
21	Cutaneous adverse reaction to 2-chlorodeoxyadenosine with histological flame figures in patients with chronic lymphocytic leukaemia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004, 18, 538-542.	1.3	30
22	Maturation-associated immunophenotypic abnormalities in bone marrow B-lymphocytes in myelodysplastic syndromes. <i>Leukemia Research</i> , 2006, 30, 9-16.	0.4	29
23	Time-course of sFlt-1 and VEGF-A release in neutropenic patients with sepsis and septic shock: a prospective study. <i>Journal of Translational Medicine</i> , 2011, 9, 23.	1.8	29
24	Acute leukemias in Piauí: comparison with features observed in other regions of Brazil. <i>Brazilian Journal of Medical and Biological Research</i> , 2003, 36, 331-337.	0.7	28
25	Stathmin 1 is involved in the highly proliferative phenotype of high-risk myelodysplastic syndromes and acute leukemia cells. <i>Leukemia Research</i> , 2014, 38, 251-257.	0.4	28
26	â€œN-ras Gene Point Mutations in Brazilian Acute Myelogenous Leukemia Patients Correlate with a Poor Prognosisâ€. <i>Leukemia and Lymphoma</i> , 1997, 24, 309-317.	0.6	26
27	Bone Marrow Features in Children with HIV Infection and Peripheral Blood Cytopenias. <i>Journal of Tropical Pediatrics</i> , 2005, 51, 114-119.	0.7	26
28	Imbalances in serum angiopoietin concentrations are early predictors of septic shock development in patients with post chemotherapy febrile neutropenia. <i>BMC Infectious Diseases</i> , 2010, 10, 143.	1.3	26
29	Circulating Progenitor and Mature Endothelial Cells in Deep Vein Thrombosis. <i>International Journal of Medical Sciences</i> , 2013, 10, 1746-1754.	1.1	26
30	Influence of BCR-ABL Transcript Type on Outcome in Patients With Chronic-Phase Chronic Myeloid Leukemia Treated With Îmatinib. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 728-733.	0.2	26
31	Proposal for a Quantitative 18F-FDG PET/CT Metabolic Parameter to Assess the Intensity of Bone Involvement in Multiple Myeloma. <i>Scientific Reports</i> , 2019, 9, 16429.	1.6	26
32	Quantifying loss of CD34+ cells collected by apheresis after processing for freezing and post-thaw. <i>Transfusion and Apheresis Science</i> , 2013, 48, 241-246.	0.5	25
33	A high angiopoietin-2/angiopoietin-1 ratio is associated with a high risk of septic shock in patients with febrile neutropenia. <i>Critical Care</i> , 2013, 17, R169.	2.5	24
34	Diagnosis and treatment of chronic lymphocytic leukemia: recommendations from the Brazilian Group of Chronic Lymphocytic Leukemia. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2016, 38, 346-357.	0.7	24
35	The Fractal Dimension of Nuclear Chromatin as a Prognostic Factor in Acute Precursor B Lymphoblastic Leukemia. <i>Analytical Cellular Pathology</i> , 2006, 28, 55-59.	0.7	24
36	The Prognostic Relevance of Apoptosis-related Proteins in Classical Hodgkin's Lymphomas. <i>Leukemia and Lymphoma</i> , 2003, 44, 483-488.	0.6	23

#	ARTICLE	IF	CITATIONS
37	Microparticles in deep venous thrombosis, antiphospholipid syndrome and Factor V Leiden. <i>Platelets</i> , 2009, 20, 367-375.	1.1	23
38	Relationship between morphometric analysis of nucleolar organizer regions and cell proliferation in acute leukemias. , 1998, 32, 51-56.		22
39	Vanishing bile duct syndrome in Hodgkin's disease: case report. <i>Sao Paulo Medical Journal</i> , 2000, 118, 154-157.	0.4	22
40	Mutations in the p53 Gene in Acute Myeloid Leukemia Patients Correlate with Poor Prognosis. <i>Hematology</i> , 2002, 7, 13-19.	0.7	22
41	Immunophenotyping in Myelodysplastic Syndromes Can Add Prognostic Information to Well-Established and New Clinical Scores. <i>PLoS ONE</i> , 2013, 8, e81048.	1.1	22
42	Histological and cytological heterogeneity of bone marrow in Philadelphia-positive chronic myelogenous leukaemia at diagnosis. <i>British Journal of Haematology</i> , 1987, 67, 45-49.	1.2	22
43	Expression of Epstein-Barr virus in classical Hodgkin's lymphomas in Brazilian adult patients. <i>Haematologica</i> , 2001, 86, 1227-8.	1.7	22
44	The prognostic value of maturation-associated phenotypic abnormalities in myelodysplastic syndromes. <i>Leukemia Research</i> , 2008, 32, 211-213.	0.4	20
45	IRS2 silencing increases apoptosis and potentiates the effects of ruxolitinib in JAK2V617F-positive myeloproliferative neoplasms. <i>Oncotarget</i> , 2016, 7, 6948-6959.	0.8	20
46	Treatment with dasatinib or nilotinib in chronic myeloid leukemia patients who failed to respond to two previously administered tyrosine kinase inhibitors – a single center experience. <i>Clinics</i> , 2015, 70, 550-555.	0.6	19
47	Adult T-Cell Leukemia (ATL) with an Unusual Immunophenotype and a High Cellular Proliferation Rate. <i>Leukemia and Lymphoma</i> , 1996, 22, 523-526.	0.6	18
48	Ten-eleven-translocation 2 (<sc>TET</sc>2) is downregulated in myelodysplastic syndromes. <i>European Journal of Haematology</i> , 2015, 94, 413-418.	1.1	18
49	Flow Cytometric Analysis of the Expression of Fas/FasL in Bone Marrow CD34+Cells in Myelodysplastic Syndromes: Relation to Disease Progression. <i>Leukemia and Lymphoma</i> , 2004, 45, 309-313.	0.6	17
50	Lipopolysaccharide treatment reduces rat platelet aggregation independent of intracellular reactive-oxygen species generation. <i>Platelets</i> , 2012, 23, 195-201.	1.1	17
51	The differential diagnosis between aplastic anemia and hypocellular myelodysplasia in patients with pancytopenia. <i>Haematologica</i> , 1999, 84, 564-5.	1.7	17
52	Bone marrow lymphoid aggregates in myelodysplastic syndromes: incidence, immunomorphological characteristics and correlation with clinical features and survival. <i>Leukemia Research</i> , 2002, 26, 525-530.	0.4	16
53	Low Ten-eleven-translocation 2 (TET2) transcript level is independent of TET2 mutation in patients with myeloid neoplasms. <i>Diagnostic Pathology</i> , 2016, 11, 28.	0.9	16
54	Stathmin 1 inhibition amplifies ruxolitinib-induced apoptosis in JAK2V617F cells. <i>Oncotarget</i> , 2015, 6, 29573-29584.	0.8	16

#	ARTICLE	IF	CITATIONS
55	Early total white blood cell recovery is a predictor of low number of apheresis and good CD34+ cell yield. <i>Transfusion Science</i> , 2000, 23, 91-100.	0.6	15
56	Conventional chemotherapy for acute myeloid leukemia: a Brazilian experience. <i>Sao Paulo Medical Journal</i> , 2000, 118, 173-178.	0.4	15
57	Constitutive JunB expression, associated with the JAK2 V617F mutation, stimulates proliferation of the erythroid lineage. <i>Leukemia</i> , 2009, 23, 144-152.	3.3	15
58	Polymorphisms of glutathione S-transferase mu 1, theta 1, and pi 1 genes and prognosis in Hodgkin lymphoma. <i>Leukemia and Lymphoma</i> , 2010, 51, 2215-2221.	0.6	15
59	CHILDHOOD MYELODYSPLASTIC SYNDROMES IN A BRAZILIAN POPULATION. <i>Pediatric Hematology and Oncology</i> , 1999, 16, 347-353.	0.3	14
60	Frontline Therapy with Early Intensification and Autologous Stem Cell Transplantation versus Conventional Chemotherapy in Unselected High-Risk, Aggressive Non-Hodgkin's Lymphoma Patients: A Prospective Randomized GEMO Report. <i>Acta Haematologica</i> , 2006, 115, 15-21.	0.7	14
61	GSTM1 and codon 72 P53 polymorphism in multiple myeloma. <i>Annals of Hematology</i> , 2007, 86, 815-819.	0.8	14
62	Molecular identification of the HLA-DRB1-DQB1 for diagnosis and follow-up of acute leukemias. <i>Blood Cells, Molecules, and Diseases</i> , 2010, 44, 69-73.	0.6	14
63	Monitoring of BCR-ABL levels in chronic myeloid leukemia patients treated with imatinib in the chronic phase. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2011, 33, 211-215.	0.7	14
64	Downregulation of IRS2 in myelodysplastic syndrome: A possible role in impaired hematopoietic cell differentiation. <i>Leukemia Research</i> , 2012, 36, 931-935.	0.4	14
65	Improving the differential diagnosis between myelodysplastic syndromes and reactive peripheral cytopenias by multiparametric flow cytometry: the role of B-cell precursors. <i>Diagnostic Pathology</i> , 2015, 10, 44.	0.9	14
66	Characteristics of the phenotypic abnormalities of bone marrow cells in childhood myelodysplastic syndromes and juvenile myelomonocytic leukemia. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26285.	0.8	14
67	Mechanisms underlying the inhibitory effects of lipopolysaccharide on human platelet adhesion. <i>Platelets</i> , 2010, 21, 260-269.	1.1	13
68	Cardiovascular Risk and Cardiovascular Events in Patients With Chronic Myeloid Leukemia Treated With Tyrosine Kinase Inhibitors. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2019, 19, 162-166.	0.2	13
69	Computed tomography-based skeletal segmentation for quantitative PET metrics of bone involvement in multiple myeloma. <i>Nuclear Medicine Communications</i> , 2020, 41, 377-382.	0.5	13
70	Pattern of nucleolar organizer regions in human leukemic cells. <i>Analytical Cellular Pathology</i> , 1993, 5, 203-12.	2.1	13
71	AgNOR clusters as a parameter of cell kinetics in chronic lymphocytic leukaemia. <i>Journal of Clinical Pathology</i> , 1996, 49, M357-M360.	2.1	12
72	Molecular analysis of the retinoblastoma (RB1) gene in acute myeloid leukemia patients. <i>Leukemia Research</i> , 1998, 22, 787-792.	0.4	11

#	ARTICLE	IF	CITATIONS
73	Changes in AgNOR configurations during the evolution and treatment of chronic lymphocytic leukemia. <i>Hematology and Cell Therapy</i> , 1999, 41, 205-210.	0.7	11
74	<i>Ex vivo</i> Expansion of CD56 ⁺ NK and NKT-like Lymphocytes from Peripheral Blood Mononuclear Cells of Patients with Ovarian Neoplasia. <i>Scandinavian Journal of Immunology</i> , 2011, 74, 244-252.	1.3	11
75	Viability of umbilical cord blood mononuclear cell subsets until 96 hours after collection. <i>Transfusion</i> , 2013, 53, 2034-2042.	0.8	11
76	The Brazilian pediatric myelodysplastic cooperative group strategies: are they relevant to improve educational approach and correct diagnosis?. <i>Leukemia Research</i> , 2002, 26, 637-642.	0.4	10
77	Optimization of CD34+ collection for autologous transplantation using the evolution of peripheral blood cell counts after mobilization with chemotherapy and G-CSF. <i>Transfusion and Apheresis Science</i> , 2006, 34, 33-40.	0.5	10
78	An algorithm based on peripheral CD34+ cells and hemoglobin concentration provides a better optimization of apheresis than the application of a fixed CD34 threshold. <i>Transfusion</i> , 2008, 48, 1133-1137.	0.8	10
79	Diagnosis of Scott syndrome in patient with bleeding disorder of unknown cause. <i>Blood Coagulation and Fibrinolysis</i> , 2012, 23, 75-77.	0.5	10
80	Molecular characteristics and chromatin texture features in acute promyelocytic leukemia. <i>Diagnostic Pathology</i> , 2012, 7, 75.	0.9	10
81	Clinical outcomes of patients with acute myeloid leukemia: evaluation of genetic and molecular findings in a real-life setting. <i>Blood</i> , 2015, 126, 1863-1865.	0.6	10
82	Concomitant essential thrombocythemia with JAK2 V617F mutation in a patient with chronic myeloid leukemia with major molecular response with imatinib and long-term follow-up. <i>Oncology Letters</i> , 2016, 12, 485-487.	0.8	10
83	Hodgkin's disease in Brazil: a clinicopathologic study. <i>Haematologica</i> , 1997, 82, 127-8.	1.7	10
84	Changes of nucleolar organizer regions in granulopoietic precursors during the course of chronic myeloid leukemia. <i>Annals of Hematology</i> , 1995, 71, 275-279.	0.8	9
85	Lymphoblastic transformation of myelodysplastic syndrome. <i>Sao Paulo Medical Journal</i> , 1997, 115, 1508-1512.	0.4	9
86	Treatment of prolymphocytic leukemia with cladribine. <i>Annals of Hematology</i> , 1998, 76, 85-86.	0.8	9
87	Polymorphisms of glutathione S-transferase Mu 1, glutathione S-transferase theta 1 and glutathione S-transferase Pi 1 genes in Hodgkin's lymphoma susceptibility and progression. <i>Leukemia and Lymphoma</i> , 2009, 50, 1005-1009.	0.6	9
88	BCR-ABL1 Transcript Levels at 3 and 6 Months Are Better for Identifying Chronic Myeloid Leukemia Patients with Poor Outcome in Response to Second-Line Second-Generation Tyrosine Kinase Inhibitors after Imatinib Failure: A Report from a Single Institution. <i>Acta Haematologica</i> , 2015, 134, 248-254.	0.7	9
89	Normal variation of bone marrow cell precursors according to age – reference ranges for studies in myelodysplastic syndromes in Brazil. <i>Cytometry Part B - Clinical Cytometry</i> , 2018, 94, 800-806.	0.7	9
90	JAK2 V617F prevalence in Brazilian patients with polycythemia vera, idiopathic myelofibrosis and essential thrombocythemia. <i>Genetics and Molecular Biology</i> , 2007, 30, 336-338.	0.6	9

#	ARTICLE	IF	CITATIONS
91	Primary myelofibrosis: risk stratification by IPSS identifies patients with poor clinical outcome. Clinics, 2013, 68, 339-343.	0.6	9
92	Evaluation of Thrombin Generation in the Early Stages of Sepsis in Patients with Hematological Malignancies and Febrile Neutropenia,. Blood, 2011, 118, 3347-3347.	0.6	9
93	^{99m} Tc-sestamibi SPECT/CT and ¹⁸ F-FDG-PET/CT have similar performance but different imaging patterns in newly diagnosed multiple myeloma. Nuclear Medicine Communications, 2020, 41, 1081-1088.	0.5	9
94	The role of bone marrow study in diagnosis and prognosis of myelodysplastic syndrome. Pathologica, 1994, 86, 47-51.	1.3	9
95	Chronic myeloid leukemia in a homosexual HIV-seropositive man. Aids, 1990, 4, 923.	1.0	8
96	Sideroblastic anemia following treatment of chronic myeloid leukemia with busulfan. Leukemia, 2000, 14, 214-215.	3.3	8
97	Multiple lymphoid nodules in bone marrow biopsy in immunocompetent patient with cytomegalovirus infection: an immunohistochemical analysis. Revista Da Sociedade Brasileira De Medicina Tropical, 2001, 34, 365-368.	0.4	8
98	Alterations in cell maturity and serum survival factors may modulate neutrophil numbers in sickle cell disease. Experimental Biology and Medicine, 2011, 236, 1239-1246.	1.1	8
99	Umbilical cord blood CD ³⁴ ⁺ stem cells and other mononuclear cell subtypes processed up to 96h from collection and stored at room temperature maintain a satisfactory functionality for cell therapy. Vox Sanguinis, 2015, 108, 72-81.	0.7	8
100	Flow cytometry "Ogata score" for the diagnosis of myelodysplastic syndromes in a real-life setting. A Latin American experience. International Journal of Laboratory Hematology, 2019, 41, 536-541.	0.7	8
101	Goodness-of-fit of the fractal dimension as a prognostic factor. Cellular Oncology, 2009, 31, 503-4.	1.9	8
102	VARIATION OF BONE MARROW CD34+ CELL SUBSETS IN MYELODYSPLASTIC SYNDROMES ACCORDING TO WHO TYPES. Neoplasma, 2009, 56, 435-440.	0.7	8
103	Proliferation in Non-Hodgkin's Lymphomas and Its Prognostic Value Related to Staging Parameters. Analytical Cellular Pathology, 2004, 26, 63-71.	0.7	8
104	Phenotypic quantitative features of patients with acute myeloid leukemia. Neoplasma, 2006, 53, 155-60.	0.7	8
105	Phenotypic subtypes of acute lymphoblastic leukemia associated with different nuclear chromatin texture. , 2008, 30, 92-8.		8
106	Rapid Method for Isolation of DNA from Glass Slide Smears for PCR. Acta Haematologica, 1992, 87, 214-215.	0.7	7
107	Analysis of $V\hat{I}^3/J\hat{I}^2$ trans-rearrangements in paediatric patients undergoing chemotherapy. British Journal of Haematology, 2001, 113, 1001-1008.	1.2	7
108	Early proliferation of umbilical cord blood cells from premature neonates. Vox Sanguinis, 2007, 93, 145-153.	0.7	7

#	ARTICLE	IF	CITATIONS
109	The rare t(6;8) (q27;p11) translocation in a case of chronic myeloid neoplasm mimicking polycythemia vera. <i>Leukemia and Lymphoma</i> , 2008, 49, 1832-1835.	0.6	7
110	Low educational level but not low income impairs the achievement of cytogenetic remission in chronic myeloid leukemia patients treated with imatinib in Brazil. <i>Clinics</i> , 2015, 70, 322-325.	0.6	7
111	The impact of several phenotypic features at diagnosis on survival of patients with myelodysplastic syndromes. <i>Neoplasma</i> , 2010, 57, 530-536.	0.7	7
112	BONE MARROW MORPHOLOGY AT DIAGNOSIS AS A PROGNOSTIC PARAMETER IN PHILADELPHIA-POSITIVE CHRONIC MYELOGENOUS LEUKAEMIA (CML). <i>British Journal of Haematology</i> , 1989, 71, 163-163.	1.2	6
113	Methods for analysing AgNORs. <i>Journal of Clinical Pathology</i> , 1999, 52, 550a-550a.	1.0	6
114	Low expression of APAF-1XL in acute myeloid leukemia may be associated with the failure of remission induction therapy. <i>Brazilian Journal of Medical and Biological Research</i> , 2008, 41, 571-578.	0.7	6
115	Nucleolar organizer regions in normal hematopoiesis: relationship to cellular proliferation and maturation. , 1991, 33, 1-4.		6
116	Hemophagocytic syndrome: pitfalls in its diagnosis. <i>Sao Paulo Medical Journal</i> , 1997, 115, 1548-1552.	0.4	5
117	Magnetic Resonance Imaging of Femoral Marrow Cellularity in Hypocellular Haemopoietic Disorders. <i>Clinical Radiology</i> , 2001, 56, 107-110.	0.5	5
118	A possible role of the P53 gene deletion as a prognostic factor in multiple myeloma. <i>Annals of Hematology</i> , 2003, 82, 405-409.	0.8	5
119	The influence of storage and leukocyte depletion on the antigen densities of FY1, FY2, MNS3 and MNS4 measured by flow cytometry. <i>Transfusion and Apheresis Science</i> , 2008, 38, 101-107.	0.5	5
120	Polymorphisms of <i>VEGF</i> , <i>GSTM1</i> and <i>GSTT1</i> genes in multiple myeloma risk. <i>Hematological Oncology</i> , 2012, 30, 105-107.	0.8	5
121	Immunophenotypic characteristics of juvenile myelomonocytic leukaemia and their relation with the molecular subgroups of the disease. <i>British Journal of Haematology</i> , 2021, 192, 129-136.	1.2	5
122	Thalidomide + Dexamethasone as Maintenance after Single Autologous Stem Cell Transplantation Improves Progression-Free Survival (PFS) in Advanced Multiple Myeloma. A Prospective Brazilian Randomized Trial. <i>Blood</i> , 2008, 112, 3703-3703.	0.6	5
123	Spontaneous Apoptosis in Chronic Lymphocytic Leukemia Is Not an Independent Prognostic Factor for Stability of Disease When Compared with Combined AgNOR and TTM Scores. <i>Analytical Cellular Pathology</i> , 2005, 27, 199-201.	0.7	5
124	Age related decrease of AgNOR activity in acute and chronic lymphocytic leukaemias. <i>Journal of Clinical Pathology</i> , 1999, 52, 52-52.	2.1	4
125	Reduced expression of FLIPSHORT in bone marrow of low risk myelodysplastic syndrome. <i>Leukemia Research</i> , 2007, 31, 853-857.	0.4	4
126	Brazilian Experience Using High-Dose Sequential Chemotherapy Followed by Autologous Hematopoietic Stem Cell Transplantation for Relapsed or Refractory Hodgkin Lymphoma. <i>Clinical Lymphoma and Myeloma</i> , 2009, 9, 449-454.	1.4	4

#	ARTICLE	IF	CITATIONS
127	Monocyte phenotypic aberrancies are an unfavorable prognostic factor in patients with myelodysplastic syndromes and low IPSS-R scores. <i>Cellular Immunology</i> , 2016, 310, 212-213.	1.4	4
128	Metabolic Volume Measurements in Multiple Myeloma. <i>Metabolites</i> , 2021, 11, 875.	1.3	4
129	Acute Megakaryoblastic Leukemia: Importance of Bone Marrow Biopsy in Diagnosis. <i>Leukemia and Lymphoma</i> , 1991, 4, 75-79.	0.6	3
130	Association of a myelodysplastic syndrome with hairy cell leukaemia. <i>European Journal of Haematology</i> , 1995, 55, 341-343.	1.1	3
131	The World Health Organisation classification of myelodysplastic syndromes contains prognostically relevant information beyond the prognostic scores IPSS-R or WPSS. <i>European Journal of Cancer</i> , 2017, 72, 266-268.	1.3	3
132	Part 2: Myelodysplastic syndromes – classification systems. <i>Hematology, Transfusion and Cell Therapy</i> , 2018, 40, 262-266.	0.1	3
133	Flow cytometry diagnosis in myelodysplastic syndrome: Current practice in Latin America and comparison with other regions of the world. <i>Leukemia Research</i> , 2019, 79, 69-74.	0.4	3
134	A simple score derived from bone marrow immunophenotyping is important for prognostic evaluation in myelodysplastic syndromes. <i>Scientific Reports</i> , 2020, 10, 20281.	1.6	3
135	Expression profiles of phosphatidylinositol phosphate kinase genes during normal human in vitro erythropoiesis. <i>Genetics and Molecular Research</i> , 2012, 11, 3861-3868.	0.3	3
136	Histiocytic necrotizing lymphadenitis in Brazil: Report of a case and review of the literature. <i>Pathology International</i> , 1994, 44, 548-550.	0.6	2
137	LLC: critérios diagnósticos, imunofenotipagem e diagnóstico diferencial. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2005, 27, 233.	0.7	2
138	No contribution of GSTM1 and GSTT1 null genotypes to the risk of neutropenia due to benzene exposure in Southeastern Brazil. <i>Genetics and Molecular Biology</i> , 2009, 32, 709-711.	0.6	2
139	Treatment Outcome of Acute Promyelocytic Leukemia with Modified Aida Protocol. <i>Advances in Hematology</i> , 2010, 2010, 1-3.	0.6	2
140	Somatic mutations of calreticulin in a Brazilian cohort of patients with myeloproliferative neoplasms. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2015, 37, 211-214.	0.7	2
141	Managing costs in primary immunodeficiency: minimal immunophenotyping and three national references. <i>Apmis</i> , 2019, 127, 228-235.	0.9	2
142	Updating recommendations of the Brazilian Group of Flow Cytometry (GBCFLUX) for diagnosis of acute leukemias using four-color flow cytometry panels. <i>Hematology, Transfusion and Cell Therapy</i> , 2021, 43, 499-506.	0.1	2
143	Lowering the p-value from 0.05 to 0.005 conflicts with the 3R rules – an advocacy for alternatives to hypothesis testing with the p-value approach. <i>ALTEX: Alternatives To Animal Experimentation</i> , 2018, 35, 516-517.	0.9	2
144	Síndrome mielodisplásica na infância. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2006, 28, .	0.7	2

#	ARTICLE	IF	CITATIONS
145	AgNOR staining in normal bone marrow cells. <i>Journal of Clinical Pathology</i> , 1991, 44, 526.	1.0	2
146	The Fractal Dimension Suggests Two Chromatin Configurations in Small Cell Neuroendocrine Lung Cancer and Is an Independent Unfavorable Prognostic Factor for Overall Survival. <i>Microscopy and Microanalysis</i> , 2022, , 1-5.	0.2	2
147	NÃ³dulos linfÃ³ides medulares. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2003, 25, 81.	0.7	1
148	ContribuiÃ§Ã£o da citometria de fluxo para o diagnÃ³stico e prognÃ³stico das sÃºndromes mielodisplÃ¡sticas. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2006, 28, 178.	0.7	1
149	Expressions of the VLA-4, LFA-1 and Mac-1 integrins in eosinophil migration in a case of chronic eosinophilic leukaemia. <i>Leukemia Research</i> , 2007, 31, 695-697.	0.4	1
150	Silver staining of nucleolar organizer regions in prostatic lesions. <i>Histopathology</i> , 1992, 21, 97-98.	1.6	1
151	Histological and cytological heterogeneity of bone marrow in Philadelphiaâ€­positive chronic myelogenous leukaemia at diagnosis. <i>British Journal of Haematology</i> , 1987, 67, 45-49.	1.2	1
152	Myelodysplastic syndrome with synchronous gastric cancer: when the symptoms suggest something else. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2014, 36, 442-444.	0.7	1
153	Imbalance between proliferation and in vitro apoptosis rates predicts progression in chronic lymphocytic leukemia. <i>Cytometry Part B - Clinical Cytometry</i> , 2016, 90, 484-485.	0.7	1
154	Guidelines on myelodysplastic syndromes: AssociaÃ§Ã£o Brasileira de Hematologia, Hemoterapia e Terapia Celular. <i>Hematology, Transfusion and Cell Therapy</i> , 2018, 40, 255-261.	0.1	1
155	ChÃ©diakâ€­Higashi syndrome approached by several different microscopy imaging technologies. <i>British Journal of Haematology</i> , 2020, 189, 1001-1001.	1.2	1
156	Fluorescence lifetime imaging is able to recognize different hematopoietic precursors in unstained routine bone marrow films. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2021, 99, 641-646.	1.1	1
157	Inherited Mutation in Exon 2 of GATA-1 Is Associated with a Clinical and Laboratory Picture Similar to Familial Hypocellular Myelodysplastic Syndrome (MDS).. <i>Blood</i> , 2004, 104, 3432-3432.	0.6	1
158	Assessment of Cardiovascular Events in Chronic Myeloid Leukemia Patients Treated with Tyrosine Kinase Inhibitors. <i>Blood</i> , 2015, 126, 4031-4031.	0.6	1
159	Interaction of clinical, genetic and molecular features in chronic lymphocytic leukemia. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2006, 28, .	0.7	1
160	Chromatin Texture and Molecular Features Are Independent Prognostic Factors In AML. <i>Blood</i> , 2010, 116, 4850-4850.	0.6	1
161	Early Assessment of Molecular Response in Chronic Myeloid Leukemia Patients On Dasatinib After Imatinib Failure Identify Patients with Poor Cytogenetic and Molecular Responses. <i>Blood</i> , 2012, 120, 3787-3787.	0.6	1
162	Changes of nucleolar organizer regions in granulopoietic precursors during the course of chronic myeloid leukemia. <i>Annals of Hematology</i> , 1995, 71, 275-279.	0.8	1

#	ARTICLE	IF	CITATIONS
163	Lower access to risk stratification tests and drugs, and worse survival of chronic lymphocytic leukaemia patients treated in public as compared to private hospitals in Brazil: A retrospective analysis of the Brazilian registry of chronic lymphocytic leukaemia. <i>EJHaem</i> , 2022, 3, 698-706.	0.4	1
164	YI2 Diagnostic utility of a small four color panel for flow cytometric analysis in myelodysplastic syndromes. <i>Leukemia Research</i> , 2009, 33, S55.	0.4	0
165	P024 Computerized nuclear texture analysis for the characterization of atypic immature cells in MDS. <i>Leukemia Research</i> , 2009, 33, S71-S72.	0.4	0
166	P079 Increase in bone marrow immature nonlymphoid early precursors are indicative of a short survival in myelodysplastic syndromes. <i>Leukemia Research</i> , 2009, 33, S104.	0.4	0
167	SIVA, a target of p53, is downregulated in myelodysplastic syndromes. <i>Applied Cancer Research</i> , 2017, 37, .	1.0	0
168	IRAK1 expression in bone marrow cells does not impact patient outcomes in myelodysplastic syndromes. <i>Hematology, Transfusion and Cell Therapy</i> , 2018, 40, 92-95.	0.1	0
169	Scoring of PD-1 positivity: Are we analyzing enough cells?. <i>Cancer Cytopathology</i> , 2020, 128, 424-424.	1.4	0
170	Síndromes mielodisplásicas, sua importância no nosso meio. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2006, 28, .	0.7	0
171	Characterization of Gene Expression Profiles of Plasma Cells in Patients with Multiple Myeloma.. <i>Blood</i> , 2006, 108, 5082-5082.	0.6	0
172	High Dose Sequential (HDS) Followed by Autologous Hematopoietic Stem Cell Transplantation (AHSCT) for Salvage Treatment of Hodgkin's Disease (HD): A Brazilian Experience.. <i>Blood</i> , 2007, 110, 5103-5103.	0.6	0
173	The importance of the detection of MRD at the end of induction chemotherapy in childhood ALL. <i>Revista Brasileira De Hematologia E Hemoterapia</i> , 2008, 30, .	0.7	0
174	A High Angiopoietin-2/Angiopoietin-1 Ratio Independently Predicts Septic Shock Development in Patients with Chemotherapy-Associated Febrile Neutropenia and Hematological Malignancies.. <i>Blood</i> , 2012, 120, 2154-2154.	0.6	0
175	ANKHD1 Interacts with the Proapoptotic Protein SIVA and Plays a Role in the Proliferation and Stathmin Activation of Acute Leukemia Cells.. <i>Blood</i> , 2012, 120, 2419-2419.	0.6	0
176	Using Antigen Expression of Leukemic Cells for a Fast Screening of Acute Promyelocytic Leukemia by Flow Cytometry. <i>Diagnostics</i> , 2021, 11, 1988.	1.3	0
177	The Importance of Bone Marrow Lymphocyte Subtypes As Predicting Factors for Molecular Recurrence in Patients with Chronic Myeloid Leukemia after Discontinuation of Imatinib. <i>Blood</i> , 2021, 138, 2564-2564.	0.6	0
178	Developing a Simple Algorithm Based on Multiparameter Flow Cytometry for Fast Screening of Acute Promyelocytic Leukemia. <i>Blood</i> , 2020, 136, 25-26.	0.6	0