Naoki Kunugita

List of Publications by Citations

Source: https://exaly.com/author-pdf/5514320/naoki-kunugita-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146 3,439 31 52 h-index g-index papers citations 181 5.32 3.1 3,993 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
146	Carbonyl compounds generated from electronic cigarettes. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 11192-200	4.6	166
145	Determination of carbonyl compounds generated from the E-cigarette using coupled silica cartridges impregnated with hydroquinone and 2,4-dinitrophenylhydrazine, followed by high-performance liquid chromatography. <i>Analytical Sciences</i> , 2013 , 29, 1219-22	1.7	141
144	Heat-not-burn tobacco product use in Japan: its prevalence, predictors and perceived symptoms from exposure to secondhand heat-not-burn tobacco aerosol. <i>Tobacco Control</i> , 2018 , 27, e25-e33	5.3	136
143	Aldehyde dehydrogenase (ALDH) 2 associates with oxidation of methoxyacetaldehyde; in vitro analysis with liver subcellular fraction derived from human and Aldh2 gene targeting mouse. <i>FEBS Letters</i> , 2000 , 476, 306-11	3.8	119
142	Comparison of Chemicals in Mainstream Smoke in Heat-not-burn Tobacco and Combustion Cigarettes. <i>Journal of UOEH</i> , 2017 , 39, 201-207	1.6	100
141	Genetic polymorphisms of tobacco- and alcohol-related metabolizing enzymes and oral cavity cancer. <i>International Journal of Cancer</i> , 1999 , 83, 606-9	7.5	97
140	Awareness and use of electronic cigarettes and heat-not-burn tobacco products in Japan. <i>Addiction</i> , 2016 , 111, 706-13	4.6	94
139	Climbing exercise enhances osteoblast differentiation and inhibits adipogenic differentiation with high expression of PTH/PTHrP receptor in bone marrow cells. <i>Bone</i> , 2008 , 43, 613-20	4.7	73
138	Derivatization of carbonyl compounds with 2,4-dinitrophenylhydrazine and their subsequent determination by high-performance liquid chromatography. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 1282-9	3.2	72
137	PM2.5 collected in China causes inflammatory and oxidative stress responses in macrophages through the multiple pathways. <i>Environmental Toxicology and Pharmacology</i> , 2016 , 45, 362-9	5.8	72
136	AKT-mediated enhanced aerobic glycolysis causes acquired radioresistance by human tumor cells. <i>Radiotherapy and Oncology</i> , 2014 , 112, 302-7	5.3	69
135	Determination of acrolein and other carbonyls in cigarette smoke using coupled silica cartridges impregnated with hydroquinone and 2,4-dinitrophenylhydrazine. <i>Journal of Chromatography A</i> , 2010 , 1217, 4383-8	4.5	67
134	The significance of the homozygous CYP2A6 deletion on nicotine metabolism: a new genotyping method of CYP2A6 using a single PCR-RFLP. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 262, 146-51	3.4	67
133	Inhalation of low-level formaldehyde increases the Bcl-2/Bax expression ratio in the hippocampus of immunologically sensitized mice. <i>NeuroImmunoModulation</i> , 2006 , 13, 63-8	2.5	64
132	CYP2A6*6, a novel polymorphism in cytochrome p450 2A6, has a single amino acid substitution (R128Q) that inactivates enzymatic activity. <i>Journal of Biological Chemistry</i> , 2001 , 276, 17830-5	5.4	63
131	Gaseous chemical compounds in indoor and outdoor air of 602 houses throughout Japan in winter and summer. <i>Environmental Research</i> , 2015 , 137, 364-72	7.9	62
130	Measurement of the physical properties of aerosols in a fullerene factory for inhalation exposure assessment. <i>Journal of Occupational and Environmental Hygiene</i> , 2008 , 5, 380-9	2.9	62

(2016-2016)

129	Determination of Chemical Compounds Generated from Second-generation E-cigarettes Using a Sorbent Cartridge Followed by a Two-step Elution Method. <i>Analytical Sciences</i> , 2016 , 32, 549-55	1.7	59	
128	Expression of cytochrome P450 in tumor tissues and its association with cancer development. <i>Frontiers in Bioscience - Landmark</i> , 2004 , 9, 1967-76	2.8	55	
127	Simple Determination of Gaseous and Particulate Compounds Generated from Heated Tobacco Products. <i>Chemical Research in Toxicology</i> , 2018 , 31, 585-593	4	51	
126	Determination of Carbonyl Compounds Generated from the Electronic Cigarette Using Coupled Silica Cartridges Impregnated with Hydroquinone and 2,4-Dinitrophenylhydrazine. <i>Bunseki Kagaku</i> , 2011 , 60, 791-797	0.2	49	
125	Differential immunogenic and neurogenic inflammatory responses in an allergic mouse model exposed to low levels of formaldehyde. <i>Toxicology</i> , 2004 , 197, 1-13	4.4	48	
124	Study Profile: The Japan "Society and New Tobacco" Internet Survey (JASTIS): A Longitudinal Internet Cohort Study of Heat-Not-Burn Tobacco Products, Electronic Cigarettes, and Conventional Tobacco Products in Japan. <i>Journal of Epidemiology</i> , 2019 , 29, 444-450	3.4	46	
123	Assessment of inhalation exposure to indoor air pollutants: Screening for health risks of multiple pollutants in Japanese dwellings. <i>Environmental Research</i> , 2016 , 145, 39-49	7.9	44	
122	Effect of prolonged exposure to low concentrations of formaldehyde on the corticotropin releasing hormone neurons in the hypothalamus and adrenocorticotropic hormone cells in the pituitary gland in female mice. <i>Brain Research</i> , 2004 , 1013, 107-16	3.7	41	
121	Disruption of the p53 gene results in preserved trabecular bone mass and bone formation after mechanical unloading. <i>Journal of Bone and Mineral Research</i> , 2002 , 17, 119-27	6.3	41	
120	Mitochondrial reactive oxygen species perturb AKT/cyclin D1 cell cycle signaling via oxidative inactivation of PP2A in lowdose irradiated human fibroblasts. <i>Oncotarget</i> , 2016 , 7, 3559-70	3.3	40	
119	Effect of long-term exposure to low-level toluene on airway inflammatory response in mice. <i>Toxicology Letters</i> , 2007 , 168, 132-9	4.4	38	
118	Prevalence and Characteristics of Chemical Intolerance: A Japanese Population-Based Study. <i>Archives of Environmental and Occupational Health</i> , 2015 , 70, 341-53	2	36	
117	Acute arsenite-induced 8-hydroxyguanine is associated with inhibition of repair activity in cultured human cells. <i>Biochemical and Biophysical Research Communications</i> , 2002 , 297, 924-30	3.4	36	
116	Determination of Thermal Decomposition Products Generated from E-Cigarettes. <i>Chemical Research in Toxicology</i> , 2020 , 33, 576-583	4	31	
115	Public health activities for mitigation of radiation exposures and risk communication challenges after the Fukushima nuclear accident. <i>Journal of Radiation Research</i> , 2015 , 56, 422-9	2.4	31	
114	Environmental NO2 concentration and exposure in daily life along main roads in Tokyo. <i>Environmental Research</i> , 2002 , 89, 236-44	7.9	31	
113	Optimal waist circumference cut-off points and ability of different metabolic syndrome criteria for predicting diabetes in Japanese men and women: Japan Epidemiology Collaboration on Occupational Health Study. <i>BMC Public Health</i> , 2016 , 16, 220	4.1	30	
112	Severe mitochondrial damage associated with low-dose radiation sensitivity in ATM- and NBS1-deficient cells. <i>Cell Cycle</i> , 2016 , 15, 1099-107	4.7	30	

111	Low dose radiation-induced adaptive survival response in mouse spleen T-lymphocytes in vivo. Journal of Radiation Research, 1993 , 34, 269-76	2.4	30
110	Prevalence of diabetes and pre-diabetes among workers: Japan Epidemiology Collaboration on Occupational Health Study. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, 118-27	7.4	28
109	Simultaneous determination of volatile organic compounds and carbonyls in mainstream cigarette smoke using a sorbent cartridge followed by two-step elution. <i>Journal of Chromatography A</i> , 2013 , 1314, 31-7	4.5	28
108	The role of cyclin D1 in response to long-term exposure to ionizing radiation. Cell Cycle, 2013, 12, 2738-	4 3.7	28
107	Effects of inhaled 1-bromopropane vapor on rat metabolism. <i>Toxicology Letters</i> , 2002 , 134, 237-43	4.4	28
106	Mitochondrial reactive oxygen species-mediated genomic instability in low-dose irradiated human cells through nuclear retention of cyclin D1. <i>Cell Cycle</i> , 2016 , 15, 1410-4	4.7	28
105	Hba1c, Blood Pressure, and Lipid Control in People with Diabetes: Japan Epidemiology Collaboration on Occupational Health Study. <i>PLoS ONE</i> , 2016 , 11, e0159071	3.7	27
104	Increased hippocampal mRNA expression of neuronal synaptic plasticity related genes in mice chronically exposed to toluene at a low-level human occupational-exposure. <i>NeuroToxicology</i> , 2007 , 28, 168-74	4.4	26
103	Rapid increase in heated tobacco product (HTP) use from 2015 to 2019: from the Japan 'Society and New Tobacco' Internet Survey (JASTIS). <i>Tobacco Control</i> , 2020 ,	5.3	25
102	A comparison of radiation-induced mitochondrial damage between neural progenitor stem cells and differentiated cells. <i>Cell Cycle</i> , 2017 , 16, 565-573	4.7	24
101	Sequential changes in transforming growth factor (TGF)-beta1 concentration in synovial fluid and mRNA expression of TGF-beta1 receptors in chondrocytes after immobilization of rabbit knees. <i>Journal of Bone and Mineral Metabolism</i> , 2001 , 19, 228-35	2.9	24
100	Smoking, Smoking Cessation, and the Risk of Type 2 Diabetes among Japanese Adults: Japan Epidemiology Collaboration on Occupational Health Study. <i>PLoS ONE</i> , 2015 , 10, e0132166	3.7	23
99	The effects of radio-frequency electromagnetic fields on T cell function during development. Journal of Radiation Research, 2015 , 56, 467-74	2.4	21
98	The indoor air pollutant 2-ethyl-hexanol activates CD4 cells. <i>Chemico-Biological Interactions</i> , 2009 , 177, 137-41	5	21
97	Improved measurement of ozone and carbonyls using a dual-bed sampling cartridge containing trans-1,2-bis(2-pyridyl)ethylene and 2,4-dinitrophenylhydrazine-impregnated silica. <i>Analytical Chemistry</i> , 2009 , 81, 6552-7	7.8	20
96	Radiation-Induced Myofibroblasts Promote Tumor Growth via Mitochondrial ROS-Activated TGF Signaling. <i>Molecular Cancer Research</i> , 2018 , 16, 1676-1686	6.6	19
95	Determination of nicotine, tar, volatile organic compounds and carbonyls in mainstream cigarette smoke using a glass filter and a sorbent cartridge followed by the two-phase/one-pot elution method with carbon disulfide and methanol. <i>Journal of Chromatography A</i> , 2015 , 1426, 48-55	4.5	19
94	Up-regulation of neurotrophin-related gene expression in mouse hippocampus following low-level toluene exposure. <i>NeuroToxicology</i> , 2010 , 31, 85-93	4.4	19

93	Preliminary assessment of outdoor and indoor air quality in Yangon city, Myanmar. <i>Atmospheric Pollution Research</i> , 2019 , 10, 722-730	4.5	19	
92	Nuclear accumulation of cyclin D1 following long-term fractionated exposures to low-dose ionizing radiation in normal human diploid cells. <i>Cell Cycle</i> , 2014 , 13, 1248-55	4.7	18	
91	A novel local ventilation system to reduce the levels of formaldehyde exposure during a gross anatomy dissection course and its evaluation using real-time monitoring. <i>Journal of Occupational Health</i> , 2005 , 47, 450-3	2.3	18	
90	Smoking, Smoking Cessation, and the Risk of Hearing Loss: Japan Epidemiology Collaboration on Occupational Health Study. <i>Nicotine and Tobacco Research</i> , 2019 , 21, 481-488	4.9	18	
89	Differential mRNA expression of neuroimmune markers in the hippocampus of infant mice following toluene exposure during brain developmental period. <i>Journal of Applied Toxicology</i> , 2012 , 32, 126-34	4.1	17	
88	ATM-mediated mitochondrial damage response triggered by nuclear DNA damage in normal human lung fibroblasts. <i>Cell Cycle</i> , 2017 , 16, 2345-2354	4.7	16	
87	Overtime work and prevalence of diabetes in Japanese employees: Japan epidemiology collaboration on occupational health study. <i>PLoS ONE</i> , 2014 , 9, e95732	3.7	16	
86	Effects of low-level formaldehyde exposure on synaptic plasticity-related gene expression in the hippocampus of immunized mice. <i>Journal of Neuroimmunology</i> , 2007 , 186, 104-11	3.5	16	
85	Radiotherapy after hyperbaric oxygenation improves radioresponse in experimental tumor models. <i>Cancer Letters</i> , 2001 , 164, 149-54	9.9	16	
84	Effect of the Fukushima nuclear power plant accident on radioiodine (IIII) content in human breast milk. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 772-9	1.9	15	
83	The in vivo Pig-a gene mutation assay is useful for evaluating the genotoxicity of ionizing radiation in mice. <i>Environmental and Molecular Mutagenesis</i> , 2012 , 53, 579-88	3.2	15	
82	Does early life toluene exposure alter the expression of NMDA receptor subunits and signal transduction pathway in infant mouse hippocampus?. <i>NeuroToxicology</i> , 2010 , 31, 647-53	4.4	15	
81	Effects of strong magnetic fields on cell growth and radiation response of human T-lymphocytes in culture. <i>Journal of UOEH</i> , 1993 , 15, 103-12	1.6	15	
80	Current status of health among workers in Japan: Results from the Japan Epidemiology Collaboration on Occupational Health Study. <i>Industrial Health</i> , 2016 , 54, 505-514	2.5	15	
79	Analysis of 8-hydroxydeoxyguanosine 5'-monophosphate (8-OH-dGMP) as a reliable marker of cellular oxidative DNA damage after gamma-irradiation. <i>Environmental and Molecular Mutagenesis</i> , 2003 , 41, 332-8	3.2	14	
78	Smoking, Smoking Cessation, and Risk of Mortality in a Japanese Working Population - Japan Epidemiology Collaboration on Occupational Health Study. <i>Circulation Journal</i> , 2018 , 82, 3005-3012	2.9	14	
77	Duration and degree of weight change and risk of incident diabetes: Japan Epidemiology Collaboration on Occupational Health Study. <i>Preventive Medicine</i> , 2017 , 96, 118-123	4.3	13	
76	Effects of 21-kHz intermediate frequency magnetic fields on blood properties and immune systems of juvenile rats. <i>International Journal of Radiation Biology</i> , 2014 , 90, 1211-7	2.9	13	

75	Long-term exposure to low levels of formaldehyde increases the number of tyrosine hydroxylase-immunopositive periglomerular cells in mouse main olfactory bulb. <i>Brain Research</i> , 2004 , 1007, 192-7	3.7	13
74	Electronic Cigarette Use and Smoking Abstinence in Japan: A Cross-Sectional Study of Quitting Methods. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	12
73	Indoor volatile organic compounds and chemical sensitivity reactions. <i>Clinical and Developmental Immunology</i> , 2013 , 2013, 623812		12
7 ²	Role of hippocampal TLR4 in neurotoxicity in mice following toluene exposure. <i>Neurotoxicology and Teratology</i> , 2011 , 33, 598-602	3.9	12
71	Intratracheal administration of fullerene nanoparticles activates splenic CD11b+ cells. <i>Journal of Hazardous Materials</i> , 2011 , 194, 324-30	12.8	12
70	New approach to risk assessment of central neurotoxicity induced by 1-bromopropane using animal models. <i>NeuroToxicology</i> , 2007 , 28, 270-3	4.4	12
69	Comparison of the frequency of T-cell receptor mutants and thioguanine resistance induced by X-rays and ethylnitrosourea in cultured human blood T-lymphocytes. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 1996 , 357, 191-7	3.3	12
68	Radiation occupational health interventions offered to radiation workers in response to the complex catastrophic disaster at the Fukushima Daiichi Nuclear Power Plant. <i>Journal of Radiation Research</i> , 2015 , 56, 413-21	2.4	11
67	A diffusive sampling device for simultaneous determination of ozone and carbonyls. <i>Analytica Chimica Acta</i> , 2011 , 691, 119-24	6.6	11
66	Suppression of Th1- and Th2-type immune responses in infant mouse spleen after prenatal and postnatal exposure to low-level toluene and peptidoglycan. <i>Inhalation Toxicology</i> , 2009 , 21, 793-802	2.7	11
65	Increased frequencies of micronucleated reticulocytes and T-cell receptor mutation in Aldh2 knockout mice exposed to acetaldehyde. <i>Journal of Toxicological Sciences</i> , 2008 , 33, 31-6	1.9	11
64	Changes in the function of the inhibitory neurotransmitter system in the rat brain following subchronic inhalation exposure to 1-bromopropane. <i>NeuroToxicology</i> , 2007 , 28, 415-20	4.4	11
63	Metabolic syndrome components and diabetes incidence according to the presence or absence of impaired fasting glucose: The Japan Epidemiology Collaboration on Occupational Health Study. Journal of Epidemiology, 2017, 27, 408-412	3.4	10
62	Efficacy of hyperbaric oxygen therapy combined with mild hyperthermia for improving the anti-tumour effects of carboplatin. <i>International Journal of Hyperthermia</i> , 2015 , 31, 643-8	3.7	10
61	Exposure time-dependent thermal effects of radiofrequency electromagnetic field exposure on the whole body of rats. <i>Journal of Toxicological Sciences</i> , 2016 , 41, 655-66	1.9	10
60	Early exposure to intermediate-frequency magnetic fields alters brain biomarkers without histopathological changes in adult mice. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 4406-21	4.6	10
59	Reductive amination of glutaraldehyde 2,4-dinitrophenylhydrazone using 2-picoline borane and high-performance liquid chromatographic analysis. <i>Analyst, The</i> , 2012 , 137, 4274-9	5	10
58	Urinary 8-hydoxydeoxyguanosine (8-OHdG) and plasma malondialdehyde (MDA) levels in Aldh2 knock-out mice under acetaldehyde exposure. <i>Industrial Health</i> , 2006 , 44, 179-83	2.5	10

(2021-2004)

57	Inhalation of low-level formaldehyde enhances nerve growth factor production in the hippocampus of mice. <i>NeuroImmunoModulation</i> , 2004 , 11, 373-5	2.5	10
56	Five-year cumulative incidence of overweight and obesity, and longitudinal change in body mass index in Japanese workers: The Japan Epidemiology Collaboration on Occupational Health Study. <i>Journal of Occupational Health</i> , 2020 , 62, e12095	2.3	10
55	IN-VIVO RADIATION DOSIMETRY USING PORTABLE L BAND EPR: ON-SITE MEASUREMENT OF VOLUNTEERS IN FUKUSHIMA PREFECTURE, JAPAN. <i>Radiation Protection Dosimetry</i> , 2016 , 172, 248-253	0.9	9
54	Individual variation and age dependency in the radiosensitivity of peripheral blood T-lymphocytes from normal donors. <i>Journal of Radiation Research</i> , 1996 , 37, 235-45	2.4	9
53	Epicatechin as a promising agent to countermeasure radiation exposure by mitigating mitochondrial damage in human fibroblasts and mouse hematopoietic cells. <i>FASEB Journal</i> , 2019 , 33, 6867-6876	0.9	8
52	Factors affecting self-reported chemical intolerance: A five-year follow-up study in Japan. <i>Journal of Psychosomatic Research</i> , 2019 , 118, 1-8	4.1	8
51	A diffusive sampling device for measurement of ammonia in air. <i>Atmospheric Environment</i> , 2012 , 54, 629	9 -6 33	8
50	Children's immunology, what can we learn from animal studies (2): Modulation of systemic Th1/Th2 immune response in infant mice after prenatal exposure to low-level toluene and toll-like receptor (TLR) 2 ligand. <i>Journal of Toxicological Sciences</i> , 2009 , 34 Suppl 2, SP341-8	1.9	8
49	Reduced expression of platelet endothelial cell adhesion molecule-1 in bone marrow cells in mice after skeletal unloading. <i>Journal of Bone and Mineral Research</i> , 2005 , 20, 1002-10	6.3	8
48	Ozone removal in the collection of carbonyl compounds in air. <i>Journal of Chromatography A</i> , 2012 , 1229, 293-7	4.5	7
47	Can intermediate-frequency magnetic fields affect memory function-related gene expressions in hippocampus of C57BL/6J mice?. <i>Journal of Toxicological Sciences</i> , 2013 , 38, 169-76	1.9	6
46	Strain differences influence N-methyl-D-aspartate receptor subunit gene expression in the olfactory bulb of an allergic mouse model following toluene exposure. <i>NeuroImmunoModulation</i> , 2010 , 17, 340-7	2.5	6
45	Dysregulation of immune responses in an allergic mouse model following low-level toluene exposure. <i>Toxicology</i> , 2011 , 286, 28-35	4.4	6
44	Effects of 1-bromopropane, a substitute for chlorofluorocarbons, on BDNF expression. <i>International Immunopharmacology</i> , 2009 , 9, 433-8	5.8	6
43	A comparison of the mutagenic and apoptotic effects of tritiated water and acute or chronic caesium-137 gamma exposure on spleen T lymphocytes on normal and p53-deficient mice. <i>International Journal of Radiation Biology</i> , 2009 , 85, 1082-8	2.9	6
42	Hypothalamo-pituitary-adrenal gland axis in mice inhaling toluene prior to low-level long-term exposure to formaldehyde. <i>Journal of Veterinary Medical Science</i> , 2005 , 67, 303-9	1.1	6
41	Measurement of the CD3I4+ Variant T Cell Frequency by Flow Cytometry after X-Irradiation on Mice. <i>Journal of Occupational Health</i> , 1996 , 38, 25-29	2.3	6
40	Indoor Formaldehyde Concentration, Personal Formaldehyde Exposure and Clinical Symptoms during Anatomy Dissection Sessions, University of Medicine 1, Yangon. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	6

39	BMI and Medically Certified Long-Term Sickness Absence Among Japanese Employees. <i>Obesity</i> , 2020 , 28, 437-444	8	5
38	Analysis of isocyanates in indoor dust. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 4247-4251	4.4	4
37	Persistence of red blood cells with Pig-a mutation in p53 knockout mice exposed to X-irradiation. Journal of Toxicological Sciences, 2014 , 39, 7-14	1.9	4
36	In Vivo Electron Paramagnetic Resonance Tooth Dosimetry: Dependence of Radiation-Induced Signal Amplitude on the Enamel Thickness and Surface Area of Ex Vivo Human Teeth. <i>Health Physics</i> , 2017, 113, 262-270	2.3	4
35	Storage Stability of Diffusive Samplers and Application to Real Air Samples. <i>Bunseki Kagaku</i> , 2013 , 62, 603-609	0.2	4
34	Nationwide survey on pediatric CT among children of public health and school nurses to examine a possibility for a follow-up study on radiation effects. <i>Radiation Protection Dosimetry</i> , 2011 , 146, 260-2	0.9	4
33	Thymocytes are activated by toluene inhalation through the transcription factors NF- B , STAT5 and NF-AT. <i>Journal of Applied Toxicology</i> , 2010 , 30, 656-60	4.1	4
32	Measurement of mutant frequency in T-cell receptor (TCR) gene by flow cytometry after X-irradiation on EL-4 mice lymphoma cells. <i>Journal of Toxicological Sciences</i> , 2007 , 32, 377-86	1.9	4
31	Biological assessment of the enhancement of tritium excretion by administration of diuretics and excessive water in mice. <i>Journal of Radiation Research</i> , 1990 , 31, 361-74	2.4	4
30	Association between anthropometric indices of obesity and risk of cardiovascular disease in Japanese men. <i>Journal of Occupational Health</i> , 2020 , 62, e12098	2.3	4
29	L Band EPR Tooth Dosimetry for Heavy Ion Irradiation. <i>Radiation Protection Dosimetry</i> , 2016 , 172, 81-86	0.9	4
28	Global Analysis of Transcriptional Expression in Mice Exposed to Intermediate Frequency Magnetic Fields Utilized for Wireless Power Transfer Systems. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	3
27	Developmental stage-specific changes in immunological biomarkers in male C3H/HeN mice after early life toluene exposure. <i>Toxicology Letters</i> , 2012 , 208, 133-41	4.4	3
26	Urinary nicotine and its metabolites as a biomarker of exposure to environmental tobacco smoke. Journal of UOEH, 2006 , 28, 245-52	1.6	3
25	The protective role of protein L-isoaspartyl (D-aspartate) O-methyltransferase for maintenance of mitochondrial morphology in A549 cell. <i>Experimental Lung Research</i> , 2016 , 42, 245-62	2.3	2
24	Radioactive cesium (IIIs and IIIs) content in human placenta after the Fukushima nuclear power plant accident. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013 , 39, 1406-10	1.9	2
23	Occupational radiation dose to the lens of the eye of medical staff who assist in diagnostic CT scans. <i>Heliyon</i> , 2021 , 7, e06063	3.6	2
22	Development and assessment of an educational application for the proper use of ceiling-suspended radiation shielding screens in angiography rooms using augmented reality technology. <i>European Journal of Radiology</i> , 2021 , 143, 109925	4.7	2

(2015-2013)

21	Examination of the Nicotine Analysis by GC/MS and a Comparison with the Regulating Method. <i>Bunseki Kagaku</i> , 2013 , 62, 253-257	0.2	1
20	Prolonged increase in T-cell receptor (TCR) variant fractions of spleen T lymphocytes in pregnant mice after gamma irradiation. <i>Radiation Research</i> , 2007 , 168, 81-6	3.1	1
19	Determination of in vivo and in vitro radiosensitivity of mouse splenic T-lymphocytes using a T-cell cloning technique. <i>Journal of UOEH</i> , 1989 , 11, 13-22	1.6	1
18	A multicenter study of radiation doses to the eye lenses of clinical physicians performing radiology procedures in Japan. <i>Journal of Occupational Health</i> , 2021 , 63, e12305	2.3	1
17	Metabolic syndrome and the increased risk of medically-certified long-term sickness absence: a prospective analysis among Japanese workers. <i>Journal of Epidemiology</i> , 2021 ,	3.4	1
16	Visit-to-visit variability of blood pressure and cardiovascular events among the working-age population in Japan: findings from the Japan Epidemiology Collaboration on Occupational Health Study. <i>Hypertension Research</i> , 2021 , 44, 1017-1025	4.7	1
15	Diagnosing the double burden of malnutrition using estimated deviation values in low- and lower-middle-income countries. <i>PLoS ONE</i> , 2018 , 13, e0208525	3.7	1
14	Strategy to Reduce the Collective Equivalent Dose for the Lens of the Physician's Eye Using Short Radiation Protection Curtains to Prevent Cataracts. <i>Diagnostics</i> , 2021 , 11,	3.8	1
13	Association between Fathers (Use of Heated Tobacco Products and Urinary Cotinine Concentrations in Their Spouses and Children. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6275	4.6	1
12	Potential factors affecting chronic chemical intolerance associated with constitutional predisposition or lifestyle and environment during childhood: From a six-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2021 , 151, 110665	4.1	О
11	A novel analytical method for simple and low-cost detection of isocyanates in ambient air. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 103-111	4.4	0
10	Study of the Correlation Between Multiple Chemical Sensitivity and Personality Using the Quick Environmental Exposure Sensitivity Inventory Questionnaire and the Temperament and Character Inventory. <i>Journal of Occupational and Environmental Medicine</i> , 2020 , 62, e348-e354	2	O
9	Experimental Evaluation of Scattered X-Ray Spectra due to X-Ray Therapeutic and Diagnosis Equipment for Eye Lens Dosimetry of Medical Staff. <i>Journal of Radiation Protection and Research</i> , 2022 , 47, 39-49	0.7	О
8	Fukushima Nuclear Disaster: Emergency Response to the Disaster 2019 , 96-106		
7	Fukushima Nuclear DisasterMonitoring and Risk Assessment 2019 , 107-120		
6	Simultaneous Determination of Ozone and Carbonyl Compounds Using trans¶,2-Bis(2-pyridyl)ethylene-impregnated Glass Fiber Filter Followed by 2,4-Dinitrophenylhydrazine-impregnated Silica Cartridge. <i>Bunseki Kagaku</i> , 2017 , 66, 727-734	0.2	
5	SVOC Concentrations in House dust and Residential Environment in Japanese Houses. <i>E3S Web of Conferences</i> , 2019 , 111, 06060	0.5	
4	Measurement of Gaseous Chemical Compounds in Indoor and Outdoor Air in Sapporo City Using Four Types of Diffusive Sampling Devices. <i>Bunseki Kagaku</i> , 2015 , 64, 55-63	0.2	

3	Different sensitivity in expression of transcription factor mRNAs in congenic mice following exposure to low-level toluene. <i>Inhalation Toxicology</i> , 2010 , 22, 903-9	2.7
2	Influence of donor age on the cytotoxicity and mutagenicity of ethylnitrosourea in cultured human T-lymphocytes. <i>Journal of UOEH</i> , 1997 , 19, 133-45	1.6
1	Radiotherapy for Aged Patients with Non-small Cell Lung Cancer <i>Japanese Journal of Lung Cancer</i> , 1994 , 34, 497-502	0.1