

Ipek Gurol-Urganci

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5514563/publications.pdf>

Version: 2024-02-01

69
papers

4,565
citations

186265

28
h-index

118850

62
g-index

73
all docs

73
docs citations

73
times ranked

6321
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of the COVID-19 pandemic on maternal and perinatal outcomes: a systematic review and meta-analysis. <i>The Lancet Global Health</i> , 2021, 9, e759-e772.	6.3	645
2	Mobile phone messaging for facilitating self-management of long-term illnesses. <i>The Cochrane Library</i> , 2012, 12, CD007459.	2.8	447
3	Mobile phone messaging reminders for attendance at healthcare appointments. <i>The Cochrane Library</i> , 2013, , CD007458.	2.8	310
4	Third- and fourth-degree perineal tears among primiparous women in England between 2000 and 2012: time trends and risk factors. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1516-1525.	2.3	298
5	Universal health coverage in Turkey: enhancement of equity. <i>Lancet, The</i> , 2013, 382, 65-99.	13.7	286
6	Variation in rates of caesarean section among English NHS trusts after accounting for maternal and clinical risk: cross sectional study. <i>BMJ: British Medical Journal</i> , 2010, 341, c5065-c5065.	2.3	213
7	Mobile phone messaging for preventive health care. <i>The Cochrane Library</i> , 2012, 12, CD007457.	2.8	213
8	Maternal and perinatal outcomes of pregnant women with SARS-CoV-2 infection at the time of birth in England: national cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 522.e1-522.e11.	1.3	181
9	Impact of Caesarean section on subsequent fertility: a systematic review and meta-analysis. <i>Human Reproduction</i> , 2013, 28, 1943-1952.	0.9	158
10	Mobile phone messaging reminders for attendance at healthcare appointments. , 2012, , CD007458.		112
11	Impact of third- and fourth-degree perineal tears at first birth on subsequent pregnancy outcomes: a cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1695-1703.	2.3	108
12	Risk of placenta previa in second birth after first birth cesarean section: a population-based study and meta-analysis. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 95.	2.4	94
13	Vaginal birth after caesarean section: a cohort study investigating factors associated with its uptake and success. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 183-192.	2.3	94
14	A global reference for caesarean section rates (CaModel): a multicountry cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 427-436.	2.3	92
15	Global changes in maternity care provision during the COVID-19 pandemic: A systematic review and meta-analysis. <i>EClinicalMedicine</i> , 2021, 37, 100947.	7.1	92
16	Long-term Rate of Mesh Sling Removal Following Midurethral Mesh Sling Insertion Among Women With Stress Urinary Incontinence. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1659.	7.4	90
17	Diffusion of complex health innovations-implementation of primary health care reforms in Bosnia and Herzegovina. <i>Health Policy and Planning</i> , 2006, 22, 28-39.	2.7	72
18	Adverse pregnancy outcomes attributable to socioeconomic and ethnic inequalities in England: a national cohort study. <i>Lancet, The</i> , 2021, 398, 1905-1912.	13.7	64

#	ARTICLE	IF	CITATIONS
19	Health systems and increased longevity in people with HIV and AIDS. <i>BMJ, The</i> , 2009, 338, b2165-b2165.	6.0	60
20	Mobile phone messaging for communicating results of medical investigations. <i>The Cochrane Library</i> , 2012, , CD007456.	2.8	60
21	Rates of subsequent surgery following endometrial ablation among English women with menorrhagia: population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1500-1507.	2.3	60
22	A population-based cohort study of the effect of Caesarean section on subsequent fertility. <i>Human Reproduction</i> , 2014, 29, 1320-1326.	0.9	52
23	Barriers and enablers to integrating maternal and child health services to antenatal care in low and middle income countries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 549-557.	2.3	50
24	Maternal morbidity associated with placenta praevia among women who had elective caesarean section. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011, 159, 62-66.	1.1	42
25	Perinatal mortality associated with induction of labour versus expectant management in nulliparous women aged 35 years or over: An English national cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002425.	8.4	40
26	Obstetric interventions and pregnancy outcomes during the COVID-19 pandemic in England: A nationwide cohort study. <i>PLoS Medicine</i> , 2022, 19, e1003884.	8.4	39
27	Integration of antenatal care services with health programmes in low- and middle-income countries: systematic review. <i>Journal of Global Health</i> , 2016, 6, 010403.	2.7	37
28	Impact of a quality improvement project to reduce the rate of obstetric anal sphincter injury: a multicentre study with a stepped-wedge design. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 584-592.	2.3	37
29	Effect of primary health care reforms in Turkey on health service utilization and user satisfaction. <i>Health Policy and Planning</i> , 2017, 32, 57-67.	2.7	36
30	Evaluating maternity care using national administrative health datasets: How are statistics affected by the quality of data on method of delivery?. <i>BMC Health Services Research</i> , 2013, 13, 200.	2.2	28
31	Birth "Out-of-Hours": An Evaluation of Obstetric Practice and Outcome According to the Presence of Senior Obstetricians on the Labour Ward. <i>PLoS Medicine</i> , 2016, 13, e1002000.	8.4	26
32	Risk of complicated birth at term in nulliparous and multiparous women using routinely collected maternity data in England: cohort study. <i>BMJ, The</i> , 2020, 371, m3377.	6.0	25
33	A multi-centre quality improvement project to reduce the incidence of obstetric anal sphincter injury (OASI): study protocol. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 331.	2.4	22
34	The timing of elective caesarean delivery between 2000 and 2009 in England. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 43.	2.4	21
35	Establishing a composite neonatal adverse outcome indicator using English hospital administrative data. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019, 104, F502-F509.	2.8	17
36	UPTAKE AND DIFFUSION OF PHARMACEUTICAL INNOVATIONS IN HEALTH SYSTEMS. <i>International Journal of Innovation Management</i> , 2007, 11, 299-321.	1.2	16

#	ARTICLE	IF	CITATIONS
37	Risk of obstetric anal sphincter injury in women having a vaginal birth after a previous caesarean section: A population-based cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 236, 7-13.	1.1	16
38	The OASI care bundle quality improvement project: lessons learned and future direction. <i>International Urogynecology Journal</i> , 2021, 32, 1989-1995.	1.4	16
39	Health systems's responses to 25 years of HIV in Europe: Inequities persist and challenges remain. <i>Health Policy</i> , 2008, 86, 181-194.	3.0	15
40	Shifting chronic disease management from hospitals to primary care in Estonian health system: analysis of national panel data. <i>Journal of Global Health</i> , 2016, 6, 020701.	2.7	13
41	A stepwise approach to developing indicators to compare the performance of maternity units using hospital administrative data. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 857-865.	2.3	13
42	Early experience of universal health coverage in Turkey on access to health services for the poor: regression kink design analysis. <i>Journal of Global Health</i> , 2018, 8, 020412.	2.7	12
43	Exploring clinicians' perspectives on the "Obstetric Anal Sphincter Injury Care Bundle" national quality improvement programme: a qualitative study. <i>BMJ Open</i> , 2020, 10, e035674.	1.9	12
44	Sociodemographic differences in symptom severity and duration among women referred to secondary care for menorrhagia in England and Wales: a cohort study from the National Heavy Menstrual Bleeding Audit. <i>BMJ Open</i> , 2018, 8, e018444.	1.9	11
45	Effect of health system reforms in Turkey on user satisfaction. <i>Journal of Global Health</i> , 2015, 5, 020403.	2.7	11
46	Parity derived for pregnant women using historical administrative hospital data: Accuracy varied among patient groups. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 578-585.	5.0	10
47	Pertussis Post-Exposure Prophylaxis among Household Contacts: A Cost-Utility Analysis. <i>PLoS ONE</i> , 2015, 10, e0119271.	2.5	10
48	Factors associated with receiving surgical treatment for menorrhagia in England and Wales: findings from a cohort study of the National Heavy Menstrual Bleeding Audit. <i>BMJ Open</i> , 2019, 9, e024260.	1.9	10
49	COVID-19 and maternal and perinatal outcomes " Authors' reply. <i>The Lancet Global Health</i> , 2021, 9, e1066.	6.3	10
50	Women's experiences of the OASI Care Bundle; a package of care to reduce severe perineal trauma. <i>International Urogynecology Journal</i> , 2021, 32, 1807-1816.	1.4	9
51	Risk of reoperation 10 years after surgical treatment for stress urinary incontinence: a national population-based cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2021, 225, 645.e1-645.e14.	1.3	8
52	Use of induction of labour and emergency caesarean section and perinatal outcomes in English maternity services: A national hospital-level study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1899-1906.	2.3	8
53	Geographical variation in rates of surgical treatment for female stress urinary incontinence in England: a national cohort study. <i>BMJ Open</i> , 2019, 9, e029878.	1.9	7
54	Determinants of referral of women with urinary incontinence to specialist services: a national cohort study using primary care data from the UK. <i>BMC Family Practice</i> , 2020, 21, 211.	2.9	6

#	ARTICLE	IF	CITATIONS
55	Uptake and outcomes of robotic gynaecological surgery in England (2006–2018): an account of Hospital Episodes Statistics (HES). <i>Journal of Robotic Surgery</i> , 2021, , 1.	1.8	6
56	OASI2: a cluster randomised hybrid evaluation of strategies for sustainable implementation of the Obstetric Anal Sphincter Injury Care Bundle in maternity units in Great Britain. <i>Implementation Science</i> , 2021, 16, 55.	6.9	6
57	Validation of ethnicity in administrative hospital data in women giving birth in England: cohort study. <i>BMJ Open</i> , 2021, 11, e051977.	1.9	6
58	Associations between ethnicity and admission to intensive care among women giving birth: a cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, , .	2.3	6
59	Impact of a mid-urethral synthetic mesh sling on long-term risk of systemic conditions in women with stress urinary incontinence: a national cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 664-670.	2.3	4
60	UPTAKE AND DIFFUSION OF PHARMACEUTICAL INNOVATIONS IN HEALTH SYSTEMS. , 2007, , 85-107.		4
61	Obstetric Anal Sphincter Injury (OASI) Care Bundle: Response to a critical review. <i>Midwifery</i> , 2020, 90, 102802.	2.3	2
62	Risk of postpartum haemorrhage is associated with ethnicity: A cohort study of 981 801 births in England. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2022, 129, 1269-1277.	2.3	2
63	Authors' reply: Rates of subsequent surgery following endometrial ablation among English women with menorrhagia: population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1578-1578.	2.3	1
64	Short statured primigravidae: Options for the obstetric management from a survey of UK obstetricians. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 256, 379-384.	1.1	1
65	Authors' reply: Rates of subsequent surgery following endometrial ablation among English women with menorrhagia: population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1316-1317.	2.3	0
66	Clinical Audit for Quality Improvement. , 0, , 53-63.		0
67	Variation in availability and use of surgical care for female urinary incontinence: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-94.	1.4	0
68	Authors' reply re: OASI Care Bundle. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, , .	2.3	0
69	Diffusion of Pharmaceutical Innovations in Health Systems. <i>Series on Technology Management</i> , 2010, , 253-281.	0.1	0