

Ipek Gurol-Urganci

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5514563/publications.pdf>

Version: 2024-02-01

69
papers

4,565
citations

186265
28
h-index

118850
62
g-index

73
all docs

73
docs citations

73
times ranked

6321
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Impact of a midâ€rethral synthetic mesh sling on longâ€term risk of systemic conditions in women with stress urinary incontinence: a national cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 664-670. | 2.3 | 4 |
| 2 | Risk of postpartum haemorrhage is associated with ethnicity: A cohort study of 981Â801 births in England. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1269-1277. | 2.3 | 2 |
| 3 | Obstetric interventions and pregnancy outcomes during the COVID-19 pandemic in England: A nationwide cohort study. PLoS Medicine, 2022, 19, e1003884. | 8.4 | 39 |
| 4 | Use of induction of labour and emergency caesarean section and perinatal outcomes in English maternity services: A national hospitalâ€level study. BJOG: an International Journal of Obstetrics and Gynaecology, 2022, 129, 1899-1906. | 2.3 | 8 |
| 5 | Impact of a quality improvement project to reduce the rate of obstetric anal sphincter injury: a multicentre study with a steppedâ€wedge design. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 584-592. | 2.3 | 37 |
| 6 | Short statured primigravidae: Options for the obstetric management from a survey of UK obstetricians. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2021, 256, 379-384. | 1.1 | 1 |
| 7 | Uptake and outcomes of robotic gynaecological surgery in England (2006â€2018): an account of Hospital Episodes Statistics (HES). Journal of Robotic Surgery, 2021, , 1. | 1.8 | 6 |
| 8 | Variation in availability and use of surgical care for female urinary incontinence: a mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-94. | 1.4 | 0 |
| 9 | OASI2: a cluster randomised hybrid evaluation of strategies for sustainable implementation of the Obstetric Anal Sphincter Injury Care Bundle in maternity units in Great Britain. Implementation Science, 2021, 16, 55. | 6.9 | 6 |
| 10 | The OASI care bundle quality improvement project: lessons learned and future direction. International Urogynecology Journal, 2021, 32, 1989-1995. | 1.4 | 16 |
| 11 | Maternal and perinatal outcomes of pregnant women with SARS-CoV-2 infection at the time of birth in England: national cohort study. American Journal of Obstetrics and Gynecology, 2021, 225, 522.e1-522.e11. | 1.3 | 181 |
| 12 | Effects of the COVID-19 pandemic on maternal and perinatal outcomes: a systematic review and meta-analysis. The Lancet Global Health, 2021, 9, e759-e772. | 6.3 | 645 |
| 13 | Global changes in maternity care provision during the COVID-19 pandemic: A systematic review and meta-analysis. EClinicalMedicine, 2021, 37, 100947. | 7.1 | 92 |
| 14 | COVID-19 and maternal and perinatal outcomes â€ Authors' reply. The Lancet Global Health, 2021, 9, e1066. | 6.3 | 10 |
| 15 | Validation of ethnicity in administrative hospital data in women giving birth in England: cohort study. BMJ Open, 2021, 11, e051977. | 1.9 | 6 |
| 16 | Associations between ethnicity and admission to intensive care among women giving birth: a cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, , . | 2.3 | 6 |
| 17 | Risk of reoperation 10 years after surgical treatment for stress urinary incontinence: a national population-based cohort study. American Journal of Obstetrics and Gynecology, 2021, 225, 645.e1-645.e14. | 1.3 | 8 |
| 18 | Authorsâ€™ reply re: OASI Care Bundle. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, , . | 2.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Women's experiences of the OASI Care Bundle; a package of care to reduce severe perineal trauma. <i>International Urogynecology Journal</i> , 2021, 32, 1807-1816. | 1.4 | 9 |
| 20 | Adverse pregnancy outcomes attributable to socioeconomic and ethnic inequalities in England: a national cohort study. <i>Lancet, The</i> , 2021, 398, 1905-1912. | 13.7 | 64 |
| 21 | Risk of complicated birth at term in nulliparous and multiparous women using routinely collected maternity data in England: cohort study. <i>BMJ, The</i> , 2020, 371, m3377. | 6.0 | 25 |
| 22 | Obstetric Anal Sphincter Injury (OASI) Care Bundle: Response to a critical review. <i>Midwifery</i> , 2020, 90, 102802. | 2.3 | 2 |
| 23 | Exploring clinicians' perspectives on the 'Obstetric Anal Sphincter Injury Care Bundle' national quality improvement programme: a qualitative study. <i>BMJ Open</i> , 2020, 10, e035674. | 1.9 | 12 |
| 24 | Determinants of referral of women with urinary incontinence to specialist services: a national cohort study using primary care data from the UK. <i>BMC Family Practice</i> , 2020, 21, 211. | 2.9 | 6 |
| 25 | Risk of obstetric anal sphincter injury in women having a vaginal birth after a previous caesarean section: A population-based cohort study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 236, 7-13. | 1.1 | 16 |
| 26 | Geographical variation in rates of surgical treatment for female stress urinary incontinence in England: a national cohort study. <i>BMJ Open</i> , 2019, 9, e029878. | 1.9 | 7 |
| 27 | Factors associated with receiving surgical treatment for menorrhagia in England and Wales: findings from a cohort study of the National Heavy Menstrual Bleeding Audit. <i>BMJ Open</i> , 2019, 9, e024260. | 1.9 | 10 |
| 28 | Establishing a composite neonatal adverse outcome indicator using English hospital administrative data. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2019, 104, F502-F509. | 2.8 | 17 |
| 29 | A stepwise approach to developing indicators to compare the performance of maternity units using hospital administrative data. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018, 125, 857-865. | 2.3 | 13 |
| 30 | Sociodemographic differences in symptom severity and duration among women referred to secondary care for menorrhagia in England and Wales: a cohort study from the National Heavy Menstrual Bleeding Audit. <i>BMJ Open</i> , 2018, 8, e018444. | 1.9 | 11 |
| 31 | Early experience of universal health coverage in Turkey on access to health services for the poor: regression kink design analysis. <i>Journal of Global Health</i> , 2018, 8, 020412. | 2.7 | 12 |
| 32 | Long-term Rate of Mesh Sling Removal Following Midurethral Mesh Sling Insertion Among Women With Stress Urinary Incontinence. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 1659. | 7.4 | 90 |
| 33 | A multi-centre quality improvement project to reduce the incidence of obstetric anal sphincter injury (OASI): study protocol. <i>BMC Pregnancy and Childbirth</i> , 2018, 18, 331. | 2.4 | 22 |
| 34 | Effect of primary health care reforms in Turkey on health service utilization and user satisfaction. <i>Health Policy and Planning</i> , 2017, 32, 57-67. | 2.7 | 36 |
| 35 | Perinatal mortality associated with induction of labour versus expectant management in nulliparous women aged 35 years or over: An English national cohort study. <i>PLoS Medicine</i> , 2017, 14, e1002425. | 8.4 | 40 |
| 36 | Shifting chronic disease management from hospitals to primary care in Estonian health system: analysis of national panel data. <i>Journal of Global Health</i> , 2016, 6, 020701. | 2.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Integration of antenatal care services with health programmes in low- and middle-income countries: systematic review. <i>Journal of Global Health</i> , 2016, 6, 010403. | 2.7 | 37 |
| 38 | Barriers and enablers to integrating maternal and child health services to antenatal care in low and middle income countries. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 549-557. | 2.3 | 50 |
| 39 | A global reference for caesarean section rates (C-Model): a multicountry cross-sectional study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016, 123, 427-436. | 2.3 | 92 |
| 40 | Birth "Out-of-Hours": An Evaluation of Obstetric Practice and Outcome According to the Presence of Senior Obstetricians on the Labour Ward. <i>PLoS Medicine</i> , 2016, 13, e1002000. | 8.4 | 26 |
| 41 | Pertussis Post-Exposure Prophylaxis among Household Contacts: A Cost-Utility Analysis. <i>PLoS ONE</i> , 2015, 10, e0119271. | 2.5 | 10 |
| 42 | Effect of health system reforms in Turkey on user satisfaction. <i>Journal of Global Health</i> , 2015, 5, 020403. | 2.7 | 11 |
| 43 | Impact of third- and fourth-degree perineal tears at first birth on subsequent pregnancy outcomes: a cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1695-1703. | 2.3 | 108 |
| 44 | A population-based cohort study of the effect of Caesarean section on subsequent fertility. <i>Human Reproduction</i> , 2014, 29, 1320-1326. | 0.9 | 52 |
| 45 | Authors' reply: Rates of subsequent surgery following endometrial ablation among English women with menorrhagia: population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1316-1317. | 2.3 | 0 |
| 46 | Vaginal birth after caesarean section: a cohort study investigating factors associated with its uptake and success. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 183-192. | 2.3 | 94 |
| 47 | Authors' reply: Rates of subsequent surgery following endometrial ablation among English women with menorrhagia: population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014, 121, 1578-1578. | 2.3 | 1 |
| 48 | Parity derived for pregnant women using historical administrative hospital data: Accuracy varied among patient groups. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 578-585. | 5.0 | 10 |
| 49 | Evaluating maternity care using national administrative health datasets: How are statistics affected by the quality of data on method of delivery?. <i>BMC Health Services Research</i> , 2013, 13, 200. | 2.2 | 28 |
| 50 | Universal health coverage in Turkey: enhancement of equity. <i>Lancet, The</i> , 2013, 382, 65-99. | 13.7 | 286 |
| 51 | Rates of subsequent surgery following endometrial ablation among English women with menorrhagia: population-based cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1500-1507. | 2.3 | 60 |
| 52 | Impact of Caesarean section on subsequent fertility: a systematic review and meta-analysis. <i>Human Reproduction</i> , 2013, 28, 1943-1952. | 0.9 | 158 |
| 53 | Third- and fourth-degree perineal tears among primiparous women in England between 2000 and 2012: time trends and risk factors. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1516-1525. | 2.3 | 298 |
| 54 | Mobile phone messaging reminders for attendance at healthcare appointments. <i>The Cochrane Library</i> , 2013, , CD007458. | 2.8 | 310 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Mobile phone messaging for communicating results of medical investigations. The Cochrane Library, 2012, , CD007456. | 2.8 | 60 |
| 56 | Mobile phone messaging reminders for attendance at healthcare appointments. , 2012, , CD007458. | | 112 |
| 57 | Mobile phone messaging for facilitating self-management of long-term illnesses. The Cochrane Library, 2012, 12, CD007459. | 2.8 | 447 |
| 58 | Mobile phone messaging for preventive health care. The Cochrane Library, 2012, 12, CD007457. | 2.8 | 213 |
| 59 | Maternal morbidity associated with placenta praevia among women who had elective caesarean section. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2011, 159, 62-66. | 1.1 | 42 |
| 60 | The timing of elective caesarean delivery between 2000 and 2009 in England. BMC Pregnancy and Childbirth, 2011, 11, 43. | 2.4 | 21 |
| 61 | Risk of placenta previa in second birth after first birth cesarean section: a population-based study and meta-analysis. BMC Pregnancy and Childbirth, 2011, 11, 95. | 2.4 | 94 |
| 62 | Variation in rates of caesarean section among English NHS trusts after accounting for maternal and clinical risk: cross sectional study. BMJ: British Medical Journal, 2010, 341, c5065-c5065. | 2.3 | 213 |
| 63 | Diffusion of Pharmaceutical Innovations in Health Systems. Series on Technology Management, 2010, , 253-281. | 0.1 | 0 |
| 64 | Health systems and increased longevity in people with HIV and AIDS. BMJ, The, 2009, 338, b2165-b2165. | 6.0 | 60 |
| 65 | Health systemsâ€™ responses to 25 years of HIV in Europe: Inequities persist and challenges remain. Health Policy, 2008, 86, 181-194. | 3.0 | 15 |
| 66 | UPTAKE AND DIFFUSION OF PHARMACEUTICAL INNOVATIONS IN HEALTH SYSTEMS. International Journal of Innovation Management, 2007, 11, 299-321. | 1.2 | 16 |
| 67 | UPTAKE AND DIFFUSION OF PHARMACEUTICAL INNOVATIONS IN HEALTH SYSTEMS. , 2007, , 85-107. | | 4 |
| 68 | Diffusion of complex health innovations--implementation of primary health care reforms in Bosnia and Herzegovina. Health Policy and Planning, 2006, 22, 28-39. | 2.7 | 72 |
| 69 | Clinical Audit for Quality Improvement. , 0, , 53-63. | | 0 |