

Ning Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5515027/ning-li-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118
papers

1,915
citations

24
h-index

35
g-index

121
ext. papers

2,251
ext. citations

3.9
avg, IF

4.82
L-index

#	Paper	IF	Citations
118	Advances in the role of natural products in human gene expression.. <i>Chinese Journal of Natural Medicines</i> , 2022 , 20, 1-8	2.8	1
117	Functional contents and antioxidant potency of Chinese Wenguan flower tea. <i>Food Control</i> , 2022 , 138, 109002	6.2	0
116	Triad3A-Dependent TLR4 Ubiquitination and Degradation Contributes to the Anti-Inflammatory Effects of Pterostilbene on Vascular Dementia.. <i>Journal of Agricultural and Food Chemistry</i> , 2022 ,	5.7	1
115	Protective effect of valerian extract capsule (VEC) on ethanol- and indomethacin-induced gastric mucosa injury and ameliorative effect of VEC on gastrointestinal motility disorder. <i>Pharmaceutical Biology</i> , 2022 , 60, 1095-1105	3.8	0
114	Homology modeling, molecular dynamics and virtual screening of endothelin-A receptor for the treatment of pulmonary arterial hypertension. <i>Journal of Biomolecular Structure and Dynamics</i> , 2021 , 39, 3912-3923	3.6	2
113	Potential inhibitors of microglial activation from the roots of Vernicia montana Lour. <i>Phytochemistry</i> , 2021 , 194, 113019	4	
112	Kellerin from <i>Ferula sinkiangensis</i> exerts neuroprotective effects after focal cerebral ischemia in rats by inhibiting microglia-mediated inflammatory responses. <i>Journal of Ethnopharmacology</i> , 2021 , 269, 113718	5	5
111	Pterostilbene Alleviates A β -Induced Cognitive Dysfunction via Inhibition of Oxidative Stress by \uparrow Activating \uparrow Nrf2 Signaling Pathway. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2000711	5.9	5
110	Computational investigation of imidazopyridine analogs as protein kinase B (Akt1) allosteric inhibitors by using 3D-QSAR, molecular docking and molecular dynamics simulations. <i>Journal of Biomolecular Structure and Dynamics</i> , 2021 , 39, 63-78	3.6	8
109	n-BuOH extract of <i>Bletilla striata</i> exerts chemopreventive effects on lung against SiO nanoparticles through activation of Nrf2 pathway. <i>Phytomedicine</i> , 2021 , 82, 153445	6.5	4
108	Natural potential neuroinflammatory inhibitors from <i>Stephania epigaea</i> H.S. Lo. <i>Bioorganic Chemistry</i> , 2021 , 107, 104597	5.1	4
107	Pterostilbene alleviates cerebral ischemia and reperfusion injury in rats by modulating microglial activation. <i>Food and Function</i> , 2020 , 11, 5432-5445	6.1	7
106	T-UCRs with digestive and respiratory diseases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 127306	2.9	1
105	Stilbenes from the tubers of <i>Bletilla striata</i> with potential anti-neuroinflammatory activity. <i>Bioorganic Chemistry</i> , 2020 , 97, 103715	5.1	8
104	Kellerin alleviates cognitive impairment in mice after ischemic stroke by multiple mechanisms. <i>Phytotherapy Research</i> , 2020 , 34, 2258-2274	6.7	6
103	Amide-Iminoate Isomerism in Antineuroinflammatory Isoquinoline Alkaloids from. <i>Journal of Natural Products</i> , 2020 , 83, 864-872	4.9	7
102	Natural therapeutic agents for neurodegenerative diseases from the shells of <i>Xanthoceras sorbifolium</i> . <i>Bioorganic Chemistry</i> , 2020 , 101, 104038	5.1	3

101	Chemical constituents from shells of <i>Xanthoceras sorbifolium</i> . <i>Phytochemistry</i> , 2020 , 172, 112288	4	3
100	Structural elucidation and anti-neuroinflammatory activities of lignans from the testas of <i>Vernicia montana</i> . <i>Bioorganic Chemistry</i> , 2020 , 97, 103690	5.1	9
99	Licochalcone A reverses NNK-induced ectopic miRNA expression to elicit in vitro and in vivo chemopreventive effects. <i>Phytomedicine</i> , 2020 , 76, 153245	6.5	7
98	In vivo evaluation and atom-based 3D-QSAR studies on saponins from shells of <i>Xanthoceras sorbifolium</i> Bunge as anti-AD agents. <i>Bioorganic Chemistry</i> , 2020 , 94, 103412	5.1	3
97	Bioactive chemical constituents from the seed testa of <i>Vernicia fordii</i> as potential neuroinflammatory inhibitors. <i>Phytochemistry</i> , 2020 , 171, 112233	4	6
96	Inflammatory mechanism of cerebral ischemia-reperfusion injury with treatment of stepharine in rats. <i>Phytomedicine</i> , 2020 , 79, 153353	6.5	12
95	Bioactive sesquiterpene coumarins from the resin of <i>Ferula sinkiangensis</i> targeted on over-activation of microglia. <i>Bioorganic Chemistry</i> , 2020 , 104, 104338	5.1	2
94	High Performance Liquid Chromatography Determination and Optimization of the Extraction Process for the Total Alkaloids from Traditional Herb Hayata. <i>Molecules</i> , 2019 , 24,	4.8	8
93	MicroRNAs, intestinal inflammatory and tumor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 2051-2058	2.9	18
92	Isolation, structure elucidation, and synthesis of (Π)-millpuline A with a suppressive effect in miR-144 expression. <i>Organic Chemistry Frontiers</i> , 2019 , 6, 2850-2859	5.2	2
91	Antiproliferative steroidal glycosides from rhizomes of <i>Polygonatum sibiricum</i> . <i>Phytochemistry</i> , 2019 , 164, 172-183	4	12
90	Glycyrrhetic Acid Maintains Intestinal Homeostasis via HuR. <i>Frontiers in Pharmacology</i> , 2019 , 10, 535	5.6	14
89	Identification of 10-dehydroxyglycyuralin E as a selective human estrogen receptor alpha partial agonist. <i>Bioorganic Chemistry</i> , 2019 , 88, 102977	5.1	2
88	Extract of <i>Ilex rotunda</i> Thunb alleviates experimental colitis-associated cancer via suppressing inflammation-induced miR-31-5p/YAP overexpression. <i>Phytomedicine</i> , 2019 , 62, 152941	6.5	13
87	Natural CAC chemopreventive agents from <i>Ilex rotunda</i> Thunb. <i>Journal of Natural Medicines</i> , 2019 , 73, 456-467	3.3	4
86	Natural neuroprotective alkaloids from <i>Stephania japonica</i> (Thunb.) Miers. <i>Bioorganic Chemistry</i> , 2019 , 91, 103175	5.1	7
85	Isolation, Structural Elucidation, Optical Resolution, and Antineuroinflammatory Activity of Phenanthrene and 9,10-Dihydrophenanthrene Derivatives from. <i>Journal of Natural Products</i> , 2019 , 82, 2238-2245	4.9	20
84	Post-transcriptional Gene Regulation in Colitis Associated Cancer. <i>Frontiers in Genetics</i> , 2019 , 10, 585	4.5	8

83	Natural Inhibitors on Over-Activation of Microglia from Herbals. <i>Chemical and Pharmaceutical Bulletin</i> , 2019 , 67, 640-647	1.9	2
82	Coumarinolignoids and lignanoids from the stems and leaves of <i>Sapium discolor</i> . <i>Fitoterapia</i> , 2019 , 133, 17-22	3.2	11
81	Preventive agents for neurodegenerative diseases from resin of <i>Dracaena cochinchinensis</i> attenuate LPS-induced microglia over-activation. <i>Journal of Natural Medicines</i> , 2019 , 73, 318-330	3.3	11
80	Rapid characterization of TCM Qianjinteng by UPLC-QTOF-MS and its application in the evaluation of three species of <i>Stephania</i> . <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 156, 284-296	3.5	20
79	<i>Tamarix hohenackeri</i> Bunge exerts anti-inflammatory effects on lipopolysaccharide-activated microglia in vitro. <i>Phytomedicine</i> , 2018 , 40, 10-19	6.5	14
78	Dietary functional flavonoids as natural hepatoprotective agents against acute liver injury from hop (<i>Humulus lupulus</i> L.). <i>Journal of Functional Foods</i> , 2018 , 45, 471-479	5.1	5
77	Ionic Liquid Solutions as a Green Tool for the Extraction and Isolation of Natural Products. <i>Molecules</i> , 2018 , 23,	4.8	47
76	Lico A Causes ER Stress and Apoptosis via Up-Regulating miR-144-3p in Human Lung Cancer Cell Line H292. <i>Frontiers in Pharmacology</i> , 2018 , 9, 837	5.6	28
75	Mappianines A-E, structurally diverse monoterpenoid indole alkaloids from <i>Mappianthus iodoides</i> . <i>Phytochemistry</i> , 2018 , 145, 68-76	4	16
74	Phytochemical constituents from <i>Uncaria rhynchophylla</i> in human carboxylesterase 2 inhibition: Kinetics and interaction mechanism merged with docking simulations. <i>Phytomedicine</i> , 2018 , 51, 120-127	6.5	22
73	Undescribed phenylethyl flavones isolated from <i>Patrinia villosa</i> show cytoprotective properties via the modulation of the mir-144-3p/Nrf2 pathway. <i>Phytochemistry</i> , 2018 , 153, 28-35	4	11
72	Natural Cancer Chemopreventive Reagents from Food and Herbals. <i>Current Pharmacology Reports</i> , 2017 , 3, 138-149	5.5	3
71	Okanin, effective constituent of the flower tea <i>Coreopsis tinctoria</i> , attenuates LPS-induced microglial activation through inhibition of the TLR4/NF- κ B signaling pathways. <i>Scientific Reports</i> , 2017 , 7, 45705	4.9	23
70	Biotransformation of isofraxetin-6-O- β -glucopyranoside by <i>Angelica sinensis</i> (Oliv.) Diels callus. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 248-253	2.9	7
69	Natural potential neuroinflammatory inhibitors from <i>Alhagi sparsifolia</i> Shap. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 973-978	2.9	14
68	Natural neuro-inflammatory inhibitors from <i>Caragana turfanensis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 4765-4769	2.9	15
67	Novel cycloneolignans from <i>Vernicia fordii</i> with inhibitory effects on over-activation of BV2 cells in vitro. <i>Scientific Reports</i> , 2017 , 7, 13608	4.9	6
66	An Investigation on the Quantitative Structure-Activity Relationships of the Anti-Inflammatory Activity of Diterpenoid Alkaloids. <i>Molecules</i> , 2017 , 22,	4.8	9

65	A natural chalcone induces apoptosis in lung cancer cells: 3D-QSAR, docking and an in vivo/vitro assay. <i>Scientific Reports</i> , 2017 , 7, 10729	4.9	23
64	Characteristic α -Acid Derivatives from <i>Humulus lupulus</i> with Antineuroinflammatory Activities. <i>Journal of Natural Products</i> , 2017 , 80, 3081-3092	4.9	30
63	Sesquiterpene Coumarins from <i>Ferula sinkiangensis</i> Act as Neuroinflammation Inhibitors. <i>Planta Medica</i> , 2017 , 83, 135-142	3.1	26
62	Anti-inflammation compounds from the seedpods of <i>Pongamia pinnata</i> (L.) Pierre guided by the bioactivity and UPLC-HRESIMS. <i>Archives of Pharmacal Research</i> , 2017 , 40, 818-824	6.1	3
61	Circulating Neutrophil MicroRNAs as Biomarkers for the Detection of Lung Cancer. <i>Biomarkers in Cancer</i> , 2016 , 8, 1-7	7	11
60	ent-Abietane-type diterpenoids from the roots of <i>Euphorbia ebracteolata</i> with their inhibitory activities on LPS-induced NO production in RAW 264.7 macrophages. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 1-5	2.9	26
59	Chemopreventive Agents from <i>Physalis minima</i> Function as Michael Reaction Acceptors. <i>Pharmacognosy Magazine</i> , 2016 , 12, S231-6	0.8	2
58	Bioactive benzofuran-chalcones as potential NQO1 inducers from <i>Millettia pulchra</i> (Benth) kurzvar-laxior (Dunn) Z.Wei. <i>Phytochemistry</i> , 2016 , 131, 107-114	4	10
57	Bioactive phenols as potential neuroinflammation inhibitors from the leaves of <i>Xanthoceras sorbifolia</i> Bunge. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 5018-5023	2.9	24
56	Biotransformation of neuro-inflammation inhibitor kellerin using <i>Angelica sinensis</i> (Oliv.) Diels callus. <i>RSC Advances</i> , 2016 , 6, 97302-97312	3.7	12
55	Bioactive minor components of the total salvianolic acids injection prepared from <i>Salvia miltiorrhiza</i> Bge. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 82-6	2.9	10
54	Anti-neuroinflammatory and NQO1 inducing activity of natural phytochemicals from <i>Coreopsis tinctoria</i> . <i>Journal of Functional Foods</i> , 2015 , 17, 837-846	5.1	33
53	Natural flavonoids function as chemopreventive agents from Gancao (<i>Glycyrrhiza inflata</i> Batal). <i>Journal of Functional Foods</i> , 2015 , 19, 563-574	5.1	14
52	Pterostilbene exerts anti-neuroinflammatory effect on lipopolysaccharide-activated microglia via inhibition of MAPK signalling pathways. <i>Journal of Functional Foods</i> , 2015 , 19, 676-687	5.1	31
51	Natural therapeutic agents for neurodegenerative diseases from a traditional herbal medicine <i>Pongamia pinnata</i> (L.) Pierre. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 53-8	2.9	32
50	Cancer chemopreventive theasaponin derivatives from the total tea seed saponin of <i>Camellia sinensis</i> . <i>Journal of Functional Foods</i> , 2015 , 12, 192-198	5.1	19
49	Shikonin induces apoptosis in the human gastric cancer cells HGC-27 through mitochondria-mediated pathway. <i>Pharmacognosy Magazine</i> , 2015 , 11, 250-6	0.8	18
48	Potential therapeutic agents for circulatory diseases from <i>Bauhinia glauca</i> Benth.subsp. <i>pernervosa</i> . (Da Ye Guan Men). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 3217-20	2.9	11

47	Chemopreventive flavonoids from <i>Millettia pulchra</i> Kurz var-laxior (Dunn) Z.Wei (Yulangsan) function as Michael reaction acceptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 1078-81	2.9	14
46	Natural potential therapeutic agents of neurodegenerative diseases from the traditional herbal medicine Chinese dragon's blood. <i>Journal of Ethnopharmacology</i> , 2014 , 152, 508-21	5	60
45	UPLC-MS/MS-ESI assay for simultaneous determination of magnolol and honokiol in rat plasma: application to pharmacokinetic study after administration emulsion of the isomer. <i>Journal of Ethnopharmacology</i> , 2014 , 155, 1568-74	5	21
44	Biotransformation of Licochalcone A by transgenic crown galls of <i>Panax quinquefolium</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2014 , 110, 72-76		5
43	Unprecedented aminophysalin from <i>Physalis angulata</i> . <i>Steroids</i> , 2014 , 88, 60-5	2.8	15
42	Anti-inflammatory diterpenoids from the roots of <i>Euphorbia ebracteolata</i> . <i>Journal of Natural Products</i> , 2014 , 77, 792-9	4.9	55
41	ACE and platelet aggregation inhibitors from <i>Tamarix hohenackeri</i> Bunge (host plant of <i>Herba Cistanches</i>) growing in Xinjiang. <i>Pharmacognosy Magazine</i> , 2014 , 10, 111-7	0.8	12
40	Digital PCR quantification of miRNAs in sputum for diagnosis of lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 145-150	4.9	73
39	Bioactive barrigenol type triterpenoids from the leaves of <i>Xanthoceras sorbifolia</i> Bunge. <i>European Journal of Medicinal Chemistry</i> , 2013 , 60, 263-70	6.8	27
38	Evaluation of lung fluke in sputum samples for molecular analysis of lung cancer. <i>Clinical and Translational Medicine</i> , 2013 , 2, 15	5.7	42
37	Phytochemical analysis of the triterpenoids with cytotoxicity and QR inducing properties from the total tea seed saponin of <i>Camellia sinensis</i> . <i>Fitoterapia</i> , 2013 , 84, 321-5	3.2	21
36	Two new anthraquinone dimers from the fruit bodies of <i>Bulgaria inquinans</i> . <i>Fitoterapia</i> , 2013 , 84, 85-8	3.2	6
35	Chemical constituents and ACE inhibitory activity of desert plant <i>Suaeda physophora</i> Pall.. <i>Acta Pharmaceutica Sinica B</i> , 2013 , 3, 328-332	15.5	6
34	Phenolic glycosides from <i>Curculigo orchioides</i> Gaertn. <i>Fitoterapia</i> , 2013 , 86, 64-9	3.2	17
33	Quantification of Plasma miRNAs by Digital PCR for Cancer Diagnosis. <i>Biomarker Insights</i> , 2013 , 8, 127-36	3.5	81
32	Triterpenes possessing an unprecedented skeleton isolated from hydrolyzate of total saponins from <i>Gynostemma pentaphyllum</i> . <i>European Journal of Medicinal Chemistry</i> , 2012 , 50, 173-8	6.8	19
31	Compounds from <i>Angelica keiskei</i> with NQO1 induction, DPPH scavenging and α -glucosidase inhibitory activities. <i>Food Chemistry</i> , 2012 , 131, 992-998	8.5	48
30	Sesquiterpene lactones from <i>Saussurea involucreta</i> . <i>Fitoterapia</i> , 2011 , 82, 983-7	3.2	17

29	A New Peroxy-multiflorane Triterpene Ester from the Processed Seeds of <i>Trichosanthes kirilowii</i> . <i>Helvetica Chimica Acta</i> , 2011 , 94, 1881-1887	2	10
28	Novel dammarane-type saponin from <i>Panax ginseng</i> berry and their biological activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 1027-31	2.9	46
27	Synthesis and cytotoxic activities of new fatty acid esters of 20(S)-protopanaxadiol. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2011 , 66, 199-204	1.7	5
26	New isoflavonolignan with quinone reductase inducing activity from <i>Alhagi pseudalhagi</i> (M.B.). <i>Phytotherapy</i> , 2010 , 81, 1058-61	3.2	21
25	Eleven New Triterpenes from <i>Eurycorymbus cavaleriei</i> . <i>Helvetica Chimica Acta</i> , 2010 , 93, 2263-2275	2	6
24	Two new compounds from <i>Helichrysum arenarium</i> (L.). <i>Journal of Asian Natural Products Research</i> , 2009 , 11, 289-93	1.5	6
23	A new cycloartane glycoside from <i>Camptosorus sibiricus</i> . <i>Phytotherapy</i> , 2008 , 79, 314-6	3.2	5
22	A new naphthalene glycoside from the roots of <i>Smilax bockii</i> . <i>Phytotherapy</i> , 2008 , 79, 479-80	3.2	1
21	New disaccharoside from <i>Camptosorus sibiricus</i> Rupr. <i>Natural Product Research</i> , 2008 , 22, 1379-83	2.3	6
20	Free radical scavengers, antioxidants and aldose reductase inhibitors from <i>Camptosorus sibiricus</i> Rupr. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2008 , 63, 66-8	1.7	4
19	Two new triterpenoid saponins from the carpophore of <i>Xanthoceras sorbifolia</i> Bunge. <i>Journal of Asian Natural Products Research</i> , 2008 , 10, 260-264	1.5	26
18	New cycloartane glycosides from <i>Camptosorus sibiricus</i> Rupr. <i>Journal of Asian Natural Products Research</i> , 2008 , 10, 119-24	1.5	6
17	Flavonoids from <i>Galium verum</i> L. <i>Journal of Asian Natural Products Research</i> , 2008 , 10, 613-7	1.5	13
16	Bioactive Saponins and Glycosides. Part 29. <i>Helvetica Chimica Acta</i> , 2007 , 90, 2342-2348	2	24
15	New Flavanone Oligoglycosides, Theaflavanosides I, II, III, and IV, with Hepatoprotective Activity from the Seeds of Tea Plant (<i>Camellia sinensis</i>). <i>Heterocycles</i> , 2007 , 71, 1193	0.8	22
14	Two new thiophenes from <i>Echinops latifolius</i> and their phototoxic activities. <i>Planta Medica</i> , 2007 , 73, 696-8	3.1	17
13	Bioactive saponins and glycosides. XXV. Acylated oleanane-type triterpene saponins from the seeds of tea plant (<i>Camellia sinensis</i>). <i>Chemical and Pharmaceutical Bulletin</i> , 2007 , 55, 57-63	1.9	47
12	A new cycloartane glycoside from <i>Camptosorus sibiricus</i> Rupr. <i>Natural Product Research</i> , 2006 , 20, 1041-53	3	10

11	Triterpene saponins with gastroprotective effects from tea seed (the seeds of <i>Camellia sinensis</i>). <i>Journal of Natural Products</i> , 2006 , 69, 185-90	4.9	91
10	Flavonoids from <i>Camptosorus sibiricus</i> Rupr. <i>Journal of Asian Natural Products Research</i> , 2006 , 8, 167-71	1.5	13
9	Bioactive Saponins and Glycosides. XXVI. New Triterpene Saponins, Theasaponins E10, E11, E12, E13, and G2, from the Seeds of Tea Plant (<i>Camellia sinensis</i>). <i>Heterocycles</i> , 2006 , 68, 1139	0.8	24
8	Two new triterpenoids from the carpophore of <i>Xanthoceras sorbifolia</i> Bunge. <i>Die Pharmazie</i> , 2006 , 61, 810-1	1.5	15
7	A new cycloartane glycoside from <i>Comptosorus sibiricus</i> rupr. <i>Journal of Asian Natural Products Research</i> , 2005 , 7, 161-4	1.5	7
6	Bioactive saponins and glycosides. XXIII. Triterpene saponins with gastroprotective effect from the seeds of <i>Camellia sinensis</i> --theasaponins E3, E4, E5, E6, and E7. <i>Chemical and Pharmaceutical Bulletin</i> , 2005 , 53, 1559-64	1.9	63
5	A new alkaloid from the fruits of <i>Celastrus orbiculatus</i> . <i>Phytotherapy Research</i> , 2005 , 76, 273-5	3.2	16
4	Antibacterial constituents from fruit bodies of ascomyces <i>Bulgaria inquinans</i> . <i>Archives of Pharmacal Research</i> , 2005 , 28, 889-91	6.1	7
3	Two new triterpenes from the husks of <i>Xanthoceras sorbifolia</i> . <i>Planta Medica</i> , 2005 , 71, 1068-70	3.1	19
2	A new cycloartane glycoside from <i>Camptosorus sibiricus</i> Rupr. <i>Archives of Pharmacal Research</i> , 2004 , 27, 727-9	6.1	4
1	Stilbenes from <i>Sphaerophysa salsula</i> . <i>Phytotherapy Research</i> , 2002 , 73, 313-5	3.2	31