

# JosÃ© RamÃ³n Banegas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/551805/publications.pdf>

Version: 2024-02-01

187  
papers

13,854  
citations

38660

50  
h-index

22764

112  
g-index

217  
all docs

217  
docs citations

217  
times ranked

15980  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Inflammatory Potential of Diet and Pain Incidence: A Cohort Study in Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2023, 78, 267-276.	1.7	1
2	Olive oil consumption is associated with lower frailty risk: a prospective cohort study of community-dwelling older adults. <i>Age and Ageing</i> , 2022, 51, .	0.7	5
3	Pain Characteristics, Cardiovascular Risk Factors, and Cardiovascular Disease. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2022, 77, 204-213.	1.7	8
4	Twenty-Fourâ€“Hour Central (Aortic) Systolic Blood Pressure: Reference Values and Dipping Patterns in Untreated Individuals. <i>Hypertension</i> , 2022, 79, 251-260.	1.3	13
5	Association of prolonged nightly fasting with cardiovascular, renal, inflammation, and nutritional status biomarkers in community-dwelling older adults. <i>American Journal of Clinical Nutrition</i> , 2022, 115, 1282-1289.	2.2	2
6	The Mediterranean Diet Protects Renal Function in Older Adults: A Prospective Cohort Study. <i>Nutrients</i> , 2022, 14, 432.	1.7	5
7	Alcohol consumption patterns and growth differentiation factor 15 among lifeâ€“time drinkers aged 65+â€“years in Spain: a crossâ€“sectional study. <i>Addiction</i> , 2022, 117, 1647-1657.	1.7	5
8	Home and ambulatory blood pressure levels below target range and clinical effort to detect this condition: a population-based study in older treated hypertensives. <i>Age and Ageing</i> , 2022, 51, .	0.7	2
9	Associations of deviceâ€“measured sleep, sedentariness and physical activity with growth differentiation factor 15 in older adults. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, , .	2.9	4
10	Alcohol consumption patterns and unhealthy aging among older lifetime drinkers from Spain. <i>Drug and Alcohol Dependence</i> , 2022, 235, 109444.	1.6	2
11	Objectively measured secondhand tobacco smoke and cognitive impairment in disability-free older adults. <i>Environmental Research</i> , 2022, 212, 113352.	3.7	5
12	Food consumption based on the nutrient profile system underlying the Nutri-Score and renal function in older adults. <i>Clinical Nutrition</i> , 2022, 41, 1541-1548.	2.3	5
13	Association of Lifestyle Behaviors With Hearing Loss. <i>Mayo Clinic Proceedings</i> , 2022, 97, 2040-2049.	1.4	3
14	General and central obesity operate differently as predictors of falls requiring medical care in older women: a population-based cohort study in Spain. <i>Age and Ageing</i> , 2021, 50, 213-219.	0.7	4
15	Ultra-Processed Food Consumption is Associated with Renal Function Decline in Older Adults: A Prospective Cohort Study. <i>Nutrients</i> , 2021, 13, 428.	1.7	36
16	Association of Cooking Patterns with Inflammatory and Cardio-Metabolic Risk Biomarkers. <i>Nutrients</i> , 2021, 13, 633.	1.7	8
17	Five-color Nutri-Score labeling and mortality risk in a nationwide, population-based cohort in Spain: the Study on Nutrition and Cardiovascular Risk in Spain (ENRICA). <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1301-1311.	2.2	24
18	Healthy dietary patterns are associated with lower concentrations of growth differentiation factor 15 in older adults. <i>American Journal of Clinical Nutrition</i> , 2021, 113, 1619-1626.	2.2	9

#	ARTICLE	IF	CITATIONS
19	High Consumption of Ultra-Processed Food is Associated with Incident Dyslipidemia: A Prospective Study of Older Adults. <i>Journal of Nutrition</i> , 2021, 151, 2390-2398.	1.3	28
20	Changes in Health Behaviors, Mental and Physical Health among Older Adults under Severe Lockdown Restrictions during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 7067.	1.2	53
21	A Higher Intake of Energy at Dinner Is Associated with Incident Metabolic Syndrome: A Prospective Cohort Study in Older Adults. <i>Nutrients</i> , 2021, 13, 3035.	1.7	11
22	A simple score to screen for isolated ambulatory hypertension in older adults. Development and validation. <i>REC: CardioClinics</i> , 2021, , .	0.1	3
23	Cadmium exposure and growth differentiation factor-15 (GDF-15) levels in non-smoking older adults. <i>Environmental Research</i> , 2021, 206, 112250.	3.7	1
24	The inflammatory potential of diet is related to incident frailty and slow walking in older adults. <i>Clinical Nutrition</i> , 2020, 39, 185-191.	2.3	35
25	Arterial stiffness and reference values. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2020, 73, 11-13.	0.4	3
26	Combined Impact of Traditional and Nontraditional Healthy Behaviors on Frailty and Disability: A Prospective Cohort Study of Older Adults. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 710.e1-710.e9.	1.2	11
27	Behavioural cardiovascular risk factors and prevalence of diabetes in subjects with familial hypercholesterolaemia. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 1649-1660.	0.8	13
28	Rigidez arterial y valores de referencia. <i>Revista Espanola De Cardiologia</i> , 2020, 73, 11-13.	0.6	5
29	Twenty four-hour activity cycle in older adults using wrist-worn accelerometers: The seniorsâ€œENRICAâ€² study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 700-708.	1.3	36
30	Ultra-Processed Food Consumption Is Associated with Abdominal Obesity: A Prospective Cohort Study in Older Adults. <i>Nutrients</i> , 2020, 12, 2368.	1.7	50
31	Prevalence of office and ambulatory hypotension in treated hypertensive patients with coronary disease. <i>Hypertension Research</i> , 2020, 43, 696-704.	1.5	3
32	Health Decline Is Associated with Reports of No Coffee Consumption Years After Reporting Coffee Consumption Among Older Adults in Spain. <i>Journal of Nutrition</i> , 2020, 150, 1916-1923.	1.3	0
33	How do ultrafine particles in urban air affect ambulatory blood pressure?. <i>Journal of Hypertension</i> , 2020, 38, 845-849.	0.3	4
34	Prognostic Relevance of Short-Term Blood Pressure Variability. <i>Hypertension</i> , 2020, , HYPERTENSIONAHA11914508.	1.3	3
35	Dairy consumption and risk of falls in 2 European cohorts of older adults. <i>Clinical Nutrition</i> , 2020, 39, 3140-3146.	2.3	4
36	Alcohol consumption and all-cause mortality in older adults in Spain: an analysis accounting for the main methodological issues. <i>Addiction</i> , 2019, 114, 59-68.	1.7	41

#	ARTICLE	IF	CITATIONS
37	Prospective Association Between Nut Consumption and Physical Function in Older Men and Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019, 74, 1091-1097.	1.7	18
38	Consumption of Ultra-Processed Foods and Mortality: A National Prospective Cohort in Spain. <i>Mayo Clinic Proceedings</i> , 2019, 94, 2178-2188.	1.4	140
39	Gender Differences in Pain Risk in Old Age: Magnitude and Contributors. <i>Mayo Clinic Proceedings</i> , 2019, 94, 1707-1717.	1.4	16
40	Dietary n-3 polyunsaturated fatty acids, fish intake and healthy ageing. <i>International Journal of Epidemiology</i> , 2019, 48, 1914-1924.	0.9	20
41	Frequency and Prognosis of Treated Hypertensive Patients According to Prior and New Blood Pressure Goals. <i>Hypertension</i> , 2019, 74, 130-136.	1.3	12
42	Association between sleep characteristics and antihypertensive treatment in older adults. <i>Geriatrics and Gerontology International</i> , 2019, 19, 537-540.	0.7	6
43	Impact of the European and American guidelines on hypertension prevalence, treatment, and cardiometabolic goals. <i>Journal of Hypertension</i> , 2019, 37, 1393-1400.	0.3	30
44	Protein Intake and Risk of Falls: A Prospective Analysis in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2019, 67, 329-335.	1.3	6
45	Blood pressure variability increases with advancing chronic kidney disease stage. <i>Journal of Hypertension</i> , 2018, 36, 1076-1085.	0.3	63
46	Relationship between Clinic and Ambulatory Blood-Pressure Measurements and Mortality. <i>New England Journal of Medicine</i> , 2018, 378, 1509-1520.	13.9	420
47	Prospective association between added sugars and frailty in older adults. <i>American Journal of Clinical Nutrition</i> , 2018, 107, 772-779.	2.2	32
48	Knowledge, availability, and use of ambulatory and home blood pressure monitoring in primary care in Spain. <i>Journal of Hypertension</i> , 2018, 36, 1051-1058.	0.3	23
49	Serum uric acid levels are associated with cardiovascular risk score: A post hoc analysis of the EURIKA study. <i>International Journal of Cardiology</i> , 2018, 253, 167-173.	0.8	47
50	Frailty, Disability, and Ambulatory Blood Pressure in Older Adults. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 433-438.	1.2	23
51	White-coat Uncontrolled Hypertension, Masked Uncontrolled Hypertension, and True Uncontrolled Hypertension, phonetic and mnemonic terms for treated hypertension phenotypes. <i>Journal of Hypertension</i> , 2018, 36, 446-447.	0.3	12
52	Consumption of meat in relation to physical functioning in the Seniors-ENRICA cohort. <i>BMC Medicine</i> , 2018, 16, 50.	2.3	25
53	Prevalence of Masked Hypertension in Untreated and Treated Patients With Office Blood Pressure Below 130/80 mmHg. <i>Circulation</i> , 2018, 137, 2651-2653.	1.6	33
54	Antihypertensive drug use in resistant and nonresistant hypertension and in controlled and uncontrolled resistant hypertension. <i>Journal of Hypertension</i> , 2018, 36, 1563-1570.	0.3	4

#	ARTICLE	IF	CITATIONS
55	Pulse Wave Velocity and Central Blood Pressure: Normal and Reference Values in Older People in Spain. <i>Revista Espanola De Cardiologia (English Ed )</i> , 2018, 71, 1084-1086.	0.4	2
56	Hypertension in Latin/Hispanic Population. , 2018, , 15-20.		2
57	Chronic kidney disease in Spain: Prevalence and impact of accumulation of cardiovascular risk factors. <i>Nefrologia</i> , 2018, 38, 606-615.	0.2	23
58	Prognostic Value of Masked Uncontrolled Hypertension. <i>Hypertension</i> , 2018, 72, 862-869.	1.3	94
59	Ambulatory Blood Pressure and Mortality. <i>New England Journal of Medicine</i> , 2018, 379, 1285-1288.	13.9	5
60	Physical Activity and Association Between Frailty and All-cause and Cardiovascular Mortality in Older Adults: Population-Based Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 2097-2103.	1.3	35
61	Association of Dairy Consumption and 24-Hour Blood Pressure in Older Adults with Hypertension. <i>American Journal of Medicine</i> , 2018, 131, 1238-1249.	0.6	8
62	LDL Cholesterol Rises With BMI Only in Lean Individuals: Cross-sectional U.S. and Spanish Representative Data. <i>Diabetes Care</i> , 2018, 41, 2195-2201.	4.3	28
63	Low vitamin intake is associated with risk of frailty in older adults. <i>Age and Ageing</i> , 2018, 47, 872-879.	0.7	45
64	The epidemiological magnitude of white-coat hypertension and masked hypertension in Africa. <i>Journal of Clinical Hypertension</i> , 2018, 20, 1173-1175.	1.0	0
65	A healthy lifestyle attenuates the effect of polypharmacy on total and cardiovascular mortality: a national prospective cohort study. <i>Scientific Reports</i> , 2018, 8, 12615.	1.6	20
66	Prevalencia de enfermedad renal crónica en España: impacto de la acumulación de factores de riesgo cardiovascular. <i>Nefrologia</i> , 2018, 38, 606-615.	0.2	106
67	Magnitude of Hypotension Based on Office and Ambulatory Blood Pressure Monitoring: Results From a Cohort of 5066 Treated Hypertensive Patients Aged 80 Years and Older. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 452.e1-452.e6.	1.2	33
68	Short-term variability and nocturnal decline in ambulatory blood pressure in normotension, white-coat hypertension, masked hypertension and sustained hypertension: a population-based study of older individuals in Spain. <i>Hypertension Research</i> , 2017, 40, 613-619.	1.5	15
69	Has the SPRINT trial introduced a new blood-pressure goal in hypertension?. <i>Nature Reviews Cardiology</i> , 2017, 14, 560-565.	6.1	19
70	24-h pulse pressure cutoff point definition by office pulse pressure in a population of Spanish older hypertensive patients. <i>Journal of Hypertension</i> , 2017, 35, 1011-1018.	0.3	5
71	Birth month, a simple demographic indicator of early environmental exposures and risk of chronic diseases. <i>Medicina Clínica (English Edition)</i> , 2017, 148, 498-500.	0.1	0
72	Clinic Versus Daytime Ambulatory Blood Pressure Difference in Hypertensive Patients. <i>Hypertension</i> , 2017, 69, 211-219.	1.3	30

#	ARTICLE	IF	CITATIONS
73	The Strong Heart Study. <i>Journal of Hypertension</i> , 2017, 35, 1782-1784.	0.3	2
74	Lack of association between passive smoking and blood pressure, lipids, and fasting glucose. <i>Journal of Hypertension</i> , 2017, 35, 1952-1954.	0.3	2
75	Prevalence and clinical characteristics of white-coat hypertension based on different definition criteria in untreated and treated patients. <i>Journal of Hypertension</i> , 2017, 35, 2388-2394.	0.3	43
76	Electronic clinical decision support system and multifactorial risk factor control in patients with type 2 diabetes in primary health care. <i>European Journal of Internal Medicine</i> , 2017, 44, e35-e37.	1.0	3
77	Mes de nacimiento, un sencillo indicador demográfico de exposiciones ambientales tempranas y de riesgo de enfermedad crónica. <i>Medicina Clínica</i> , 2017, 148, 498-500.	0.3	0
78	Combined Healthy Behaviors and Healthcare Services Use in Older Adults. <i>American Journal of Preventive Medicine</i> , 2017, 53, 872-881.	1.6	16
79	Mass starvation in early life and adult hypertension in China. <i>Journal of Hypertension</i> , 2017, 35, 29-32.	0.3	5
80	Prevalence and Clinical Characteristics of Refractory Hypertension. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	54
81	Prevalence and treatment of atherogenic dyslipidemia in the primary prevention of cardiovascular disease in Europe: EURIKA, a cross-sectional observational study. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 160.	0.7	80
82	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017, 389, 37-55.	6.3	1,667
83	Changes in physical activity and cardiovascular mortality in older adults. <i>Journal of Geriatric Cardiology</i> , 2017, 14, 280-281.	0.2	14
84	Unhealthy eating behaviors and weight gain: A prospective study in young and middle-age adults. <i>Obesity</i> , 2016, 24, 1178-1184.	1.5	24
85	Hypotension based on office and ambulatory monitoring blood pressure. Prevalence and clinical profile among a cohort of 70,997 treated hypertensives. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 714-723.	2.3	29
86	Social support and ambulatory blood pressure in older people. <i>Journal of Hypertension</i> , 2016, 34, 2045-2052.	0.3	10
87	The association between blood pressure and lipid levels in Europe. <i>Journal of Hypertension</i> , 2016, 34, 2155-2163.	0.3	21
88	Habitual coffee consumption and 24-h blood pressure control in older adults with hypertension. <i>Clinical Nutrition</i> , 2016, 35, 1457-1463.	2.3	34
89	Lack of control of hypertension in primary cardiovascular disease prevention in Europe: Results from the EURIKA study. <i>International Journal of Cardiology</i> , 2016, 218, 83-88.	0.8	76
90	Ideal Cardiovascular Health and Risk of Frailty in Older Adults. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 239-245.	0.9	35

#	ARTICLE	IF	CITATIONS
91	Ambulatory blood pressure monitoring in daily clinical practice â€” the Spanish <sc>ABPM</sc> Registry experience. <i>European Journal of Clinical Investigation</i> , 2016, 46, 92-98.	1.7	35
92	Association Between High and Very High Albuminuria and Nighttime Blood Pressure: Influence of Diabetes and Chronic Kidney Disease. <i>Diabetes Care</i> , 2016, 39, 1729-1737.	4.3	26
93	Office and ambulatory blood pressure control in hypertensive patients treated with different two-drug and three-drug combinations. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 409-414.	0.5	3
94	The short-term association of road traffic noise with cardiovascular, respiratory, and diabetes-related mortality. <i>Environmental Research</i> , 2016, 150, 383-390.	3.7	52
95	Ambulatory blood pressure in hypertensive patients with inclusion criteria for the SPRINT trial. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 947-953.e5.	2.3	22
96	Road traffic noise effects on cardiovascular, respiratory, and metabolic health: An integrative model of biological mechanisms. <i>Environmental Research</i> , 2016, 146, 359-370.	3.7	213
97	Contribution of health behaviours and clinical factors to socioeconomic differences in frailty among older adults. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 354-360.	2.0	47
98	Shortâ€”Term and Longâ€”Term Reproducibility of Hypertension Phenotypes Obtained by Office and Ambulatory Blood Pressure Measurements. <i>Journal of Clinical Hypertension</i> , 2016, 18, 927-933.	1.0	38
99	Mediterranean Diet and Health-Related Quality of Life in Two Cohorts of Community-Dwelling Older Adults. <i>PLoS ONE</i> , 2016, 11, e0151596.	1.1	41
100	Ambulatory Blood Pressures in Hypertensive Patients Treated With One Antihypertensive Agent: Differences Among Drug Classes and Among Drugs Belonging to the Same Class. <i>Journal of Clinical Hypertension</i> , 2015, 17, 857-865.	1.0	11
101	Habitual Chocolate Consumption and 24â€”Hour Blood Pressure Control in Older Adults with Hypertension. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 2637-2639.	1.3	0
102	Trends in Hypertension Control Among the Older Population of Spain From 2000 to 2001 to 2008 to 2010. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, 67-76.	0.9	29
103	Major dietary patterns and risk of frailty in older adults: a prospective cohort study. <i>BMC Medicine</i> , 2015, 13, 11.	2.3	141
104	Impact of Ambulatory Blood Pressure Monitoring on Control of Untreated, Undertreated, and Resistant Hypertension in Older People in Spain. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 668-673.	1.2	13
105	Impact of Ambulatory Blood Pressure Monitoring on Reclassification of Hypertension Prevalence and Control in Older People in Spain. <i>Journal of Clinical Hypertension</i> , 2015, 17, 453-461.	1.0	40
106	Ethnic Differences in the Degree of Morning Blood Pressure Surge and in Its Determinants Between Japanese and European Hypertensive Subjects. <i>Hypertension</i> , 2015, 66, 750-756.	1.3	96
107	Prevalence of white-coat and masked hypertension in national and international registries. <i>Hypertension Research</i> , 2015, 38, 1-7.	1.5	100
108	Low Rates of Both Lipid-Lowering Therapy Use and Achievement of Low-Density Lipoprotein Cholesterol Targets in Individuals at High-Risk for Cardiovascular Disease across Europe. <i>PLoS ONE</i> , 2015, 10, e0115270.	1.1	25

#	ARTICLE	IF	CITATIONS
109	Chocolate and Health-Related Quality of Life: A Prospective Study. PLoS ONE, 2015, 10, e0123161.	1.1	8
110	Blood pressure control and management of very elderly patients with hypertension in primary care settings in Spain. Hypertension Research, 2014, 37, 166-171.	1.5	13
111	Usefulness of ambulatory blood pressure monitoring (ABPM) in daily clinical practice: Data from the Spanish ABPM registry. Clinical and Experimental Pharmacology and Physiology, 2014, 41, 30-36.	0.9	8
112	Night-time heart rate cut-off point definition by resting office tachycardia in untreated hypertensive patients. Journal of Hypertension, 2014, 32, 1016-1024.	0.3	5
113	Cardiovascular-risk prediction and type of event. Journal of Hypertension, 2014, 32, 473-474.	0.3	1
114	The Burden of Blood-Pressure-Related Cardiovascular Mortality in Mexico. International Journal of Hypertension, 2014, 2014, 1-9.	0.5	5
115	Contribution of lifestyle factors to educational differences in abdominal obesity among the adult population. Clinical Nutrition, 2014, 33, 836-843.	2.3	10
116	Magnitude and Management of Metabolic Syndrome in Spain in 2008-2010: The ENRICA Study. Revista Espanola De Cardiologia (English Ed ), 2014, 67, 367-373.	0.4	36
117	High prevalence of masked uncontrolled hypertension in people with treated hypertension. European Heart Journal, 2014, 35, 3304-3312.	1.0	186
118	Nocturnal Hypertension or Nondipping: Which Is Better Associated With the Cardiovascular Risk Profile?. American Journal of Hypertension, 2014, 27, 680-687.	1.0	106
119	C-reactive protein levels in patients at cardiovascular risk: EURIKA study. BMC Cardiovascular Disorders, 2014, 14, 25.	0.7	40
120	Control de la glucemia de pacientes diabÃ©ticos en EspaÃ±a mediante objetivos individualizados: un estudio de base poblacional. Revista Espanola De Cardiologia, 2014, 67, 151-153.	0.6	4
121	Validity and Reproducibility of a Spanish Dietary History. PLoS ONE, 2014, 9, e86074.	1.1	141
122	Are we Evaluating Correctly the Risk Accompanying Blood Pressure? The Case of White Coat and Masked Hypertension and Blood Pressure Variability. Current Cardiovascular Risk Reports, 2013, 7, 431-432.	0.8	0
123	Differences Between Office and 24-Hour Blood Pressure Control in Hypertensive Patients With CKD: A 5,693-Patient Cross-sectional Analysis From Spain. American Journal of Kidney Diseases, 2013, 62, 285-294.	2.1	88
124	Achievement of lipoprotein goals among patients with metabolic syndrome at high cardiovascular risk across Europe. The EURIKA study. International Journal of Cardiology, 2013, 166, 210-214.	0.8	12
125	Cardiovascular Health in a Southern Mediterranean European Country. Circulation: Cardiovascular Quality and Outcomes, 2013, 6, 90-98.	0.9	75
126	Achievement of Cardiometabolic Goals among Diabetic Patients in Spain. A Nationwide Population-Based Study. PLoS ONE, 2013, 8, e61549.	1.1	30



#	ARTICLE	IF	CITATIONS
127	Achievement of Cardiometabolic Goals in Aware Hypertensive Patients in Spain. <i>Hypertension</i> , 2012, 60, 898-905.	1.3	125
128	Ambulatory blood pressure monitoring and development of cardiovascular events in high-risk patients included in the Spanish ABPM registry. <i>Journal of Hypertension</i> , 2012, 30, 713-719.	0.3	97
129	Dietary habits of the hypertensive population of Spain. <i>Journal of Hypertension</i> , 2012, 30, 1373-1382.	0.3	20
130	Clinical differences between resistant hypertensives and patients treated and controlled with three or less drugs. <i>Journal of Hypertension</i> , 2012, 30, 1211-1216.	0.3	122
131	Magnitude and Management of Hypercholesterolemia in the Adult Population of Spain, 2008-2010: The ENRICA Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012, 65, 551-558.	0.4	35
132	Knowledge of Stroke Warning Symptoms and Intended Action in Response to Stroke in Spain: A Nationwide Population-Based Study. <i>Cerebrovascular Diseases</i> , 2012, 34, 161-168.	0.8	49
133	Magnitud y manejo de la hipercolesterolemia en la población adulta de España, 2008-2010: el estudio ENRICA. <i>Revista Espanola De Cardiologia</i> , 2012, 65, 551-558.	0.6	127
134	The Diet of Diabetic Patients in Spain in 2008-2010: Accordance with the Main Dietary Recommendations? A Cross-Sectional Study. <i>PLoS ONE</i> , 2012, 7, e39454.	1.1	24
135	Clinical Features of 8295 Patients With Resistant Hypertension Classified on the Basis of Ambulatory Blood Pressure Monitoring. <i>Hypertension</i> , 2011, 57, 898-902.	1.3	696
136	Rationale and Methods of the Study on Nutrition and Cardiovascular Risk in Spain (ENRICA). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011, 64, 876-882.	0.4	45
137	Prevalence and incidence of hypertension in a population cohort of people aged 65 years or older in Spain. <i>Journal of Hypertension</i> , 2011, 29, 1863-1870.	0.3	20
138	Abnormalities in ambulatory blood pressure monitoring in hypertensive patients with diabetes. <i>Hypertension Research</i> , 2011, 34, 1185-1189.	1.5	45
139	Achievement of treatment goals for primary prevention of cardiovascular disease in clinical practice across Europe: the EURIKA study. <i>European Heart Journal</i> , 2011, 32, 2143-2152.	1.0	285
140	Response to Unmasking True Resistant Hypertension: Is the Real-World Resistance Just Revealed?. <i>Hypertension</i> , 2011, 58, .	1.3	0
141	Physician Perception of Blood Pressure Control and Treatment Behavior in High-Risk Hypertensive Patients: A Cross-Sectional Study. <i>PLoS ONE</i> , 2011, 6, e24569.	1.1	14
142	Change in health-related quality of life as a predictor of mortality in the older adults. <i>Quality of Life Research</i> , 2010, 19, 15-23.	1.5	76
143	Rationale and methods of the European Study on Cardiovascular Risk Prevention and Management in Daily Practice (EURIKA). <i>BMC Public Health</i> , 2010, 10, 382.	1.2	22
144	Respuesta al autor. <i>Medicina Clínica</i> , 2010, 134, 516-517.	0.3	0

#	ARTICLE	IF	CITATIONS
145	Socioeconomic Variation in the Magnitude of the Association between Self-Rated Health and Mortality. <i>Annals of Epidemiology</i> , 2010, 20, 395-400.	0.9	32
146	Isolated clinic hypertension: diagnostic criteria based on 24-h blood pressure definition. <i>Journal of Hypertension</i> , 2010, 28, 2407-2413.	0.3	9
147	Prevalence and Factors Associated With Circadian Blood Pressure Patterns in Hypertensive Patients. <i>Hypertension</i> , 2009, 53, 466-472.	1.3	312
148	Usual sleep duration and cognitive function in older adults in Spain. <i>Journal of Sleep Research</i> , 2009, 18, 427-435.	1.7	130
149	BMI, Waist Circumference, and Mortality According to Health Status in the Older Adult Population of Spain. <i>Obesity</i> , 2009, 17, 2232-2238.	1.5	42
150	Self-Reported Sleep Duration and Hypertension in Older Spanish Adults. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 663-668.	1.3	55
151	Self-Reported Adherence to Nonpharmacological Treatment and Association with Mortality over 6 Years: Population-Based Study in Older Persons with Hypercholesterolemia. <i>Journal of the American Geriatrics Society</i> , 2009, 57, 2287-2292.	1.3	1
152	Discrepancies between Office and Ambulatory Blood Pressure: Clinical Implications. <i>American Journal of Medicine</i> , 2009, 122, 1136-1141.	0.6	43
153	Prevalence, Geographic Distribution, and Geographic Variability of Major Cardiovascular Risk Factors in Spain. Pooled Analysis of Data From Population-Based Epidemiological Studies: The ERICE Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008, 61, 1030-1040.	0.4	28
154	Gender Differences in Office and Ambulatory Control of Hypertension. <i>American Journal of Medicine</i> , 2008, 121, 1078-1084.	0.6	31
155	Análisis crítico y propuestas de mejora de los sistemas de información sobre enfermedades cardiovasculares en España. <i>Medicina Clínica</i> , 2008, 131, 302-311.	0.3	18
156	Clinical characteristics of isolated clinic hypertension. <i>Journal of Hypertension</i> , 2008, 26, 438-445.	0.3	47
157	Sleep duration, general and abdominal obesity, and weight change among the older adult population of Spain. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 310-316.	2.2	135
158	Relationship between obesity, hypertension and diabetes, and health-related quality of life among the elderly. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 456-462.	3.1	83
159	Effectiveness of Blood Pressure Control Outside the Medical Setting. <i>Hypertension</i> , 2007, 49, 62-68.	1.3	173
160	Ambulatory blood pressure monitoring in hypertensive patients with high cardiovascular risk: a cross-sectional analysis of a 20 000-patient database in Spain. <i>Journal of Hypertension</i> , 2007, 25, 977-984.	0.3	102
161	Evolution of blood pressure control in Spain. <i>Journal of Hypertension</i> , 2007, 25, 1975-1977.	0.3	37
162	Functional status and use of health care services: Longitudinal study on the older adult population in Spain. <i>Maturitas</i> , 2007, 58, 377-386.	1.0	26

#	ARTICLE	IF	CITATIONS
163	EpidemiologÃa de la Diabetes en EspaÃ±a. Pharmacoconomics - Spanish Research Articles, 2007, 4, 3-9.	0.0	0
164	Waist Circumference as a Predictor of Disability among Older Adults. Obesity, 2007, 15, 233-233.	1.5	103
165	Cardiovascular risk in clinical decision making. Current Hypertension Reports, 2007, 9, 339-341.	1.5	2
166	Control of High Blood Pressure in Primary Health Care. American Journal of Hypertension, 2006, 19, 146-146.	1.0	6
167	Association Between Awareness, Treatment, and Control of Hypertension, and Quality of Life Among Older Adults in Spain. American Journal of Hypertension, 2006, 19, 686-693.	1.0	45
168	SituaciÃ³n epidemiolÃ³gica de la insuficiencia cardiaca en EspaÃ±a. Revista Espanola De Cardiologia Suplementos, 2006, 6, 4C-9C.	0.2	21
169	EpidemiologÃa de las enfermedades cardiovasculares en EspaÃ±a. Revista Espanola De Cardiologia Suplementos, 2006, 6, 3G-12G.	0.2	23
170	Gender differences in the utilization of health-care services among the older adult population of Spain. BMC Public Health, 2006, 6, 155.	1.2	279
171	Association of adult socioeconomic position with hypertension in older people. Journal of Epidemiology and Community Health, 2006, 60, 74-80.	2.0	18
172	Relationship of BMI, Waist Circumference, and Weight Change with Use of Health Services by Older Adults. Obesity, 2005, 13, 1398-1404.	4.0	33
173	Differences in quality of life between women and men in the older population of Spain. Social Science and Medicine, 2005, 60, 1229-1240.	1.8	73
174	Health-Related Quality of Life as a Predictor of Hospital Readmission and Death Among Patients With Heart Failure. Archives of Internal Medicine, 2005, 165, 1274.	4.3	251
175	Relationship Between Social Network and Hypertension in Older People in Spain. Revista Espanola De Cardiologia (English Ed ), 2005, 58, 1294-1301.	0.4	10
176	Blood Pressure Control and Physician Management of Hypertension in Hospital Hypertension Units in Spain. Hypertension, 2004, 43, 1338-1344.	1.3	183
177	Prevalence of Overweight and Obesity in Elderly People in Spain. Obesity, 2004, 12, 710-715.	4.0	176
178	Number needed to treat to gain one controlled hypertensive. Current Hypertension Reports, 2004, 6, 75-76.	1.5	1
179	Hypertension Treatment and Control in Five European Countries, Canada, and the United States. Hypertension, 2004, 43, 10-17.	1.3	944
180	Effectiveness and equity of serum cholesterol and blood pressure testing: a population-based study in Spain. Preventive Medicine, 2003, 37, 82-91.	1.6	14

#	ARTICLE	IF	CITATIONS
181	Hypertension Prevalence and Blood Pressure Levels in 6 European Countries, Canada, and the United States. JAMA - Journal of the American Medical Association, 2003, 289, 2363.	3.8	1,460
182	Hypertension magnitude and management in the elderly population of Spain. Journal of Hypertension, 2002, 20, 2157-2164.	0.3	217
183	Assessment of a blood pressure measurement training programme for lay observers. Blood Pressure Monitoring, 2002, 7, 251-257.	0.4	20
184	Adult men born in spring have lower blood pressure. Journal of Hypertension, 2000, 18, 1763-1766.	0.3	22
185	Association of Moderate Consumption of Alcohol With Rates of Heavy Drinking and Abstinence in Spain. Alcoholism: Clinical and Experimental Research, 1999, 23, 1502-1506.	1.4	9
186	Number-needed-to-treat to prevent one death. Lancet, The, 1998, 351, 1365.	6.3	6
187	Food supply versus household survey data: Nutrient consumption trends for Spain, 1958-1988. European Journal of Epidemiology, 1996, 12, 367-371.	2.5	16