

Jos Ramn Banegas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/551805/jose-ramon-banegas-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

9,789
citations

44
h-index

96
g-index

217
ext. papers

12,128
ext. citations

4.9
avg, IF

5.78
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 174 | Associations of device-measured sleep, sedentariness and physical activity with growth differentiation factor 15 in older adults.. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022 , | 10.3 | 1 |
| 173 | Twenty-Four-Hour Central (Aortic) Systolic Blood Pressure: Reference Values and Dipping Patterns in Untreated Individuals. <i>Hypertension</i> , 2022 , 79, 251-260 | 8.5 | 2 |
| 172 | Alcohol consumption patterns and unhealthy aging among older lifetime drinkers from Spain.. <i>Drug and Alcohol Dependence</i> , 2022 , 235, 109444 | 4.9 | 0 |
| 171 | Objectively measured secondhand tobacco smoke and cognitive impairment in disability-free older adults.. <i>Environmental Research</i> , 2022 , 113352 | 7.9 | 0 |
| 170 | Cadmium exposure and growth differentiation factor-15 (GDF-15) levels in non-smoking older adults. <i>Environmental Research</i> , 2021 , 206, 112250 | 7.9 | 0 |
| 169 | Healthy dietary patterns are associated with lower concentrations of growth differentiation factor 15 in older adults. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1619-1626 | 7 | 1 |
| 168 | High Consumption of Ultra-Processed Food is Associated with Incident Dyslipidemia: A Prospective Study of Older Adults. <i>Journal of Nutrition</i> , 2021 , 151, 2390-2398 | 4.1 | 4 |
| 167 | Changes in Health Behaviors, Mental and Physical Health among Older Adults under Severe Lockdown Restrictions during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 15 |
| 166 | General and central obesity operate differently as predictors of falls requiring medical care in older women: a population-based cohort study in Spain. <i>Age and Ageing</i> , 2021 , 50, 213-219 | 3 | 2 |
| 165 | Ultra-Processed Food Consumption is Associated with Renal Function Decline in Older Adults: A Prospective Cohort Study. <i>Nutrients</i> , 2021 , 13, | 6.7 | 5 |
| 164 | Association of Cooking Patterns with Inflammatory and Cardio-Metabolic Risk Biomarkers. <i>Nutrients</i> , 2021 , 13, | 6.7 | 1 |
| 163 | Five-color Nutri-Score labeling and mortality risk in a nationwide, population-based cohort in Spain: the Study on Nutrition and Cardiovascular Risk in Spain (ENRICA). <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 1301-1311 | 7 | 1 |
| 162 | A Higher Intake of Energy at Dinner Is Associated with Incident Metabolic Syndrome: A Prospective Cohort Study in Older Adults. <i>Nutrients</i> , 2021 , 13, | 6.7 | 5 |
| 161 | Prevalence of office and ambulatory hypotension in treated hypertensive patients with coronary disease. <i>Hypertension Research</i> , 2020 , 43, 696-704 | 4.7 | 3 |
| 160 | Health Decline Is Associated with Reports of No Coffee Consumption Years After Reporting Coffee Consumption Among Older Adults in Spain. <i>Journal of Nutrition</i> , 2020 , 150, 1916-1923 | 4.1 | |
| 159 | How do ultrafine particles in urban air affect ambulatory blood pressure?. <i>Journal of Hypertension</i> , 2020 , 38, 845-849 | 1.9 | 1 |
| 158 | Prognostic Relevance of Short-Term Blood Pressure Variability: The Spanish ABPM Registry. <i>Hypertension</i> , 2020 , HYPERTENSIONAHA11914508 | 8.5 | 1 |

| | | | |
|-----|---|------|-----|
| 157 | Dairy consumption and risk of falls in 2 European cohorts of older adults. <i>Clinical Nutrition</i> , 2020 , 39, 3140-3146 | 5.9 | 1 |
| 156 | Combined Impact of Traditional and Nontraditional Healthy Behaviors on Frailty and Disability: A Prospective Cohort Study of Older Adults. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 710.e1-710.e9 | 5.9 | 4 |
| 155 | Behavioural cardiovascular risk factors and prevalence of diabetes in subjects with familial hypercholesterolaemia. <i>European Journal of Preventive Cardiology</i> , 2020 , 27, 1649-1660 | 3.9 | 4 |
| 154 | Rigidez arterial y valores de referencia. <i>Revista Espanola De Cardiologia</i> , 2020 , 73, 11-13 | 1.5 | 1 |
| 153 | Twenty four-hour activity cycle in older adults using wrist-worn accelerometers: The seniors-ENRICA-2 study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020 , 30, 700-708 | 4.6 | 13 |
| 152 | Ultra-Processed Food Consumption Is Associated with Abdominal Obesity: A Prospective Cohort Study in Older Adults. <i>Nutrients</i> , 2020 , 12, | 6.7 | 15 |
| 151 | The inflammatory potential of diet is related to incident frailty and slow walking in older adults. <i>Clinical Nutrition</i> , 2020 , 39, 185-191 | 5.9 | 16 |
| 150 | Gender Differences in Pain Risk in Old Age: Magnitude and Contributors. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 1707-1717 | 6.4 | 8 |
| 149 | Dietary n-3 polyunsaturated fatty acids, fish intake and healthy ageing. <i>International Journal of Epidemiology</i> , 2019 , 48, 1914-1924 | 7.8 | 11 |
| 148 | Frequency and Prognosis of Treated Hypertensive Patients According to Prior and New Blood Pressure Goals. <i>Hypertension</i> , 2019 , 74, 130-136 | 8.5 | 9 |
| 147 | Association between sleep characteristics and antihypertensive treatment in older adults. <i>Geriatrics and Gerontology International</i> , 2019 , 19, 537-540 | 2.9 | 3 |
| 146 | Alcohol consumption and all-cause mortality in older adults in Spain: an analysis accounting for the main methodological issues. <i>Addiction</i> , 2019 , 114, 59-68 | 4.6 | 17 |
| 145 | Prospective Association Between Nut Consumption and Physical Function in Older Men and Women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1091-1097 | 6.4 | 14 |
| 144 | Consumption of Ultra-Processed Foods and Mortality: A National Prospective Cohort in Spain. <i>Mayo Clinic Proceedings</i> , 2019 , 94, 2178-2188 | 6.4 | 72 |
| 143 | Impact of the European and American guidelines on hypertension prevalence, treatment, and cardiometabolic goals. <i>Journal of Hypertension</i> , 2019 , 37, 1393-1400 | 1.9 | 19 |
| 142 | Protein Intake and Risk of Falls: A Prospective Analysis in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2019 , 67, 329-335 | 5.6 | 3 |
| 141 | Blood pressure variability increases with advancing chronic kidney disease stage: a cross-sectional analysis of 16 546 hypertensive patients. <i>Journal of Hypertension</i> , 2018 , 36, 1076-1085 | 1.9 | 41 |
| 140 | Relationship between Clinic and Ambulatory Blood-Pressure Measurements and Mortality. <i>New England Journal of Medicine</i> , 2018 , 378, 1509-1520 | 59.2 | 327 |

| | | | |
|-----|---|------|----|
| 139 | Prospective association between added sugars and frailty in older adults. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 772-779 | 7 | 13 |
| 138 | Knowledge, availability, and use of ambulatory and home blood pressure monitoring in primary care in Spain: the MAMPA study. <i>Journal of Hypertension</i> , 2018 , 36, 1051-1058 | 1.9 | 9 |
| 137 | Serum uric acid levels are associated with cardiovascular risk score: A post hoc analysis of the EURIKA study. <i>International Journal of Cardiology</i> , 2018 , 253, 167-173 | 3.2 | 32 |
| 136 | Frailty, Disability, and Ambulatory Blood Pressure in Older Adults. <i>Journal of the American Medical Directors Association</i> , 2018 , 19, 433-438 | 5.9 | 15 |
| 135 | White-coat UnControlled Hypertension, Masked UnControlled Hypertension, and True UnControlled Hypertension, phonetic and mnemonic terms for treated hypertension phenotypes. <i>Journal of Hypertension</i> , 2018 , 36, 446-447 | 1.9 | 6 |
| 134 | Consumption of meat in relation to physical functioning in the Seniors-ENRICA cohort. <i>BMC Medicine</i> , 2018 , 16, 50 | 11.4 | 17 |
| 133 | Prevalence of Masked Hypertension in Untreated and Treated Patients With Office Blood Pressure Below 130/80 mm Hg. <i>Circulation</i> , 2018 , 137, 2651-2653 | 16.7 | 25 |
| 132 | Antihypertensive drug use in resistant and nonresistant hypertension and in controlled and uncontrolled resistant hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 1563-1570 | 1.9 | 2 |
| 131 | LDL Cholesterol Rises With BMI Only in Lean Individuals: Cross-sectional U.S. and Spanish Representative Data. <i>Diabetes Care</i> , 2018 , 41, 2195-2201 | 14.6 | 17 |
| 130 | Low vitamin intake is associated with risk of frailty in older adults. <i>Age and Ageing</i> , 2018 , 47, 872-879 | 3 | 23 |
| 129 | A healthy lifestyle attenuates the effect of polypharmacy on total and cardiovascular mortality: a national prospective cohort study. <i>Scientific Reports</i> , 2018 , 8, 12615 | 4.9 | 15 |
| 128 | Velocidad de la onda de pulso y presión arterial central: valores normales y de referencia en personas mayores en España. <i>Revista Espanola De Cardiologia</i> , 2018 , 71, 1084-1086 | 1.5 | 4 |
| 127 | Chronic kidney disease in Spain: Prevalence and impact of accumulation of cardiovascular risk factors. <i>Nefrologia</i> , 2018 , 38, 606-615 | 1.5 | 40 |
| 126 | Pulse Wave Velocity and Central Blood Pressure: Normal and Reference Values in Older People in Spain. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2018 , 71, 1084-1086 | 0.7 | 2 |
| 125 | Hypertension in Latin/Hispanic Population 2018 , 15-20 | | 0 |
| 124 | Chronic kidney disease in Spain: Prevalence and impact of accumulation of cardiovascular risk factors. <i>Nefrologia</i> , 2018 , 38, 606-615 | 0.4 | 13 |
| 123 | Prognostic Value of Masked Uncontrolled Hypertension. <i>Hypertension</i> , 2018 , 72, 862-869 | 8.5 | 61 |
| 122 | Ambulatory Blood Pressure and Mortality. <i>New England Journal of Medicine</i> , 2018 , 379, 1287-8 | 59.2 | 4 |

| | | | |
|-----|--|------|------|
| 121 | Physical Activity and Association Between Frailty and All-Cause and Cardiovascular Mortality in Older Adults: Population-Based Prospective Cohort Study. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2097-2103 | 5.6 | 23 |
| 120 | Association of Dairy Consumption and 24-Hour Blood Pressure in Older Adults with Hypertension. <i>American Journal of Medicine</i> , 2018 , 131, 1238-1249 | 2.4 | 4 |
| 119 | Magnitude of Hypotension Based on Office and Ambulatory Blood Pressure Monitoring: Results From a Cohort of 5066 Treated Hypertensive Patients Aged 80 Years and Older. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 452.e1-452.e6 | 5.9 | 21 |
| 118 | Short-term variability and nocturnal decline in ambulatory blood pressure in normotension, white-coat hypertension, masked hypertension and sustained hypertension: a population-based study of older individuals in Spain. <i>Hypertension Research</i> , 2017 , 40, 613-619 | 4.7 | 13 |
| 117 | Has the SPRINT trial introduced a new blood-pressure goal in hypertension?. <i>Nature Reviews Cardiology</i> , 2017 , 14, 560-566 | 14.8 | 11 |
| 116 | 24-h pulse pressure cutoff point definition by office pulse pressure in a population of Spanish older hypertensive patients. <i>Journal of Hypertension</i> , 2017 , 35, 1011-1018 | 1.9 | 4 |
| 115 | Birth month, a simple demographic indicator of early environmental exposures and risk of chronic diseases. <i>Medicina Clínica (English Edition)</i> , 2017 , 148, 498-500 | 0.3 | |
| 114 | Clinic Versus Daytime Ambulatory Blood Pressure Difference in Hypertensive Patients: The Impact of Age and Clinic Blood Pressure. <i>Hypertension</i> , 2017 , 69, 211-219 | 8.5 | 20 |
| 113 | The Strong Heart Study: adding biological plausibility to the red meat-cardiovascular disease association. <i>Journal of Hypertension</i> , 2017 , 35, 1782-1784 | 1.9 | 2 |
| 112 | Lack of association between passive smoking and blood pressure, lipids, and fasting glucose. <i>Journal of Hypertension</i> , 2017 , 35, 1952-1954 | 1.9 | 1 |
| 111 | Prevalence and clinical characteristics of white-coat hypertension based on different definition criteria in untreated and treated patients. <i>Journal of Hypertension</i> , 2017 , 35, 2388-2394 | 1.9 | 28 |
| 110 | Electronic clinical decision support system and multifactorial risk factor control in patients with type 2 diabetes in primary health care. <i>European Journal of Internal Medicine</i> , 2017 , 44, e35-e37 | 3.9 | 1 |
| 109 | Combined Healthy Behaviors and Healthcare Services Use in Older Adults. <i>American Journal of Preventive Medicine</i> , 2017 , 53, 872-881 | 6.1 | 11 |
| 108 | Prevalence and Clinical Characteristics of Refractory Hypertension. <i>Journal of the American Heart Association</i> , 2017 , 6, | 6 | 34 |
| 107 | Prevalence and treatment of atherogenic dyslipidemia in the primary prevention of cardiovascular disease in Europe: EURIKA, a cross-sectional observational study. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 160 | 2.3 | 48 |
| 106 | Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 1911 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55 | 40 | 1100 |
| 105 | Changes in physical activity and cardiovascular mortality in older adults. <i>Journal of Geriatric Cardiology</i> , 2017 , 14, 280-281 | 1.7 | 12 |
| 104 | Association Between High and Very High Albuminuria and Nighttime Blood Pressure: Influence of Diabetes and Chronic Kidney Disease. <i>Diabetes Care</i> , 2016 , 39, 1729-37 | 14.6 | 17 |

| | | | |
|-----|---|------|-----|
| 103 | Office and ambulatory blood pressure control in hypertensive patients treated with different two-drug and three-drug combinations. <i>Clinical and Experimental Hypertension</i> , 2016 , 38, 409-14 | 2.2 | 0 |
| 102 | The short-term association of road traffic noise with cardiovascular, respiratory, and diabetes-related mortality. <i>Environmental Research</i> , 2016 , 150, 383-390 | 7.9 | 43 |
| 101 | Ambulatory blood pressure in hypertensive patients with inclusion criteria for the SPRINT trial. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 947-953.e5 | | 19 |
| 100 | Road traffic noise effects on cardiovascular, respiratory, and metabolic health: An integrative model of biological mechanisms. <i>Environmental Research</i> , 2016 , 146, 359-70 | 7.9 | 165 |
| 99 | Contribution of health behaviours and clinical factors to socioeconomic differences in frailty among older adults. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 354-60 | 5.1 | 31 |
| 98 | Short-Term and Long-Term Reproducibility of Hypertension Phenotypes Obtained by Office and Ambulatory Blood Pressure Measurements. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 927-33 | 2.3 | 26 |
| 97 | Mediterranean Diet and Health-Related Quality of Life in Two Cohorts of Community-Dwelling Older Adults. <i>PLoS ONE</i> , 2016 , 11, e0151596 | 3.7 | 32 |
| 96 | Unhealthy eating behaviors and weight gain: A prospective study in young and middle-age adults. <i>Obesity</i> , 2016 , 24, 1178-84 | 8 | 13 |
| 95 | Hypotension based on office and ambulatory monitoring blood pressure. Prevalence and clinical profile among a cohort of 70,997 treated hypertensives. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 714-23 | | 20 |
| 94 | Social support and ambulatory blood pressure in older people. <i>Journal of Hypertension</i> , 2016 , 34, 2045-52.9 | | 8 |
| 93 | The association between blood pressure and lipid levels in Europe: European Study on Cardiovascular Risk Prevention and Management in Usual Daily Practice. <i>Journal of Hypertension</i> , 2016 , 34, 2155-63 | 1.9 | 15 |
| 92 | Habitual coffee consumption and 24-h blood pressure control in older adults with hypertension. <i>Clinical Nutrition</i> , 2016 , 35, 1457-1463 | 5.9 | 23 |
| 91 | Lack of control of hypertension in primary cardiovascular disease prevention in Europe: Results from the EURIKA study. <i>International Journal of Cardiology</i> , 2016 , 218, 83-88 | 3.2 | 51 |
| 90 | Ideal Cardiovascular Health and Risk of Frailty in Older Adults. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016 , 9, 239-45 | 5.8 | 20 |
| 89 | Ambulatory blood pressure monitoring in daily clinical practice - the Spanish ABPM Registry experience. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 92-8 | 4.6 | 24 |
| 88 | Major dietary patterns and risk of frailty in older adults: a prospective cohort study. <i>BMC Medicine</i> , 2015 , 13, 11 | 11.4 | 95 |
| 87 | Impact of Ambulatory Blood Pressure Monitoring on Control of Untreated, Undertreated, and Resistant Hypertension in Older People in Spain. <i>Journal of the American Medical Directors Association</i> , 2015 , 16, 668-73 | 5.9 | 8 |
| 86 | Impact of Ambulatory Blood Pressure Monitoring on Reclassification of Hypertension Prevalence and Control in Older People in Spain. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 453-61 | 2.3 | 27 |

| | | | |
|----|---|-----|-----|
| 85 | Ethnic differences in the degree of morning blood pressure surge and in its determinants between Japanese and European hypertensive subjects: data from the ARTEMIS study. <i>Hypertension</i> , 2015 , 66, 750-6 | 8.5 | 69 |
| 84 | Prevalence of white-coat and masked hypertension in national and international registries. <i>Hypertension Research</i> , 2015 , 38, 1-7 | 4.7 | 72 |
| 83 | Ambulatory Blood Pressures in Hypertensive Patients Treated With One Antihypertensive Agent: Differences Among Drug Classes and Among Drugs Belonging to the Same Class. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 857-65 | 2.3 | 7 |
| 82 | Habitual Chocolate Consumption and 24-Hour Blood Pressure Control in Older Adults with Hypertension. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 2637-2639 | 5.6 | |
| 81 | Trends in hypertension control among the older population of Spain from 2000 to 2001 to 2008 to 2010: role of frequency and intensity of drug treatment. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015 , 8, 67-76 | 5.8 | 15 |
| 80 | Low rates of both lipid-lowering therapy use and achievement of low-density lipoprotein cholesterol targets in individuals at high-risk for cardiovascular disease across Europe. <i>PLoS ONE</i> , 2015 , 10, e0115270 | 3.7 | 21 |
| 79 | Chocolate and health-related quality of life: a prospective study. <i>PLoS ONE</i> , 2015 , 10, e0123161 | 3.7 | 4 |
| 78 | Magnitude and management of metabolic syndrome in Spain in 2008-2010: the ENRICA study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014 , 67, 367-73 | 0.7 | 22 |
| 77 | High prevalence of masked uncontrolled hypertension in people with treated hypertension. <i>European Heart Journal</i> , 2014 , 35, 3304-12 | 9.5 | 132 |
| 76 | Nocturnal hypertension or nondipping: which is better associated with the cardiovascular risk profile?. <i>American Journal of Hypertension</i> , 2014 , 27, 680-7 | 2.3 | 78 |
| 75 | C-reactive protein levels in patients at cardiovascular risk: EURIKA study. <i>BMC Cardiovascular Disorders</i> , 2014 , 14, 25 | 2.3 | 34 |
| 74 | Control de la glucemia de pacientes diabéticos en España mediante objetivos individualizados: un estudio de base poblacional. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 151-153 | 1.5 | 3 |
| 73 | Blood pressure control and management of very elderly patients with hypertension in primary care settings in Spain. <i>Hypertension Research</i> , 2014 , 37, 166-71 | 4.7 | 10 |
| 72 | Usefulness of ambulatory blood pressure monitoring (ABPM) in daily clinical practice: Data from the Spanish ABPM registry. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014 , 41, 30-6 | 3 | 7 |
| 71 | Night-time heart rate cut-off point definition by resting office tachycardia in untreated hypertensive patients: data of the Spanish ABPM registry. <i>Journal of Hypertension</i> , 2014 , 32, 1016-24; discussion 1024 | 1.9 | 5 |
| 70 | The burden of blood-pressure-related cardiovascular mortality in Mexico. <i>International Journal of Hypertension</i> , 2014 , 2014, 427684 | 2.4 | 2 |
| 69 | Contribution of lifestyle factors to educational differences in abdominal obesity among the adult population. <i>Clinical Nutrition</i> , 2014 , 33, 836-43 | 5.9 | 8 |
| 68 | Magnitud y manejo del síndrome metabólico en España en 2008-2010: Estudio ENRICA. <i>Revista Espanola De Cardiologia</i> , 2014 , 67, 367-373 | 1.5 | 49 |

| | | | |
|----|---|-----|-----|
| 67 | Validity and reproducibility of a Spanish dietary history. <i>PLoS ONE</i> , 2014 , 9, e86074 | 3.7 | 100 |
| 66 | Are we Evaluating Correctly the Risk Accompanying Blood Pressure? The Case of White Coat and Masked Hypertension and Blood Pressure Variability. <i>Current Cardiovascular Risk Reports</i> , 2013 , 7, 431-432 ⁹ | 3.7 | 92 |
| 65 | Differences between office and 24-hour blood pressure control in hypertensive patients with CKD: A 5,693-patient cross-sectional analysis from Spain. <i>American Journal of Kidney Diseases</i> , 2013 , 62, 285-94 | 7.4 | 72 |
| 64 | Achievement of lipoprotein goals among patients with metabolic syndrome at high cardiovascular risk across Europe. The EURIKA study. <i>International Journal of Cardiology</i> , 2013 , 166, 210-4 | 3.2 | 8 |
| 63 | Cardiovascular health in a southern Mediterranean European country: a nationwide population-based study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2013 , 6, 90-8 | 5.8 | 60 |
| 62 | Achievement of cardiometabolic goals among diabetic patients in Spain. A nationwide population-based study. <i>PLoS ONE</i> , 2013 , 8, e61549 | 3.7 | 23 |
| 61 | Magnitude and Management of Hypercholesterolemia in the Adult Population of Spain, 2008-2010: The ENRICA Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2012 , 65, 551-558 | 0.7 | 2 |
| 60 | Knowledge of stroke warning symptoms and intended action in response to stroke in Spain: a nationwide population-based study. <i>Cerebrovascular Diseases</i> , 2012 , 34, 161-8 | 3.2 | 41 |
| 59 | Magnitude and management of hypercholesterolemia in the adult population of Spain, 2008-2010: The ENRICA Study. <i>Revista Espanola De Cardiologia</i> , 2012 , 65, 551-8 | 1.5 | 92 |
| 58 | Achievement of cardiometabolic goals in aware hypertensive patients in Spain: a nationwide population-based study. <i>Hypertension</i> , 2012 , 60, 898-905 | 8.5 | 86 |
| 57 | Ambulatory blood pressure monitoring and development of cardiovascular events in high-risk patients included in the Spanish ABPM registry: the CARDIORISC Event study. <i>Journal of Hypertension</i> , 2012 , 30, 713-9 | 1.9 | 74 |
| 56 | Dietary habits of the hypertensive population of Spain: accordance with the DASH diet and the Mediterranean diet. <i>Journal of Hypertension</i> , 2012 , 30, 1373-82 | 1.9 | 15 |
| 55 | Clinical differences between resistant hypertensives and patients treated and controlled with three or less drugs. <i>Journal of Hypertension</i> , 2012 , 30, 1211-6 | 1.9 | 108 |
| 54 | The diet of diabetic patients in Spain in 2008-2010: accordance with the main dietary recommendations--a cross-sectional study. <i>PLoS ONE</i> , 2012 , 7, e39454 | 3.7 | 18 |
| 53 | Rationale and Methods of the Study on Nutrition and Cardiovascular Risk in Spain (ENRICA). <i>Revista Espanola De Cardiologia (English Ed)</i> , 2011 , 64, 876-882 | 0.7 | 9 |
| 52 | Prevalence and incidence of hypertension in a population cohort of people aged 65 years or older in Spain. <i>Journal of Hypertension</i> , 2011 , 29, 1863-70 | 1.9 | 15 |
| 51 | Clinical features of 8295 patients with resistant hypertension classified on the basis of ambulatory blood pressure monitoring. <i>Hypertension</i> , 2011 , 57, 898-902 | 8.5 | 547 |
| 50 | Abnormalities in ambulatory blood pressure monitoring in hypertensive patients with diabetes. <i>Hypertension Research</i> , 2011 , 34, 1185-9 | 4.7 | 35 |

| | | | |
|----|--|-----|-----|
| 49 | Achievement of treatment goals for primary prevention of cardiovascular disease in clinical practice across Europe: the EURIKA study. <i>European Heart Journal</i> , 2011 , 32, 2143-52 | 9.5 | 197 |
| 48 | Physician perception of blood pressure control and treatment behavior in high-risk hypertensive patients: a cross-sectional study. <i>PLoS ONE</i> , 2011 , 6, e24569 | 3.7 | 11 |
| 47 | Respuesta al autor. <i>Medicina Clínica</i> , 2010 , 134, 516-517 | 1 | |
| 46 | Socioeconomic variation in the magnitude of the association between self-rated health and mortality. <i>Annals of Epidemiology</i> , 2010 , 20, 395-400 | 6.4 | 25 |
| 45 | Change in health-related quality of life as a predictor of mortality in the older adults. <i>Quality of Life Research</i> , 2010 , 19, 15-23 | 3.7 | 61 |
| 44 | Rationale and methods of the European Study on Cardiovascular Risk Prevention and Management in Daily Practice (EURIKA). <i>BMC Public Health</i> , 2010 , 10, 382 | 4.1 | 21 |
| 43 | Isolated clinic hypertension: diagnostic criteria based on 24-h blood pressure definition. <i>Journal of Hypertension</i> , 2010 , 28, 2407-13 | 1.9 | 8 |
| 42 | Prevalence and factors associated with circadian blood pressure patterns in hypertensive patients. <i>Hypertension</i> , 2009 , 53, 466-72 | 8.5 | 270 |
| 41 | Usual sleep duration and cognitive function in older adults in Spain. <i>Journal of Sleep Research</i> , 2009 , 18, 427-35 | 5.8 | 94 |
| 40 | BMI, waist circumference, and mortality according to health status in the older adult population of Spain. <i>Obesity</i> , 2009 , 17, 2232-8 | 8 | 34 |
| 39 | Self-reported sleep duration and hypertension in older Spanish adults. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 663-8 | 5.6 | 50 |
| 38 | Self-reported adherence to nonpharmacological treatment and association with mortality over 6 years: population-based study in older persons with hypercholesterolemia. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2287-92 | 5.6 | 1 |
| 37 | Discrepancies between office and ambulatory blood pressure: clinical implications. <i>American Journal of Medicine</i> , 2009 , 122, 1136-41 | 2.4 | 37 |
| 36 | Prevalencia, distribución y variabilidad geográfica de los principales factores de riesgo cardiovascular en España. Análisis agrupado de datos individuales de estudios epidemiológicos poblacionales: estudio ERICE. <i>Revista Espanola De Cardiologia</i> , 2008 , 61, 1030-1040 | 1.5 | 83 |
| 35 | Prevalence, Geographic Distribution, and Geographic Variability of Major Cardiovascular Risk Factors in Spain. Pooled Analysis of Data From Population-Based Epidemiological Studies: The ERICE Study. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2008 , 61, 1030-1040 | 0.7 | 2 |
| 34 | Gender differences in office and ambulatory control of hypertension. <i>American Journal of Medicine</i> , 2008 , 121, 1078-84 | 2.4 | 26 |
| 33 | Análisis crítico y propuestas de mejora de los sistemas de información sobre enfermedades cardiovasculares en España. <i>Medicina Clínica</i> , 2008 , 131, 302-311 | 1 | 14 |
| 32 | Clinical characteristics of isolated clinic hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 438-45 | 1.9 | 37 |

| | | | |
|----|--|-----|-----|
| 31 | Sleep duration, general and abdominal obesity, and weight change among the older adult population of Spain. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 310-6 | 7 | 116 |
| 30 | Epidemiología de la Diabetes en España. <i>Pharmacoeconomics - Spanish Research Articles</i> , 2007 , 4, 3-9 | | |
| 29 | Waist circumference as a predictor of disability among older adults. <i>Obesity</i> , 2007 , 15, 233-44 | 8 | 92 |
| 28 | Relationship between obesity, hypertension and diabetes, and health-related quality of life among the elderly. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14, 456-62 | | 68 |
| 27 | Effectiveness of blood pressure control outside the medical setting. <i>Hypertension</i> , 2007 , 49, 62-8 | 8.5 | 142 |
| 26 | Ambulatory blood pressure monitoring in hypertensive patients with high cardiovascular risk: a cross-sectional analysis of a 20,000-patient database in Spain. <i>Journal of Hypertension</i> , 2007 , 25, 977-84 | 1.9 | 85 |
| 25 | Evolution of blood pressure control in Spain. <i>Journal of Hypertension</i> , 2007 , 25, 1975-7 | 1.9 | 28 |
| 24 | Functional status and use of health care services: longitudinal study on the older adult population in Spain. <i>Maturitas</i> , 2007 , 58, 377-86 | 5 | 20 |
| 23 | Situación epidemiológica de la insuficiencia cardiaca en España. <i>Revista Espanola De Cardiologia Suplementos</i> , 2006 , 6, 4C-9C | 0.2 | |
| 22 | Epidemiología de las enfermedades cardiovasculares en España. <i>Revista Espanola De Cardiologia Suplementos</i> , 2006 , 6, 3G-12G | 0.2 | 1 |
| 21 | Gender differences in the utilization of health-care services among the older adult population of Spain. <i>BMC Public Health</i> , 2006 , 6, 155 | 4.1 | 188 |
| 20 | Association of adult socioeconomic position with hypertension in older people. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 74-80 | 5.1 | 14 |
| 19 | Control of high blood pressure in primary health care. <i>American Journal of Hypertension</i> , 2006 , 19, 146 | 2.3 | 5 |
| 18 | Association between awareness, treatment, and control of hypertension, and quality of life among older adults in Spain. <i>American Journal of Hypertension</i> , 2006 , 19, 686-93 | 2.3 | 37 |
| 17 | Health-related quality of life as a predictor of hospital readmission and death among patients with heart failure. <i>Archives of Internal Medicine</i> , 2005 , 165, 1274-9 | | 205 |
| 16 | Relación entre la red social y la hipertensión arterial en los ancianos españoles. <i>Revista Espanola De Cardiologia</i> , 2005 , 58, 1294-1301 | 1.5 | 12 |
| 15 | Relationship Between Social Network and Hypertension in Older People in Spain. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2005 , 58, 1294-1301 | 0.7 | 3 |
| 14 | Relationship of BMI, waist circumference, and weight change with use of health services by older adults. <i>Obesity</i> , 2005 , 13, 1398-404 | | 29 |

| | | | |
|----|---|------|------|
| 13 | Differences in quality of life between women and men in the older population of Spain. <i>Social Science and Medicine</i> , 2005 , 60, 1229-40 | 5.1 | 62 |
| 12 | Blood pressure control and physician management of hypertension in hospital hypertension units in Spain. <i>Hypertension</i> , 2004 , 43, 1338-44 | 8.5 | 129 |
| 11 | Prevalence of overweight and obesity in elderly people in Spain. <i>Obesity</i> , 2004 , 12, 710-5 | | 130 |
| 10 | Number needed to treat to gain one controlled hypertensive. <i>Current Hypertension Reports</i> , 2004 , 6, 75-6 | 4.7 | 1 |
| 9 | Hypertension treatment and control in five European countries, Canada, and the United States. <i>Hypertension</i> , 2004 , 43, 10-7 | 8.5 | 814 |
| 8 | Effectiveness and equity of serum cholesterol and blood pressure testing: a population-based study in Spain. <i>Preventive Medicine</i> , 2003 , 37, 82-91 | 4.3 | 12 |
| 7 | Hypertension prevalence and blood pressure levels in 6 European countries, Canada, and the United States. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 289, 2363-9 | 27.4 | 1153 |
| 6 | Hypertension magnitude and management in the elderly population of Spain. <i>Journal of Hypertension</i> , 2002 , 20, 2157-64 | 1.9 | 151 |
| 5 | Assessment of a blood pressure measurement training programme for lay observers. <i>Blood Pressure Monitoring</i> , 2002 , 7, 251-7 | 1.3 | 13 |
| 4 | Adult men born in spring have lower blood pressure. <i>Journal of Hypertension</i> , 2000 , 18, 1763-6 | 1.9 | 15 |
| 3 | Association of Moderate Consumption of Alcohol With Rates of Heavy Drinking and Abstinence in Spain. <i>Alcoholism: Clinical and Experimental Research</i> , 1999 , 23, 1502-1506 | 3.7 | 6 |
| 2 | Number-needed-to-treat to prevent one death. <i>Lancet, The</i> , 1998 , 351, 1365 | 40 | 4 |
| 1 | Food supply versus household survey data: nutrient consumption trends for Spain, 1958-1988. <i>European Journal of Epidemiology</i> , 1996 , 12, 367-71 | 12.1 | 12 |