

Jin-Haeng Chung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5519408/publications.pdf>

Version: 2024-02-01

119
papers

5,120
citations

109321

35
h-index

98798

67
g-index

126
all docs

126
docs citations

126
times ranked

6939
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | PD-L1 Immunohistochemistry Comparability Study in Real-Life Clinical Samples: Results of Blueprint Phase 2 Project. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1302-1311. | 1.1 | 589 |
| 2 | Screening of Anaplastic Lymphoma Kinase Rearrangement by Immunohistochemistry in Non-small Cell Lung Cancer: Correlation with Fluorescence In Situ Hybridization. <i>Journal of Thoracic Oncology</i> , 2011, 6, 466-472. | 1.1 | 266 |
| 3 | Open-Label, Multicenter, Phase II Study of Ceritinib in Patients With Non-Small-Cell Lung Cancer Harboring <i>ROS1</i> Rearrangement. <i>Journal of Clinical Oncology</i> , 2017, 35, 2613-2618. | 1.6 | 260 |
| 4 | A Grading System for Invasive Pulmonary Adenocarcinoma: A Proposal From the International Association for the Study of Lung Cancer Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1599-1610. | 1.1 | 234 |
| 5 | Best Practices Recommendations for Diagnostic Immunohistochemistry in Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2019, 14, 377-407. | 1.1 | 212 |
| 6 | PD-L1 Testing for Lung Cancer in 2019: Perspective From the IASLC Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020, 15, 499-519. | 1.1 | 203 |
| 7 | The Promises and Challenges of Tumor Mutation Burden as an Immunotherapy Biomarker: A Perspective from the International Association for the Study of Lung Cancer Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1409-1424. | 1.1 | 182 |
| 8 | Clinical and molecular evidences of epithelial to mesenchymal transition in acquired resistance to EGFR-TKIs. <i>Lung Cancer</i> , 2011, 73, 176-182. | 2.0 | 152 |
| 9 | Detection of ALK Gene Rearrangement in Non-small Cell Lung Cancer: A Comparison of Fluorescence In Situ Hybridization and Chromogenic In Situ Hybridization with Correlation of ALK Protein Expression. <i>Journal of Thoracic Oncology</i> , 2011, 6, 1359-1366. | 1.1 | 151 |
| 10 | Clinicopathologic implication of ALK rearrangement in surgically resected lung cancer. <i>Lung Cancer</i> , 2012, 76, 403-409. | 2.0 | 149 |
| 11 | High Incidence of EGFR Mutations in Korean Men Smokers with No Intratumoral Heterogeneity of Lung Adenocarcinomas: Correlation with Histologic Subtypes, EGFR/TTF-1 Expressions, and Clinical Features. <i>Journal of Thoracic Oncology</i> , 2012, 7, 323-330. | 1.1 | 143 |
| 12 | Interchangeability of PD-L1 immunohistochemistry assays: a meta-analysis of diagnostic accuracy. <i>Modern Pathology</i> , 2020, 33, 4-17. | 5.5 | 135 |
| 13 | The Use of Immunohistochemistry Improves the Diagnosis of Small Cell Lung Cancer and Its Differential Diagnosis. An International Reproducibility Study in a Demanding Set of Cases. <i>Journal of Thoracic Oncology</i> , 2017, 12, 334-346. | 1.1 | 113 |
| 14 | Epidermal Growth Factor Receptor Mutation and Pathologic-Radiologic Correlation Between Multiple Lung Nodules with Ground-Glass Opacity Differentiates Multicentric Origin from Intrapulmonary Spread. <i>Journal of Thoracic Oncology</i> , 2009, 4, 1490-1495. | 1.1 | 103 |
| 15 | Artificial Intelligence-Powered Spatial Analysis of Tumor-Infiltrating Lymphocytes as Complementary Biomarker for Immune Checkpoint Inhibition in Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2022, 40, 1916-1928. | 1.6 | 94 |
| 16 | Aberrant Wnt1/ β -Catenin Expression is an Independent Poor Prognostic Marker of Non-small Cell Lung Cancer After Surgery. <i>Journal of Thoracic Oncology</i> , 2011, 6, 716-724. | 1.1 | 89 |
| 17 | Effect of Platinum-Based Chemotherapy on PD-L1 Expression on Tumor Cells in Non-small Cell Lung Cancer. <i>Cancer Research and Treatment</i> , 2019, 51, 1086-1097. | 3.0 | 59 |
| 18 | FGFR1 amplification is associated with poor prognosis and smoking in non-small-cell lung cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 547-558. | 2.8 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A Comprehensive Comparative Analysis of the Histomorphological Features of ALK-Rearranged Lung Adenocarcinoma Based on Driver Oncogene Mutations: Frequent Expression of Epithelial-Mesenchymal Transition Markers than Other Genotype. PLoS ONE, 2013, 8, e76999. | 2.5 | 58 |
| 20 | Overexpression of Glut1 in lymphoid follicles correlates with false-positive (18)F-FDG PET results in lung cancer staging. Journal of Nuclear Medicine, 2004, 45, 999-1003. | 5.0 | 55 |
| 21 | High concordance of <i>EGFR</i> mutation status between histologic and corresponding cytologic specimens of lung adenocarcinomas. Cancer Cytopathology, 2013, 121, 311-319. | 2.4 | 51 |
| 22 | PD-L1 Testing in Non-small Cell Lung Cancer: Past, Present, and Future. Journal of Pathology and Translational Medicine, 2019, 53, 199-206. | 1.1 | 51 |
| 23 | Radiologic Characteristics of Surgically Resected Non-Small Cell Lung Cancer With ALK Rearrangement or EGFR Mutations. Annals of Thoracic Surgery, 2016, 101, 473-480. | 1.3 | 50 |
| 24 | Clinicopathologic implications of the miR-197/PD-L1 axis in oral squamous cell carcinoma. Oncotarget, 2017, 8, 66178-66194. | 1.8 | 50 |
| 25 | DNA methylation profile during multistage progression of pulmonary adenocarcinomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 459, 201-211. | 2.8 | 49 |
| 26 | Radiogenomic correlation in lung adenocarcinoma with epidermal growth factor receptor mutations: Imaging features and histological subtypes. European Radiology, 2016, 26, 3660-3668. | 4.5 | 49 |
| 27 | Correlation between FDG uptake and glucose transporter type 1 expression in neuroendocrine tumors of the lung. Lung Cancer, 2008, 61, 54-60. | 2.0 | 48 |
| 28 | The Accuracy of Frozen Section Diagnosis of Pulmonary Nodules: Evaluation of Inflation Method during Intraoperative Pathology Consultation with Cryosection. Journal of Thoracic Oncology, 2010, 5, 39-44. | 1.1 | 48 |
| 29 | Prognostic significance of stem cell-related marker expression and its correlation with histologic subtypes in lung adenocarcinoma. Oncotarget, 0, 7, 42502-42512. | 1.8 | 46 |
| 30 | Tumor spread through air spaces (STAS): prognostic significance of grading in non-small cell lung cancer. Modern Pathology, 2021, 34, 549-561. | 5.5 | 44 |
| 31 | MicroRNA expression profiles and clinicopathological implications in lung adenocarcinoma according to EGFR, KRAS, and ALK status. Oncotarget, 2017, 8, 8484-8498. | 1.8 | 44 |
| 32 | Alteration of the E-Cadherin/ β 2-Catenin Complex Is an Independent Poor Prognostic Factor in Lung Adenocarcinoma. Korean Journal of Pathology, 2013, 47, 44. | 1.3 | 41 |
| 33 | Novel EGFR mutation-specific antibodies for lung adenocarcinoma: Highly specific but not sensitive detection of an E746_A750 deletion in exon 19 and an L858R mutation in exon 21 by immunohistochemistry. Lung Cancer, 2014, 83, 316-323. | 2.0 | 40 |
| 34 | PD-L1 immunohistochemical assays for assessment of therapeutic strategies involving immune checkpoint inhibitors in non-small cell lung cancer: a comparative study. Oncotarget, 2017, 8, 98524-98532. | 1.8 | 40 |
| 35 | Comparison of clinical characteristics between patients with ALK-positive and EGFR-positive lung adenocarcinoma. Respiratory Medicine, 2014, 108, 388-394. | 2.9 | 39 |
| 36 | Frequent aerogenous spread with decreased E-cadherin expression of ROS1- rearranged lung cancer predicts poor disease-free survival. Lung Cancer, 2015, 89, 343-349. | 2.0 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Epidermal Growth Factor Receptor Mutation and p53 Overexpression during the Multistage Progression of Small Adenocarcinoma of the Lung. <i>Journal of Thoracic Oncology</i> , 2010, 5, 964-969. | 1.1 | 34 |
| 38 | Interobserver Variation among Pathologists and Refinement of Criteria in Distinguishing Separate Primary Tumors from Intrapulmonary Metastases in Lung. <i>Journal of Thoracic Oncology</i> , 2018, 13, 205-217. | 1.1 | 33 |
| 39 | Prognosis of non-small-cell lung cancer in patients with idiopathic pulmonary fibrosis. <i>Scientific Reports</i> , 2019, 9, 12561. | 3.3 | 32 |
| 40 | Comparison of Direct Sequencing, PNA Clamping-Real Time Polymerase Chain Reaction, and Pyrosequencing Methods for the Detection of EGFR Mutations in Non-small Cell Lung Carcinoma and the Correlation with Clinical Responses to EGFR Tyrosine Kinase Inhibitor Treatment. <i>Korean Journal of Pathology</i> , 2013, 47, 52. | 1.3 | 31 |
| 41 | Potential Oncogenic Role and Prognostic Implication of MicroRNA-155-5p in Oral Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2018, 38, 5193-5200. | 1.1 | 31 |
| 42 | Increased CD3+ T cells with a low FOXP3+/CD8+ T cell ratio can predict anti-PD-1 therapeutic response in non-small cell lung cancer patients. <i>Modern Pathology</i> , 2019, 32, 367-375. | 5.5 | 31 |
| 43 | High correlations between primary tumours and loco-regional metastatic lymph nodes in non-small-cell lung cancer with respect to glucose transporter type 1-mediated 2-deoxy-2-F18-fluoro-d-glucose uptake. <i>European Journal of Cancer</i> , 2008, 44, 692-698. | 2.8 | 29 |
| 44 | A simple inflation method for frozen section diagnosis of minute precancerous lesions of the lung. <i>Lung Cancer</i> , 2008, 59, 198-202. | 2.0 | 28 |
| 45 | Molecular Testing of Lung Cancers. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 242-254. | 1.1 | 26 |
| 46 | Clinical Significance of Pleural Attachment and Indentation of Subsolid Nodule Lung Cancer. <i>Cancer Research and Treatment</i> , 2019, 51, 1540-1548. | 3.0 | 26 |
| 47 | Clinicopathological correlations of mTOR and pAkt expression in non-small cell lung cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 460, 601-609. | 2.8 | 25 |
| 48 | Clinicopathological analysis and prognostic significance of programmed cell death-ligand 1 protein and mRNA expression in non-small cell lung cancer. <i>PLoS ONE</i> , 2018, 13, e0198634. | 2.5 | 25 |
| 49 | Problems in the reproducibility of classification of small lung adenocarcinoma: an international interobserver study. <i>Histopathology</i> , 2019, 75, 649-659. | 2.9 | 25 |
| 50 | Survivin expression is an independent poor prognostic marker in lung adenocarcinoma but not in squamous cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 427-436. | 2.8 | 24 |
| 51 | Reliability of chromogenic in situ hybridization for epidermal growth factor receptor gene copy number detection in non-small-cell lung carcinomas: A comparison with fluorescence in situ hybridization study. <i>Lung Cancer</i> , 2010, 67, 301-305. | 2.0 | 23 |
| 52 | Effect of computed tomography window settings and reconstruction plane on 8th edition T-stage classification in patients with lung adenocarcinoma manifesting as a subsolid nodule. <i>European Journal of Radiology</i> , 2018, 98, 130-135. | 2.6 | 23 |
| 53 | Guideline Recommendations for Testing of ALK Gene Rearrangement in Lung Cancer: A Proposal of the Korean Cardiopulmonary Pathology Study Group. <i>Korean Journal of Pathology</i> , 2014, 48, 1. | 1.3 | 22 |
| 54 | Recurrence Risk-Scoring Model for Stage I Adenocarcinoma of the Lung. <i>Annals of Surgical Oncology</i> , 2015, 22, 4089-4097. | 1.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Expression of Na ⁺ /K ⁺ -2Cl ⁻ cotransporter isoform 1 (NKCC1) predicts poor prognosis in lung adenocarcinoma and EGFR-mutated adenocarcinoma patients. QJM - Monthly Journal of the Association of Physicians, 2016, 109, 237-244. | 0.5 | 22 |
| 56 | Targeted Sequencing Analysis of Pulmonary Adenocarcinoma with Multiple Synchronous Ground-Glass/Lepidic Nodules. Journal of Thoracic Oncology, 2018, 13, 1776-1783. | 1.1 | 22 |
| 57 | Prognostic significance of tumor spread through air spaces in patients with stage IA part-solid lung adenocarcinoma after sublobar resection. Lung Cancer, 2021, 152, 21-26. | 2.0 | 22 |
| 58 | Curative Resection for Metachronous Pulmonary Metastases from Colorectal Cancer: Analysis of Survival Rates and Prognostic Factors. Cancer Research and Treatment, 2017, 49, 104-115. | 3.0 | 21 |
| 59 | Overview of clinicopathologic features of ALK-rearranged lung adenocarcinoma and current diagnostic testing for ALK rearrangement. Translational Lung Cancer Research, 2015, 4, 149-55. | 2.8 | 21 |
| 60 | Artificial intelligence-powered programmed death ligand-1 analyser reduces interobserver variation in tumour proportion score for non-small cell lung cancer with better prediction of immunotherapy response. European Journal of Cancer, 2022, 170, 17-26. | 2.8 | 21 |
| 61 | Lung cancer probability and clinical outcomes of baseline and new subsolid nodules detected on low-dose CT screening. Thorax, 2021, 76, 980-988. | 5.6 | 20 |
| 62 | ROS1 gene rearrangement and copy number gain in non-small cell lung cancer. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2015, 466, 45-52. | 2.8 | 19 |
| 63 | Membranous Insulin-like Growth Factor-1 Receptor (IGF1R) Expression Is Predictive of Poor Prognosis in Patients with Epidermal Growth Factor Receptor (EGFR)-Mutant Lung Adenocarcinoma. Journal of Pathology and Translational Medicine, 2015, 49, 382-388. | 1.1 | 19 |
| 64 | Aquaporin 1 Is an Independent Marker of Poor Prognosis in Lung Adenocarcinoma. Journal of Pathology and Translational Medicine, 2016, 50, 251-257. | 1.1 | 19 |
| 65 | Heterotopic Pancreas in Omphalomesenteric Duct Remnant Results in Persistent Umbilical Discharge. Korean Journal of Pathology, 2014, 48, 323. | 1.3 | 18 |
| 66 | MET Gene Copy Number Gain is an Independent Poor Prognostic Marker in Korean Stage I Lung Adenocarcinomas. Annals of Surgical Oncology, 2014, 21, 621-628. | 1.5 | 17 |
| 67 | Alteration of the E-cadherin/β2-Catenin Complex Predicts Poor Response to Epidermal Growth Factor Receptor-Tyrosine Kinase Inhibitor (EGFR-TKI) Treatment. Annals of Surgical Oncology, 2013, 20, 545-552. | 1.5 | 16 |
| 68 | Cytoplasmic YAP Expression is Associated with Prolonged Survival in Patients with Lung Adenocarcinomas and Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor Treatment. Annals of Surgical Oncology, 2014, 21, 610-618. | 1.5 | 15 |
| 69 | Pathological prognostic factors of recurrence in early stage lung adenocarcinoma. ANZ Journal of Surgery, 2018, 88, 327-331. | 0.7 | 15 |
| 70 | Prognostic value of wntless-type proteins in non-small cell lung cancer patients: a meta-analysis. Translational Lung Cancer Research, 2016, 5, 436-442. | 2.8 | 15 |
| 71 | Propylthiouracil-Induced Nonspecific Interstitial Pneumonia. Chest, 2011, 139, 687-690. | 0.8 | 14 |
| 72 | Guideline Recommendations for EGFR Mutation Testing in Lung Cancer: Proposal of the Korean Cardiopulmonary Pathology Study Group. Korean Journal of Pathology, 2013, 47, 100. | 1.3 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | High Expression of Sonic Hedgehog Signaling Proteins Is Related to the Favorable Outcome, EGFR Mutation, and Lepidic Predominant Subtype in Primary Lung Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2013, 20, 570-576. | 1.5 | 13 |
| 74 | Heat shock protein 70 as a predictive marker for platinum-based adjuvant chemotherapy in patients with resected non-small cell lung cancer. <i>Lung Cancer</i> , 2014, 86, 262-267. | 2.0 | 13 |
| 75 | The International Association for the Study of Lung Cancer Global Survey on Programmed Death-Ligand 1 Testing for NSCLC. <i>Journal of Thoracic Oncology</i> , 2021, 16, 686-696. | 1.1 | 13 |
| 76 | Consideration of serum glucose levels during malignant mediastinal lymph node detection in non-small-cell lung cancer by FDG-PET. <i>Journal of Surgical Oncology</i> , 2006, 94, 607-613. | 1.7 | 12 |
| 77 | ALK rearrangement in a pure squamous cell carcinoma: the challenge of detection of ALK rearrangement. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 462, 597-599. | 2.8 | 12 |
| 78 | Combined pulmonary fibrosis and emphysema and idiopathic pulmonary fibrosis in non-small cell lung cancer: impact on survival and acute exacerbation. <i>BMC Pulmonary Medicine</i> , 2019, 19, 177. | 2.0 | 12 |
| 79 | Estrogen receptor \pm as a predictive biomarker for survival in human papillomavirus-positive oropharyngeal squamous cell carcinoma. <i>Journal of Translational Medicine</i> , 2020, 18, 240. | 4.4 | 12 |
| 80 | EGFR protein expression using a specific intracellular domain antibody and PTEN and clinical outcomes in squamous cell lung cancer patients with EGFR-tyrosine kinase inhibitor therapy. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5153-5162. | 2.0 | 11 |
| 81 | Serial ultrastructural evaluation of myocardial ischemic injury after infusion of del Nido cardioplegia in the human heart. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 164, 528-535.e2. | 0.8 | 11 |
| 82 | Predictive Factors for Lymph Node Metastasis in Clinical Stage I Part-Solid Lung Adenocarcinoma. <i>Annals of Thoracic Surgery</i> , 2021, 111, 456-462. | 1.3 | 11 |
| 83 | Comparison of the Predictive Power of a Combination versus Individual Biomarker Testing in Non-Small Cell Lung Cancer Patients Treated with Immune Checkpoint Inhibitors. <i>Cancer Research and Treatment</i> , 2022, 54, 424-433. | 3.0 | 11 |
| 84 | A Rare Case of Primary Tubular Adenocarcinoma of the Thymus, Enteric Immunophenotype: A Case Study and Review of the Literature. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 331-334. | 1.1 | 11 |
| 85 | The differential prognostic impact of spread through air spaces in early-stage lung adenocarcinoma after lobectomy according to the pT descriptor. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 163, 277-284.e1. | 0.8 | 9 |
| 86 | Loss of PTEN Expression is an Independent Poor Prognostic Factor in Non-small Cell Lung Cancer. <i>Korean Journal of Pathology</i> , 2011, 45, 329. | 1.3 | 9 |
| 87 | Stepwise Disease Progression Model of Subsolid Lung Adenocarcinoma with Cystic Airspaces. <i>Annals of Surgical Oncology</i> , 2020, 27, 4394-4403. | 1.5 | 8 |
| 88 | Tumor LAG-3 and NY-ESO-1 expression predict durable clinical benefits of immune checkpoint inhibitors in advanced non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021, 12, 619-630. | 1.9 | 8 |
| 89 | Efficacy of Pemetrexed-based Chemotherapy in Comparison to Non-Pemetrexed-based Chemotherapy in Advanced, ALK+ Non-Small Cell Lung Cancer. <i>Yonsei Medical Journal</i> , 2018, 59, 202. | 2.2 | 7 |
| 90 | Application of N Descriptors Proposed by the International Association for the Study of Lung Cancer in Clinical Staging. <i>Radiology</i> , 2021, 300, 450-457. | 7.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Immunohistochemical demonstration of alteration of β -catenin during tumor metastasis by different mechanisms according to histology in lung cancer. <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 311-318. | 1.8 | 6 |
| 92 | Comparison of Prognosis of Solid and Part-Solid Node-Negative Adenocarcinoma With the Same Invasive Component Size. <i>Annals of Thoracic Surgery</i> , 2017, 103, 1654-1660. | 1.3 | 6 |
| 93 | Increased expression of interferon- γ in minor salivary glands of patients with primary Sjögren's syndrome and its synergic effect with interferon- α on salivary gland epithelial cells. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 112, 31-40. | 0.8 | 6 |
| 94 | Synchrotron tomographic images from human lung adenocarcinoma: Three-dimensional reconstruction and histologic correlations. <i>Microscopy Research and Technique</i> , 2017, 80, 1141-1148. | 2.2 | 5 |
| 95 | Epidermal Growth Factor Receptor Gene Amplification Predicts Worse Outcome in Patients With Surgically Resected Nonadenocarcinoma Lung Cancer. <i>Clinical Lung Cancer</i> , 2019, 20, 7-12.e1. | 2.6 | 5 |
| 96 | Simultaneous Pretreatment of Aspirin and Omega-3 Fatty Acid Attenuates Nuclear Factor- κ B Activation in a Murine Model with Ventilator-Induced Lung Injury. <i>Nutrients</i> , 2021, 13, 2258. | 4.1 | 5 |
| 97 | Prognostic Significance of the Extranodal Extension of Regional Lymph Nodes in Stage III-N2 Non-Small-Cell Lung Cancer after Curative Resection. <i>Journal of Clinical Medicine</i> , 2021, 10, 3324. | 2.4 | 4 |
| 98 | Impact of Preoperative Diagnostic Biopsy Procedure on Spread Through Airways and Related Outcomes in Resected Stage I Non-Small Cell Lung Cancer. <i>Chest</i> , 2022, 162, 1199-1212. | 0.8 | 4 |
| 99 | Bone Scintigraphy Findings of A Case with Maffucci's Syndrome. <i>Nuclear Medicine and Molecular Imaging</i> , 2010, 44, 150-153. | 1.0 | 3 |
| 100 | Prognostic Impact of DNA Repair Protein Expression in Non-Small Cell Lung Cancers Treated with Platinum-Based Chemotherapy and Subsequent Curative Lung Resection. <i>Oncology</i> , 2018, 95, 20-30. | 1.9 | 3 |
| 101 | Artificial intelligence-powered spatial analysis of tumor-infiltrating lymphocytes predicts survival after immune checkpoint inhibitor therapy across multiple cancer types. <i>Journal of Clinical Oncology</i> , 2021, 39, 2607-2607. | 1.6 | 3 |
| 102 | Human Leukocyte Antigen Class I and Programmed Death-Ligand 1 Coexpression Is an Independent Poor Prognostic Factor in Adenocarcinoma of the Lung. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 86-93. | 1.1 | 3 |
| 103 | Primary Mediastinal Synovial Sarcoma. <i>Journal of Lung Cancer</i> , 2008, 7, 29. | 0.2 | 2 |
| 104 | Association of Plasma Marker of Oxidized Lipid with Histologic Plaque Instability in Patients with Peripheral Artery Disease. <i>Annals of Vascular Surgery</i> , 2020, 66, 554-565. | 0.9 | 2 |
| 105 | Clinical performance of artificial intelligence-powered annotation of tumor cell PD-L1 expression for treatment of immune-checkpoint inhibitor (ICI) in advanced non-small cell lung cancer (NSCLC). <i>Journal of Clinical Oncology</i> , 2021, 39, 9026-9026. | 1.6 | 2 |
| 106 | In Reply: IgG4 Related Disease and Sensorineural Hearing Loss. <i>Clinical and Experimental Otorhinolaryngology</i> , 2014, 7, 238. | 2.1 | 2 |
| 107 | Differential Expression of Glut1 in Pulmonary Neuroendocrine Tumors: Correlation with Histological Grade. <i>Korean Journal of Pathology</i> , 2009, 43, 201. | 1.3 | 2 |
| 108 | Poor Prognosis of Grade 2 Spread Through Air Spaces in Neuroendocrine Tumors. <i>Journal of Chest Surgery</i> , 2022, 55, 101-107. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Gene Expression Profiles of Multiple Synchronous Lesions in Lung Adenocarcinoma. <i>Cells</i> , 2021, 10, 3484. | 4.1 | 2 |
| 110 | Reply: YAP is a Key Factor to Improve the Management of Cancer Treatments. <i>Annals of Surgical Oncology</i> , 2017, 24, 644-645. | 1.5 | 1 |
| 111 | Osteosarcomatous Differentiation in Rebiopsy Specimens of Pulmonary Adenocarcinoma with EGFR-TKI Resistance. <i>Journal of Pathology and Translational Medicine</i> , 2018, 52, 130-132. | 1.1 | 1 |
| 112 | Genetic Alterations in Preinvasive Lung Synchronous Lesions. <i>Cancer Research and Treatment</i> , 2020, 52, 1120-1134. | 3.0 | 1 |
| 113 | The inflamed immune phenotype (IIP): A clinically actionable artificial intelligence (AI)-based biomarker predictive of immune checkpoint inhibitor (ICI) outcomes across >16 primary tumor types.. <i>Journal of Clinical Oncology</i> , 2022, 40, 2621-2621. | 1.6 | 1 |
| 114 | Epithelioid Hemangioendothelioma of the Femur with Benign Cystic Appearance. <i>Journal of the Korean Society of Radiology</i> , 2011, 65, 607. | 0.2 | 0 |
| 115 | MR Imaging Features of a Solitary Subcutaneous Metastasis from a Gastric Adenocarcinoma: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2009, 60, 159. | 0.2 | 0 |
| 116 | Pulmonary Nodular Lymphoid Hyperplasia. <i>Tuberculosis and Respiratory Diseases</i> , 2010, 69, 212. | 1.8 | 0 |
| 117 | A Clinicopathologic Study of 220 Cases of Pulmonary Sclerosing Pneumocytoma in Korea: A Nationwide Survey. <i>Journal of Pathology and Translational Medicine</i> , 2018, , . | 1.1 | 0 |
| 118 | Antineutrophil Cytoplasmic Antibodies Negative Microscopic Polyangiitis With Initial Pulmonary Manifestation. <i>Journal of Rheumatic Diseases</i> , 2020, 27, 203-208. | 1.1 | 0 |
| 119 | Expression-based species deconvolution and realignment removes misalignment error in multispecies single-cell data. <i>BMC Bioinformatics</i> , 2022, 23, 157. | 2.6 | 0 |