

Jin-Haeng Chung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5519408/publications.pdf>

Version: 2024-02-01

119
papers

5,120
citations

109321

35
h-index

98798

67
g-index

126
all docs

126
docs citations

126
times ranked

6939
citing authors

#	ARTICLE	IF	CITATIONS
1	Serial ultrastructural evaluation of myocardial ischemic injury after infusion of del Nido cardioplegia in the human heart. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 164, 528-535.e2.	0.8	11
2	The differential prognostic impact of spread through air spaces in early-stage lung adenocarcinoma after lobectomy according to the pT descriptor. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2022, 163, 277-284.e1.	0.8	9
3	Comparison of the Predictive Power of a Combination versus Individual Biomarker Testing in Non-Small Cell Lung Cancer Patients Treated with Immune Checkpoint Inhibitors. <i>Cancer Research and Treatment</i> , 2022, 54, 424-433.	3.0	11
4	Artificial Intelligence-Powered Spatial Analysis of Tumor-Infiltrating Lymphocytes as Complementary Biomarker for Immune Checkpoint Inhibition in Non-Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2022, 40, 1916-1928.	1.6	94
5	Poor Prognosis of Grade 2 Spread Through Air Spaces in Neuroendocrine Tumors. <i>Journal of Chest Surgery</i> , 2022, 55, 101-107.	0.5	2
6	Expression-based species deconvolution and realignment removes misalignment error in multispecies single-cell data. <i>BMC Bioinformatics</i> , 2022, 23, 157.	2.6	0
7	Impact of Preoperative Diagnostic Biopsy Procedure on Spread Through Airspaces and Related Outcomes in Resected Stage I Non-Small Cell Lung Cancer. <i>Chest</i> , 2022, 162, 1199-1212.	0.8	4
8	Artificial intelligence-powered programmed death ligand 1 analyser reduces interobserver variation in tumour proportion score for non-small cell lung cancer with better prediction of immunotherapy response. <i>European Journal of Cancer</i> , 2022, 170, 17-26.	2.8	21
9	The inflamed immune phenotype (IIP): A clinically actionable artificial intelligence (AI)-based biomarker predictive of immune checkpoint inhibitor (ICI) outcomes across >16 primary tumor types.. <i>Journal of Clinical Oncology</i> , 2022, 40, 2621-2621.	1.6	1
10	Predictive Factors for Lymph Node Metastasis in Clinical Stage I Part-Solid Lung Adenocarcinoma. <i>Annals of Thoracic Surgery</i> , 2021, 111, 456-462.	1.3	11
11	Prognostic significance of tumor spread through air spaces in patients with stage IA part-solid lung adenocarcinoma after sublobar resection. <i>Lung Cancer</i> , 2021, 152, 21-26.	2.0	22
12	Tumor spread through air spaces (STAS): prognostic significance of grading in non-small cell lung cancer. <i>Modern Pathology</i> , 2021, 34, 549-561.	5.5	44
13	The International Association for the Study of Lung Cancer Global Survey on Programmed Death-Ligand 1 Testing for NSCLC. <i>Journal of Thoracic Oncology</i> , 2021, 16, 686-696.	1.1	13
14	Lung cancer probability and clinical outcomes of baseline and new subsolid nodules detected on low-dose CT screening. <i>Thorax</i> , 2021, 76, 980-988.	5.6	20
15	Clinical performance of artificial intelligence-powered annotation of tumor cell PD-L1 expression for treatment of immune-checkpoint inhibitor (ICI) in advanced non-small cell lung cancer (NSCLC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 9026-9026.	1.6	2
16	Artificial intelligence-powered spatial analysis of tumor-infiltrating lymphocytes predicts survival after immune checkpoint inhibitor therapy across multiple cancer types.. <i>Journal of Clinical Oncology</i> , 2021, 39, 2607-2607.	1.6	3
17	Simultaneous Pretreatment of Aspirin and Omega-3 Fatty Acid Attenuates Nuclear Factor- κ B Activation in a Murine Model with Ventilator-Induced Lung Injury. <i>Nutrients</i> , 2021, 13, 2258.	4.1	5
18	Prognostic Significance of the Extranodal Extension of Regional Lymph Nodes in Stage III-N2 Non-Small-Cell Lung Cancer after Curative Resection. <i>Journal of Clinical Medicine</i> , 2021, 10, 3324.	2.4	4

#	ARTICLE	IF	CITATIONS
19	Application of N Descriptors Proposed by the International Association for the Study of Lung Cancer in Clinical Staging. <i>Radiology</i> , 2021, 300, 450-457.	7.3	7
20	Tumor LAG^3 and NY-ESO^1 expression predict durable clinical benefits of immune checkpoint inhibitors in advanced non-small cell lung cancer. <i>Thoracic Cancer</i> , 2021, 12, 619-630.	1.9	8
21	Gene Expression Profiles of Multiple Synchronous Lesions in Lung Adenocarcinoma. <i>Cells</i> , 2021, 10, 3484.	4.1	2
22	Interchangeability of PD-L1 immunohistochemistry assays: a meta-analysis of diagnostic accuracy. <i>Modern Pathology</i> , 2020, 33, 4-17.	5.5	135
23	Association of Plasma Marker of Oxidized Lipid with Histologic Plaque Instability in Patients with Peripheral Artery Disease. <i>Annals of Vascular Surgery</i> , 2020, 66, 554-565.	0.9	2
24	PD-L1 Testing for Lung Cancer in 2019: Perspective From the IASLC Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020, 15, 499-519.	1.1	203
25	Stepwise Disease Progression Model of Subsolid Lung Adenocarcinoma with Cystic Airspaces. <i>Annals of Surgical Oncology</i> , 2020, 27, 4394-4403.	1.5	8
26	The Promises and Challenges of Tumor Mutation Burden as an Immunotherapy Biomarker: A Perspective from the International Association for the Study of Lung Cancer Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1409-1424.	1.1	182
27	Estrogen receptor \pm as a predictive biomarker for survival in human papillomavirus-positive oropharyngeal squamous cell carcinoma. <i>Journal of Translational Medicine</i> , 2020, 18, 240.	4.4	12
28	A Grading System for Invasive Pulmonary Adenocarcinoma: A Proposal From the International Association for the Study of Lung Cancer Pathology Committee. <i>Journal of Thoracic Oncology</i> , 2020, 15, 1599-1610.	1.1	234
29	Genetic Alterations in Preinvasive Lung Synchronous Lesions. <i>Cancer Research and Treatment</i> , 2020, 52, 1120-1134.	3.0	1
30	Antineutrophil Cytoplasmic Antibodies Negative Microscopic Polyangiitis With Initial Pulmonary Manifestation. <i>Journal of Rheumatic Diseases</i> , 2020, 27, 203-208.	1.1	0
31	Epidermal Growth Factor Receptor Gene Amplification Predicts Worse Outcome in Patients With Surgically Resected Nonadenocarcinoma Lung Cancer. <i>Clinical Lung Cancer</i> , 2019, 20, 7-12.e1.	2.6	5
32	Combined pulmonary fibrosis and emphysema and idiopathic pulmonary fibrosis in non-small cell lung cancer: impact on survival and acute exacerbation. <i>BMC Pulmonary Medicine</i> , 2019, 19, 177.	2.0	12
33	Prognosis of non-small-cell lung cancer in patients with idiopathic pulmonary fibrosis. <i>Scientific Reports</i> , 2019, 9, 12561.	3.3	32
34	Problems in the reproducibility of classification of small lung adenocarcinoma: an international interobserver study. <i>Histopathology</i> , 2019, 75, 649-659.	2.9	25
35	Best Practices Recommendations for Diagnostic Immunohistochemistry in Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2019, 14, 377-407.	1.1	212
36	Increased CD3+ T cells with a low FOXP3+/CD8+ T cell ratio can predict anti-PD-1 therapeutic response in non-small cell lung cancer patients. <i>Modern Pathology</i> , 2019, 32, 367-375.	5.5	31

#	ARTICLE	IF	CITATIONS
37	PD-L1 Testing in Non-small Cell Lung Cancer: Past, Present, and Future. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 199-206.	1.1	51
38	Effect of Platinum-Based Chemotherapy on PD-L1 Expression on Tumor Cells in Non-small Cell Lung Cancer. <i>Cancer Research and Treatment</i> , 2019, 51, 1086-1097.	3.0	59
39	Clinical Significance of Pleural Attachment and Indentation of Subsolid Nodule Lung Cancer. <i>Cancer Research and Treatment</i> , 2019, 51, 1540-1548.	3.0	26
40	Human Leukocyte Antigen Class I and Programmed Death-Ligand 1 Coexpression Is an Independent Poor Prognostic Factor in Adenocarcinoma of the Lung. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 86-93.	1.1	3
41	Prognostic Impact of DNA Repair Protein Expression in Non-Small Cell Lung Cancers Treated with Platinum-Based Chemotherapy and Subsequent Curative Lung Resection. <i>Oncology</i> , 2018, 95, 20-30.	1.9	3
42	Interobserver Variation among Pathologists and Refinement of Criteria in Distinguishing Separate Primary Tumors from Intrapulmonary Metastases in Lung. <i>Journal of Thoracic Oncology</i> , 2018, 13, 205-217.	1.1	33
43	Pathological prognostic factors of recurrence in early stage lung adenocarcinoma. <i>ANZ Journal of Surgery</i> , 2018, 88, 327-331.	0.7	15
44	Effect of computed tomography window settings and reconstruction plane on 8th edition T-stage classification in patients with lung adenocarcinoma manifesting as a subsolid nodule. <i>European Journal of Radiology</i> , 2018, 98, 130-135.	2.6	23
45	Targeted Sequencing Analysis of Pulmonary Adenocarcinoma with Multiple Synchronous Ground-Glass/Lepidic Nodules. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1776-1783.	1.1	22
46	Potential Oncogenic Role and Prognostic Implication of MicroRNA-155-5p in Oral Squamous Cell Carcinoma. <i>Anticancer Research</i> , 2018, 38, 5193-5200.	1.1	31
47	Clinicopathological analysis and prognostic significance of programmed cell death-ligand 1 protein and mRNA expression in non-small cell lung cancer. <i>PLoS ONE</i> , 2018, 13, e0198634.	2.5	25
48	Efficacy of Pemetrexed-based Chemotherapy in Comparison to Non-Pemetrexed-based Chemotherapy in Advanced, ALK+ Non-Small Cell Lung Cancer. <i>Yonsei Medical Journal</i> , 2018, 59, 202.	2.2	7
49	PD-L1 Immunohistochemistry Comparability Study in Real-Life Clinical Samples: Results of Blueprint Phase 2 Project. <i>Journal of Thoracic Oncology</i> , 2018, 13, 1302-1311.	1.1	589
50	Osteosarcomatous Differentiation in Rebiopsy Specimens of Pulmonary Adenocarcinoma with EGFR-TKI Resistance. <i>Journal of Pathology and Translational Medicine</i> , 2018, 52, 130-132.	1.1	1
51	A Clinicopathologic Study of 220 Cases of Pulmonary Sclerosing Pneumocytoma in Korea: A Nationwide Survey. <i>Journal of Pathology and Translational Medicine</i> , 2018, , .	1.1	0
52	Increased expression of interferon- γ in minor salivary glands of patients with primary Sjögren's syndrome and its synergic effect with interferon- α on salivary gland epithelial cells. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 112, 31-40.	0.8	6
53	Comparison of Prognosis of Solid and Part-Solid Node-Negative Adenocarcinoma With the Same Invasive Component Size. <i>Annals of Thoracic Surgery</i> , 2017, 103, 1654-1660.	1.3	6
54	The Use of Immunohistochemistry Improves the Diagnosis of Small Cell Lung Cancer and Its Differential Diagnosis. An International Reproducibility Study in a Demanding Set of Cases. <i>Journal of Thoracic Oncology</i> , 2017, 12, 334-346.	1.1	113

#	ARTICLE	IF	CITATIONS
55	Synchrotron tomographic images from human lung adenocarcinoma: Three-dimensional reconstruction and histologic correlations. <i>Microscopy Research and Technique</i> , 2017, 80, 1141-1148.	2.2	5
56	Reply: YAP is a Key Factor to Improve the Management of Cancer Treatments. <i>Annals of Surgical Oncology</i> , 2017, 24, 644-645.	1.5	1
57	PD-L1 immunohistochemical assays for assessment of therapeutic strategies involving immune checkpoint inhibitors in non-small cell lung cancer: a comparative study. <i>Oncotarget</i> , 2017, 8, 98524-98532.	1.8	40
58	Molecular Testing of Lung Cancers. <i>Journal of Pathology and Translational Medicine</i> , 2017, 51, 242-254.	1.1	26
59	Open-Label, Multicenter, Phase II Study of Ceritinib in Patients With Non-Small-Cell Lung Cancer Harboring ROS1 Rearrangement. <i>Journal of Clinical Oncology</i> , 2017, 35, 2613-2618.	1.6	260
60	MicroRNA expression profiles and clinicopathological implications in lung adenocarcinoma according to EGFR, KRAS, and ALK status. <i>Oncotarget</i> , 2017, 8, 8484-8498.	1.8	44
61	Clinicopathologic implications of the miR-197/PD-L1 axis in oral squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 66178-66194.	1.8	50
62	Curative Resection for Metachronous Pulmonary Metastases from Colorectal Cancer: Analysis of Survival Rates and Prognostic Factors. <i>Cancer Research and Treatment</i> , 2017, 49, 104-115.	3.0	21
63	EGFR protein expression using a specific intracellular domain antibody and PTEN and clinical outcomes in squamous cell lung cancer patients with EGFR-tyrosine kinase inhibitor therapy. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 5153-5162.	2.0	11
64	Expression of Na ⁺ /K ⁺ -2Cl ⁻ cotransporter isoform 1 (NKCC1) predicts poor prognosis in lung adenocarcinoma and EGFR-mutated adenocarcinoma patients. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2016, 109, 237-244.	0.5	22
65	Radiogenomic correlation in lung adenocarcinoma with epidermal growth factor receptor mutations: Imaging features and histological subtypes. <i>European Radiology</i> , 2016, 26, 3660-3668.	4.5	49
66	Radiologic Characteristics of Surgically Resected Non-Small Cell Lung Cancer With ALK Rearrangement or EGFR Mutations. <i>Annals of Thoracic Surgery</i> , 2016, 101, 473-480.	1.3	50
67	Prognostic value of wiggless-type proteins in non-small cell lung cancer patients: a meta-analysis. <i>Translational Lung Cancer Research</i> , 2016, 5, 436-442.	2.8	15
68	Aquaporin 1 Is an Independent Marker of Poor Prognosis in Lung Adenocarcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 251-257.	1.1	19
69	ROS1 gene rearrangement and copy number gain in non-small cell lung cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 466, 45-52.	2.8	19
70	Immunohistochemical demonstration of alteration of β -catenin during tumor metastasis by different mechanisms according to histology in lung cancer. <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 311-318.	1.8	6
71	Recurrence Risk-Scoring Model for Stage I Adenocarcinoma of the Lung. <i>Annals of Surgical Oncology</i> , 2015, 22, 4089-4097.	1.5	22
72	Frequent aerogenous spread with decreased E-cadherin expression of ROS1-rearranged lung cancer predicts poor disease-free survival. <i>Lung Cancer</i> , 2015, 89, 343-349.	2.0	39

#	ARTICLE	IF	CITATIONS
73	A Rare Case of Primary Tubular Adenocarcinoma of the Thymus, Enteric Immunophenotype: A Case Study and Review of the Literature. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 331-334.	1.1	11
74	Membranous Insulin-like Growth Factor-1 Receptor (IGF1R) Expression Is Predictive of Poor Prognosis in Patients with Epidermal Growth Factor Receptor (<i>EGFR</i>)-Mutant Lung Adenocarcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2015, 49, 382-388.	1.1	19
75	Overview of clinicopathologic features of ALK-rearranged lung adenocarcinoma and current diagnostic testing for ALK rearrangement. <i>Translational Lung Cancer Research</i> , 2015, 4, 149-55.	2.8	21
76	Heterotopic Pancreas in Omphalomesenteric Duct Remnant Results in Persistent Umbilical Discharge. <i>Korean Journal of Pathology</i> , 2014, 48, 323.	1.3	18
77	FGFR1 amplification is associated with poor prognosis and smoking in non-small-cell lung cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 547-558.	2.8	58
78	Guideline Recommendations for Testing of <i>ALK</i> Gene Rearrangement in Lung Cancer: A Proposal of the Korean Cardiopulmonary Pathology Study Group. <i>Korean Journal of Pathology</i> , 2014, 48, 1.	1.3	22
79	Novel EGFR mutation-specific antibodies for lung adenocarcinoma: Highly specific but not sensitive detection of an E746_A750 deletion in exon 19 and an L858R mutation in exon 21 by immunohistochemistry. <i>Lung Cancer</i> , 2014, 83, 316-323.	2.0	40
80	MET Gene Copy Number Gain is an Independent Poor Prognostic Marker in Korean Stage I Lung Adenocarcinomas. <i>Annals of Surgical Oncology</i> , 2014, 21, 621-628.	1.5	17
81	Heat shock protein 70 as a predictive marker for platinum-based adjuvant chemotherapy in patients with resected non-small cell lung cancer. <i>Lung Cancer</i> , 2014, 86, 262-267.	2.0	13
82	Cytoplasmic YAP Expression is Associated with Prolonged Survival in Patients with Lung Adenocarcinomas and Epidermal Growth Factor Receptor Tyrosine Kinase Inhibitor Treatment. <i>Annals of Surgical Oncology</i> , 2014, 21, 610-618.	1.5	15
83	Comparison of clinical characteristics between patients with ALK-positive and EGFR-positive lung adenocarcinoma. <i>Respiratory Medicine</i> , 2014, 108, 388-394.	2.9	39
84	In Reply: IgG4 Related Disease and Sensorineural Hearing Loss. <i>Clinical and Experimental Otorhinolaryngology</i> , 2014, 7, 238.	2.1	2
85	Survivin expression is an independent poor prognostic marker in lung adenocarcinoma but not in squamous cell carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 463, 427-436.	2.8	24
86	ALK rearrangement in a pure squamous cell carcinoma: the challenge of detection of ALK rearrangement. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2013, 462, 597-599.	2.8	12
87	High Expression of Sonic Hedgehog Signaling Proteins Is Related to the Favorable Outcome, EGFR Mutation, and Lepidic Predominant Subtype in Primary Lung Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2013, 20, 570-576.	1.5	13
88	Alteration of the E-cadherin/β2-Catenin Complex Predicts Poor Response to Epidermal Growth Factor Receptor-Tyrosine Kinase Inhibitor (EGFR-TKI) Treatment. <i>Annals of Surgical Oncology</i> , 2013, 20, 545-552.	1.5	16
89	Guideline Recommendations for <i>EGFR</i> Mutation Testing in Lung Cancer: Proposal of the Korean Cardiopulmonary Pathology Study Group. <i>Korean Journal of Pathology</i> , 2013, 47, 100.	1.3	14
90	Alteration of the E-Cadherin/β2-Catenin Complex Is an Independent Poor Prognostic Factor in Lung Adenocarcinoma. <i>Korean Journal of Pathology</i> , 2013, 47, 44.	1.3	41

#	ARTICLE	IF	CITATIONS
91	Comparison of Direct Sequencing, PNA Clamping-Real Time Polymerase Chain Reaction, and Pyrosequencing Methods for the Detection of EGFR Mutations in Non-small Cell Lung Carcinoma and the Correlation with Clinical Responses to EGFR Tyrosine Kinase Inhibitor Treatment. <i>Korean Journal of Pathology</i> , 2013, 47, 52.	1.3	31
92	High concordance of EGFR mutation status between histologic and corresponding cytologic specimens of lung adenocarcinomas. <i>Cancer Cytopathology</i> , 2013, 121, 311-319.	2.4	51
93	A Comprehensive Comparative Analysis of the Histomorphological Features of ALK-Rearranged Lung Adenocarcinoma Based on Driver Oncogene Mutations: Frequent Expression of Epithelial-Mesenchymal Transition Markers than Other Genotype. <i>PLoS ONE</i> , 2013, 8, e76999.	2.5	58
94	High Incidence of EGFR Mutations in Korean Men Smokers with No Intratumoral Heterogeneity of Lung Adenocarcinomas: Correlation with Histologic Subtypes, EGFR/TTF-1 Expressions, and Clinical Features. <i>Journal of Thoracic Oncology</i> , 2012, 7, 323-330.	1.1	143
95	Clinicopathologic implication of ALK rearrangement in surgically resected lung cancer. <i>Lung Cancer</i> , 2012, 76, 403-409.	2.0	149
96	Clinicopathological correlations of mTOR and pAkt expression in non-small cell lung cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012, 460, 601-609.	2.8	25
97	Clinical and molecular evidences of epithelial to mesenchymal transition in acquired resistance to EGFR-TKIs. <i>Lung Cancer</i> , 2011, 73, 176-182.	2.0	152
98	Epithelioid Hemangioendothelioma of the Femur with Benign Cystic Appearance. <i>Journal of the Korean Society of Radiology</i> , 2011, 65, 607.	0.2	0
99	Detection of ALK Gene Rearrangement in Non-small Cell Lung Cancer: A Comparison of Fluorescence In Situ Hybridization and Chromogenic In Situ Hybridization with Correlation of ALK Protein Expression. <i>Journal of Thoracic Oncology</i> , 2011, 6, 1359-1366.	1.1	151
100	Aberrant Wnt1/ β -Catenin Expression is an Independent Poor Prognostic Marker of Non-small Cell Lung Cancer After Surgery. <i>Journal of Thoracic Oncology</i> , 2011, 6, 716-724.	1.1	89
101	Propylthiouracil-Induced Nonspecific Interstitial Pneumonia. <i>Chest</i> , 2011, 139, 687-690.	0.8	14
102	DNA methylation profile during multistage progression of pulmonary adenocarcinomas. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 459, 201-211.	2.8	49
103	Screening of Anaplastic Lymphoma Kinase Rearrangement by Immunohistochemistry in Non-small Cell Lung Cancer: Correlation with Fluorescence In Situ Hybridization. <i>Journal of Thoracic Oncology</i> , 2011, 6, 466-472.	1.1	266
104	Loss of PTEN Expression is an Independent Poor Prognostic Factor in Non-small Cell Lung Cancer. <i>Korean Journal of Pathology</i> , 2011, 45, 329.	1.3	9
105	The Accuracy of Frozen Section Diagnosis of Pulmonary Nodules: Evaluation of Inflation Method during Intraoperative Pathology Consultation with Cryosection. <i>Journal of Thoracic Oncology</i> , 2010, 5, 39-44.	1.1	48
106	Epidermal Growth Factor Receptor Mutation and p53 Overexpression during the Multistage Progression of Small Adenocarcinoma of the Lung. <i>Journal of Thoracic Oncology</i> , 2010, 5, 964-969.	1.1	34
107	Bone Scintigraphy Findings of A Case with Maffucci's Syndrome. <i>Nuclear Medicine and Molecular Imaging</i> , 2010, 44, 150-153.	1.0	3
108	Reliability of chromogenic in situ hybridization for epidermal growth factor receptor gene copy number detection in non-small-cell lung carcinomas: A comparison with fluorescence in situ hybridization study. <i>Lung Cancer</i> , 2010, 67, 301-305.	2.0	23

#	ARTICLE	IF	CITATIONS
109	Pulmonary Nodular Lymphoid Hyperplasia. <i>Tuberculosis and Respiratory Diseases</i> , 2010, 69, 212.	1.8	0
110	Epidermal Growth Factor Receptor Mutation and Pathologic-Radiologic Correlation Between Multiple Lung Nodules with Ground-Glass Opacity Differentiates Multicentric Origin from Intrapulmonary Spread. <i>Journal of Thoracic Oncology</i> , 2009, 4, 1490-1495.	1.1	103
111	Differential Expression of Glut1 in Pulmonary Neuroendocrine Tumors: Correlation with Histological Grade. <i>Korean Journal of Pathology</i> , 2009, 43, 201.	1.3	2
112	MR Imaging Features of a Solitary Subcutaneous Metastasis from a Gastric Adenocarcinoma: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2009, 60, 159.	0.2	0
113	A simple inflation method for frozen section diagnosis of minute precancerous lesions of the lung. <i>Lung Cancer</i> , 2008, 59, 198-202.	2.0	28
114	Correlation between FDG uptake and glucose transporter type 1 expression in neuroendocrine tumors of the lung. <i>Lung Cancer</i> , 2008, 61, 54-60.	2.0	48
115	High correlations between primary tumours and loco-regional metastatic lymph nodes in non-small-cell lung cancer with respect to glucose transporter type 1-mediated 2-deoxy-2-F18-fluoro-d-glucose uptake. <i>European Journal of Cancer</i> , 2008, 44, 692-698.	2.8	29
116	Primary Mediastinal Synovial Sarcoma. <i>Journal of Lung Cancer</i> , 2008, 7, 29.	0.2	2
117	Consideration of serum glucose levels during malignant mediastinal lymph node detection in non-small-cell lung cancer by FDG-PET. <i>Journal of Surgical Oncology</i> , 2006, 94, 607-613.	1.7	12
118	Overexpression of Glut1 in lymphoid follicles correlates with false-positive (18)F-FDG PET results in lung cancer staging. <i>Journal of Nuclear Medicine</i> , 2004, 45, 999-1003.	5.0	55
119	Prognostic significance of stem cell-related marker expression and its correlation with histologic subtypes in lung adenocarcinoma. <i>Oncotarget</i> , 0, 7, 42502-42512.	1.8	46