

# Hidegori Ito

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5519454/hidenori-ito-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94 papers	2,558 citations	29 h-index	45 g-index
100 ext. papers	2,776 ext. citations	4.4 avg, IF	4.31 L-index

#	Paper	IF	Citations
94	Physiological significance of WDR45, a responsible gene for Epropeller protein associated neurodegeneration (BPAN), in brain development. <i>Scientific Reports</i> , <b>2021</b> , 11, 22568	4.9	0
93	Expression analyses of Rac3, a Rho family small GTPase, during mouse brain development. <i>Developmental Neuroscience</i> , <b>2021</b> ,	2.2	1
92	The synaptic scaffolding protein CNKSR2 interacts with CYTH2 to mediate hippocampal granule cell development. <i>Journal of Biological Chemistry</i> , <b>2021</b> , 297, 101427	5.4	0
91	Expression analyses of PLEKHG2, a Rho family-specific guanine nucleotide exchange factor, during mouse brain development. <i>Medical Molecular Morphology</i> , <b>2021</b> , 54, 146-155	2.3	2
90	Biochemical and morphological characterization of SEPT1 in mouse brain. <i>Medical Molecular Morphology</i> , <b>2020</b> , 53, 221-228	2.3	4
89	Neuropathophysiological significance of the c.1449T>C/p.(Tyr64Cys) mutation in the CDC42 gene responsible for Takenouchi-Kosaki syndrome. <i>Biochemical and Biophysical Research Communications</i> , <b>2020</b> , 529, 1033-1037	3.4	4
88	Expression Analyses of POGZ, A Responsible Gene for Neurodevelopmental Disorders, during Mouse Brain Development. <i>Developmental Neuroscience</i> , <b>2019</b> , 41, 139-148	2.2	6
87	Role of Per3, a circadian clock gene, in embryonic development of mouse cerebral cortex. <i>Scientific Reports</i> , <b>2019</b> , 9, 5874	4.9	13
86	de novo gain-of-function mutation in a patient with a novel megalencephaly syndrome. <i>Journal of Medical Genetics</i> , <b>2019</b> , 56, 388-395	5.8	6
85	Rho family GTPases, Rac and Cdc42, control the localization of neonatal dentate granule cells during brain development. <i>Hippocampus</i> , <b>2019</b> , 29, 569-578	3.5	5
84	Functions of Rhotekin, an Effector of Rho GTPase, and Its Binding Partners in Mammals. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	4
83	Possible involvement of a cell adhesion molecule, Migfilin, in brain development and pathogenesis of autism spectrum disorders. <i>Journal of Neuroscience Research</i> , <b>2018</b> , 96, 789-802	4.4	2
82	Expression analyses of Phactr1 (phosphatase and actin regulator 1) during mouse brain development. <i>Neuroscience Research</i> , <b>2018</b> , 128, 50-57	2.9	6
81	De novo PHACTR1 mutations in West syndrome and their pathophysiological effects. <i>Brain</i> , <b>2018</b> , 141, 3098-3114	11.2	12
80	Biochemical and Morphological Characterization of a Guanine Nucleotide Exchange Factor ARHGEF9 in Mouse Tissues. <i>Acta Histochemica Et Cytochemica</i> , <b>2018</b> , 51, 119-128	1.9	3
79	Biochemical and Morphological Characterization of a Neurodevelopmental Disorder-Related Mono-ADP-Ribosylhydrolase, MACRO Domain Containing 2. <i>Developmental Neuroscience</i> , <b>2018</b> , 40, 278-287	2.2	16
78	Autism spectrum disorder-associated genes and the development of dentate granule cells. <i>Medical Molecular Morphology</i> , <b>2017</b> , 50, 123-129	2.3	13

77	Morphological characterization of Class III phosphoinositide 3-kinase during mouse brain development. <i>Medical Molecular Morphology</i> , <b>2016</b> , 49, 28-33	2.3	9
76	Essential role of the nuclear isoform of RBFOX1, a candidate gene for autism spectrum disorders, in the brain development. <i>Scientific Reports</i> , <b>2016</b> , 6, 30805	4.9	41
75	Schizophrenia susceptibility gene product dysbindin-1 regulates the homeostasis of cyclin D1. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2016</b> , 1862, 1383-91	6.9	4
74	Preliminary characterization of a murine model for 1-bromopropane neurotoxicity: Role of cytochrome P450. <i>Toxicology Letters</i> , <b>2016</b> , 258, 249-258	4.4	10
73	Morphological characterization of mammalian timeless in the mouse brain development. <i>Neuroscience Research</i> , <b>2015</b> , 92, 21-8	2.9	5
72	Role of an adaptor protein Lin-7B in brain development: possible involvement in autism spectrum disorders. <i>Journal of Neurochemistry</i> , <b>2015</b> , 132, 61-9	6	11
71	Role of the cytoplasmic isoform of RBFOX1/A2BP1 in establishing the architecture of the developing cerebral cortex. <i>Molecular Autism</i> , <b>2015</b> , 6, 56	6.5	40
70	Establishment of an in vivo electroporation method into postnatal newborn neurons in the dentate gyrus. <i>Hippocampus</i> , <b>2014</b> , 24, 1449-57	3.5	17
69	The SWI/SNF subunit/tumor suppressor BAF47/INI1 is essential in cell cycle arrest upon skeletal muscle terminal differentiation. <i>PLoS ONE</i> , <b>2014</b> , 9, e108858	3.7	16
68	SIL1, a causative cochaperone gene of Marinesco-Sjögren syndrome, plays an essential role in establishing the architecture of the developing cerebral cortex. <i>EMBO Molecular Medicine</i> , <b>2014</b> , 6, 414-29	12	26
67	Localization of multidomain adaptor proteins, p140Cap and vinexin, in the pancreatic islet of a spontaneous diabetes mellitus model, Otsuka Long-Evans Tokushima Fatty rats. <i>Medical Molecular Morphology</i> , <b>2013</b> , 46, 41-8	2.3	5
66	MAGI-1 acts as a scaffolding molecule for NGF receptor-mediated signaling pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2013</b> , 1833, 2302-10	4.9	5
65	Possible role of a septin, SEPT1, in spreading in squamous cell carcinoma DJM-1 cells. <i>Biological Chemistry</i> , <b>2013</b> , 394, 281-90	4.5	35
64	Biochemical and morphological characterization of A2BP1 in neuronal tissue. <i>Journal of Neuroscience Research</i> , <b>2013</b> , 91, 1303-11	4.4	14
63	Biochemical and morphological characterization of MAGI-1 in neuronal tissue. <i>Journal of Neuroscience Research</i> , <b>2012</b> , 90, 1776-81	4.4	12
62	Cell biological characterization of a multidomain adaptor protein, ArgBP2, in epithelial NMuMG cells, and identification of a novel short isoform. <i>Medical Molecular Morphology</i> , <b>2012</b> , 45, 22-8	2.3	14
61	Application of in utero electroporation and live imaging in the analyses of neuronal migration during mouse brain development. <i>Medical Molecular Morphology</i> , <b>2012</b> , 45, 1-6	2.3	23
60	Septin 14 is involved in cortical neuronal migration via interaction with Septin 4. <i>Molecular Biology of the Cell</i> , <b>2010</b> , 21, 1324-34	3.5	54

59	Interaction of a multi-domain adaptor protein, vinexin, with a Rho-effector, Rhotekin. <i>Medical Molecular Morphology</i> , <b>2009</b> , 42, 9-15	2.3	24
58	Sept8 controls the binding of vesicle-associated membrane protein 2 to synaptophysin. <i>Journal of Neurochemistry</i> , <b>2009</b> , 108, 867-80	6	49
57	Characterization of a multidomain adaptor protein, p140Cap, as part of a pre-synaptic complex. <i>Journal of Neurochemistry</i> , <b>2008</b> , 107, 61-72	6	24
56	SEPT9 sequence alternations causing hereditary neuralgic amyotrophy are associated with altered interactions with SEPT4/SEPT11 and resistance to Rho/Rhotekin-signaling. <i>Human Mutation</i> , <b>2007</b> , 28, 1005-13	4.7	38
55	Phosphorylation by extracellular signal-regulated kinase of a multidomain adaptor protein, vinexin, at synapses. <i>Journal of Neurochemistry</i> , <b>2007</b> , 100, 545-54	6	22
54	Expression of smooth muscle cell-specific proteins in neural progenitor cells induced by agonists of G protein-coupled receptors and transforming growth factor-beta. <i>Journal of Neurochemistry</i> , <b>2007</b> , 101, 1031-40	6	14
53	Reversibility of the adverse effects of 1-bromopropane exposure in rats. <i>Toxicological Sciences</i> , <b>2007</b> , 100, 504-12	4.4	14
52	Possible roles of vinexinbeta in growth and paclitaxel sensitivity in human prostate cancer PC-3 cells. <i>Cancer Biology and Therapy</i> , <b>2007</b> , 6, 1800-4	4.6	5
51	Localization of septin 8 in murine retina, and spatiotemporal expression of septin 8 in a murine model of photoreceptor cell degeneration. <i>Neuroscience Letters</i> , <b>2007</b> , 423, 205-10	3.3	5
50	Involvement of Gq/11 in both integrin signal-dependent and -independent pathways regulating endothelin-induced neural progenitor proliferation. <i>Neuroscience Research</i> , <b>2007</b> , 59, 205-14	2.9	9
49	TNF-alpha decreases hsp 27 in human blood mononuclear cells: involvement of protein kinase c. <i>Life Sciences</i> , <b>2006</b> , 80, 181-6	6.8	7
48	Possible interaction of a Rho effector, Rhotekin, with a PDZ-protein, PIST, at synapses of hippocampal neurons. <i>Neuroscience Research</i> , <b>2006</b> , 56, 165-71	2.9	13
47	Identification of a cell polarity-related protein, Lin-7B, as a binding partner for a Rho effector, Rhotekin, and their possible interaction in neurons. <i>Neuroscience Research</i> , <b>2006</b> , 56, 347-55	2.9	28
46	Identification of a PDZ protein, PIST, as a binding partner for Rho effector Rhotekin: biochemical and cell-biological characterization of Rhotekin-PIST interaction. <i>Biochemical Journal</i> , <b>2006</b> , 397, 389-98	3.8	20
45	Possible role of Rho/Rhotekin signaling in mammalian septin organization. <i>Oncogene</i> , <b>2005</b> , 24, 7064-72	9.2	55
44	Endoplasmic reticulum stress induces the phosphorylation of small heat shock protein, Hsp27. <i>Journal of Cellular Biochemistry</i> , <b>2005</b> , 95, 932-41	4.7	34
43	Nordihydroguaiaretic acid (NDGA) blocks the differentiation of C2C12 myoblast cells. <i>Journal of Cellular Physiology</i> , <b>2005</b> , 202, 874-9	7	9
42	A survey on exposure level, health status, and biomarkers in workers exposed to 1-bromopropane. <i>American Journal of Industrial Medicine</i> , <b>2004</b> , 45, 63-75	2.7	40

41	Methotrexate enhances prostaglandin D2-stimulated heat shock protein 27 induction in osteoblasts. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , <b>2004</b> , 71, 351-62	2.8	16
40	Involvement of p38 mitogen-activated protein kinase in heat shock protein 27 induction in human neutrophils. <i>European Journal of Pharmacology</i> , <b>2003</b> , 466, 245-53	5.3	13
39	Mechanism of simvastatin on induction of heat shock protein in osteoblasts. <i>Archives of Biochemistry and Biophysics</i> , <b>2003</b> , 415, 6-13	4.1	35
38	Dose-dependent biochemical changes in rat central nervous system after 12-week exposure to 1-bromopropane. <i>NeuroToxicology</i> , <b>2003</b> , 24, 199-206	4.4	44
37	Incadronate amplifies prostaglandin F2 alpha-induced vascular endothelial growth factor synthesis in osteoblasts. Enhancement of MAPK activity. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 18930-7	5.4	26
36	Thrombin stimulates dissociation and induction of HSP27 via p38 MAPK in vascular smooth muscle cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2002</b> , 283, H941-8	5.2	21
35	Phosphorylation of neuroglycan C, a brain-specific transmembrane chondroitin sulfate proteoglycan, and its localization in the lipid rafts. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 20583-90	5.4	15
34	Upregulation by retinoic acid of transforming growth factor-beta-stimulated heat shock protein 27 induction in osteoblasts: involvement of mitogen-activated protein kinases. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>2002</b> , 1589, 15-30	4.9	28
33	Biochemical changes in the central nervous system of rats exposed to 1-bromopropane for seven days. <i>Toxicological Sciences</i> , <b>2002</b> , 67, 114-20	4.4	42
32	Innervation-dependent phosphorylation and accumulation of alphaB-crystallin and Hsp27 as insoluble complexes in disused muscle. <i>FASEB Journal</i> , <b>2002</b> , 16, 1432-4	0.9	39
31	Inhibition of proteasomes induces accumulation, phosphorylation, and recruitment of HSP27 and alphaB-crystallin to aggresomes. <i>Journal of Biochemistry</i> , <b>2002</b> , 131, 593-603	3.1	55
30	Expression and phosphorylation of mammalian small heat shock proteins. <i>Progress in Molecular and Subcellular Biology</i> , <b>2002</b> , 28, 129-50	3	19
29	Ser-59 is the major phosphorylation site in alphaB-crystallin accumulated in the brains of patients with Alexander's disease. <i>Journal of Neurochemistry</i> , <b>2001</b> , 76, 730-6	6	40
28	Contrasting effects of midazolam on induction of heat shock protein 27 by vasopressin and heat in aortic smooth muscle cells. <i>Journal of Cellular Biochemistry</i> , <b>2001</b> , 84, 39-46	4.7	8
27	The loss of susceptibility to apoptosis in exudated tissue neutrophils is associated with their nuclear factor-kappa B activation. <i>European Journal of Pharmacology</i> , <b>2001</b> , 433, 17-27	5.3	19
26	AlphaB-crystallin phosphorylated at Ser-59 is localized in centrosomes and midbodies during mitosis. <i>European Journal of Cell Biology</i> , <b>2001</b> , 80, 741-8	6.1	26
25	Mechanism of prostaglandin D(2)-stimulated heat shock protein 27 induction in osteoblasts. <i>Cellular Signalling</i> , <b>2001</b> , 13, 535-41	4.9	26
24	Phosphorylation-induced change of the oligomerization state of alpha B-crystallin. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 5346-52	5.4	145

23	Regulation of the levels of small heat-shock proteins during differentiation of C2C12 cells. <i>Experimental Cell Research</i> , <b>2001</b> , 266, 213-21	4.2	59
22	Protein kinase inhibitors can suppress stress-induced dissociation of Hsp27. <i>Cell Stress and Chaperones</i> , <b>2001</b> , 6, 16-20	4	37
21	p38 MAP kinase is required for vasopressin-stimulated HSP27 induction in aortic smooth muscle cells. <i>Hypertension</i> , <b>2000</b> , 35, 673-8	8.5	23
20	Responses of heat shock proteins hsp27, alphaB-crystallin, and hsp70 in rat brain after kainic acid-induced seizure activity. <i>Journal of Neurochemistry</i> , <b>1999</b> , 73, 229-36	6	56
19	Sphingosine 1-phosphate induces heat shock protein 27 via p38 mitogen-activated protein kinase activation in osteoblasts. <i>Journal of Bone and Mineral Research</i> , <b>1999</b> , 14, 1761-7	6.3	36
18	Involvement of p42/p44 mitogen-activated protein kinase in prostaglandin F <sub>2</sub> β-stimulated induction of heat shock protein 27 in osteoblasts. <i>Journal of Cellular Biochemistry</i> , <b>1999</b> , 75, 610-619	4.7	9
17	Brain-derived neurotrophic factor, nerve growth and neurotrophin-3 selected regions of the rat brain following kainic acid-induced seizure activity. <i>Neuroscience Research</i> , <b>1999</b> , 35, 19-29	2.9	53
16	AlphaB-crystallin in the rat lens is phosphorylated at an early post-natal age. <i>FEBS Letters</i> , <b>1999</b> , 446, 269-72	3.8	17
15	Vasopressin stimulates the induction of heat shock protein 27 and alphaB-crystallin via protein kinase C activation in vascular smooth muscle cells. <i>Experimental Cell Research</i> , <b>1999</b> , 246, 327-37	4.2	22
14	Sphingosine 1-phosphate regulates heat shock protein 27 induction by a p38 MAP kinase-dependent mechanism in aortic smooth muscle cells. <i>Experimental Cell Research</i> , <b>1999</b> , 250, 376-80 <sup>2</sup>	4.2	35
13	Enhancement of expression of stress proteins by agents that lower the levels of glutathione in cells. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , <b>1998</b> , 1397, 223-30		4 <sup>1</sup>
12	A heat shock-related protein, p20, plays an inhibitory role in platelet activation. <i>FEBS Letters</i> , <b>1998</b> , 429, 327-9	3.8	23
11	Phosphorylation of alphaB-crystallin in mitotic cells and identification of enzymatic activities responsible for phosphorylation. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 28346-54	5.4	105
10	Stimulation of the stress-induced expression of stress proteins by curcumin in cultured cells and in rat tissues in vivo. <i>Cell Stress and Chaperones</i> , <b>1998</b> , 3, 152-60	4	84
9	Phosphorylation of alphaB-crystallin in response to various types of stress. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 29934-41	5.4	165
8	Prostaglandins stimulate the stress-induced synthesis of hsp27 and alpha B crystallin. <i>Journal of Cellular Physiology</i> , <b>1997</b> , 170, 255-62	7	16
7	Modulation of the arsenite-induced expression of stress proteins by reducing agents. <i>Cell Stress and Chaperones</i> , <b>1997</b> , 2, 199-209	4	22
6	Modulation of the stress-induced synthesis of hsp27 and alpha B-crystallin by cyclic AMP in C6 rat glioma cells. <i>Journal of Neurochemistry</i> , <b>1996</b> , 66, 946-50	6	149

5	Synthesis and accumulation of alphaB crystallin in C6 glioma cells is induced by agents that promote the disassembly of microtubules. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 26989-94	5.4	44
4	Enhancement of stress-induced synthesis of hsp27 and alpha B crystallin by modulators of the arachidonic acid cascade. <i>Journal of Cellular Physiology</i> , <b>1996</b> , 166, 332-9	7	21
3	Enhancement of stress-induced synthesis of stress proteins by mastoparan in C6 rat glioma cells. <i>Journal of Biochemistry</i> , <b>1995</b> , 118, 149-53	3.1	7
2	Modulation of the stress-induced synthesis of stress proteins by a phorbol ester and okadaic acid. <i>Journal of Biochemistry</i> , <b>1995</b> , 118, 629-34	3.1	14
1	Induction of the synthesis of hsp27 and alpha B crystallin in tissues of heat-stressed rats and its suppression by ethanol or an alpha 1-adrenergic antagonist. <i>Journal of Biochemistry</i> , <b>1995</b> , 117, 1238-43	3.1	49