Adam Voelkel

List of Publications by Citations

Source: https://exaly.com/author-pdf/5523931/adam-voelkel-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,822 40 200 24 h-index g-index citations papers 214 3,139 4.2 5.51 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
200	Inverse gas chromatography as a source of physiochemical data. <i>Journal of Chromatography A</i> , 2009 , 1216, 1551-66	4.5	189
199	Inverse Gas Chromatography: Characterization of Polymers, Fibers, Modified Silicas, and Surfactants. <i>Critical Reviews in Analytical Chemistry</i> , 1991 , 22, 411-439	5.2	105
198	Theoretical and experimental methods of determination of the breakthrough volume of SPE sorbents. <i>Talanta</i> , 2009 , 80, 614-21	6.2	78
197	Surface characterization of poly(lactic acid) and polycaprolactone by inverse gas chromatography. <i>Journal of Chromatography A</i> , 2007 , 1148, 86-91	4.5	67
196	Assessment of the surface chemistry of carbon blacks by TGA-MS, XPS and inverse gas chromatography using statistical chemometric analysis. <i>Applied Surface Science</i> , 2014 , 316, 315-323	6.7	65
195	Hansen solubility parameters for polyethylene glycols by inverse gas chromatography. <i>Journal of Chromatography A</i> , 2006 , 1132, 260-7	4.5	56
194	Solubility parameters of broad and narrow distributed oxyethylates of fatty alcohols. <i>Journal of Chromatography A</i> , 1993 , 645, 141-151	4.5	55
193	Inverse gas chromatography in characterization of surface. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2004 , 72, 205-207	3.8	48
192	Inverse gas chromatographic determination of solubility parameters of excipients. <i>International Journal of Pharmaceutics</i> , 2005 , 304, 11-7	6.5	47
191	New procedure for the determination of Hansen solubility parameters by means of inverse gas chromatography. <i>Journal of Chromatography A</i> , 2008 , 1195, 146-9	4.5	44
190	The solubility parameter for biomedical polymers-Application of inverse gas chromatography. Journal of Pharmaceutical and Biomedical Analysis, 2016 , 127, 202-6	3.5	40
189	Activation of Magnesium Lignosulfonate and Kraft Lignin: Influence on the Properties of Phenolic Resin-Based Composites for Potential Applications in Abrasive Materials. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	39
188	Examination of surfaces of solid polymers by inverse gas chromatography: 1. Dispersive properties. <i>Polymer</i> , 1996 , 37, 455-462	3.9	39
187	Selection of solubility parameters for characterization of pharmaceutical excipients. <i>Journal of Chromatography A</i> , 2007 , 1171, 90-7	4.5	36
186	Identification of organic extractables from commercial resin-modified glass-ionomers using HPLC-MS. <i>Journal of Environmental Monitoring</i> , 2006 , 8, 750-8		33
185	Effect of denture cleansers on chemical and mechanical behavior of selected soft lining materials. Dental Materials, 2011 , 27, 281-90	5.7	32
184	Increments of some polarity parameters for polyoxyethylene glycol dialkyl ethers and for some of their sulphur analogues. <i>Journal of Chromatography A</i> , 1985 , 330, 61-70	4.5	31

[1996-2016]

183	Physicochemical Characterization of Functional Lignin-Silica Hybrid Fillers for Potential Application in Abrasive Tools. <i>Materials</i> , 2016 , 9,	3.5	31	
182	Effect of particle type on the mechanisms of break up of nanoscale particle clusters. <i>Chemical Engineering Research and Design</i> , 2009 , 87, 468-473	5.5	30	
181	Extraction properties of new polymeric sorbents in SPE/GC analysis of phenol and hydroquinone from water samples. <i>Chemosphere</i> , 2006 , 62, 890-8	8.4	29	
180	Inverse gas chromatography as a tool for investigation of nanomaterials. <i>Journal of Colloid and Interface Science</i> , 2007 , 315, 768-71	9.3	26	
179	Reactive Diazonium-Modified Silica Fillers for High-Performance Polymers. <i>Langmuir</i> , 2016 , 32, 11646-17	14654	25	
178	Determination of surface free energy components for heterogeneous solids by means of inverse gas chromatography at finite concentrations. <i>Journal of Materials Chemistry</i> , 1998 , 8, 1953-1961		25	
177	Examination of zeolites as fragrance carriers. <i>Microporous and Mesoporous Materials</i> , 2012 , 161, 106-114	l _{5.3}	24	
176	Characterisation of mineral oilpolyester, mineral oilpoly-blefin mixtures by inverse gas chromatography. <i>Journal of Materials Chemistry</i> , 2001 , 11, 1042-1046		24	
175	Structure and nitrogen basicity of pyridine metal extractants. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 1996 , 208, 75-86	1.5	24	
174	Examination of surfaces of solid polymers by inverse gas chromatography: 2. Acid-base properties. <i>Polymer</i> , 1996 , 37, 4333-4344	3.9	23	
173	Polarity of polyoxyethylene glycol dialkyl ethers and some sulphur analogues measured by gas chromatography. <i>Journal of Chromatography A</i> , 1985 , 333, 319-326	4.5	23	
172	Characteristics of Multifunctional, Eco-Friendly Lignin-AlDIHybrid Fillers and Their Influence on the Properties of Composites for Abrasive Tools. <i>Molecules</i> , 2017 , 22,	4.8	21	
171	Acid-based properties of silicas modified by organic compounds as determined by inverse gas chromatography. <i>Powder Technology</i> , 1998 , 95, 103-108	5.2	21	
170	Comparison of three derivatization ways in the separation of phenol and hydroquinone from water samples. <i>Journal of Chromatography A</i> , 2004 , 1052, 233-6	4.5	21	
169	The increase of apatite layer formation by the poly(3-hydroxybutyrate) surface modification of hydroxyapatite and Etricalcium phosphate. <i>Materials Science and Engineering C</i> , 2014 , 34, 236-44	8.3	20	
168	Application of HS-SPME in the determination of potentially toxic organic compounds emitted from resin-based dental materials. <i>Journal of Environmental Monitoring</i> , 2006 , 8, 377-83		20	
167	The use of FloryHuggins parameters as a measure of interactions in polymer-filler systems. Journal of Polymer Science, Part B: Polymer Physics, 2006 , 44, 1853-1862	2.6	20	
166	Influence of prediction method of the second virial coefficient on inverse gas chromatographic parameters. <i>Journal of Chromatography A</i> , 1996 , 721, 139-145	4.5	20	

165	Inverse gas chromatography in characterization of surfactants. <i>Journal of Chromatography A</i> , 1993 , 654, 135-141	4.5	20
164	Increments of the arithmetic retention index for non-ionic surfactants with a polyoxyethylene chain. <i>Journal of Chromatography A</i> , 1986 , 360, 43-52	4.5	20
163	Polarity of 1,3-bis[Ebutoxyoligo(oxyethylene)]propan-2-ols as measured by reversed-phase gas chromatography. <i>Journal of Chromatography A</i> , 1987 , 398, 31-41	4.5	20
162	Surface properties and surface free energy of cellulosic etc mucoadhesive polymers. <i>Carbohydrate Polymers</i> , 2017 , 171, 152-162	10.3	19
161	Mechanical properties of experimental composites with different calcium phosphates fillers. <i>Materials Science and Engineering C</i> , 2017 , 78, 1101-1108	8.3	19
160	Study of a new resin-based composites containing hydroxyapatite filler using Raman and infrared spectroscopy. <i>Materials Chemistry and Physics</i> , 2014 , 145, 304-312	4.4	19
159	Influence of different fillers on phenolic resin abrasive composites. Comparison of inverse gas chromatographic and dynamic mechanicalEhermal analysis characteristics. <i>International Journal of Adhesion and Adhesives</i> , 2014 , 51, 81-86	3.4	19
158	Estimation of the work of adhesion by means of inverse gas chromatography for polymer complex systems. <i>International Journal of Adhesion and Adhesives</i> , 2012 , 38, 84-88	3.4	19
157	Polarity of aminoether alcohols and their ethers measured by reversed-phase gas chromatography. Journal of Chromatography A, 1987 , 391, 373-382	4.5	19
156	Role of Hansen solubility parameters in solid phase extraction. <i>Journal of Chromatography A</i> , 2010 , 1217, 5564-70	4.5	18
155	Inverse gas chromatography. Relationship between mass activity coefficient and flory-huggins interaction parameter in the examination of petroleum pitches. <i>Chromatographia</i> , 1997 , 44, 197-204	2.1	18
154	Principal component analysis of polymerBolvent and fillerBolvent interactions by inverse gas chromatography. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2005 , 260, 29-37	5.1	18
153	Inverse gas chromatographic determination of solubility parameter and binary parameters of Ediamino oligoethers. <i>Journal of Chromatography A</i> , 1994 , 669, 89-95	4.5	18
152	Stability of simulated body fluids such as blood plasma, artificial urine and artificial saliva. <i>Microchemical Journal</i> , 2017 , 134, 197-201	4.8	17
151	Assessment of the chemical changes during storage of phenol-formaldehyde resins pyrolysis gas chromatography mass spectrometry, inverse gas chromatography and Fourier transform infra red methods. <i>Journal of Chromatography A</i> , 2014 , 1359, 255-61	4.5	17
150	Preparation and examination of monolithic in-needle extraction (MINE) device for the direct analysis of liquid samples. <i>Analytica Chimica Acta</i> , 2013 , 776, 50-6	6.6	17
149	Characterization of the interactions in polymer-filler systems by inverse gas chromatography. <i>Journal of Chromatography A</i> , 2002 , 969, 255-9	4.5	17
148	Principal component analysis of polarity and interaction parameters in inverse gas chromatography. <i>Journal of Chromatographic Science</i> , 2001 , 39, 375-84	1.4	17

(2007-2020)

147	Calcium forms of zeolites A and X as fillers in dental restorative materials with remineralizing potential. <i>Microporous and Mesoporous Materials</i> , 2020 , 294, 109899	5.3	17	
146	Surface properties of rutile and its modified form - Part 1. Surface characteristics studied by means of inverse gas chromatography. <i>Journal of Adhesion Science and Technology</i> , 1997 , 11, 1513-1529	2	16	
145	Characterization of dispersive and acid-base properties of crosslinked polymers by inverse gas chromatography. <i>Polymer</i> , 1993 , 34, 3109-3111	3.9	16	
144	Retention indices and thermodynamic functions of solution for model non-ionic surfactants in standard stationary phases determined by gas chromatography. <i>Journal of Chromatography A</i> , 1987 , 387, 95-104	4.5	16	
143	Dispersive force parameters as a measure of the polarity of surfactants used as stationary phases in gas-liquid chromatography. <i>Journal of Chromatography A</i> , 1988 , 435, 29-41	4.5	16	
142	Diazonium-modified zeolite fillers. Effect of diazonium substituent position on the filler surface modification and the mechanical properties of phenolic/zeolite composites. <i>International Journal of Adhesion and Adhesives</i> , 2018 , 85, 157-164	3.4	15	
141	Surface energy of bovine dentin and enamel by means of inverse gas chromatography. <i>Materials Science and Engineering C</i> , 2015 , 49, 382-389	8.3	15	
140	Characterization of fillers used in abrasive articles by means of inverse gas chromatography and principal component analysis. <i>International Journal of Adhesion and Adhesives</i> , 2007 , 27, 188-194	3.4	15	
139	Polarity of oligooxyethylene derivatives of alcohols, thio alcohols and alkylamines as measured by gas chromatography. <i>Journal of Chromatography A</i> , 1988 , 450, 291-308	4.5	15	
138	Polarity of some individual derivatives of Ædiamino-oligoethers as measured by gas chromatography. <i>Journal of Chromatography A</i> , 1988 , 448, 219-232	4.5	15	
137	Application of inverse gas chromatography in physicochemical characterization of phenolic resin adhesives. <i>Journal of Chromatography A</i> , 2014 , 1368, 199-203	4.5	14	
136	Characterization of zeolites as potential new generation fillers in abrasive articles. Physicochemical properties of zeolites and their interactions with resins. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010 , 372, 80-85	5.1	14	
135	Characterization of the interactions in polymer/silica systems by inverse gas chromatography. <i>Macromolecular Symposia</i> , 2001 , 169, 45-55	0.8	14	
134	Polarity of 1,3-bis[thkoxyoligo(oxyethylene)]propan-2-ols as measured by reversed-phase gas chromatography. <i>Journal of Chromatography A</i> , 1987 , 409, 29-41	4.5	14	
133	Polarity and hydrophileIpophile balance of model hydroxyoximes and their intermediates as determined by reverse-phase gas chromatography. <i>Journal of Chromatography A</i> , 1987 , 402, 55-64	4.5	14	
132	Examination of surfaces of solid polymers by inverse gas chromatography. 3. The influence of the annealing time. <i>Polymer</i> , 1998 , 39, 3499-3506	3.9	13	
131	Use of FloryHuggins parameters in the characterization of polymerfiller compositions. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 2877-2882	2.9	13	
130	Hydrophile lipophile balance of hydroxyoximes in McGowan scale and their partition and extraction properties. <i>Journal of Chemical Technology and Biotechnology</i> , 2007 , 54, 19-26	3.5	13	

129	Use of topological indices of polychlorinated biphenyls in structure-retention relationships. <i>Journal of Chromatography A</i> , 2003 , 1018, 63-71	4.5	13
128	Determination of Hansen solubility parameters of solid materials by inverse gas-solid chromatography. <i>Acta Chromatographica</i> , 2008 , 20, 1-14	1.5	13
127	Functional lignin-SiO2 hybrids as potential fillers for phenolic binders. <i>Journal of Adhesion Science and Technology</i> , 2016 , 30, 1031-1048	2	12
126	Optimization of the in-needle extraction device for the direct flow of the liquid sample through the sorbent layer. <i>Talanta</i> , 2014 , 129, 392-7	6.2	12
125	Estimation of the breakthrough volume of selected steroids for C-18 solid-phase extraction sorbent using retention data from micro-thin layer chromatography. <i>Journal of Separation Science</i> , 2013 , 36, 1104-11	3.4	12
124	Inverse Gas Chromatographic Examination of Polymer Composites. <i>Open Chemistry</i> , 2015 , 13,	1.6	12
123	Relationship between surface properties determined by inverse gas chromatography and ibuprofen release from hybrid materials based on fumed silica. <i>International Journal of Pharmaceutics</i> , 2013 , 441, 441-8	6.5	12
122	The influence of denture cleansers on the release of organic compounds from soft lining materials. Journal of Environmental Monitoring, 2008 , 10, 770-4		12
121	The use of Flory-Huggins parameters to characterization of polymer/filler interactions. <i>Macromolecular Symposia</i> , 2003 , 194, 305-312	0.8	12
120	Ketoimino groups as silica surface modifiers. <i>Journal of Chromatography A</i> , 2002 , 969, 133-41	4.5	12
119	Inverse gas chromatography and other chromatographic techniques in the examination of engine oils. <i>Journal of Chromatography A</i> , 2002 , 969, 181-91	4.5	12
118	Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography. <i>Journal of Chromatography A</i> , 1995 , 690, 83-91	4.5	12
117	Surface properties of copolymers and terpolymers of styrene as studied by inverse gas chromatography. <i>Polymer</i> , 1995 , 36, 3503-3510	3.9	12
116	The solubility parameters of fluorine-containing oxyethylates. <i>Journal of Fluorine Chemistry</i> , 1994 , 67, 75-81	2.1	12
115	Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography. <i>Journal of Chromatography A</i> , 1995 , 715, 127-134	4.5	12
114	Calcium release from experimental dental materials. <i>Materials Science and Engineering C</i> , 2016 , 68, 21	3-2 % 9	12
113	Diazonium Modification of Inorganic and Organic Fillers for the Design of Robust Composites: A Review. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2021 , 31, 1-21	3.2	12
112	Inverse gas chromatography investigation of oxidized polyolefins: surface properties. <i>Journal of Chromatography A</i> , 2014 , 1337, 194-201	4.5	11

(1988-2009)

111	Application of different analytical methods used in the study of the cross-linking of resins in intermediate-product used in manufacturing of abrasive articles. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 3305-3312	2.9	11	
110	Dispersive surface properties of glass-ionomer cements determined by inverse gas chromatography. <i>Applied Surface Science</i> , 2005 , 245, 135-140	6.7	11	
109	Zeolite fillers for resin-based composites with remineralizing potential. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 210, 126-135	4.4	11	
108	Modification of Ti6Al4V surface by diazonium compounds. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 191, 27-35	4.4	10	
107	Estimation of polyurethane-carbon black interactions by means of inverse gas chromatography. Journal of Chromatography A, 2013 , 1314, 249-54	4.5	10	
106	Characterization of light-cured, dental-resin-based biocomposites. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	10	
105	Effectiveness of in-needle extraction device for liquid samples. <i>Analytica Chimica Acta</i> , 2012 , 751, 182-8	6.6	10	
104	Optimization of SPE/GC/HPLC Analytical Procedure for Determination of Phenol, Quinones, and Carboxylic Acids in Water Samples. <i>ISRN Chromatography</i> , 2012 , 2012, 1-7		10	
103	Kraft lignin/cubic boron nitride hybrid materials as functional components for abrasive tools. <i>International Journal of Biological Macromolecules</i> , 2019 , 122, 88-94	7.9	10	
102	Preparation of hybrid materials for controlled drug release. <i>Drug Development and Industrial Pharmacy</i> , 2016 , 42, 1058-65	3.6	9	
101	An in-needle extraction technique in determination of organic compounds released from dental tissue conditioners incubated in artificial saliva. <i>Talanta</i> , 2014 , 129, 203-8	6.2	9	
100	Solubility parameter used to predict the effectiveness of monolithic in-needle extraction (MINE) device for the direct analysis of liquid samples. <i>Analytica Chimica Acta</i> , 2013 , 805, 54-9	6.6	9	
99	Characterization of hybrid materials by means of inverse gas chromatography and chemometrics. <i>Journal of Pharmaceutical Sciences</i> , 2013 , 102, 1524-31	3.9	9	
98	Physicochemical Measurements (Inverse Gas Chromatography) 2012 , 477-494		9	
97	Inverse gas chromatographic and chemometric tools for determination of interactions between the components of polymeric composition. <i>Analytica Chimica Acta</i> , 2006 , 559, 221-226	6.6	9	
96	Solubility and polarity parameters for pyridinecarboxamides and their complexes with copper(II) as determined by inverse gas chromatography. <i>Journal of Chromatography A</i> , 1996 , 740, 253-261	4.5	9	
95	Structural descriptors in organic chemistryflew topological parameter based on electrotopological state of graph vertices. <i>Computers & Chemistry</i> , 1994 , 18, 1-4		9	
94	Measurement of the polarity of alkyl derivatives of diazapolyoxyethylene ethers by gas chromatography. <i>Journal of Chromatography A</i> , 1988 , 454, 51-63	4.5	9	

93	Influence of experimental conditions upon polarity parameters as measured by gas chromatography. <i>Journal of Chromatography A</i> , 1988 , 457, 73-84	4.5	9
92	Polymer-ceramic Monolithic In-Needle Extraction (MINE) device: Preparation and examination of drug affinity. <i>Materials Science and Engineering C</i> , 2016 , 68, 70-77	8.3	9
91	Examination of the chemical changes in cured phenol-formaldehyde resins during storage. <i>Journal of Chromatography A</i> , 2016 , 1441, 106-15	4.5	9
90	Poly(vinyl alcohol)/hydroxyapatite Monolithic In-Needle Extraction (MINE) device: Preparation and examination of drug affinity. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 105, 195-202	5.1	8
89	Characterization of ceramic hydroxyapatite surface by inverse liquid chromatography in aquatic systems. <i>Talanta</i> , 2016 , 147, 44-9	6.2	8
88	Similarity and grouping of perlite and zeolite abrasive fillers: A replacement test. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 3839-3847	2.9	8
87	Influence of relative humidity on the properties of examined materials by means of inverse gas chromatography. <i>Journal of Chromatography A</i> , 2013 , 1271, 201-6	4.5	8
86	Inverse gas chromatography in the examination of organic compounds. <i>Journal of Chromatography A</i> , 1998 , 795, 349-357	4.5	8
85	AcidBase surface properties of glass-ionomers determined by IGC. <i>Applied Surface Science</i> , 2005 , 245, 149-154	6.7	8
84	Selectivity of solid-phase extraction phases in the determination of biodegradation products. <i>Journal of Chromatography A</i> , 2001 , 918, 145-51	4.5	8
83	The use of solubility parameters in characterization of titanate modified silica gel by inverse gas chromatography. <i>Chromatographia</i> , 2000 , 51, 608-614	2.1	8
82	Topological indices as structural parameters. <i>Journal of Chromatography A</i> , 1991 , 547, 247-257	4.5	8
81	Carbon black modified with 4-hydroxymethylbenzenediazonium salt as filler for phenol-formaldehyde resins and abrasive tools. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48160	2.9	8
80	Interactions in PEG/Aerosil and PLA/Aerosil composites described by IGC-determined Flory-Huggins 123 parameter. <i>Journal of Polymer Research</i> , 2014 , 21, 1	2.7	7
79	The Examination of the Degree of Coverage of the Fused Alumina Abrasive by Resol Wetting Agent by Inverse GC. <i>Chromatographia</i> , 2009 , 70, 1393-1397	2.1	7
78	Inverse gas chromatography for the examination of fractions separated from oil vacuum distillation residues. <i>Journal of Chromatography A</i> , 1997 , 768, 271-281	4.5	7
77	Determination of Hansen Solubility Parameters by Means of Gas-Solid Inverse Gas Chromatography. <i>Adsorption Science and Technology</i> , 2008 , 26, 93-102	3.6	7
76	Chemical Heterogeneity of Metal Oxide Surfaces as Studied by Inverse Gas Chromatography at Finite Concentrations. <i>Adsorption Science and Technology</i> , 1996 , 14, 189-198	3.6	7

(2019-2019)

75	Mechanically robust and thermally stable abrasive tools from phenolic resins reinforced with diazonium-modified zeolites. <i>Polymer Composites</i> , 2019 , 40, 3209-3219	3	7
74	Active diazonium-modified zeolite fillers for methacrylate-based composites. <i>Composite Interfaces</i> , 2019 , 26, 643-657	2.3	7
73	The effect of lignin-alumina hybrid additive on the properties of composition used in abrasive tools. <i>International Journal of Biological Macromolecules</i> , 2020 , 161, 531-538	7.9	6
72	Experimental and in silico investigations of organic phosphates and phosphonates sorption on polymer-ceramic monolithic materials and hydroxyapatite. <i>European Journal of Pharmaceutical Sciences</i> , 2016 , 93, 295-303	5.1	6
71	Solubility parameter as polarity measure for high-boiling oil products. Fuel, 2014, 122, 310-315	7.1	6
70	Sorption, solubility, and mass changes of hydroxyapatite-containing composites in artificial saliva, food simulating solutions, tea, and coffee. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	6
69	Effect of impregnating agent and relative humidity on surface characteristics of sorbents determined by inverse gas chromatography. <i>Journal of Chromatography A</i> , 2013 , 1288, 101-4	4.5	6
68	Characterisation of hydroxyapatite surface modified by poly(ethylene glycol) and poly(hydroxyethyl methacrylate) grafting. <i>Chemical Papers</i> , 2013 , 67,	1.9	6
67	Inverse Gas Chromatographic Characterization of Aluminosilicates as Fillers for Abrasive Articles. <i>Chromatographia</i> , 2012 , 75, 353-360	2.1	6
66	Reply to comments and corrections. <i>Polymer</i> , 1994 , 35, 1789-1790	3.9	6
66	Reply to comments and corrections. <i>Polymer</i> , 1994 , 35, 1789-1790 Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s). <i>Journal of Chromatography A</i> , 1991 , 464, 251-263	3.9 4.5	6
	Properties of topological indices as structural parameters for compounds containing		
65	Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s). <i>Journal of Chromatography A</i> , 1991 , 464, 251-263 Structural descriptors in organic chemistry. Topological indices of isoquinoline derivatives.		6
65 64	Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s). <i>Journal of Chromatography A</i> , 1991 , 464, 251-263 Structural descriptors in organic chemistry. Topological indices of isoquinoline derivatives. <i>Computational and Theoretical Chemistry</i> , 1993 , 279, 217-222 Novel highly efficient ionic liquid-functionalized silica for toxic metals removal. <i>Separation and</i>	4.5	6
65 64 63	Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s). <i>Journal of Chromatography A</i> , 1991 , 464, 251-263 Structural descriptors in organic chemistry. Topological indices of isoquinoline derivatives. <i>Computational and Theoretical Chemistry</i> , 1993 , 279, 217-222 Novel highly efficient ionic liquid-functionalized silica for toxic metals removal. <i>Separation and Purification Technology</i> , 2021 , 265, 118483 Influence of diazonium and surfactant modification of the mesoporous material on its adsorption	4·5 8.3	6 6
65 64 63 62	Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s). <i>Journal of Chromatography A</i> , 1991 , 464, 251-263 Structural descriptors in organic chemistry. Topological indices of isoquinoline derivatives. <i>Computational and Theoretical Chemistry</i> , 1993 , 279, 217-222 Novel highly efficient ionic liquid-functionalized silica for toxic metals removal. <i>Separation and Purification Technology</i> , 2021 , 265, 118483 Influence of diazonium and surfactant modification of the mesoporous material on its adsorption properties. <i>Chemical Papers</i> , 2020 , 74, 929-938 The effect of bonding system application on surface characteristics of bovine dentin and enamel.	4·5 8.3 1.9	6666
65 64 63 62 61	Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s). <i>Journal of Chromatography A</i> , 1991 , 464, 251-263 Structural descriptors in organic chemistry. Topological indices of isoquinoline derivatives. <i>Computational and Theoretical Chemistry</i> , 1993 , 279, 217-222 Novel highly efficient ionic liquid-functionalized silica for toxic metals removal. <i>Separation and Purification Technology</i> , 2021 , 265, 118483 Influence of diazonium and surfactant modification of the mesoporous material on its adsorption properties. <i>Chemical Papers</i> , 2020 , 74, 929-938 The effect of bonding system application on surface characteristics of bovine dentin and enamel. <i>Materials Science and Engineering C</i> , 2017 , 76, 1224-1231 The influence of direct compression powder blend transfer method from the container to the tablet press on product critical quality attributes: a case study. <i>Drug Development and Industrial</i>	4.5 8.3 1.9	6 6 6 6 5

57	Improvement of mechanical properties of silica/phenolic composites and abrasive tools by modification of filler using diazonium salt with hydroxymethyl groups. <i>Polymer Testing</i> , 2019 , 75, 373-3	37 9 ·5	5
56	Calcium-Rich 13X Zeolite as a Filler with Remineralizing Potential for Dental Composites. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 3843-3854	5.5	5
55	The possibility of the polyurethane layer attachment to the unmodified and diazonium-modified titanium alloy applied as potential biomaterial. <i>Surface and Coatings Technology</i> , 2020 , 385, 125389	4.4	5
54	Best conditions for biodegradation of diesel oil by chemometric tools. <i>Brazilian Journal of Microbiology</i> , 2014 , 45, 117-26	2.2	5
53	Surface properties of titanate-modified silicagel as measured by inverse gas chromatography. Journal of Materials Chemistry, 2001 , 11, 1288-1293		5
52	Polarity of butylene and ethylene oxides copolymers. <i>Colloid and Polymer Science</i> , 1979 , 257, 494-501	2.4	5
51	Improving the abrasion resistance of Ti6Al4V alloy by modifying its surface with a diazonium salt and attaching of polyurethane. <i>Scientific Reports</i> , 2020 , 10, 19289	4.9	5
50	Inverse gas chromatography in the examination of surface properties of experimental dental composites. <i>Polymer Testing</i> , 2020 , 90, 106697	4.5	4
49	Calcium zeolites as intelligent carriers in controlled release of bisphosphonates. <i>International Journal of Pharmaceutics</i> , 2020 , 578, 119117	6.5	4
48	Surface properties of rutile and its modified form - Part 2. Characteristics of the water/solid interface as examined by means of 1H-NMR spectroscopy with bulk freezing. <i>Journal of Adhesion Science and Technology</i> , 1997 , 11, 1531-1547	2	4
47	StructureEctivity relationships for hydroxyoxime metal extractants. <i>Journal of Chemical Technology and Biotechnology</i> , 2007 , 56, 279-288	3.5	4
46	Chromatographic and non-chromatographic characterization of poly-blefins. <i>Journal of Synthetic Lubrication: Research, Development and Application of Synthetic Lubricants and Functional Fluids</i> , 2007 , 24, 91-100		4
45	Application of inverse gas chromatography to the examination of annealing processes of semi-synthetic base oils. <i>Journal of Chromatography A</i> , 2002 , 982, 245-54	4.5	4
44	Properties of zirconate modificates of silica gel as examined by inverse gas chromatography. <i>Macromolecular Symposia</i> , 2001 , 169, 35-44	0.8	4
43	Attempts to use Laffort's solubility factors as polarity parameters for organic compounds in inverse gas chromatography. <i>Journal of Chromatography A</i> , 1991 , 555, 205-210	4.5	4
42	Polarity of broad and narrow distributed ethoxylates of fatty alcohols. <i>JAOCS, Journal of the American Oil ChemistssSociety</i> , 1993 , 70, 711-716	1.8	4
41	Characteristics of the surface layer of selected glass-ionomer cements by inverse gas chromatography in increased humidity conditions. <i>Polimery</i> , 2006 , 51, 280-284	3.4	4
40	Characterization of mesoporous aluminosilicate materials by means of inverse liquid chromatography. <i>Journal of Chromatography A</i> , 2020 , 1610, 460544	4.5	4

(2019-2020)

39	The influence of ion exchange in zeolite X on the properties of phenol-formaldehyde composites. <i>International Journal of Adhesion and Adhesives</i> , 2020 , 100, 102625	3.4	3
38	Inverse liquid chromatography as a tool for characterisation of the surface layer of ceramic biomaterials. <i>Journal of Chromatography A</i> , 2016 , 1468, 116-125	4.5	3
37	Quantitative criteria for needle trap device selection. <i>Journal of Chromatography A</i> , 2013 , 1278, 181-3	4.5	3
36	Application of inverse gas chromatography in the characterization of raw material used in manufacturing of abrasive materials. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006 , 280, 177-181	5.1	3
35	Inverse gas chromatography in the examination of modified fillers. <i>Macromolecular Symposia</i> , 2003 , 194, 27-38	0.8	3
34	Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography. <i>Journal of Chromatography A</i> , 1995 , 693, 315-323	4.5	3
33	StructureBasicity relationships for pyridine extractants. <i>Journal of Chemical Technology and Biotechnology</i> , 1995 , 62, 233-240	3.5	3
32	Inverse gas chromatography: the use of Laffort solubility factors and topological indices in structure-polarity relationships. <i>Journal of Chromatography A</i> , 1992 , 623, 83-91	4.5	3
31	Solubility and polarity parameters of polyoxyethylene glycol dialkyl ethers. <i>Journal of Pharmaceutical Sciences</i> , 1988 , 77, 893-7	3.9	3
30	Calcium montmorillonite and montmorillonite with hydroxyapatite layer as fillers in dental composites with remineralizing potential. <i>Applied Clay Science</i> , 2020 , 198, 105822	5.2	3
29	Synthesis and Characterization of Low-Cost Cresol-Based Benzoxazine Resins as Potential Binders in Abrasive Composites. <i>Materials</i> , 2020 , 13,	3.5	3
28	Assessment of resin adhesives aging by means of rheological parameters, Inverse Gas Chromatography, and FTIR. <i>Journal of Adhesion Science and Technology</i> , 2016 , 30, 56-74	2	3
27	A long-term controlled release of the drug for osteoporosis from the surface of titanium implants coated with calcium zeolite. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 5718-5725	7.8	3
26	Additives for Abrasive Materials 2018 ,		3
25	New Mesoporous Aluminosilicates Used for Solid-phase Extraction of Hydrocarbons and Fragrance Compounds. <i>Analytical Letters</i> , 2018 , 51, 2026-2038	2.2	2
24	Application of Inverse Liquid Chromatography for Surface Characterization of Biomaterials. <i>Chromatographia</i> , 2016 , 79, 473-480	2.1	2
23	Evaluation of drug-carrier interactions in quaternary powder mixtures containing perindopril tert-butylamine and indapamide. <i>International Journal of Pharmaceutics</i> , 2016 , 503, 29-35	6.5	2
22	Siliceous-based monolithic materials coated with a hydroxyapatite layer: Preparation and investigation of drug affinity by Raman spectroscopy. <i>Journal of Raman Spectroscopy</i> , 2019 , 50, 1722-1	7303	2

21	Inverse Gas Chromatography in Characterization of Composites Interaction 2012,		2
20	Inverse gas chromatography in the monitoring of bright stocks annealing. Application of the heat of solution and the heat of mixing. <i>Analyst, The</i> , 1998 , 123, 2351-2355	5	2
19	The Use of Flory-Huggins Parameters in Characterization of Polymer-Filler Compositions. <i>Materials Science Forum</i> , 2008 , 587-588, 667-671	0.4	2
18	Influence of monolayer of titanium and zirconium coupling agents on dispersive and acidBase properties of modified silica gel. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2002 , 208, 177-185	5.1	2
17	Inverse Gas Chromatography in the Examination of Modified Highly Dispersed Silicas. <i>Adsorption Science and Technology</i> , 1999 , 17, 173-179	3.6	2
16	Polarity of fluorine-containing oxyethylates as determined by inverse gas chromatography. <i>Journal of Fluorine Chemistry</i> , 1993 , 64, 177-186	2.1	2
15	Influence of Change of Si/Al Ratio on the Synthesis of Mesoporous Aluminosilicates and Flexural Strength of Novolac Composites. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2019 , 29, 1439-1446	3.2	2
14	Determination of bisphosphonates anti-resorptive properties based on three forms of ceramic materials: Sorption and release process evaluation. <i>Journal of Pharmaceutical Analysis</i> , 2021 , 11, 364-3	73 ¹⁴	1
13	Surface Analysis of ClayPolymer Nanocomposites 2017, 363-411		1
12	Surface modification of hydroxyapatite with polyhedral oligomeric silsesquioxane. <i>Reactive and Functional Polymers</i> , 2022 , 170, 105131	4.6	1
11	Evaluation of the physico-chemical properties of hydrocarbons-exposed bacterial biomass. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020 , 196, 111310	6	1
10	Silica-filled methacrylic composites with extremely high compressive strength. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 116, 104319	4.1	1
9	The Physicochemical Characteristics of Prosthetic Materials and Their Influence on Their Clinical Properties. <i>Chromatographia</i> , 2017 , 80, 1761-1769	2.1	0
8	Chromatographic Techniques for Characterization of Carbons and Carbon Composites 2020 , 256-272		O
7	Inverse gas chromatography in the examination of adhesion between tooth hard tissues and restorative dental materials. <i>Scientific Reports</i> , 2020 , 10, 13476	4.9	O
6	Risedronate extraction from artificial urine with using monolithic polymer-based anion exchangers. <i>Journal of the Iranian Chemical Society</i> , 2019 , 16, 93-100	2	O
5	Physicochemical measurements (inverse gas chromatography) 2021 , 561-579		O
4	New Essential Events in Modern Applications of Inverse Gas Chromatography 2015 , 979-998		

LIST OF PUBLICATIONS

3 Inverse Gas Chromatography **2014**, 327-346

2	Adsorption Chromatography in the Examination of Heavy Oil Residues ©comparison of Standard Methods. <i>Adsorption Science and Technology</i> , 1998 , 16, 697-704	3.6	
1	Synthesis, characterization, and possible application as sorbents of new low-cost aluminosilicate materials with different Si/Al ratios. International Journal of Materials Research 2019, 110, 551-562	0.5	