

Adam Voelkel

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5523931/adam-voelkel-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

200
papers

2,822
citations

24
h-index

40
g-index

214
ext. papers

3,139
ext. citations

4.2
avg, IF

5.51
L-index

#	Paper	IF	Citations
200	Surface modification of hydroxyapatite with polyhedral oligomeric silsesquioxane. <i>Reactive and Functional Polymers</i> , 2022 , 170, 105131	4.6	1
199	Determination of bisphosphonates anti-resorptive properties based on three forms of ceramic materials: Sorption and release process evaluation. <i>Journal of Pharmaceutical Analysis</i> , 2021 , 11, 364-373 ¹⁴		1
198	Silica-filled methacrylic composites with extremely high compressive strength. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2021 , 116, 104319	4.1	1
197	Novel highly efficient ionic liquid-functionalized silica for toxic metals removal. <i>Separation and Purification Technology</i> , 2021 , 265, 118483	8.3	6
196	Diazonium Modification of Inorganic and Organic Fillers for the Design of Robust Composites: A Review. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2021 , 31, 1-21	3.2	12
195	A long-term controlled release of the drug for osteoporosis from the surface of titanium implants coated with calcium zeolite. <i>Materials Chemistry Frontiers</i> , 2021 , 5, 5718-5725	7.8	3
194	Physicochemical measurements (inverse gas chromatography) 2021 , 561-579		0
193	The effect of lignin-alumina hybrid additive on the properties of composition used in abrasive tools. <i>International Journal of Biological Macromolecules</i> , 2020 , 161, 531-538	7.9	6
192	Calcium-Rich 13X Zeolite as a Filler with Remineralizing Potential for Dental Composites. <i>ACS Biomaterials Science and Engineering</i> , 2020 , 6, 3843-3854	5.5	5
191	Inverse gas chromatography in the examination of surface properties of experimental dental composites. <i>Polymer Testing</i> , 2020 , 90, 106697	4.5	4
190	Calcium zeolites as intelligent carriers in controlled release of bisphosphonates. <i>International Journal of Pharmaceutics</i> , 2020 , 578, 119117	6.5	4
189	The possibility of the polyurethane layer attachment to the unmodified and diazonium-modified titanium alloy applied as potential biomaterial. <i>Surface and Coatings Technology</i> , 2020 , 385, 125389	4.4	5
188	The influence of ion exchange in zeolite X on the properties of phenol-formaldehyde composites. <i>International Journal of Adhesion and Adhesives</i> , 2020 , 100, 102625	3.4	3
187	Chromatographic Techniques for Characterization of Carbons and Carbon Composites 2020 , 256-272		0
186	Characterization of mesoporous aluminosilicate materials by means of inverse liquid chromatography. <i>Journal of Chromatography A</i> , 2020 , 1610, 460544	4.5	4
185	Calcium forms of zeolites A and X as fillers in dental restorative materials with remineralizing potential. <i>Microporous and Mesoporous Materials</i> , 2020 , 294, 109899	5.3	17
184	Calcium montmorillonite and montmorillonite with hydroxyapatite layer as fillers in dental composites with remineralizing potential. <i>Applied Clay Science</i> , 2020 , 198, 105822	5.2	3

183	Evaluation of the physico-chemical properties of hydrocarbons-exposed bacterial biomass. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020 , 196, 111310	6	1
182	Synthesis and Characterization of Low-Cost Cresol-Based Benzoxazine Resins as Potential Binders in Abrasive Composites. <i>Materials</i> , 2020 , 13,	3.5	3
181	Improving the abrasion resistance of Ti6Al4V alloy by modifying its surface with a diazonium salt and attaching of polyurethane. <i>Scientific Reports</i> , 2020 , 10, 19289	4.9	5
180	Inverse gas chromatography in the examination of adhesion between tooth hard tissues and restorative dental materials. <i>Scientific Reports</i> , 2020 , 10, 13476	4.9	0
179	Influence of diazonium and surfactant modification of the mesoporous material on its adsorption properties. <i>Chemical Papers</i> , 2020 , 74, 929-938	1.9	6
178	Carbon black modified with 4-hydroxymethylbenzenediazonium salt as filler for phenol-formaldehyde resins and abrasive tools. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48160	2.9	8
177	Quantifying non-specific interactions via liquid chromatography. <i>Analyst, The</i> , 2019 , 144, 1632-1641	5	5
176	Self-emulsifying drug delivery systems with atorvastatin adsorbed on solid carriers: formulation and in vitro drug release studies. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 577, 281-290	5.1	5
175	Improvement of mechanical properties of silica/phenolic composites and abrasive tools by modification of filler using diazonium salt with hydroxymethyl groups. <i>Polymer Testing</i> , 2019 , 75, 373-379	4.5	5
174	Siliceous-based monolithic materials coated with a hydroxyapatite layer: Preparation and investigation of drug affinity by Raman spectroscopy. <i>Journal of Raman Spectroscopy</i> , 2019 , 50, 1722-1730	2.3	2
173	Synthesis, characterization, and possible application as sorbents of new low-cost aluminosilicate materials with different Si/Al ratios. <i>International Journal of Materials Research</i> , 2019 , 110, 551-562	0.5	
172	Influence of Change of Si/Al Ratio on the Synthesis of Mesoporous Aluminosilicates and Flexural Strength of Novolac Composites. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2019 , 29, 1439-1446	3.2	2
171	Zeolite fillers for resin-based composites with remineralizing potential. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 210, 126-135	4.4	11
170	Risedronate extraction from artificial urine with using monolithic polymer-based anion exchangers. <i>Journal of the Iranian Chemical Society</i> , 2019 , 16, 93-100	2	0
169	Kraft lignin/cubic boron nitride hybrid materials as functional components for abrasive tools. <i>International Journal of Biological Macromolecules</i> , 2019 , 122, 88-94	7.9	10
168	Mechanically robust and thermally stable abrasive tools from phenolic resins reinforced with diazonium-modified zeolites. <i>Polymer Composites</i> , 2019 , 40, 3209-3219	3	7
167	Active diazonium-modified zeolite fillers for methacrylate-based composites. <i>Composite Interfaces</i> , 2019 , 26, 643-657	2.3	7
166	New Mesoporous Aluminosilicates Used for Solid-phase Extraction of Hydrocarbons and Fragrance Compounds. <i>Analytical Letters</i> , 2018 , 51, 2026-2038	2.2	2

165	Modification of Ti6Al4V surface by diazonium compounds. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 191, 27-35	4.4	10
164	Diazonium-modified zeolite fillers. Effect of diazonium substituent position on the filler surface modification and the mechanical properties of phenolic/zeolite composites. <i>International Journal of Adhesion and Adhesives</i> , 2018 , 85, 157-164	3.4	15
163	Additives for Abrasive Materials 2018 ,		3
162	Surface properties and surface free energy of cellulosic etc mucoadhesive polymers. <i>Carbohydrate Polymers</i> , 2017 , 171, 152-162	10.3	19
161	Mechanical properties of experimental composites with different calcium phosphates fillers. <i>Materials Science and Engineering C</i> , 2017 , 78, 1101-1108	8.3	19
160	Stability of simulated body fluids such as blood plasma, artificial urine and artificial saliva. <i>Microchemical Journal</i> , 2017 , 134, 197-201	4.8	17
159	Poly(vinyl alcohol)/hydroxyapatite Monolithic In-Needle Extraction (MINE) device: Preparation and examination of drug affinity. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 105, 195-202	5.1	8
158	The effect of bonding system application on surface characteristics of bovine dentin and enamel. <i>Materials Science and Engineering C</i> , 2017 , 76, 1224-1231	8.3	5
157	The influence of direct compression powder blend transfer method from the container to the tablet press on product critical quality attributes: a case study. <i>Drug Development and Industrial Pharmacy</i> , 2017 , 43, 911-916	3.6	5
156	The Physicochemical Characteristics of Prosthetic Materials and Their Influence on Their Clinical Properties. <i>Chromatographia</i> , 2017 , 80, 1761-1769	2.1	0
155	Activation of Magnesium Lignosulfonate and Kraft Lignin: Influence on the Properties of Phenolic Resin-Based Composites for Potential Applications in Abrasive Materials. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	39
154	Characteristics of Multifunctional, Eco-Friendly Lignin-AlO ₃ Hybrid Fillers and Their Influence on the Properties of Composites for Abrasive Tools. <i>Molecules</i> , 2017 , 22,	4.8	21
153	Surface Analysis of Clay Polymer Nanocomposites 2017 , 363-411		1
152	Experimental and in silico investigations of organic phosphates and phosphonates sorption on polymer-ceramic monolithic materials and hydroxyapatite. <i>European Journal of Pharmaceutical Sciences</i> , 2016 , 93, 295-303	5.1	6
151	Inverse liquid chromatography as a tool for characterisation of the surface layer of ceramic biomaterials. <i>Journal of Chromatography A</i> , 2016 , 1468, 116-125	4.5	3
150	Reactive Diazonium-Modified Silica Fillers for High-Performance Polymers. <i>Langmuir</i> , 2016 , 32, 11646-11654	16.54	25
149	Application of Inverse Liquid Chromatography for Surface Characterization of Biomaterials. <i>Chromatographia</i> , 2016 , 79, 473-480	2.1	2
148	The solubility parameter for biomedical polymers-Application of inverse gas chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 127, 202-6	3.5	40

147	Functional lignin-SiO ₂ hybrids as potential fillers for phenolic binders. <i>Journal of Adhesion Science and Technology</i> , 2016 , 30, 1031-1048	2	12
146	Evaluation of drug-carrier interactions in quaternary powder mixtures containing perindopril tert-butylamine and indapamide. <i>International Journal of Pharmaceutics</i> , 2016 , 503, 29-35	6.5	2
145	Preparation of hybrid materials for controlled drug release. <i>Drug Development and Industrial Pharmacy</i> , 2016 , 42, 1058-65	3.6	9
144	Characterization of ceramic hydroxyapatite surface by inverse liquid chromatography in aquatic systems. <i>Talanta</i> , 2016 , 147, 44-9	6.2	8
143	Physicochemical Characterization of Functional Lignin-Silica Hybrid Fillers for Potential Application in Abrasive Tools. <i>Materials</i> , 2016 , 9,	3.5	31
142	Assessment of resin adhesives aging by means of rheological parameters, Inverse Gas Chromatography, and FTIR. <i>Journal of Adhesion Science and Technology</i> , 2016 , 30, 56-74	2	3
141	Polymer-ceramic Monolithic In-Needle Extraction (MINE) device: Preparation and examination of drug affinity. <i>Materials Science and Engineering C</i> , 2016 , 68, 70-77	8.3	9
140	Calcium release from experimental dental materials. <i>Materials Science and Engineering C</i> , 2016 , 68, 213-220	2.9	12
139	Examination of the chemical changes in cured phenol-formaldehyde resins during storage. <i>Journal of Chromatography A</i> , 2016 , 1441, 106-15	4.5	9
138	New Essential Events in Modern Applications of Inverse Gas Chromatography 2015 , 979-998		
137	Inverse Gas Chromatographic Examination of Polymer Composites. <i>Open Chemistry</i> , 2015 , 13,	1.6	12
136	Characterization of light-cured, dental-resin-based biocomposites. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	10
135	Surface energy of bovine dentin and enamel by means of inverse gas chromatography. <i>Materials Science and Engineering C</i> , 2015 , 49, 382-389	8.3	15
134	Solubility parameter as polarity measure for high-boiling oil products. <i>Fuel</i> , 2014 , 122, 310-315	7.1	6
133	The increase of apatite layer formation by the poly(3-hydroxybutyrate) surface modification of hydroxyapatite and tricalcium phosphate. <i>Materials Science and Engineering C</i> , 2014 , 34, 236-44	8.3	20
132	Application of inverse gas chromatography in physicochemical characterization of phenolic resin adhesives. <i>Journal of Chromatography A</i> , 2014 , 1368, 199-203	4.5	14
131	Assessment of the chemical changes during storage of phenol-formaldehyde resins pyrolysis gas chromatography mass spectrometry, inverse gas chromatography and Fourier transform infra red methods. <i>Journal of Chromatography A</i> , 2014 , 1359, 255-61	4.5	17
130	Interactions in PEG/Aerosil [®] and PLA/Aerosil [®] composites described by IGC-determined Flory-Huggins χ 3 parameter. <i>Journal of Polymer Research</i> , 2014 , 21, 1	2.7	7

129	Optimization of the in-needle extraction device for the direct flow of the liquid sample through the sorbent layer. <i>Talanta</i> , 2014 , 129, 392-7	6.2	12
128	Assessment of the surface chemistry of carbon blacks by TGA-MS, XPS and inverse gas chromatography using statistical chemometric analysis. <i>Applied Surface Science</i> , 2014 , 316, 315-323	6.7	65
127	Study of a new resin-based composites containing hydroxyapatite filler using Raman and infrared spectroscopy. <i>Materials Chemistry and Physics</i> , 2014 , 145, 304-312	4.4	19
126	Influence of different fillers on phenolic resin abrasive composites. Comparison of inverse gas chromatographic and dynamic mechanical thermal analysis characteristics. <i>International Journal of Adhesion and Adhesives</i> , 2014 , 51, 81-86	3.4	19
125	An in-needle extraction technique in determination of organic compounds released from dental tissue conditioners incubated in artificial saliva. <i>Talanta</i> , 2014 , 129, 203-8	6.2	9
124	Sorption, solubility, and mass changes of hydroxyapatite-containing composites in artificial saliva, food simulating solutions, tea, and coffee. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	6
123	Best conditions for biodegradation of diesel oil by chemometric tools. <i>Brazilian Journal of Microbiology</i> , 2014 , 45, 117-26	2.2	5
122	Inverse Gas Chromatography 2014 , 327-346		
121	Inverse gas chromatography investigation of oxidized polyolefins: surface properties. <i>Journal of Chromatography A</i> , 2014 , 1337, 194-201	4.5	11
120	Similarity and grouping of perlite and zeolite abrasive fillers: A replacement test. <i>Journal of Applied Polymer Science</i> , 2013 , 127, 3839-3847	2.9	8
119	Solubility parameter used to predict the effectiveness of monolithic in-needle extraction (MINE) device for the direct analysis of liquid samples. <i>Analytica Chimica Acta</i> , 2013 , 805, 54-9	6.6	9
118	Effect of impregnating agent and relative humidity on surface characteristics of sorbents determined by inverse gas chromatography. <i>Journal of Chromatography A</i> , 2013 , 1288, 101-4	4.5	6
117	Preparation and examination of monolithic in-needle extraction (MINE) device for the direct analysis of liquid samples. <i>Analytica Chimica Acta</i> , 2013 , 776, 50-6	6.6	17
116	Quantitative criteria for needle trap device selection. <i>Journal of Chromatography A</i> , 2013 , 1278, 181-3	4.5	3
115	Estimation of polyurethane-carbon black interactions by means of inverse gas chromatography. <i>Journal of Chromatography A</i> , 2013 , 1314, 249-54	4.5	10
114	Characterization of hybrid materials by means of inverse gas chromatography and chemometrics. <i>Journal of Pharmaceutical Sciences</i> , 2013 , 102, 1524-31	3.9	9
113	Estimation of the breakthrough volume of selected steroids for C-18 solid-phase extraction sorbent using retention data from micro-thin layer chromatography. <i>Journal of Separation Science</i> , 2013 , 36, 1104-11	3.4	12
112	Influence of relative humidity on the properties of examined materials by means of inverse gas chromatography. <i>Journal of Chromatography A</i> , 2013 , 1271, 201-6	4.5	8

111	Characterisation of hydroxyapatite surface modified by poly(ethylene glycol) and poly(hydroxyethyl methacrylate) grafting. <i>Chemical Papers</i> , 2013 , 67,	1.9	6
110	Relationship between surface properties determined by inverse gas chromatography and ibuprofen release from hybrid materials based on fumed silica. <i>International Journal of Pharmaceutics</i> , 2013 , 441, 441-8	6.5	12
109	Examination of zeolites as fragrance carriers. <i>Microporous and Mesoporous Materials</i> , 2012 , 161, 106-114	5.3	24
108	Physicochemical Measurements (Inverse Gas Chromatography) 2012 , 477-494		9
107	Effectiveness of in-needle extraction device for liquid samples. <i>Analytica Chimica Acta</i> , 2012 , 751, 182-8	6.6	10
106	Inverse Gas Chromatography in Characterization of Composites Interaction 2012 ,		2
105	Inverse Gas Chromatographic Characterization of Aluminosilicates as Fillers for Abrasive Articles. <i>Chromatographia</i> , 2012 , 75, 353-360	2.1	6
104	Estimation of the work of adhesion by means of inverse gas chromatography for polymer complex systems. <i>International Journal of Adhesion and Adhesives</i> , 2012 , 38, 84-88	3.4	19
103	Optimization of SPE/GC/HPLC Analytical Procedure for Determination of Phenol, Quinones, and Carboxylic Acids in Water Samples. <i>ISRN Chromatography</i> , 2012 , 2012, 1-7		10
102	Effect of denture cleansers on chemical and mechanical behavior of selected soft lining materials. <i>Dental Materials</i> , 2011 , 27, 281-90	5.7	32
101	Role of Hansen solubility parameters in solid phase extraction. <i>Journal of Chromatography A</i> , 2010 , 1217, 5564-70	4.5	18
100	Characterization of zeolites as potential new generation fillers in abrasive articles. Physicochemical properties of zeolites and their interactions with resins. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2010 , 372, 80-85	5.1	14
99	Application of different analytical methods used in the study of the cross-linking of resins in intermediate-product used in manufacturing of abrasive articles. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 3305-3312	2.9	11
98	Effect of particle type on the mechanisms of break up of nanoscale particle clusters. <i>Chemical Engineering Research and Design</i> , 2009 , 87, 468-473	5.5	30
97	Inverse gas chromatography as a source of physicochemical data. <i>Journal of Chromatography A</i> , 2009 , 1216, 1551-66	4.5	189
96	The Examination of the Degree of Coverage of the Fused Alumina Abrasive by Resol Wetting Agent by Inverse GC. <i>Chromatographia</i> , 2009 , 70, 1393-1397	2.1	7
95	Theoretical and experimental methods of determination of the breakthrough volume of SPE sorbents. <i>Talanta</i> , 2009 , 80, 614-21	6.2	78
94	The influence of denture cleansers on the release of organic compounds from soft lining materials. <i>Journal of Environmental Monitoring</i> , 2008 , 10, 770-4		12

93	The Use of Flory-Huggins Parameters in Characterization of Polymer-Filler Compositions. <i>Materials Science Forum</i> , 2008 , 587-588, 667-671	0.4	2
92	Determination of Hansen Solubility Parameters by Means of Gas-Solid Inverse Gas Chromatography. <i>Adsorption Science and Technology</i> , 2008 , 26, 93-102	3.6	7
91	Use of Flory-Huggins parameters in the characterization of polymer-filler compositions. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 2877-2882	2.9	13
90	New procedure for the determination of Hansen solubility parameters by means of inverse gas chromatography. <i>Journal of Chromatography A</i> , 2008 , 1195, 146-9	4.5	44
89	Determination of Hansen solubility parameters of solid materials by inverse gas-solid chromatography. <i>Acta Chromatographica</i> , 2008 , 20, 1-14	1.5	13
88	Structure-activity relationships for hydroxyoxime metal extractants. <i>Journal of Chemical Technology and Biotechnology</i> , 2007 , 56, 279-288	3.5	4
87	Chromatographic and non-chromatographic characterization of poly-olefins. <i>Journal of Synthetic Lubrication: Research, Development and Application of Synthetic Lubricants and Functional Fluids</i> , 2007 , 24, 91-100		4
86	Surface characterization of poly(lactic acid) and polycaprolactone by inverse gas chromatography. <i>Journal of Chromatography A</i> , 2007 , 1148, 86-91	4.5	67
85	Selection of solubility parameters for characterization of pharmaceutical excipients. <i>Journal of Chromatography A</i> , 2007 , 1171, 90-7	4.5	36
84	Inverse gas chromatography as a tool for investigation of nanomaterials. <i>Journal of Colloid and Interface Science</i> , 2007 , 315, 768-71	9.3	26
83	Characterization of fillers used in abrasive articles by means of inverse gas chromatography and principal component analysis. <i>International Journal of Adhesion and Adhesives</i> , 2007 , 27, 188-194	3.4	15
82	Hydrophile lipophile balance of hydroxyoximes in McGowan scale and their partition and extraction properties. <i>Journal of Chemical Technology and Biotechnology</i> , 2007 , 54, 19-26	3.5	13
81	Application of HS-SPME in the determination of potentially toxic organic compounds emitted from resin-based dental materials. <i>Journal of Environmental Monitoring</i> , 2006 , 8, 377-83		20
80	Identification of organic extractables from commercial resin-modified glass-ionomers using HPLC-MS. <i>Journal of Environmental Monitoring</i> , 2006 , 8, 750-8		33
79	Extraction properties of new polymeric sorbents in SPE/GC analysis of phenol and hydroquinone from water samples. <i>Chemosphere</i> , 2006 , 62, 890-8	8.4	29
78	The use of Flory-Huggins parameters as a measure of interactions in polymer-filler systems. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2006 , 44, 1853-1862	2.6	20
77	Inverse gas chromatographic and chemometric tools for determination of interactions between the components of polymeric composition. <i>Analytica Chimica Acta</i> , 2006 , 559, 221-226	6.6	9
76	Hansen solubility parameters for polyethylene glycols by inverse gas chromatography. <i>Journal of Chromatography A</i> , 2006 , 1132, 260-7	4.5	56

75	Application of inverse gas chromatography in the characterization of raw material used in manufacturing of abrasive materials. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2006 , 280, 177-181	5.1	3
74	Characteristics of the surface layer of selected glass-ionomer cements by inverse gas chromatography in increased humidity conditions. <i>Polimery</i> , 2006 , 51, 280-284	3.4	4
73	AcidBase surface properties of glass-ionomers determined by IGC. <i>Applied Surface Science</i> , 2005 , 245, 149-154	6.7	8
72	Dispersive surface properties of glass-ionomer cements determined by inverse gas chromatography. <i>Applied Surface Science</i> , 2005 , 245, 135-140	6.7	11
71	Inverse gas chromatographic determination of solubility parameters of excipients. <i>International Journal of Pharmaceutics</i> , 2005 , 304, 11-7	6.5	47
70	Principal component analysis of polymerSolvent and fillerSolvent interactions by inverse gas chromatography. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2005 , 260, 29-37	5.1	18
69	Inverse gas chromatography in characterization of surface. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2004 , 72, 205-207	3.8	48
68	Comparison of three derivatization ways in the separation of phenol and hydroquinone from water samples. <i>Journal of Chromatography A</i> , 2004 , 1052, 233-6	4.5	21
67	The use of Flory-Huggins parameters to characterization of polymer/filler interactions. <i>Macromolecular Symposia</i> , 2003 , 194, 305-312	0.8	12
66	Use of topological indices of polychlorinated biphenyls in structure-retention relationships. <i>Journal of Chromatography A</i> , 2003 , 1018, 63-71	4.5	13
65	Inverse gas chromatography in the examination of modified fillers. <i>Macromolecular Symposia</i> , 2003 , 194, 27-38	0.8	3
64	Influence of monolayer of titanium and zirconium coupling agents on dispersive and acidBase properties of modified silica gel. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2002 , 208, 177-185	5.1	2
63	Ketoimino groups as silica surface modifiers. <i>Journal of Chromatography A</i> , 2002 , 969, 133-41	4.5	12
62	Characterization of the interactions in polymer-filler systems by inverse gas chromatography. <i>Journal of Chromatography A</i> , 2002 , 969, 255-9	4.5	17
61	Inverse gas chromatography and other chromatographic techniques in the examination of engine oils. <i>Journal of Chromatography A</i> , 2002 , 969, 181-91	4.5	12
60	Application of inverse gas chromatography to the examination of annealing processes of semi-synthetic base oils. <i>Journal of Chromatography A</i> , 2002 , 982, 245-54	4.5	4
59	Characterization of the interactions in polymer/silica systems by inverse gas chromatography. <i>Macromolecular Symposia</i> , 2001 , 169, 45-55	0.8	14
58	Selectivity of solid-phase extraction phases in the determination of biodegradation products. <i>Journal of Chromatography A</i> , 2001 , 918, 145-51	4.5	8

57	Principal component analysis of polarity and interaction parameters in inverse gas chromatography. <i>Journal of Chromatographic Science</i> , 2001 , 39, 375-84	1.4	17
56	Surface properties of titanate-modified silicagel as measured by inverse gas chromatography. <i>Journal of Materials Chemistry</i> , 2001 , 11, 1288-1293		5
55	Characterisation of mineral oil/polyester, mineral oil/poly-olefin mixtures by inverse gas chromatography. <i>Journal of Materials Chemistry</i> , 2001 , 11, 1042-1046		24
54	Properties of zirconate modificates of silica gel as examined by inverse gas chromatography. <i>Macromolecular Symposia</i> , 2001 , 169, 35-44	0.8	4
53	The use of solubility parameters in characterization of titanate modified silica gel by inverse gas chromatography. <i>Chromatographia</i> , 2000 , 51, 608-614	2.1	8
52	Inverse Gas Chromatography in the Examination of Modified Highly Dispersed Silicas. <i>Adsorption Science and Technology</i> , 1999 , 17, 173-179	3.6	2
51	Inverse gas chromatography in the examination of organic compounds. <i>Journal of Chromatography A</i> , 1998 , 795, 349-357	4.5	8
50	Acid-based properties of silicas modified by organic compounds as determined by inverse gas chromatography. <i>Powder Technology</i> , 1998 , 95, 103-108	5.2	21
49	Examination of surfaces of solid polymers by inverse gas chromatography. 3. The influence of the annealing time. <i>Polymer</i> , 1998 , 39, 3499-3506	3.9	13
48	Inverse gas chromatography in the monitoring of bright stocks annealing. Application of the heat of solution and the heat of mixing. <i>Analyst, The</i> , 1998 , 123, 2351-2355	5	2
47	Determination of surface free energy components for heterogeneous solids by means of inverse gas chromatography at finite concentrations. <i>Journal of Materials Chemistry</i> , 1998 , 8, 1953-1961		25
46	Adsorption Chromatography in the Examination of Heavy Oil Residues [Comparison of Standard Methods. <i>Adsorption Science and Technology</i> , 1998 , 16, 697-704	3.6	
45	Surface properties of rutile and its modified form - Part 2. Characteristics of the water/solid interface as examined by means of ¹ H-NMR spectroscopy with bulk freezing. <i>Journal of Adhesion Science and Technology</i> , 1997 , 11, 1531-1547	2	4
44	Surface properties of rutile and its modified form - Part 1. Surface characteristics studied by means of inverse gas chromatography. <i>Journal of Adhesion Science and Technology</i> , 1997 , 11, 1513-1529	2	16
43	Inverse gas chromatography. Relationship between mass activity coefficient and flory-huggins interaction parameter in the examination of petroleum pitches. <i>Chromatographia</i> , 1997 , 44, 197-204	2.1	18
42	Inverse gas chromatography for the examination of fractions separated from oil vacuum distillation residues. <i>Journal of Chromatography A</i> , 1997 , 768, 271-281	4.5	7
41	Chemical Heterogeneity of Metal Oxide Surfaces as Studied by Inverse Gas Chromatography at Finite Concentrations. <i>Adsorption Science and Technology</i> , 1996 , 14, 189-198	3.6	7
40	Structure and nitrogen basicity of pyridine metal extractants. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 1996 , 208, 75-86	1.5	24

39	Examination of surfaces of solid polymers by inverse gas chromatography: 2. Acid-base properties. <i>Polymer</i> , 1996 , 37, 4333-4344	3.9	23
38	Examination of surfaces of solid polymers by inverse gas chromatography: 1. Dispersive properties. <i>Polymer</i> , 1996 , 37, 455-462	3.9	39
37	Influence of prediction method of the second virial coefficient on inverse gas chromatographic parameters. <i>Journal of Chromatography A</i> , 1996 , 721, 139-145	4.5	20
36	Solubility and polarity parameters for pyridinecarboxamides and their complexes with copper(II) as determined by inverse gas chromatography. <i>Journal of Chromatography A</i> , 1996 , 740, 253-261	4.5	9
35	Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography. <i>Journal of Chromatography A</i> , 1995 , 690, 83-91	4.5	12
34	Elimination of adsorption effects of polarity parameters determined by inverse gas chromatography. <i>Journal of Chromatography A</i> , 1995 , 693, 315-323	4.5	3
33	Surface properties of copolymers and terpolymers of styrene as studied by inverse gas chromatography. <i>Polymer</i> , 1995 , 36, 3503-3510	3.9	12
32	StructureBasicity relationships for pyridine extractants. <i>Journal of Chemical Technology and Biotechnology</i> , 1995 , 62, 233-240	3.5	3
31	Solution properties of amorphous co- and terpolymers of styrene as examined by inverse gas chromatography. <i>Journal of Chromatography A</i> , 1995 , 715, 127-134	4.5	12
30	Reply to comments and corrections. <i>Polymer</i> , 1994 , 35, 1789-1790	3.9	6
29	Structural descriptors in organic chemistryNew topological parameter based on electrotopological state of graph vertices. <i>Computers & Chemistry</i> , 1994 , 18, 1-4		9
28	Inverse gas chromatographic determination of solubility parameter and binary parameters of diamino oligoethers. <i>Journal of Chromatography A</i> , 1994 , 669, 89-95	4.5	18
27	The solubility parameters of fluorine-containing oxyethylates. <i>Journal of Fluorine Chemistry</i> , 1994 , 67, 75-81	2.1	12
26	Characterization of dispersive and acid-base properties of crosslinked polymers by inverse gas chromatography. <i>Polymer</i> , 1993 , 34, 3109-3111	3.9	16
25	Inverse gas chromatography in characterization of surfactants. <i>Journal of Chromatography A</i> , 1993 , 654, 135-141	4.5	20
24	Polarity of fluorine-containing oxyethylates as determined by inverse gas chromatography. <i>Journal of Fluorine Chemistry</i> , 1993 , 64, 177-186	2.1	2
23	Structural descriptors in organic chemistry. Topological indices of isoquinoline derivatives. <i>Computational and Theoretical Chemistry</i> , 1993 , 279, 217-222		6
22	Polarity of broad and narrow distributed ethoxylates of fatty alcohols. <i>JAOCs, Journal of the American Oil ChemistssSociety</i> , 1993 , 70, 711-716	1.8	4

21	Solubility parameters of broad and narrow distributed oxyethylates of fatty alcohols. <i>Journal of Chromatography A</i> , 1993 , 645, 141-151	4.5	55
20	Inverse gas chromatography: the use of Laffort solubility factors and topological indices in structure-polarity relationships. <i>Journal of Chromatography A</i> , 1992 , 623, 83-91	4.5	3
19	Properties of topological indices as structural parameters for compounds containing oligooxyethylene chain(s). <i>Journal of Chromatography A</i> , 1991 , 464, 251-263	4.5	6
18	Attempts to use Laffort's solubility factors as polarity parameters for organic compounds in inverse gas chromatography. <i>Journal of Chromatography A</i> , 1991 , 555, 205-210	4.5	4
17	Topological indices as structural parameters. <i>Journal of Chromatography A</i> , 1991 , 547, 247-257	4.5	8
16	Inverse Gas Chromatography: Characterization of Polymers, Fibers, Modified Silicas, and Surfactants. <i>Critical Reviews in Analytical Chemistry</i> , 1991 , 22, 411-439	5.2	105
15	Solubility and polarity parameters of polyoxyethylene glycol dialkyl ethers. <i>Journal of Pharmaceutical Sciences</i> , 1988 , 77, 893-7	3.9	3
14	Measurement of the polarity of alkyl derivatives of diazapolyoxyethylene ethers by gas chromatography. <i>Journal of Chromatography A</i> , 1988 , 454, 51-63	4.5	9
13	Influence of experimental conditions upon polarity parameters as measured by gas chromatography. <i>Journal of Chromatography A</i> , 1988 , 457, 73-84	4.5	9
12	Dispersive force parameters as a measure of the polarity of surfactants used as stationary phases in gas-liquid chromatography. <i>Journal of Chromatography A</i> , 1988 , 435, 29-41	4.5	16
11	Polarity of oligooxyethylene derivatives of alcohols, thio alcohols and alkylamines as measured by gas chromatography. <i>Journal of Chromatography A</i> , 1988 , 450, 291-308	4.5	15
10	Polarity of some individual derivatives of diamino-oligoethers as measured by gas chromatography. <i>Journal of Chromatography A</i> , 1988 , 448, 219-232	4.5	15
9	Polarity of 1,3-bis[alkoxyoligo(oxyethylene)]propan-2-ols as measured by reversed-phase gas chromatography. <i>Journal of Chromatography A</i> , 1987 , 409, 29-41	4.5	14
8	Polarity of aminoether alcohols and their ethers measured by reversed-phase gas chromatography. <i>Journal of Chromatography A</i> , 1987 , 391, 373-382	4.5	19
7	Retention indices and thermodynamic functions of solution for model non-ionic surfactants in standard stationary phases determined by gas chromatography. <i>Journal of Chromatography A</i> , 1987 , 387, 95-104	4.5	16
6	Polarity of 1,3-bis[butoxyoligo(oxyethylene)]propan-2-ols as measured by reversed-phase gas chromatography. <i>Journal of Chromatography A</i> , 1987 , 398, 31-41	4.5	20
5	Polarity and hydrophile-lipophile balance of model hydroxyoximes and their intermediates as determined by reverse-phase gas chromatography. <i>Journal of Chromatography A</i> , 1987 , 402, 55-64	4.5	14
4	Increments of the arithmetic retention index for non-ionic surfactants with a polyoxyethylene chain. <i>Journal of Chromatography A</i> , 1986 , 360, 43-52	4.5	20

3	Increments of some polarity parameters for polyoxyethylene glycol dialkyl ethers and for some of their sulphur analogues. <i>Journal of Chromatography A</i> , 1985 , 330, 61-70	4.5	31
2	Polarity of polyoxyethylene glycol dialkyl ethers and some sulphur analogues measured by gas chromatography. <i>Journal of Chromatography A</i> , 1985 , 333, 319-326	4.5	23
1	Polarity of butylene and ethylene oxides copolymers. <i>Colloid and Polymer Science</i> , 1979 , 257, 494-501	2.4	5