

Chunhui Ni

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5525027/chunhui-ni-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49
papers

873
citations

17
h-index

28
g-index

56
ext. papers

1,127
ext. citations

4.6
avg, IF

3.94
L-index

#	Paper	IF	Citations
49	PTX3 alleviates hard metal-induced acute lung injury through potentiating efferocytosis.. <i>Ecotoxicology and Environmental Safety</i> , 2022 , 230, 113139	7	1
48	ALKBH5 promotes lung fibroblast activation and silica-induced pulmonary fibrosis through miR-320a-3p and FOXM1.. <i>Cellular and Molecular Biology Letters</i> , 2022 , 27, 26	8.1	2
47	Exploration study on serum metabolic profiles of Chinese male patients with artificial stone silicosis, silicosis, and coal workers' pneumoconiosis. <i>Toxicology Letters</i> , 2021 , 356, 132-132	4.4	0
46	Long noncoding RNA-SNHG20 promotes silica-induced pulmonary fibrosis by miR-490-3p/TGFBR1 axis. <i>Toxicology</i> , 2021 , 451, 152683	4.4	4
45	LncRNA-PVT1 activates lung fibroblasts via miR-497-5p and is facilitated by FOXM1. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 213, 112030	7	2
44	LncRNA-ATB regulates epithelial-mesenchymal transition progression in pulmonary fibrosis via sponging miR-29b-2-5p and miR-34c-3p. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 7294-7306	5.6	9
43	Respiratory traits and coal workers' pneumoconiosis: Mendelian randomisation and association analysis. <i>Occupational and Environmental Medicine</i> , 2021 , 78, 137-141	2.1	3
42	Metformin attenuates silica-induced pulmonary fibrosis via AMPK signaling. <i>Journal of Translational Medicine</i> , 2021 , 19, 349	8.5	0
41	miR-770-5p inhibits the activation of pulmonary fibroblasts and silica-induced pulmonary fibrosis through targeting TGFBR1. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 220, 112372	7	0
40	CircHIPK3 regulates pulmonary fibrosis by facilitating glycolysis in miR-30a-3p/FOXK2-dependent manner. <i>International Journal of Biological Sciences</i> , 2021 , 17, 2294-2307	11.2	5
39	Aberrant expression of miR-125a-3p promotes fibroblast activation via Fyn/STAT3 pathway during silica-induced pulmonary fibrosis. <i>Toxicology</i> , 2019 , 414, 57-67	4.4	15
38	M10 peptide attenuates silica-induced pulmonary fibrosis by inhibiting Smad2 phosphorylation. <i>Toxicology and Applied Pharmacology</i> , 2019 , 376, 46-57	4.6	3
37	Characteristics and Trends of Pneumoconiosis in the Jiangsu Province, China, 2006-2017. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	12
36	MiR-326 Inhibits Inflammation and Promotes Autophagy in Silica-Induced Pulmonary Fibrosis through Targeting TNFSF14 and PTBP1. <i>Chemical Research in Toxicology</i> , 2019 , 32, 2192-2203	4	30
35	Association Analysis Identifies New Risk Loci for Coal Workers' Pneumoconiosis in Han Chinese Men. <i>Toxicological Sciences</i> , 2018 , 163, 206-213	4.4	9
34	Meta-analysis on the effectiveness of team-based learning on medical education in China. <i>BMC Medical Education</i> , 2018 , 18, 77	3.3	35
33	Long non-coding RNA-ATB promotes EMT during silica-induced pulmonary fibrosis by competitively binding miR-200c. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 420-431	6.9	56

32	Quality of life and influencing factors of coal miners in Xuzhou, China. <i>Journal of Thoracic Disease</i> , 2018 , 10, 835-844	2.6	12
31	miR-542-5p Attenuates Fibroblast Activation by Targeting Integrin β in Silica-Induced Pulmonary Fibrosis. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	21
30	The CDR1as/miR-7/TGFBR2 Axis Modulates EMT in Silica-Induced Pulmonary Fibrosis. <i>Toxicological Sciences</i> , 2018 , 166, 465-478	4.4	57
29	The association of LAMB1 polymorphism and expression changes with the risk of coal workersSPneumoconiosis. <i>Environmental Toxicology</i> , 2017 , 32, 2182-2190	4.2	3
28	Survival Analysis of Coal WorkersSPneumoconiosis (CWP) Patients in a State-Owned Mine in the East of China from 1963 to 2014. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	21
27	Polymorphisms in autophagy related genes and the coal workersSpneumoconiosis in a Chinese population. <i>Gene</i> , 2017 , 632, 36-42	3.8	11
26	MiR-503 modulates epithelial-mesenchymal transition in silica-induced pulmonary fibrosis by targeting PI3K p85 and is sponged by lncRNA MALAT1. <i>Scientific Reports</i> , 2017 , 7, 11313	4.9	64
25	miR-1224-5p Mediates Mitochondrial Damage to Affect Silica-Induced Pulmonary Fibrosis by Targeting BECN1. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	20
24	Occupational Respiratory Diseases of Miners from Two Gold Mines in Ghana. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	14
23	LRBA Gene Polymorphisms and Risk of Coal WorkersSPneumoconiosis: A Case-Control Study from China. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6	5
22	miR-489 inhibits silica-induced pulmonary fibrosis by targeting MyD88 and Smad3 and is negatively regulated by lncRNA CHRFB. <i>Scientific Reports</i> , 2016 , 6, 30921	4.9	73
21	Earthworm extract attenuates silica-induced pulmonary fibrosis through Nrf2-dependent mechanisms. <i>Laboratory Investigation</i> , 2016 , 96, 1279-1300	5.9	19
20	MiR-449a regulates autophagy to inhibit silica-induced pulmonary fibrosis through targeting Bcl2. <i>Journal of Molecular Medicine</i> , 2016 , 94, 1267-1279	5.5	54
19	Polymorphisms in Long Noncoding RNA H19 Contribute to the Protective Effects of Coal WorkersSPneumoconiosis in a Chinese Population. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	7
18	Polymorphisms in interleukin 17A gene and coal workersSpneumoconiosis risk in a Chinese population. <i>BMC Pulmonary Medicine</i> , 2015 , 15, 79	3.5	12
17	Pathway analysis for a genome-wide association study of pneumoconiosis. <i>Toxicology Letters</i> , 2015 , 232, 284-92	4.4	6
16	Associations of MMP-7 and OPN gene polymorphisms with risk of coal workersSPneumoconiosis in a Chinese population: a case-control study. <i>Inhalation Toxicology</i> , 2015 , 27, 641-8	2.7	5
15	The Anti-fibrotic Effects and Mechanisms of MicroRNA-486-5p in Pulmonary Fibrosis. <i>Scientific Reports</i> , 2015 , 5, 14131	4.9	70

14	Prevalence Characteristics of Coal WorkersSPneumoconiosis (CWP) in a State-Owned Mine in Eastern China. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 7856-67	4.6	23
13	Associations of MMP1, MMP2 and MMP3 Genes Polymorphism with Coal WorkersSPneumoconiosis in Chinese Han Population. <i>International Journal of Environmental Research and Public Health</i> , 2015 , 12, 13901-12	4.6	10
12	MUC5B promoter polymorphisms and risk of coal workersSpneumoconiosis in a Chinese population. <i>Molecular Biology Reports</i> , 2014 , 41, 4171-6	2.8	13
11	Assessing the effectiveness of problem-based learning of preventive medicine education in China. <i>Scientific Reports</i> , 2014 , 4, 5126	4.9	13
10	Polymorphisms in SPARC and coal workersSpneumoconiosis risk in a Chinese population. <i>PLoS ONE</i> , 2014 , 9, e105226	3.7	4
9	A genome-wide association study identifies susceptibility loci of silica-related pneumoconiosis in Han Chinese. <i>Human Molecular Genetics</i> , 2014 , 23, 6385-94	5.6	18
8	GITR promoter polymorphism contributes to risk of coal workersSpneumoconiosis: a case-control study from China. <i>Immunology Letters</i> , 2014 , 162, 210-6	4.1	5
7	Genome-wide analysis of aberrantly expressed circulating miRNAs in patients with coal workersS pneumoconiosis. <i>Molecular Biology Reports</i> , 2013 , 40, 3739-47	2.8	14
6	Polymorphisms in SELE gene and risk of coal workersSpneumoconiosis in Chinese: a case-control study. <i>PLoS ONE</i> , 2013 , 8, e73254	3.7	3
5	Polymorphisms in inflammasome genes and risk of coal workersSpneumoconiosis in a Chinese population. <i>PLoS ONE</i> , 2012 , 7, e47949	3.7	29
4	Associations of IL-4, IL-4R, and IL-13 gene polymorphisms in coal workersSpneumoconiosis in China: a case-control study. <i>PLoS ONE</i> , 2011 , 6, e22624	3.7	26
3	Common genetic variants in pre-microRNAs are associated with risk of coal workersS pneumoconiosis. <i>Journal of Human Genetics</i> , 2010 , 55, 13-7	4.3	37
2	Association of transforming growth factor- β gene variants with risk of coal workersS pneumoconiosis. <i>Journal of Biomedical Research</i> , 2010 , 24, 270-6	1.5	5
1	A six-nucleotide insertion-deletion polymorphism in the CASP8 promoter is associated with risk of coal workersSpneumoconiosis. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2009 , 72, 712-6	3.2	12