

# Maryline Beyler

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/5525882/maryline-beyler-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42  
papers

821  
citations

17  
h-index

27  
g-index

46  
ext. papers

937  
ext. citations

5.5  
avg, IF

3.83  
L-index

#	Paper	IF	Citations
42	A different approach: highly encapsulating macrocycles being used as organic tectons in the building of CPs. <i>CrystEngComm</i> , <b>2021</b> , 23, 453-464	3.3	1
41	Design of polyazamacrocyclic Gd <sup>3+</sup> theranostic agents combining magnetic resonance imaging and two-photon photodynamic therapy. <i>Inorganic Chemistry Frontiers</i> , <b>2021</b> , 8, 2213-2224	6.8	2
40	Pyclen-Based Ligands Bearing Pendant Picolinate Arms for Gadolinium Complexation. <i>Inorganic Chemistry</i> , <b>2021</b> , 60, 2390-2405	5.1	4
39	Pyclen-Based Ln(III) Complexes as Highly Luminescent Bioprobes for and One- and Two-Photon Bioimaging Applications. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 10184-10197	16.4	33
38	Enabling Indium Channels for Mass Cytometry by Using Reinforced Cyclam-Based Chelating Polylysine. <i>Bioconjugate Chemistry</i> , <b>2020</b> , 31, 2103-2115	6.3	5
37	Cationic Biphotonic Lanthanide Luminescent Bioprobes Based on Functionalized Cross-Bridged Cyclam Macrocycles. <i>ChemPhysChem</i> , <b>2020</b> , 21, 1036-1043	3.2	9
36	Picolinate-appended tacn complexes for bimodal imaging: Radiolabeling, relaxivity, photophysical and electrochemical studies. <i>Journal of Inorganic Biochemistry</i> , <b>2020</b> , 205, 110978	4.2	3
35	Expanding the Scope of Pyclen-Picolinate Lanthanide Chelates to Potential Theranostic Applications. <i>Inorganic Chemistry</i> , <b>2020</b> , 59, 11736-11748	5.1	4
34	Highly Stable and Inert Complexation of Indium(III) by Reinforced Cyclam Dipicolinate and a Bifunctional Derivative for Bead Encoding in Mass Cytometry. <i>Chemistry - A European Journal</i> , <b>2019</b> , 25, 15387-15400	4.8	6
33	Kinetics Are Crucial When Targeting Copper Ions to Fight Alzheimer's Disease: An Illustration with Azamacrocyclic Ligands. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 8447-8452	4.8	9
32	Stable and Inert Yttrium(III) Complexes with Pyclen-Based Ligands Bearing Pendant Picolinate Arms: Toward New Pharmaceuticals for $\beta$ -Radiotherapy. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 2051-2063	5.1	18
31	A Coordination Chemistry Approach to Fine-Tune the Physicochemical Parameters of Lanthanide Complexes Relevant to Medical Applications. <i>Chemistry - A European Journal</i> , <b>2018</b> , 24, 3127-3131	4.8	17
30	Expanding the Family of Pyclen-Based Ligands Bearing Pendant Picolinate Arms for Lanthanide Complexation. <i>Inorganic Chemistry</i> , <b>2018</b> , 57, 6932-6945	5.1	25
29	Combining a pyclen framework with conjugated antenna for the design of europium and samarium luminescent bioprobes. <i>Chemical Communications</i> , <b>2018</b> , 54, 6173-6176	5.8	21
28	Cyclam te1pa for <sup>64</sup> Cu PET imaging. Bioconjugation to antibody, radiolabeling and preclinical application in xenografted colorectal cancer. <i>RSC Advances</i> , <b>2017</b> , 7, 9272-9283	3.7	9
27	Near infrared two photon imaging using a bright cationic Yb(III) bioprobe spontaneously internalized into live cells. <i>Chemical Communications</i> , <b>2017</b> , 53, 6005-6008	5.8	49
26	The role of the capping bond effect on pyclen Y/Y chelates: full control of the regiospecific N-functionalization makes the difference. <i>Chemical Communications</i> , <b>2017</b> , 53, 9534-9537	5.8	18

25	Intracellular Transport Studies of Picolinate Macrocyclic Copper and Lanthanide Complexes. <i>ChemistrySelect</i> , <b>2016</b> , 1, 4423-4429	1.8	
24	Improving the stability and inertness of Cu(II) and Cu(I) complexes with methylthiazolyl ligands by tuning the macrocyclic structure. <i>Dalton Transactions</i> , <b>2016</b> , 45, 7406-20	4.3	17
23	Cyclams with Ambidentate Methylthiazolyl Pendants for Stable, Inert, and Selective Cu(II) Coordination. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 619-32	5.1	12
22	Cationic Two-Photon Lanthanide Bioprobes Able to Accumulate in Live Cells. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 7020-5	5.1	35
21	Pyclen Tri-n-butylphosphonate Ester as Potential Chelator for Targeted Radiotherapy: From Yttrium(III) Complexation to (90)Y Radiolabeling. <i>Inorganic Chemistry</i> , <b>2016</b> , 55, 8003-12	5.1	14
20	Investigating the Complexation of the Pb(2+)/Bi(3+) Pair with Dipicolinate Cyclen Ligands. <i>Inorganic Chemistry</i> , <b>2015</b> , 54, 7045-57	5.1	34
19	Straightforward and mild deprotection methods of N-mono- and N1,N7-functionalised bisaminal cyclens. <i>Tetrahedron</i> , <b>2015</b> , 71, 3857-3862	2.4	10
18	Stable Mn(2+), Cu(2+) and Ln(3+) complexes with cyclen-based ligands functionalized with picolinate pendant arms. <i>Dalton Transactions</i> , <b>2015</b> , 44, 5017-31	4.3	49
17	A [two-step/one week] synthesis of C-functionalized homocyclens and cyclams. Application to the preparation of conjugable BCAs without chelating properties alteration. <i>RSC Advances</i> , <b>2015</b> , 5, 85898-85910	3.7	8
16	P1-156: Targeting amyloid peptide using metal complexes <b>2015</b> , 11, P404-P404		
15	HfMe <sub>2</sub> do2pa: an attractive chelator with fast, stable and inert (nat)Bi <sup>III</sup> and <sup>209</sup> Pb <sup>II</sup> complexation for potential <sup>213</sup> Bi radioimmunotherapy applications. <i>Chemical Communications</i> , <b>2014</b> , 50, 12371-4	5.8	23
14	Supramolecular Luminescent Lanthanide Dimers for Fluoride Sequestering and Sensing. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 7387-7391	3.6	16
13	Supramolecular luminescent lanthanide dimers for fluoride sequestering and sensing. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 7259-63	16.4	77
12	Coordination chemistry-assembled multicomponent systems built from a gable-like bis-porphyrin: synthesis and photophysical properties. <i>Photochemistry and Photobiology</i> , <b>2014</b> , 90, 275-86	3.6	6
11	Photoelectrochemical hydrogen generation by an [FeFe] hydrogenase active site mimic at a p-type silicon/molecular electrocatalyst junction. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 1295-8	4.8	40
10	Light-driven electron transfer between a photosensitizer and a proton-reducing catalyst co-adsorbed to NiO. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 19322-5	16.4	89
9	A noncovalently assembled porphyrinic catenane consisting of two interlocking [43]-membered rings. <i>New Journal of Chemistry</i> , <b>2011</b> , 35, 1751	3.6	3
8	Pentacoordinate iron complexes as functional models of the distal iron in [FeFe] hydrogenases. <i>Chemical Communications</i> , <b>2011</b> , 47, 11662-4	5.8	51

7	Templated synthesis of catenanes incorporating Zn(II) or Rh(III)-complexed porphyrins: the coordination chemistry-only approach. <i>Journal of Porphyrins and Phthalocyanines</i> , <b>2011</b> , 15, 848-857	1.8	1
6	Coordination chemistry-assembled porphyrinic catenanes. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 4409-17	16.4	33
5	The dual role of Cu(I) as a protective group and a template in the synthesis of a tetra-rhodium(III)porphyrin [2]catenane. <i>New Journal of Chemistry</i> , <b>2010</b> , 34, 1825	3.6	8
4	Unusual photoinduced electron transfer from a zinc porphyrin to a tetrapyridyl free-base porphyrin in a noncovalent multiporphyrin array. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 8748-56	4.8	13
3	Various Synthetic Routes to a Gable-Like Bis(porphyrin) Constructed on a 1,10-Phenanthroline Chelate. <i>European Journal of Organic Chemistry</i> , <b>2009</b> , 2009, 2801-2805	3.2	9
2	Three-component noncovalent assembly consisting of a central tetrakis-4-pyridyl porphyrin and two lateral gable-like bis-Zn porphyrins. <i>Inorganic Chemistry</i> , <b>2009</b> , 48, 8263-70	5.1	21
1	Quantitative formation of a tetraporphyrin [2]catenane via copper and zinc coordination. <i>Chemical Communications</i> , <b>2008</b> , 5396-8	5.8	19