

Zai-Xing Jiang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5526515/zai-xing-jiang-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

46
papers

1,114
citations

18
h-index

32
g-index

49
ext. papers

1,470
ext. citations

7.6
avg, IF

4.52
L-index

#	Paper	IF	Citations
46	Magnetic field assisted electrocatalytic oxygen evolution reaction of nickel-based materials. <i>Journal of Materials Chemistry A</i> , 2022 , 10, 1760-1767	13	6
45	Synergistically coupling of 3D FeNi-LDH arrays with Ti3C2Tx-MXene nanosheets toward superior symmetric supercapacitor. <i>Nano Energy</i> , 2022 , 91, 106633	17.1	17
44	Flyash/polymer composite electrolyte with internal binding interaction enables highly-stable extrinsic-interfaces of all-solid-state lithium batteries. <i>Chemical Engineering Journal</i> , 2022 , 428, 131041	14.7	6
43	Magnetic Field Enhanced Electrocatalytic Oxygen Evolution of NiFe-LDH/Co O p-n Heterojunction Supported on Nickel Foam.. <i>Small Methods</i> , 2022 , e2200084	12.8	1
42	Engineering hierarchical porous S-doped Defective nickel Cobaltite/carbon hybrids to boost efficient asymmetric electrochemical capacitor. <i>Composites Science and Technology</i> , 2022 , 226, 109559	8.6	2
41	Unraveling the advances of trace doping engineering for potassium ion battery anodes via tomography. <i>Journal of Energy Chemistry</i> , 2021 , 58, 355-363	12	9
40	Anti-freezing, moisturizing, resilient and conductive organohydrogel for sensitive pressure sensors. <i>Journal of Colloid and Interface Science</i> , 2021 , 594, 584-592	9.3	21
39	Recent Advances in Magnetic Field-Enhanced Electrocatalysis. <i>ACS Applied Energy Materials</i> , 2020 , 3, 10303-10316	6.1	33
38	Rapidly self-healing, magnetically controllable, stretchable, smart, moldable nanoparticle composite gel. <i>New Journal of Chemistry</i> , 2020 , 44, 10586-10591	3.6	3
37	Visible-Light-Promoted C2 Selective Arylation of Quinoline and Pyridine -Oxides with Diaryliodonium Tetrafluoroborate. <i>Journal of Organic Chemistry</i> , 2020 , 85, 2733-2742	4.2	21
36	Highly stretchable, healable, sensitive double-network conductive hydrogel for wearable sensor. <i>Polymer</i> , 2020 , 211, 123095	3.9	15
35	Rational design of MXene@TiO nanoarray enabling dual lithium polysulfide chemisorption towards high-performance lithium-sulfur batteries. <i>Nanoscale</i> , 2020 , 12, 16678-16684	7.7	33
34	Hollow C@TiO2 array nanospheres as efficient sulfur hosts for lithium-sulfur batteries. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 5493-5497	5.8	2
33	Biomorphic structural batteries for robotics. <i>Science Robotics</i> , 2020 , 5,	18.6	34
32	Uncovering the underlying science behind dimensionality in the potassium battery regime. <i>Energy Storage Materials</i> , 2020 , 25, 416-425	19.4	19
31	Coral-like S-doped CoSe2 with enriched 1T-phase as efficient electrocatalyst for hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2019 , 322, 134739	6.7	18
30	Microorganism Assisted Synthesized Nanoparticles for Catalytic Applications. <i>Energies</i> , 2019 , 12, 190	3.1	77

29	Growth of carbon black onto continuous carbon fiber to produce composites with improved mechanical and interfacial properties: A step closer to industrial production. <i>Composites Science and Technology</i> , 2019 , 173, 83-89	8.6	18
28	Insights into enhanced sodium ion storage mechanism in Fe ₃ S ₄ : The coupling of surface chemistry, microstructural regulation and 3D electronic transport. <i>Nano Energy</i> , 2019 , 62, 384-392	17.1	13
27	Use of Grafted Voltage Stabilizer to Enhance Dielectric Strength of Cross-Linked Polyethylene. <i>Polymers</i> , 2019 , 11,	4.5	6
26	Shape memory effect of chitosan/glycerol composite film in mixed water/ethanol solution. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47037	2.9	7
25	Unraveling the Origins of the Unreactive Core in Conversion Electrodes to Trigger High Sodium-Ion Electrochemistry. <i>ACS Energy Letters</i> , 2019 , 4, 2007-2012	20.1	25
24	Acetylated SEBS Enhanced DC Insulation Performances of Polyethylene. <i>Polymers</i> , 2019 , 11,	4.5	11
23	CNT coatings grown on the outer and inner surfaces of magnetic hollow carbon fibers with enhanced electromagnetic interference shielding performance. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 14375-14383	7.1	12
22	Thermal and mechanical performance of electrospun chitosan/poly(vinyl alcohol) nanofibers with graphene oxide. <i>Advanced Composites and Hybrid Materials</i> , 2018 , 1, 722-730	8.7	15
21	Facile method to functionalize graphene oxide nanoribbons and its application to Poly(p-phenylene benzobisoxazole) composite. <i>Composites Science and Technology</i> , 2018 , 165, 124-130	8.6	16
20	Fabrication of urchin-like ZnO-MXene nanocomposites for high-performance electromagnetic absorption. <i>Ceramics International</i> , 2017 , 43, 10757-10762	5.1	110
19	Improved mechanical properties of carbon fiber-reinforced epoxy composites by growing carbon black on carbon fiber surface. <i>Composites Science and Technology</i> , 2017 , 149, 75-80	8.6	68
18	Fabrication of light, flexible and multifunctional graphene nanoribbon fibers via a 3D solution printing method. <i>Nanotechnology</i> , 2016 , 27, 465702	3.4	10
17	A Facile Route to Synthesize Nanographene Reinforced PBO Composites Fiber via in Situ Polymerization. <i>Polymers</i> , 2016 , 8,	4.5	8
16	Preparation and properties of PIPD nanofibers made by a swelling and ultrasonic stripping process. <i>RSC Advances</i> , 2016 , 6, 78073-78079	3.7	5
15	Serum-induced degradation of 3D DNA box origami observed with high-speed atomic force microscopy. <i>Nano Research</i> , 2015 , 8, 2170-2178	10	20
14	Interfacial characterization, control and modification of carbon fiber reinforced polymer composites. <i>Composites Science and Technology</i> , 2015 , 121, 56-72	8.6	143
13	Miniature Boat Fabrication with Striking Loading Capacity in Seawater from Hydrophobic Steel Mesh. <i>Chinese Journal of Chemical Physics</i> , 2015 , 28, 762-766	0.9	0
12	Effect of a new drug releasing system on microencapsulated islet transplantation. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 12390-9	1.4	4

11	Interfacial microstructure and properties of carbon fiber-reinforced unsaturated polyester composites modified with carbon nanotubes. <i>Journal of Adhesion Science and Technology</i> , 2014 , 28, 444-453	2	19
10	A high efficiency H ₂ S gas sensor material: paper like Fe ₂ O ₃ /graphene nanosheets and structural alignment dependency of device efficiency. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 6714-6717	13	79
9	Chemically grafting carbon nanotubes onto carbon fibers by poly(acryloyl chloride) for enhancing interfacial strength in carbon fiber/unsaturated polyester composites. <i>Fibers and Polymers</i> , 2014 , 15, 659-663	2	18
8	Mechanical reinforcement fibers produced by gel-spinning of poly-acrylic acid (PAA) and graphene oxide (GO) composites. <i>Nanoscale</i> , 2013 , 5, 6265-9	7.7	37
7	Facilitating the mechanical properties of a high-performance pH-sensitive membrane by cross-linking graphene oxide and polyacrylic acid. <i>Nanotechnology</i> , 2013 , 24, 335704	3.4	10
6	Carbon nanotubes grafting PBO fiber: A study on the interfacial properties of epoxy composites. <i>Polymer Composites</i> , 2012 , 33, 927-932	3	14
5	A highly efficient chemical sensor material for ethanol: Al ₂ O ₃ /Graphene nanocomposites fabricated from graphene oxide. <i>Chemical Communications</i> , 2011 , 47, 6350-2	5.8	79
4	The modification of Kevlar fibers in coupling agents by γ co-irradiation. <i>Fibers and Polymers</i> , 2011 , 12, 1014-1020	2	33
3	Synthesis of novel single-walled carbon nanotubes/poly (p-phenylene benzobisoxazole) nanocomposite. <i>Polymer Bulletin</i> , 2011 , 67, 1731-1739	2.4	8
2	Modulating electronic structure of CoSe ₂ by Ni doping for efficient electrocatalyst for hydrogen evolution reaction. <i>Rare Metals</i> , 1	5.5	3
1	Constructing Interfacial Nanolayer Stabilizes 4.3 V High-Voltage All-Solid-State Lithium Batteries with PEO-Based Solid-State Electrolyte. <i>Advanced Functional Materials</i> , 2113068	15.6	5