Michael Bemben

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5526533/michael-bemben-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,073 27 43 g-index

117 2,393 2 4.63 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
86	Associations of serum IL-6 with muscle, bone, and adipose tissue in women <i>Cytokine</i> , 2022 , 151, 15578	87 ₄	
85	Ipsilateral and contralateral responses following unimanual fatigue with and without illusionary mirror visual feedback. <i>Journal of Neurophysiology</i> , 2021 , 125, 2084-2093	3.2	О
84	The influence of sex, training intensity, and frequency on muscular adaptations to 40 weeks of resistance exercise in older adults. <i>Experimental Gerontology</i> , 2021 , 143, 111174	4.5	4
83	Muscle-Bone Interactions in Chinese Men and Women Aged 18-35 Years. <i>Journal of Osteoporosis</i> , 2020 , 2020, 8126465	2.8	1
82	The Effects of Altering the Concentric/Eccentric Phase Times on EMG Response, Lactate Accumulation and Work Completed When Training to Failure. <i>Journal of Human Kinetics</i> , 2020 , 73, 33-4	4 ^{2.6}	O
81	Sex differences in bone density, geometry, and bone strength of competitive soccer players. Journal of Musculoskeletal Neuronal Interactions, 2020 , 20, 62-76	1.3	3
80	Perceptual responses: Clinical versus practical blood flow restriction resistance exercise. <i>Physiology and Behavior</i> , 2020 , 227, 113137	3.5	5
79	Sclerostin and parathyroid hormone responses to acute whole-body vibration and resistance exercise in young women. <i>Journal of Bone and Mineral Metabolism</i> , 2019 , 37, 358-367	2.9	3
78	Can Blood Flow Restricted Exercise Improve Ham:Quad Ratios Better Than Traditional Training?. <i>International Journal of Exercise Science</i> , 2019 , 12, 1080-1093	1.3	1
77	Hip Structural Analyses Characteristics Based on Physical Activity Status in Young and Middle-aged Premenopausal Women. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 684-685	1.2	
76	Circulating Sclerostin and MicroRNA-21 Are Predictors of Bone Mineral Density in Postmenopausal Women. <i>Medicine and Science in Sports and Exercise</i> , 2019 , 51, 756-756	1.2	
75	Bone and muscle specific circulating microRNAs in postmenopausal women based on osteoporosis and sarcopenia status. <i>Bone</i> , 2019 , 120, 271-278	4.7	21
74	Brachial blood flow under relative levels of blood flow restriction is decreased in a nonlinear fashion. <i>Clinical Physiology and Functional Imaging</i> , 2018 , 38, 425-430	2.4	18
73	Relationship Between Wnt Signaling Inhibitors And Muscle Function In Young And Middle-aged Premenopausal Women. <i>Medicine and Science in Sports and Exercise</i> , 2018 , 50, 601	1.2	
72	Relationships between central arterial stiffness, lean body mass, and absolute and relative strength in young and older men and women. <i>Clinical Physiology and Functional Imaging</i> , 2018 , 38, 676-680	2.4	12
71	Acute and Chronic Effects of Whole-Body Vibration on Balance, Postural Stability, and Mobility in Women With Multiple Sclerosis. <i>Dose-Response</i> , 2018 , 16, 1559325818816577	2.3	7
70	Comparing the Acute Effects of Intermittent and Continuous Whole-Body Vibration Exposure on Neuromuscular and Functional Measures in Sarcopenia and Nonsarcopenic Elderly Women. **Dose-Response**, 2018**, 16, 1559325818797009**	2.3	5

(2013-2017)

69	Appendicular lean mass and site-specific muscle loss in the extremities correlate with dynamic strength. <i>Clinical Physiology and Functional Imaging</i> , 2017 , 37, 328-331	2.4	7
68	The influence of exercise load with and without different levels of blood flow restriction on acute changes in muscle thickness and lactate. <i>Clinical Physiology and Functional Imaging</i> , 2017 , 37, 734-740	2.4	39
67	Low-load resistance training with low relative pressure produces muscular changes similar to high-load resistance training. <i>Muscle and Nerve</i> , 2017 , 56, E126-E133	3.4	43
66	Thigh Muscle Cross-sectional Area by pQCT. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 772	1.2	
65	Serum Sclerostin Levels Are Positively Correlated with Bone Mineral Density in Chinese Young Adults. <i>Medicine and Science in Sports and Exercise</i> , 2017 , 49, 398	1.2	
64	Effects of age on arterial stiffness and central blood pressure after an acute bout of resistance exercise. European Journal of Applied Physiology, 2016 , 116, 39-48	3.4	10
63	Lower limb neuromuscular function and blood flow characteristics in AFO-using survivors of stroke. Journal of Geriatric Physical Therapy, 2015 , 38, 56-61	3.2	4
62	Muscular adaptations to fatiguing exercise with and without blood flow restriction. <i>Clinical Physiology and Functional Imaging</i> , 2015 , 35, 167-76	2.4	83
61	Effects of exercise with and without different degrees of blood flow restriction on torque and muscle activation. <i>Muscle and Nerve</i> , 2015 , 51, 713-21	3.4	97
60	The effects of resistance exercise with and without different degrees of blood-flow restriction on perceptual responses. <i>Journal of Sports Sciences</i> , 2015 , 33, 1472-9	3.6	41
59	Effects of an 8-Month Ashtanga-Based Yoga Intervention on Bone Metabolism in Middle-Aged Premenopausal Women: A Randomized Controlled Study. <i>Journal of Sports Science and Medicine</i> , 2015 , 14, 756-68	2.7	10
58	Vascular adaptations to low-load resistance training with and without blood flow restriction. <i>European Journal of Applied Physiology</i> , 2014 , 114, 715-24	3.4	18
57	Arterial stiffness and blood flow adaptations following eight weeks of resistance exercise training in young and older women. <i>Experimental Gerontology</i> , 2014 , 53, 48-56	4.5	28
56	Tissue oxygenation, strength and lactate response to different blood flow restrictive pressures. <i>Clinical Physiology and Functional Imaging</i> , 2014 , 34, 263-9	2.4	16
55	Jump test performance and sarcopenia status in men and women, 55 to 75 years of age. <i>Journal of Geriatric Physical Therapy</i> , 2014 , 37, 76-82	3.2	30
54	Hormone responses to an acute bout of low intensity blood flow restricted resistance exercise in college-aged females. <i>Journal of Sports Science and Medicine</i> , 2014 , 13, 91-6	2.7	16
53	Differences in tibia morphology between the sound and affected sides in ankle-foot orthosis-using survivors of stroke. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 510-5	2.8	4
52	The effects of elastic band resistance training combined with blood flow restriction on strength, total bone-free lean body mass and muscle thickness in postmenopausal women. <i>Clinical Physiology and Functional Imaging</i> , 2013 , 33, 344-52	2.4	48

51	Acute bone marker responses to whole-body vibration and resistance exercise in young women. Journal of Clinical Densitometry, 2013 , 16, 104-9	3.5	18
50	Inflammation marker, damage marker and anabolic hormone responses to resistance training with vascular restriction in older males. <i>Clinical Physiology and Functional Imaging</i> , 2013 , 33, 393-9	2.4	32
49	Blood flow restriction: rationale for improving bone. <i>Medical Hypotheses</i> , 2012 , 78, 523-7	3.8	26
48	Age and sex differences in tibia morphology in healthy adult Caucasians. <i>Bone</i> , 2012 , 50, 1324-31	4.7	15
47	Relationship between estimated aerobic fitness and injury rates among active duty at an Air Force base based upon two separate measures of estimated cardiovascular fitness. <i>Military Medicine</i> , 2012 , 177, 36-40	1.3	5
46	Effects of cuff width on arterial occlusion: implications for blood flow restricted exercise. <i>European Journal of Applied Physiology</i> , 2012 , 112, 2903-12	3.4	221
45	Effect of different types of lower body resistance training on arterial compliance and calf blood flow. <i>Clinical Physiology and Functional Imaging</i> , 2012 , 32, 45-51	2.4	29
44	Effects of resistance training duration on muscular strength retention 6-month posttraining in older men and women. <i>Journal of Geriatric Physical Therapy</i> , 2012 , 35, 20-7	3.2	8
43	Effects of an 8-month yoga intervention on arterial compliance and muscle strength in premenopausal women. <i>Journal of Sports Science and Medicine</i> , 2012 , 11, 322-30	2.7	23
42	Reliability of the one-repetition maximum test based on muscle group and gender. <i>Journal of Sports Science and Medicine</i> , 2012 , 11, 221-5	2.7	80
41	Reduced retinal nerve fiber layer and macular thickness in patients with multiple sclerosis with no history of optic neuritis identified by the use of spectral domain high-definition optical coherence tomography. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 1469-72	2.2	44
40	The effect of acute blood-flow-restricted resistance exercise on postexercise blood pressure. <i>Clinical Physiology and Functional Imaging</i> , 2011 , 31, 429-34	2.4	32
39	Effects of high-intensity resistance training and low-intensity resistance training with vascular restriction on bone markers in older men. <i>European Journal of Applied Physiology</i> , 2011 , 111, 1659-67	3.4	55
38	Effect of different types of resistance exercise on arterial compliance and calf blood flow. <i>European Journal of Applied Physiology</i> , 2011 , 111, 2969-75	3.4	35
37	Leptin, fat mass, and bone mineral density in healthy pre- and postmenopausal women. <i>Journal of Clinical Densitometry</i> , 2011 , 14, 321-5	3.5	10
36	The effects of different initial restrictive pressures used to reduce blood flow and thigh composition on tissue oxygenation of the quadriceps. <i>Journal of Sports Sciences</i> , 2011 , 29, 951-8	3.6	30
35	Decreased postural balance in multiple sclerosis patients with low disability. <i>International Journal of Rehabilitation Research</i> , 2011 , 34, 53-8	1.8	39
34	Effects of filtering methods on muscle and fat cross-sectional area measurement by pQCT: a technical note. <i>Physiological Measurement</i> , 2011 , 32, N65-72	2.9	15

(2005-2011)

33	Effects of 12 weeks of combined exercise training on visfatin and metabolic syndrome factors in obese middle-aged women. <i>Journal of Sports Science and Medicine</i> , 2011 , 10, 222-6	2.7	20
32	Arterial compliance in multiple sclerosis: a pilot study. <i>Angiology</i> , 2010 , 61, 31-6	2.1	8
31	Effects of combined whole-body vibration and resistance training on muscular strength and bone metabolism in postmenopausal women. <i>Bone</i> , 2010 , 47, 650-6	4.7	66
30	Interlimb muscle and fat comparisons in persons with lower-limb amputation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 1077-81	2.8	40
29	Effects of Aerobic Exercise on Ultraweak Photon Emission. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 818	1.2	
28	Predictors of balance in young, middle-aged, and late middle-aged women. <i>Journal of Geriatric Physical Therapy</i> , 2010 , 33, 110-7	3.2	13
27	Resistance training effects on arterial compliance in premenopausal women. <i>Angiology</i> , 2009 , 60, 750-6	2.1	8
26	Whole-body vibration augments resistance training effects on body composition in postmenopausal women. <i>Maturitas</i> , 2009 , 63, 79-83	5	49
25	Relationships between body composition, muscular strength, and bone mineral density in estrogen-deficient postmenopausal women. <i>Journal of Clinical Densitometry</i> , 2009 , 12, 292-8	3.5	24
24	Influence of Body Composition, Oral Contraceptive Use, and Physical Activity on Bone Mineral Density in Premenopausal Women. <i>International Journal of Exercise Science</i> , 2009 , 2, 28-37	1.3	2
23	BMD and bone geometry in transtibial and transfemoral amputees. <i>Journal of Bone and Mineral Research</i> , 2008 , 23, 1449-57	6.3	54
22	Quality of Life According to Duration of Disease in Women With Low Disability in Multiple Sclerosis. <i>International Journal of MS Care</i> , 2008 , 10, 77-80	2.3	2
21	Comparisons between twice-daily and once-daily training sessions in male weight lifters. <i>International Journal of Sports Physiology and Performance</i> , 2007 , 2, 159-69	3.5	19
20	Effects of Age and ACL Reconstruction on Quadriceps Gamma Loop Function. <i>Journal of Geriatric Physical Therapy</i> , 2006 , 29, 26-32	3.2	32
19	Muscle-Bone Interactions Across age in Men. Journal of Sports Science and Medicine, 2006, 5, 43-51	2.7	6
18	Effects of ballates, step aerobics, and walking on balance in women aged 50-75 years. <i>Journal of Sports Science and Medicine</i> , 2006 , 5, 390-9	2.7	9
17	Effects of age on testosterone responses to resistance exercise and musculoskeletal variables in men. <i>Journal of Strength and Conditioning Research</i> , 2006 , 20, 874-81	3.2	19
16	Influence of age on isometric, isotonic, and isokinetic force production characteristics in men. Journal of Geriatric Physical Therapy, 2005, 28, 74-84	3.2	17

15	Does nutritional supplementation influence adaptability of muscle to resistance training in men aged 48 to 72 years. <i>Journal of Geriatric Physical Therapy</i> , 2005 , 28, 40-7	3.2	21
14	Effect of continuous passive motion (machine-assisted) exercise as an alternative form of training on physiological profiles of women aged 40-65 years. <i>Journal of Strength and Conditioning Research</i> , 2005 , 19, 634-9	3.2	1
13	Effects Of Age And ACL Injury On Quadriceps Gamma Loop Function. <i>Medicine and Science in Sports and Exercise</i> , 2005 , 37, S442	1.2	
12	Influence of type of mechanical loading, menstrual status, and training season on bone density in young women athletes. <i>Journal of Strength and Conditioning Research</i> , 2004 , 18, 220-6	3.2	26
11	Esophageal reflux in conditioned runners, cyclists, and weightlifters. <i>Medicine and Science in Sports and Exercise</i> , 2003 , 35, 730-5	1.2	50
10	Effects of creatine supplementation on isometric force-time curve characteristics. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, 1876-81	1.2	14
9	Creatine supplementation during resistance training in college football athletes. <i>Medicine and Science in Sports and Exercise</i> , 2001 , 33, 1667-73	1.2	63
8	Musculoskeletal responses to high- and low-intensity resistance training in early postmenopausal women. <i>Medicine and Science in Sports and Exercise</i> , 2000 , 32, 1949-57	1.2	119
7	Validity of diagnostic ultrasound as a measure of delayed onset muscle soreness. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2000 , 30, 116-22; discussion 123-5	4.2	22
6	Age-related variability in body composition methods for assessment of percent fat and fat-free mass in men aged 20-74 years. <i>Age and Ageing</i> , 1998 , 27, 147-53	3	25
5	Chromium picolinate effects on body composition and muscular performance in wrestlers. <i>Medicine and Science in Sports and Exercise</i> , 1998 , 30, 1730-7	1.2	50
4	JAPA Digest. Journal of Aging and Physical Activity, 1996 , 4, 203-206	1.6	
3	JAPA Digest. Journal of Aging and Physical Activity, 1996, 4, 390-393	1.6	
2	JAPA Digest. Journal of Aging and Physical Activity, 1994 , 2, 196-200	1.6	
1	JAPA Digest. Journal of Aging and Physical Activity, 1994 , 2, 373-379	1.6	