

Jia Hu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5529433/publications.pdf>

Version: 2024-02-01

20
papers

733
citations

759055

12
h-index

752573

20
g-index

25
all docs

25
docs citations

25
times ranked

1156
citing authors

#	ARTICLE	IF	CITATIONS
1	Clinical evaluation of nasopharyngeal, midturbinate nasal and oropharyngeal swabs for the detection of SARS-CoV-2. <i>Diagnostic Microbiology and Infectious Disease</i> , 2022, 102, 115618.	0.8	7
2	One Swab Fits All: Performance of a Rapid, Antigen-Based SARS-CoV-2 Test Using a Nasal Swab, Nasopharyngeal Swab for Nasal Collection, and RT-qPCR Confirmation from Residual Extraction Buffer. <i>Journal of Applied Laboratory Medicine</i> , 2022, 7, 834-841.	0.6	8
3	Detection and quantification of infectious severe acute respiratory coronavirus-2 in diverse clinical and environmental samples. <i>Scientific Reports</i> , 2022, 12, 5418.	1.6	38
4	Public perceptions during the first wave of the COVID-19 pandemic in Canada: a demographic analysis of self-reported beliefs, behaviors, and information acquisition. <i>BMC Public Health</i> , 2022, 22, 699.	1.2	2
5	Challenges and recommendations for COVID-19 public health messaging: a Canada-wide qualitative study using virtual focus groups. <i>BMJ Open</i> , 2022, 12, e054635.	0.8	5
6	Longitudinal SARS-CoV-2 RNA wastewater monitoring across a range of scales correlates with total and regional COVID-19 burden in a well-defined urban population. <i>Water Research</i> , 2022, 220, 118611.	5.3	34
7	Drivers of downloading and reasons for not downloading COVID-19 contact tracing and exposure notification apps: A national cross-sectional survey. <i>PLoS ONE</i> , 2022, 17, e0269783.	1.1	4
8	Saliva collected in universal transport media is an effective, simple and high-volume amenable method to detect SARS-CoV-2. <i>Clinical Microbiology and Infection</i> , 2021, 27, 656-657.	2.8	35
9	False negative rate of COVID-19 PCR testing: a discordant testing analysis. <i>Virology Journal</i> , 2021, 18, 13.	1.4	161
10	Attitudes, current behaviours and barriers to public health measures that reduce COVID-19 transmission: A qualitative study to inform public health messaging. <i>PLoS ONE</i> , 2021, 16, e0246941.	1.1	78
11	Clinical performance of the Abbott Panbio with nasopharyngeal, throat, and saliva swabs among symptomatic individuals with COVID-19. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021, 40, 1721-1726.	1.3	42
12	Attitudes, behaviours and barriers to public health measures for COVID-19: a survey to inform public health messaging. <i>BMC Public Health</i> , 2021, 21, 765.	1.2	42
13	Acceptable performance of the Abbott ID NOW among symptomatic individuals with confirmed COVID-19. <i>Journal of Medical Microbiology</i> , 2021, 70, .	0.7	21
14	Wide Variation in Threshold Cycle Values Clouds the Interpretation of SARS-CoV-2 Infectiousness. <i>Clinical Chemistry</i> , 2021, , .	1.5	6
15	A multicenter study investigating SARS-CoV-2 in tertiary-care hospital wastewater. viral burden correlates with increasing hospitalized cases as well as hospital-associated transmissions and outbreaks. <i>Water Research</i> , 2021, 201, 117369.	5.3	64
16	Analyzing Social Media to Explore the Attitudes and Behaviors Following the Announcement of Successful COVID-19 Vaccine Trials: Infodemiology Study. <i>JMIR Infodemiology</i> , 2021, 1, e28800.	1.0	35
17	COVID-19 outbreak among physicians at a Canadian curling bonspiel: a descriptive observational study. <i>CMAJ Open</i> , 2021, 9, E87-E95.	1.1	5
18	Characterization of non-adopters of COVID-19 non-pharmaceutical interventions through a national cross-sectional survey to assess attitudes and behaviours. <i>Scientific Reports</i> , 2021, 11, 21751.	1.6	9

#	ARTICLE	IF	CITATIONS
19	COVID-19 Vaccine-Related Attitudes and Beliefs in Canada: National Cross-sectional Survey and Cluster Analysis. JMIR Public Health and Surveillance, 2021, 7, e30424.	1.2	32
20	Evaluation of Six Commercial Mid- to High-Volume Antibody and Six Point-of-Care Lateral Flow Assays for Detection of SARS-CoV-2 Antibodies. Journal of Clinical Microbiology, 2020, 58, .	1.8	90