

Alejandro de la Sierra

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5529507/alejandro-de-la-sierra-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

4,248
citations

26
h-index

64
g-index

107
ext. papers

5,129
ext. citations

3.7
avg, IF

5.11
L-index

#	Paper	IF	Citations
86	Home blood pressure monitoring: methodology, clinical relevance and practical application: a 2021 position paper by the Working Group on Blood Pressure Monitoring and Cardiovascular Variability of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 1742-1767	1.9	15
85	Prevalence of office and ambulatory hypotension in treated hypertensive patients with coronary disease. <i>Hypertension Research</i> , 2020 , 43, 696-704	4.7	3
84	Seasonal variation in blood pressure: Evidence, consensus and recommendations for clinical practice. Consensus statement by the European Society of Hypertension Working Group on Blood Pressure Monitoring and Cardiovascular Variability. <i>Journal of Hypertension</i> , 2020 , 38, 1235-1243	1.9	26
83	How do ultrafine particles in urban air affect ambulatory blood pressure?. <i>Journal of Hypertension</i> , 2020 , 38, 845-849	1.9	1
82	Attended versus unattended automated office blood pressure measurement in the diagnosis and treatment of hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 1407-1411	1.9	5
81	Video-thoracoscopy for the evaluation of undiagnosed pleural effusion: Is it possible to optimize its indication?. <i>European Journal of Internal Medicine</i> , 2020 , 73, 105-107	3.9	
80	Prognostic Relevance of Short-Term Blood Pressure Variability: The Spanish ABPM Registry. <i>Hypertension</i> , 2020 , HYPERTENSIONAHA11914508	8.5	1
79	Frequency and Prognosis of Treated Hypertensive Patients According to Prior and New Blood Pressure Goals. <i>Hypertension</i> , 2019 , 74, 130-136	8.5	9
78	New American and European Hypertension Guidelines, Reconciling the Differences. <i>Cardiology and Therapy</i> , 2019 , 8, 157-166	2.8	7
77	Blood pressure variability increases with advancing chronic kidney disease stage: a cross-sectional analysis of 16 546 hypertensive patients. <i>Journal of Hypertension</i> , 2018 , 36, 1076-1085	1.9	41
76	Blood Pressure Measurement and Hypertension Diagnosis in the 2017 US Guidelines: First Things First. <i>Hypertension</i> , 2018 , 71, 963-965	8.5	13
75	Relationship between Clinic and Ambulatory Blood-Pressure Measurements and Mortality. <i>New England Journal of Medicine</i> , 2018 , 378, 1509-1520	59.2	327
74	Central blood pressure variability is increased in hypertensive patients with target organ damage. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 266-272	2.3	7
73	Organ damage changes in patients with resistant hypertension randomized to renal denervation or spironolactone: The DENERVHTA (Denervaci3n en Hipertensi3n Arterial) study. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 69-75	2.3	9
72	Effects of metabolic syndrome on arterial function in different age groups: the Advanced Approach to Arterial Stiffness study. <i>Journal of Hypertension</i> , 2018 , 36, 824-833	1.9	46
71	Prevalence of Masked Hypertension in Untreated and Treated Patients With Office Blood Pressure Below 130/80 mm Hg. <i>Circulation</i> , 2018 , 137, 2651-2653	16.7	25
70	Antihypertensive drug use in resistant and nonresistant hypertension and in controlled and uncontrolled resistant hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 1563-1570	1.9	2

69	Diagnosing catheter-associated urinary tract infection: Still a matter of concern. <i>European Journal of Internal Medicine</i> , 2018 , 52, e30-e31	3.9	0
68	Association of Either Left Ventricular Hypertrophy or Diastolic Dysfunction With 24-Hour Central and Peripheral Blood Pressure. <i>American Journal of Hypertension</i> , 2018 , 31, 1293-1299	2.3	6
67	Patterns of ambulatory blood pressure: clinical relevance and application. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1112-1115	2.3	18
66	Combination therapies for hypertension - why we need to look beyond RAS blockers. <i>Expert Review of Clinical Pharmacology</i> , 2018 , 11, 841-853	3.8	4
65	MASKed-unCONtrolled hypERTension management based on office BP or on ambulatory blood pressure measurement (MASTER) Study: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018 , 8, e021038	3.0	20
64	COSMIC project: consensus on the objectives of the metabolic syndrome in clinic. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018 , 11, 683-697	3.4	7
63	Prevalence of hypertension and other cardiovascular risk factors in subjects with subclinical hypothyroidism. <i>Medicina Clínica</i> , 2017 , 148, 351-353	1	6
62	Magnitude of Hypotension Based on Office and Ambulatory Blood Pressure Monitoring: Results From a Cohort of 5066 Treated Hypertensive Patients Aged 80 Years and Older. <i>Journal of the American Medical Association</i> , 2017 , 318, 452.e1-452.e6	5.9	21
61	Twenty-four-hour central blood pressure is not better associated with hypertensive target organ damage than 24-h peripheral blood pressure. <i>Journal of Hypertension</i> , 2017 , 35, 2000-2005	1.9	12
60	Clinic Versus Daytime Ambulatory Blood Pressure Difference in Hypertensive Patients: The Impact of Age and Clinic Blood Pressure. <i>Hypertension</i> , 2017 , 69, 211-219	8.5	20
59	Prevalence and clinical characteristics of white-coat hypertension based on different definition criteria in untreated and treated patients. <i>Journal of Hypertension</i> , 2017 , 35, 2388-2394	1.9	28
58	Prevalence and Clinical Characteristics of Refractory Hypertension. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	34
57	Cuff-Based Oscillometric Central and Brachial Blood Pressures Obtained Through ABPM are Similarly Associated with Renal Organ Damage in Arterial Hypertension. <i>Kidney and Blood Pressure Research</i> , 2017 , 42, 1068-1077	3.1	6
56	Personalised Single-Pill Combination Therapy in Hypertensive Patients: An Update of a Practical Treatment Platform. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2017 , 24, 463-472	2.9	12
55	Renal Denervation vs. Spironolactone in Resistant Hypertension: Effects on Circadian Patterns and Blood Pressure Variability. <i>American Journal of Hypertension</i> , 2017 , 30, 37-41	2.3	12
54	Reply. <i>Journal of Hypertension</i> , 2017 , 35, 2324-2325	1.9	
53	Current Situation of Medication Adherence in Hypertension. <i>Frontiers in Pharmacology</i> , 2017 , 8, 100	5.6	116
52	Office and ambulatory blood pressure control in hypertensive patients treated with different two-drug and three-drug combinations. <i>Clinical and Experimental Hypertension</i> , 2016 , 38, 409-14	2.2	0

51	Ambulatory blood pressure in hypertensive patients with inclusion criteria for the SPRINT trial. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 947-953.e5		19
50	Methodology and technology for peripheral and central blood pressure and blood pressure variability measurement: current status and future directions - Position statement of the European Society of Hypertension Working Group on blood pressure monitoring and cardiovascular variability. <i>Journal of Hypertension</i> , 2016 , 34, 1665-77	1.9	89
49	Short-Term and Long-Term Reproducibility of Hypertension Phenotypes Obtained by Office and Ambulatory Blood Pressure Measurements. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 927-33	2.3	26
48	Intervention mapping for developing pharmacy-based services and health programs: A theoretical approach. <i>American Journal of Health-System Pharmacy</i> , 2016 , 73, 156-64	2.2	16
47	Prognostic Effect of the Nocturnal Blood Pressure Fall in Hypertensive Patients: The Ambulatory Blood Pressure Collaboration in Patients With Hypertension (ABC-H) Meta-Analysis. <i>Hypertension</i> , 2016 , 67, 693-700	8.5	282
46	Hypotension based on office and ambulatory monitoring blood pressure. Prevalence and clinical profile among a cohort of 70,997 treated hypertensives. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 714-23		20
45	Clinical Experience with Diltiazem in the Treatment of Cardiovascular Diseases. <i>Cardiology and Therapy</i> , 2016 , 5, 75-82	2.8	10
44	Ambulatory blood pressure monitoring in daily clinical practice - the Spanish ABPM Registry experience. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 92-8	4.6	24
43	Advantages of Ambulatory Blood Pressure Monitoring in Assessing the Efficacy of Antihypertensive Therapy. <i>Cardiology and Therapy</i> , 2015 , 4, 5-17	2.8	6
42	Prevalencia de dislipemia aterogénica en hipertensos españoles y su relación con el control de la presión arterial y el daño orgánico silente. <i>Revista Espanola De Cardiologia</i> , 2015 , 68, 592-598	1.5	2
41	Prevalence of Atherogenic Dyslipidemia in Spanish Hypertensive Patients and Its Relationship With Blood Pressure Control and Silent Organ Damage. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2015 , 68, 592-8	0.7	1
40	Supplement: Cardiology and Therapy. <i>Cardiology and Therapy</i> , 2015 , 4, 1-3	2.8	1
39	Ethnic differences in the degree of morning blood pressure surge and in its determinants between Japanese and European hypertensive subjects: data from the ARTEMIS study. <i>Hypertension</i> , 2015 , 66, 750-6	8.5	69
38	Prevalence of white-coat and masked hypertension in national and international registries. <i>Hypertension Research</i> , 2015 , 38, 1-7	4.7	72
37	Ambulatory Blood Pressures in Hypertensive Patients Treated With One Antihypertensive Agent: Differences Among Drug Classes and Among Drugs Belonging to the Same Class. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 857-65	2.3	7
36	Actividad física y patrón circadiano. ¿Relación directa o marcadores paralelos?. <i>Hipertension Y Riesgo Vascular</i> , 2014 , 31, 117-118	0.5	
35	High prevalence of masked uncontrolled hypertension in people with treated hypertension. <i>European Heart Journal</i> , 2014 , 35, 3304-12	9.5	132
34	Nocturnal hypertension or nondipping: which is better associated with the cardiovascular risk profile?. <i>American Journal of Hypertension</i> , 2014 , 27, 680-7	2.3	78

33	HIV-infection, atherosclerosis and the inflammatory pathway: candidate gene study in a Spanish HIV-infected population. <i>PLoS ONE</i> , 2014 , 9, e112279	3.7	5
32	Blood pressure control is similar in treated hypertensive patients with optimal or with high-normal albuminuria. <i>American Journal of Hypertension</i> , 2014 , 27, 1185-90	2.3	1
31	Antagonistas de los receptores de la angiotensina II en el tratamiento de la hipertensi3n arterial, las enfermedades cardiovasculares y las renales. Realidad y futuro. <i>Hipertension Y Riesgo Vascular</i> , 2013 , 30, 3-10	0.5	
30	Combination therapy in hypertension. <i>Advances in Therapy</i> , 2013 , 30, 320-36	4.1	16
29	Profile of ambulatory blood pressure in resistant hypertension. <i>Hypertension Research</i> , 2013 , 36, 565-9	4.7	8
28	European Society of Hypertension position paper on ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 2013 , 31, 1731-68	1.9	898
27	Olmесartan-based therapies: an effective way to improve blood pressure control and cardiovascular protection. <i>Journal of Hypertension</i> , 2013 , 31 Suppl 1, S13-7	1.9	9
26	Blood pressure control with angiotensin receptor blocker-based three-drug combinations: key trials. <i>Advances in Therapy</i> , 2012 , 29, 401-15	4.1	10
25	Abnormalities of vascular function in resistant hypertension. <i>Blood Pressure</i> , 2012 , 21, 104-9	1.7	14
24	Ambulatory blood pressure monitoring and development of cardiovascular events in high-risk patients included in the Spanish ABPM registry: the CARDIORISC Event study. <i>Journal of Hypertension</i> , 2012 , 30, 713-9	1.9	74
23	Clinical differences between resistant hypertensives and patients treated and controlled with three or less drugs. <i>Journal of Hypertension</i> , 2012 , 30, 1211-6	1.9	108
22	What is the role of direct renin inhibitors in the treatment of the hypertensive diabetic patient?. <i>Advances in Therapy</i> , 2011 , 28, 716-27	4.1	4
21	Clinical features of 8295 patients with resistant hypertension classified on the basis of ambulatory blood pressure monitoring. <i>Hypertension</i> , 2011 , 57, 898-902	8.5	547
20	Diurnal blood pressure variation, risk categories and antihypertensive treatment. <i>Hypertension Research</i> , 2010 , 33, 767-71	4.7	38
19	Response to Timing of Antihypertensive Therapy and Circadian Blood Pressure Pattern. <i>Hypertension</i> , 2009 , 53,	8.5	1
18	Prevalence and factors associated with circadian blood pressure patterns in hypertensive patients. <i>Hypertension</i> , 2009 , 53, 466-72	8.5	270
17	Response to Nondipping in Patients With Hypertension. <i>Hypertension</i> , 2009 , 53,	8.5	1
16	Application of hypertension guidelines in clinical practice: implementation of the 2007 ESH/ESC European practice Guidelines in Spain. <i>Journal of Hypertension</i> , 2009 , 27, S27-32	1.9	21

15	Main results and clinical interpretations from the TRANSCEND study. <i>Journal of Hypertension</i> , 2009 , 27, S22-5	1.9	3
14	The clinical significance of metabolic syndrome in hypertension: metabolic syndrome increases cardiovascular risk : the pro position. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2008 , 15, 53-7	2.9	1
13	Clinical characteristics of isolated clinic hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 438-45	1.9	37
12	Combinations as a first-step therapy in hypertension. <i>Current Hypertension Reports</i> , 2007 , 9, 251-2	4.7	5
11	Management of cardiovascular risk factors in patients with metabolic syndrome. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2007 , 5, 209-14	1.9	7
10	Angiotensin receptor blockers in hypertension and cardiovascular diseases. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2006 , 4, 67-73	1.9	9
9	Effects of eprosartan on target organ protection. <i>Vascular Health and Risk Management</i> , 2006 , 2, 79-85	4.4	2
8	The effect of treatment with eprosartan on pulse pressure: factors predicting response. <i>Canadian Journal of Cardiology</i> , 2004 , 20 Suppl C, 17C-22C	3.8	3
7	Vascular abnormalities in salt-sensitive hypertension. <i>Current Hypertension Reports</i> , 2003 , 5, 93-4	4.7	0
6	G-protein B-subunit gene variant, blood pressure and erythrocyte sodium/lithium countertransport in essential hypertension. <i>British Journal of Biomedical Science</i> , 2002 , 59, 101-104	1.6	8
5	Treatment of hypertension in diabetes mellitus. <i>Current Hypertension Reports</i> , 2000 , 2, 335-42	4.7	7
4	Effect of alcohol abstinence on blood pressure: assessment by 24-hour ambulatory blood pressure monitoring. <i>Hypertension</i> , 1999 , 33, 653-7	8.5	78
3	Association between strong inflammatory response and low risk of developing visual loss and other cranial ischemic complications in giant cell (temporal) arteritis. <i>Arthritis and Rheumatism</i> , 1998 , 41, 26-32		200
2	Fluid, ionic and hormonal changes induced by high salt intake in salt-sensitive and salt-resistant hypertensive patients. <i>Clinical Science</i> , 1996 , 91, 155-61	6.5	49
1	Chronic alcohol intake induces reversible disturbances on cellular Na+ metabolism in humans: its relationship with changes in blood pressure. <i>Alcoholism: Clinical and Experimental Research</i> , 1992 , 16, 714-20	3.7	28