

Konrad Steinestel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5530217/publications.pdf>

Version: 2024-02-01

64
papers

1,763
citations

279487

23
h-index

301761

39
g-index

72
all docs

72
docs citations

72
times ranked

3478
citing authors

#	ARTICLE	IF	CITATIONS
1	PKM2 promotes tumor angiogenesis by regulating HIF-1 α through NF- κ B activation. <i>Molecular Cancer</i> , 2016, 15, 3.	7.9	233
2	Clinical significance of epithelial \rightarrow mesenchymal transition. <i>Clinical and Translational Medicine</i> , 2014, 3, 17.	1.7	142
3	Expression of AR-V7 in Circulating Tumour Cells Does Not Preclude Response to Next Generation Androgen Deprivation Therapy in Patients with Castration Resistant Prostate Cancer. <i>European Urology</i> , 2017, 71, 1-3.	0.9	113
4	Detecting predictive androgen receptor modifications in circulating prostate cancer cells. <i>Oncotarget</i> , 2019, 10, 4213-4223.	0.8	104
5	Potential clinical implications of <i>BRAF</i> mutations in histiocytic proliferations. <i>Oncotarget</i> , 2014, 5, 4060-4070.	0.8	78
6	Altered Intestinal Morphology and Microbiota Composition in the Autism Spectrum Disorders Associated SHANK3 Mouse Model. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2134.	1.8	59
7	Neovascular PSMA expression is a common feature in malignant neoplasms of the thyroid. <i>Oncotarget</i> , 2018, 9, 9867-9874.	0.8	57
8	The role of histologic subtype, p16INK4a expression, and presence of human papillomavirus DNA in penile squamous cell carcinoma. <i>BMC Cancer</i> , 2015, 15, 220.	1.1	50
9	Clinical, Serological, and Histopathological Similarities Between Severe COVID-19 and Acute Exacerbation of Connective Tissue Disease-Associated Interstitial Lung Disease (CTD-ILD). <i>Frontiers in Immunology</i> , 2020, 11, 587517.	2.2	49
10	An SK3 Channel/nWASP/Abi-1 Complex Is Involved in Early Neurogenesis. <i>PLoS ONE</i> , 2011, 6, e18148.	1.1	48
11	Prostate specific membrane antigen (PSMA) expression in non-small cell lung cancer. <i>PLoS ONE</i> , 2017, 12, e0186280.	1.1	47
12	FUS \rightarrow DDIT3 Fusion Protein-Driven IGF-IR Signaling is a Therapeutic Target in Myxoid Liposarcoma. <i>Clinical Cancer Research</i> , 2017, 23, 6227-6238.	3.2	40
13	Overexpression of p16INK4a in Urothelial Carcinoma In Situ Is a Marker for MAPK-Mediated Epithelial-Mesenchymal Transition but Is Not Related to Human Papillomavirus Infection. <i>PLoS ONE</i> , 2013, 8, e65189.	1.1	37
14	SS18-SSX \rightarrow Dependent YAP/TAZ Signaling in Synovial Sarcoma. <i>Clinical Cancer Research</i> , 2019, 25, 3718-3731.	3.2	36
15	Thirty-eight-negative kinase 1 mediates trauma-induced intestinal injury and multi-organ failure. <i>Journal of Clinical Investigation</i> , 2018, 128, 5056-5072.	3.9	36
16	Positive surgical margins in nephron-sparing surgery: risk factors and therapeutic consequences. <i>World Journal of Surgical Oncology</i> , 2014, 12, 252.	0.8	35
17	Prognostic Impact of PD-L1 Expression in Malignant Salivary Gland Tumors as Assessed by Established Scoring Criteria: Tumor Proportion Score (TPS), Combined Positivity Score (CPS), and Immune Cell (IC) Infiltrate. <i>Cancers</i> , 2020, 12, 873.	1.7	34
18	Fatal thromboembolism to the left pulmonary artery by locally applied hemostatic matrix after surgical removal of spinal schwannoma: a case report. <i>Human Pathology</i> , 2013, 44, 294-298.	1.1	33

#	ARTICLE	IF	CITATIONS
19	Expression of PSMA in tumor neovasculature of high grade sarcomas including synovial sarcoma, rhabdomyosarcoma, undifferentiated sarcoma and MPNST. <i>Oncotarget</i> , 2017, 8, 4268-4276.	0.8	33
20	Heterogeneous Nuclear Ribonucleoprotein K Interacts with Abi-1 at Postsynaptic Sites and Modulates Dendritic Spine Morphology. <i>PLoS ONE</i> , 2011, 6, e27045.	1.1	31
21	Expression and Y435-phosphorylation of Abelson interactor 1 (Abi1) promotes tumour cell adhesion, extracellular matrix degradation and invasion by colorectal carcinoma cells. <i>Molecular Cancer</i> , 2014, 13, 145.	7.9	31
22	Phosphatidylinositol-3-kinase (PI3K)/Akt Signaling is Functionally Essential in Myxoid Liposarcoma. <i>Molecular Cancer Therapeutics</i> , 2019, 18, 834-844.	1.9	28
23	Clinical behavior of chromophobe renal cell carcinoma is less aggressive than that of clear cell renal cell carcinoma, independent of Fuhrman grade or tumor size. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 439-444.	1.4	25
24	ÎB-Ras and Ral GTPases regulate acinar to ductal metaplasia during pancreatic adenocarcinoma development and pancreatitis. <i>Nature Communications</i> , 2020, 11, 3409.	5.8	24
25	Diagnostic tools in the differential diagnosis of giant cell-rich lesions of bone at biopsy. <i>Oncotarget</i> , 2018, 9, 30106-30114.	0.8	20
26	Invasion pattern and histologic features of tumor aggressiveness correlate with MMR protein expression, but are independent of activating KRAS and BRAF mutations in CRC. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014, 465, 155-163.	1.4	19
27	Baseline MAPK signaling activity confers intrinsic radioresistance to KRAS-mutant colorectal carcinoma cells by rapid upregulation of heterogeneous nuclear ribonucleoprotein K (hnRNP K). <i>Cancer Letters</i> , 2017, 385, 160-167.	3.2	18
28	Clinical Impact of Epithelial-to-Mesenchymal Transition Regulating MicroRNAs in Pancreatic Ductal Adenocarcinoma. <i>Cancers</i> , 2018, 10, 328.	1.7	17
29	Expression of Abelson Interactor 1 (Abi1) Correlates with Inflammation, KRAS Mutation and Adenomatous Change during Colonic Carcinogenesis. <i>PLoS ONE</i> , 2012, 7, e40671.	1.1	17
30	STK33 participates to HSP90-supported angiogenic program in hypoxic tumors by regulating HIF-1 α /VEGF signaling pathway. <i>Oncotarget</i> , 2017, 8, 77474-77488.	0.8	17
31	Overexpression and Tyr421-phosphorylation of cortactin is induced by three-dimensional spheroid culturing and contributes to migration and invasion of pancreatic ductal adenocarcinoma (PDAC) cells. <i>Cancer Cell International</i> , 2019, 19, 77.	1.8	16
32	Radiosensitization and downregulation of heterogeneous nuclear ribonucleoprotein K (hnRNP K) upon inhibition of mitogen/extracellular signal-regulated kinase (MEK) in malignant melanoma cells. <i>Oncotarget</i> , 2015, 6, 17178-17191.	0.8	16
33	Time-Dependent Molecular Motifs of Pulmonary Fibrogenesis in COVID-19. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1583.	1.8	16
34	The Glasgow Prognostic Score at Diagnosis Is a Predictor of Clinical Outcome in Patients with Multiple Myeloma Undergoing Autologous Haematopoietic Stem Cell Transplantation. <i>Cancers</i> , 2020, 12, 921.	1.7	15
35	The Fuhrman grading system has no prognostic value in patients with nonsarcomatoid chromophobe renal cell carcinoma. <i>Human Pathology</i> , 2014, 45, 2411-2416.	1.1	14
36	Role of reflux-induced epithelial-mesenchymal transition in periprosthetic leakage after prosthetic voice rehabilitation. <i>Head and Neck</i> , 2015, 37, 530-536.	0.9	14

#	ARTICLE	IF	CITATIONS
37	Neovascular Prostate-Specific Membrane Antigen Expression Is Associated with Improved Overall Survival under Palliative Chemotherapy in Patients with Pancreatic Ductal Adenocarcinoma. <i>BioMed Research International</i> , 2017, 2017, 1-8.	0.9	13
38	Focal adhesion kinase confers pro-migratory and antiapoptotic properties and is a potential therapeutic target in Ewing sarcoma. <i>Molecular Oncology</i> , 2020, 14, 248-260.	2.1	12
39	Antemortem vs Postmortem Histopathologic and Ultrastructural Findings in Paired Transbronchial Biopsy Specimens and Lung Autopsy Samples From Three Patients With Confirmed SARS-CoV-2. <i>American Journal of Clinical Pathology</i> , 2022, 157, 54-63.	0.4	12
40	Corpulence is the crucial factor: Association of testosterone and/or obesity with prostate cancer stage. <i>International Journal of Urology</i> , 2014, 21, 980-986.	0.5	11
41	The ambiguous role of microRNA-205 and its clinical potential in pancreatic ductal adenocarcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 2419-2431.	1.2	11
42	The small conductance calcium-activated potassium channel 3 (SK3) is a molecular target for Edelfosine to reduce the invasive potential of urothelial carcinoma cells. <i>Tumor Biology</i> , 2016, 37, 6275-6283.	0.8	10
43	Do preoperative serum C-reactive protein levels predict the definitive pathological stage in patients with clinically localized prostate cancer?. <i>International Urology and Nephrology</i> , 2015, 47, 765-770.	0.6	9
44	Regulators of Actin Dynamics in Gastrointestinal Tract Tumors. <i>Gastroenterology Research and Practice</i> , 2015, 2015, 1-11.	0.7	8
45	Systemic Inflammation and Tumour-Infiltrating T-Cell Receptor Repertoire Diversity Are Predictive of Clinical Outcome in High-Grade B-Cell Lymphoma with MYC and BCL2 and/or BCL6 Rearrangements. <i>Cancers</i> , 2021, 13, 887.	1.7	7
46	Expression levels of hnRNP δ and p21WAF1/CIP1 are associated with resistance to radiochemotherapy independent of p53 pathway activation in rectal adenocarcinoma. <i>International Journal of Molecular Medicine</i> , 2018, 42, 3269-3277.	1.8	5
47	Integration of Scientific Competence into Gross Anatomy Teaching Using Poster Presentations: Feasibility and Perception among Medical Students. <i>Anatomical Sciences Education</i> , 2021, , .	2.5	4
48	Mutational and immunologic Landscape in malignant Salivary Gland Tumors harbor the potential for novel therapeutic strategies. <i>Critical Reviews in Oncology/Hematology</i> , 2022, 170, 103592.	2.0	4
49	Detecting predictive androgen receptor modifications in circulating prostate cancer cells.. <i>Journal of Clinical Oncology</i> , 2015, 33, 5067-5067.	0.8	3
50	Heterogeneous nuclear ribonucleoprotein K is overexpressed and contributes to radioresistance irrespective of HPV status in head and neck squamous cell carcinoma. <i>International Journal of Molecular Medicine</i> , 2020, 46, 1733-1742.	1.8	3
51	Smoking Impairs Hematoma Formation and Dysregulates Angiogenesis as the First Steps of Fracture Healing. <i>Bioengineering</i> , 2022, 9, 186.	1.6	3
52	Lack of Association between Membrane-Type 1 Matrix Metalloproteinase Expression and Clinically Relevant Molecular or Morphologic Tumor Characteristics at the Leading Edge of Invasive Colorectal Carcinoma. <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	2
53	Multifocal and hormone-dependent epithelioid hemangi endothelioma with osteolysis of the second cervical vertebral body: report of an unprecedented surgical approach by using autologous bone graft. <i>British Journal of Neurosurgery</i> , 2023, 37, 816-824.	0.4	2
54	Abstract 1809: PKM2 promotes tumor angiogenesis by regulating HIF-1alpha through NF-kappaB activation. , 2017, , .		2

#	ARTICLE	IF	CITATIONS
55	Ascorbic acid-2 glucoside mitigates intestinal damage during pelvic radiotherapy in a rat bladder tumor model. <i>International Journal of Radiation Biology</i> , 2022, 98, 942-957.	1.0	2
56	SS18-SSX drives CREB activation in synovial sarcoma. <i>Cellular Oncology (Dordrecht)</i> , 2022, 45, 399-413.	2.1	2
57	Autoimmune neutropenia associated with heterozygous variant of <i>SBDS</i> gene mimicking Shwachman-Bodian-Diamond syndrome. <i>Leukemia and Lymphoma</i> , 2021, 62, 3047-3050.	0.6	1
58	Abstract 2703: Extraskeletal myxoid chondrosarcoma: a clinicopathologic and molecular study reveals novel genetic aberrations by targeted next-generation sequencing. , 2017, , .		0
59	Abstract B05: Myxoid liposarcoma: A molecular and clinicopathological analysis by targeted next-generation sequencing and fluorescence in situ hybridization. , 2017, , .		0
60	Abstract B03: The EWS/FLI oncogene exerts pro-migratory and anti-apoptotic effects via dysregulation of focal adhesion kinase (FAK) signaling in Ewing sarcoma. , 2017, , .		0
61	Abstract B04: Oncogenic relevance of IGF-IR and PI3K/AKT/GSK3-beta signaling in myxoid liposarcoma. , 2017, , .		0
62	Abstract B04: Functional characterization of IGF-IR/PI3K/Akt signaling in myxoid liposarcoma. , 2018, , .		0
63	Prognostic and potential therapeutic impact of prostate specific membrane antigen expression in non-small cell lung cancer. , 2018, , .		0
64	Heterogeneous nuclear ribonucleoprotein K is overexpressed and contributes to radioresistance irrespective of HPV status in head and neck squamous cell carcinoma. <i>International Journal of Molecular Medicine</i> , 2020, 46, 1733-1742.	1.8	0