

Sara C Hitchman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/553128/publications.pdf>

Version: 2024-02-01

96
papers

3,006
citations

185998

28
h-index

189595

50
g-index

98
all docs

98
docs citations

98
times ranked

3053
citing authors

#	ARTICLE	IF	CITATIONS
1	Characterisation of vaping liquids used in vaping devices across four countries: results from an analysis of selected vaping liquids reported by users in the 2016 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2023, 32, 51-59.	1.8	5
2	Trends in e-cigarette brands, devices and the nicotine profile of products used by youth in England, Canada and the USA: 2017-2019. <i>Tobacco Control</i> , 2023, 32, 19-29.	1.8	30
3	Increased support for standardised packaging in the UK: a longitudinal online survey. <i>Tobacco Control</i> , 2022, 31, 119-120.	1.8	3
4	Beyond the European Union Tobacco Products Directive: smokers' and recent quitters' support for further tobacco control measures (2016-2018). <i>Tobacco Control</i> , 2022, 31, 765-769.	1.8	6
5	Characteristics and changes over time of nicotine vaping products used by vapers in the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2022, 31, e66-e73.	1.8	8
6	Do number of smoking friends and changes over time predict smoking relapse? Findings from the International Tobacco Control Four-Country Survey. <i>Journal of Substance Abuse Treatment</i> , 2022, 138, 108763.	1.5	5
7	Cognitive function following SARS-CoV-2 infection in a population-representative Canadian sample. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 21, 100454.	1.3	7
8	Associations Between Noticing Nicotine Vaping Product Health Warning Labels, Harm Perceptions, and Use Among Adult Vapers, Current and Former Smokers. Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2022, 24, 1020-1027.	1.4	1
9	Brain and behavior in health communication: The Canadian COVID-19 Experiences Project. <i>Brain, Behavior, & Immunity - Health</i> , 2022, 22, 100467.	1.3	5
10	Factors that influence smokers' and ex-smokers' use of IQOS: a qualitative study of IQOS users and ex-users in the UK. <i>Tobacco Control</i> , 2021, 30, 16-23.	1.8	60
11	Does having one or more smoking friends mediate the transition from e-cigarette use to cigarette smoking: a longitudinal study of Canadian youth. <i>Cancer Causes and Control</i> , 2021, 32, 67-74.	0.8	0
12	What kind of smoking identity following quitting would elevate smokers relapse risk?. <i>Addictive Behaviors</i> , 2021, 112, 106654.	1.7	7
13	Costs of vaping: evidence from ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2021, 30, 94-97.	1.8	14
14	Gender Differences in Reasons for Using Electronic Cigarettes and Product Characteristics: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 678-686.	1.4	15
15	Trends in Social Norms Towards Smoking Between 2002 and 2015 Among Daily Smokers: Findings From the International Tobacco Control Four Country Survey (ITC 4C). <i>Nicotine and Tobacco Research</i> , 2021, 23, 203-211.	1.4	8
16	Social norms as a predictor of smoking uptake among youth: a systematic review, meta-analysis and meta-regression of prospective cohort studies. <i>Addiction</i> , 2021, 116, 2953-2967.	1.7	38
17	Self-Reported Quit Aids and Assistance Used By Smokers At Their Most Recent Quit Attempt: Findings from the 2020 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1699-1707.	1.4	22
18	"I perceive it to be less harmful, I have no idea if it is or not:" a qualitative exploration of the harm perceptions of IQOS among adult users. <i>Harm Reduction Journal</i> , 2021, 18, 42.	1.3	19

#	ARTICLE	IF	CITATIONS
19	The effectiveness of using e-cigarettes for quitting smoking compared to other cessation methods among adults in the United Kingdom. <i>Addiction</i> , 2021, 116, 2825-2836.	1.7	20
20	Smokers' cognitive and behavioural reactions during the early phase of the COVID-19 pandemic: Findings from the 2020 ITC Four Country Smoking and Vaping Survey. <i>PLoS ONE</i> , 2021, 16, e0252427.	1.1	48
21	Impact of standardised packaging in the UK on warning salience, appeal, harm perceptions and cessation-related behaviours: a longitudinal online survey. <i>Tobacco Control</i> , 2021, , tobaccocontrol-2021-056634.	1.8	2
22	Characterizing Heated Tobacco Product Use Among Adult Cigarette Smokers and Nicotine Vaping Product Users in the 2018 ITC Four Country Smoking & Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2021, , .	1.4	9
23	Awareness, trial and use of heated tobacco products among adult cigarette smokers and e-cigarette users: findings from the 2018 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2020, , tobaccocontrol-2020-055985.	1.8	21
24	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii10-iii17.	0.1	5
25	Changes in electronic cigarette use and label awareness among smokers before and after the European Tobacco Products Directive implementation in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii62-iii67.	0.1	3
26	Perceived non-smoking norms and motivation to stop smoking, quit attempts, and cessation: a cross-sectional study in England. <i>Scientific Reports</i> , 2020, 10, 10487.	1.6	8
27	Support for Minimum Legal Sales Age Laws Set to Age 21 Across Australia, Canada, England, and United States: Findings From the 2018 ITC Four Country Smoking and Vaping Survey. <i>Nicotine and Tobacco Research</i> , 2020, 22, 2266-2270.	1.4	8
28	Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii108-iii112.	0.1	2
29	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii18-iii25.	0.1	4
30	Changes in responses to nicotine vaping product warnings and leaflets in England compared with Canada, the US and Australia: findings from the 2016-2018 ITC Four Country Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2020, , tobaccocontrol-2020-055739.	1.8	5
31	Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii78-iii83.	0.1	18
32	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii98-iii107.	0.1	4
33	Support for e-cigarette policies among smokers in seven European countries: longitudinal findings from the 2016-18 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii68-iii77.	0.1	5
34	Social norms for e-cigarettes and smoking: associations with initiation of e-cigarette use, intentions to quit smoking and quit attempts: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii46-iii54.	0.1	10
35	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii26-iii33.	0.1	10
36	Self-Reported Exposure to Secondhand Smoke and Support for Complete Smoking Bans in Multiunit Housing Among Smokers in the United States, Canada, and the United Kingdom. <i>Preventing Chronic Disease</i> , 2020, 17, E147.	1.7	6

#	ARTICLE	IF	CITATIONS
37	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii91-iii97.	0.1	13
38	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directive—findings from the longitudinal EUREST-PLUS ITC Europe surveys. <i>European Journal of Public Health</i> , 2020, 30, iii84-iii90.	0.1	5
39	Changes in Smoking and Vaping over 18 Months among Smokers and Recent Ex-Smokers: Longitudinal Findings from the 2016 and 2018 ITC Four Country Smoking and Vaping Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 7084.	1.2	8
40	European adult smokers'™ perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii38-iii45.	0.1	11
41	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii4-iii9.	0.1	21
42	Social norms towards smoking and vaping and associations with product use among youth in England, Canada, and the US. <i>Drug and Alcohol Dependence</i> , 2019, 205, 107635.	1.6	24
43	Prevalence of awareness, ever-use and current use of nicotine vaping products (NVPs) among adult current smokers and ex-smokers in 14 countries with differing regulations on sales and marketing of NVPs: cross-sectional findings from the ITC Project. <i>Addiction</i> , 2019, 114, 1060-1073.	1.7	66
44	Methods of the ITC Four Country Smoking and Vaping Survey, wave 1 (2016). <i>Addiction</i> , 2019, 114, 6-14.	1.7	74
45	Indicators of cigarette smoking dependence and relapse in former smokers who vape compared with those who do not: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 49-60.	1.7	19
46	Cross-country comparison of cigarette and vaping product marketing exposure and use: findings from 2016 ITC Four Country Smoking and Vaping Survey. <i>Tobacco Control</i> , 2019, 29, tobaccocontrol-2018-054650.	1.8	8
47	Differences in norms towards the use of nicotine vaping products among adult smokers, former smokers and nicotine vaping product users: cross-sectional findings from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 97-106.	1.7	13
48	Rules about smoking and vaping in the home: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 107-114.	1.7	6
49	UK tobacco price increases: driven by industry or public health?. <i>Tobacco Control</i> , 2019, 28, e148-e150.	1.8	15
50	How to reduce biases coming from a before and after design: the impact of the 2007–08 French smoking ban policy. <i>European Journal of Public Health</i> , 2019, 29, 372-377.	0.1	0
51	Discussions between health professionals and smokers about nicotine vaping products: results from the 2016 ITC Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 71-85.	1.7	17
52	Exposure to and perceptions of health warning labels on nicotine vaping products: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 134-143.	1.7	10
53	The Association Between Smoking and Electronic Cigarette Use in a Cohort of Young People. <i>Journal of Adolescent Health</i> , 2018, 62, 539-547.	1.2	101
54	Acceptance and patterns of personal vaporizer use in Australia and the United Kingdom: Results from the International Tobacco Control survey. <i>Drug and Alcohol Dependence</i> , 2018, 185, 142-148.	1.6	16

#	ARTICLE	IF	CITATIONS
55	Recommended core items to assess e-cigarette use in population-based surveys. <i>Tobacco Control</i> , 2018, 27, 341-346.	1.8	77
56	Response to Letter to the Editor by Benmarhnia T, Leas E, Hendrickson E, Trinidad D, Strong D, Pierce J. The Potential Influence of Regulatory Environment for e-cigarettes on the Effectiveness of e-cigarettes for Smoking Cessation: Different Reasons to Temper the Conclusions From Inadequate Data. <i>Nicotine and Tobacco Research</i> , 2018, 20, 660-661.	1.4	0
57	Factors associated with future intentions to use personal vaporisers among those with some experience of vaping. <i>Drug and Alcohol Review</i> , 2018, 37, 216-225.	1.1	16
58	Tobacco industry strategies undermine government tax policy: evidence from commercial data. <i>Tobacco Control</i> , 2018, 27, 488-497.	1.8	70
59	Banning tobacco price promotions, smoking-related beliefs and behaviour: findings from the International Tobacco Control Four Country (ITC 4C) Survey. <i>Tobacco Control</i> , 2018, 27, 310-318.	1.8	15
60	Availability and Use of Cheap Tobacco in the United Kingdom 2002â€“2014: Findings From the International Tobacco Control Project. <i>Nicotine and Tobacco Research</i> , 2018, 20, 714-724.	1.4	41
61	Harm perceptions of electronic cigarettes and nicotine: A nationally representative cross-sectional survey of young people in Great Britain. <i>Drug and Alcohol Dependence</i> , 2018, 192, 257-263.	1.6	33
62	The Authors reply. <i>Journal of Adolescent Health</i> , 2018, 63, 118-119.	1.2	0
63	Reported exposure to E-cigarette advertising and promotion in different regulatory environments: Findings from the International Tobacco Control Four Country (ITC-4C) Survey. <i>Preventive Medicine</i> , 2018, 112, 130-137.	1.6	13
64	Social norms towards smoking and electronic cigarettes among adult smokers in seven European Countries: Findings from the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A15.	0.3	13
65	Use of electronic cigarettes across 13 ITC countries with different regulatory environments. <i>Tobacco Induced Diseases</i> , 2018, 16, .	0.3	5
66	Prevalence and Correlates of the Belief That Electronic Cigarettes are a Lot Less Harmful Than Conventional Cigarettes Under the Different Regulatory Environments of Australia and the United Kingdom. <i>Nicotine and Tobacco Research</i> , 2017, 19, 258-263.	1.4	51
67	Does the Regulatory Environment for E-Cigarettes Influence the Effectiveness of E-Cigarettes for Smoking Cessation?: Longitudinal Findings From the ITC Four Country Survey. <i>Nicotine and Tobacco Research</i> , 2017, 19, 1268-1276.	1.4	56
68	Tobacco packaging design for reducing tobacco use. <i>The Cochrane Library</i> , 2017, 2017, CD011244.	1.5	65
69	The need for more nuance in headline adult cigarette smoking prevalence estimates. <i>Addiction</i> , 2017, 112, 1327-1328.	1.7	6
70	Impact on smoking of England's 2012 partial tobacco point of sale display ban: a repeated cross-sectional national study. <i>Tobacco Control</i> , 2017, 26, 141-148.	1.8	24
71	Support for e-cigarette policies: a survey of smokers and ex-smokers in Great Britain. <i>Tobacco Control</i> , 2017, 26, e7-e15.	1.8	28
72	Noticing cigarette health warnings and support for new health warnings among non-smokers in China: findings from the International Tobacco Control project (ITC) China survey. <i>BMC Public Health</i> , 2017, 17, 476.	1.2	10

#	ARTICLE	IF	CITATIONS
73	How and Why Do Smokers Start Using E-Cigarettes? Qualitative Study of Vapers in London, UK. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 661.	1.2	39
74	Educational differences in the impact of pictorial cigarette warning labels on smokers: findings from the International Tobacco Control (ITC) Europe surveys. <i>Tobacco Control</i> , 2016, 25, 325-332.	1.8	20
75	Small Retailers'™ Tobacco Sales and Profit Margins in Two Disadvantaged Areas of England. <i>AIMS Public Health</i> , 2016, 3, 110-115.	1.1	17
76	Perceived relative harm of electronic cigarettes over time and impact on subsequent use. A survey with 1-year and 2-year follow-ups. <i>Drug and Alcohol Dependence</i> , 2015, 157, 106-111.	1.6	131
77	Longer term impact of cigarette package warnings in Australia compared with the United Kingdom and Canada. <i>Health Education Research</i> , 2015, 30, 67-80.	1.0	29
78	Is the use of electronic cigarettes while smoking associated with smoking cessation attempts, cessation and reduced cigarette consumption? A survey with a 1-year follow-up. <i>Addiction</i> , 2015, 110, 1160-1168.	1.7	218
79	Associations Between E-Cigarette Type, Frequency of Use, and Quitting Smoking: Findings From a Longitudinal Online Panel Survey in Great Britain. <i>Nicotine and Tobacco Research</i> , 2015, 17, 1187-1194.	1.4	244
80	E-cigarettes: the need for clear communication on relative risks. <i>Lancet, The</i> , 2015, 386, 1237.	6.3	29
81	Awareness, Trial, and Current Use of Electronic Cigarettes in 10 Countries: Findings from the ITC Project. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 11691-11704.	1.2	129
82	Changes in Effectiveness of Cigarette Health Warnings Over Time in Canada and the United States, 2002-2011. <i>Nicotine and Tobacco Research</i> , 2014, 16, 536-543.	1.4	72
83	Commentary on Zacher et al. (2014): Emerging behavioural impact of packaging changes in Australia: time for action elsewhere. <i>Addiction</i> , 2014, 109, 704-705.	1.7	0
84	Electronic cigarettes: time for an accurate and evidence-based debate. <i>Addiction</i> , 2014, 109, 867-868.	1.7	20
85	Socioeconomic status and smokers'™ number of smoking friends: Findings from the International Tobacco Control (ITC) Four Country Survey. <i>Drug and Alcohol Dependence</i> , 2014, 143, 158-166.	1.6	64
86	The relation between number of smoking friends, and quit intentions, attempts, and success: Findings from the International Tobacco Control (ITC) Four Country Survey.. <i>Psychology of Addictive Behaviors</i> , 2014, 28, 1144-1152.	1.4	62
87	Predictors of car smoking rules among smokers in France, Germany and the Netherlands. <i>European Journal of Public Health</i> , 2012, 22, 17-22.	0.1	16
88	Does smoke-free legislation and smoking outside bars increase feelings of stigmatization among smokers? Findings from the International Tobacco Control (ITC) Netherlands Survey. <i>Health and Place</i> , 2012, 18, 1436-1440.	1.5	3
89	Effectiveness of the European Union text-only cigarette health warnings: findings from four countries. <i>European Journal of Public Health</i> , 2012, 22, 693-699.	0.1	31
90	The association between exposure to point-of-sale anti-smoking warnings and smokers' interest in quitting and quit attempts: findings from the International Tobacco Control Four Country Survey. <i>Addiction</i> , 2012, 107, 425-433.	1.7	25

#	ARTICLE	IF	CITATIONS
91	Socioeconomic Differences in Exposure to Tobacco Smoke Pollution (TSP) in Bangladeshi Households with Children: Findings from the International Tobacco Control (ITC) Bangladesh Survey. International Journal of Environmental Research and Public Health, 2011, 8, 842-860.	1.2	30
92	Support and correlates of support for banning smoking in cars with children: findings from the ITC Four Country Survey. European Journal of Public Health, 2011, 21, 360-365.	0.1	36
93	Gender empowerment and female-to-male smoking prevalence ratios. Bulletin of the World Health Organization, 2011, 89, 195-202.	1.5	215
94	Predictors of smoking in cars with nonsmokers: Findings from the 2007 Wave of the International Tobacco Control Four Country Survey. Nicotine and Tobacco Research, 2010, 12, 374-380.	1.4	28
95	The impact of pictures on the effectiveness of tobacco warnings. Bulletin of the World Health Organization, 2009, 87, 640-643.	1.5	148
96	Adult smokers'™ discussions about vaping with health professionals and subsequent behavior change: a cohort study. Addiction, 0, , .	1.7	1