

Werner Kempf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5531538/publications.pdf>

Version: 2024-02-01

313
papers

16,837
citations

26630

56
h-index

18647

119
g-index

360
all docs

360
docs citations

360
times ranked

8324
citing authors

#	ARTICLE	IF	CITATIONS
1	WHO-EORTC classification for cutaneous lymphomas. <i>Blood</i> , 2005, 105, 3768-3785.	1.4	3,529
2	The 5th edition of the World Health Organization Classification of Haematolymphoid Tumours: Lymphoid Neoplasms. <i>Leukemia</i> , 2022, 36, 1720-1748.	7.2	1,023
3	The 2018 update of the WHO-EORTC classification for primary cutaneous lymphomas. <i>Blood</i> , 2019, 133, 1703-1714.	1.4	846
4	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. <i>Blood</i> , 2008, 111, 838-845.	1.4	617
5	Anti-inflammatory effects of exercise training in the skeletal muscle of patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2003, 42, 861-868.	2.8	515
6	Defining early mycosis fungoides. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 1053-1063.	1.2	453
7	EORTC, ISCL, and USCLC consensus recommendations for the treatment of primary cutaneous CD30-positive lymphoproliferative disorders: lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma*. <i>Blood</i> , 2011, 118, 4024-4035.	1.4	365
8	WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. <i>Journal of Cutaneous Pathology</i> , 2005, 32, 647-674.	1.3	313
9	Cytotoxic/natural killer cell cutaneous lymphomas. <i>Cancer</i> , 2003, 97, 610-627.	4.1	242
10	Clinicopathological spectrum of mycosis fungoides. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004, 18, 397-415.	2.4	238
11	Angioinvasive Lymphomatoid Papulosis. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1-13.	3.7	210
12	CD30+ lymphoproliferative disorders: histopathology, differential diagnosis, new variants, and simulators. <i>Journal of Cutaneous Pathology</i> , 2006, 33, 58-70.	1.3	171
13	Granulomatous Mycosis Fungoides and Granulomatous Slack Skin. <i>Archives of Dermatology</i> , 2008, 144, 1609-17.	1.4	158
14	Topical photodynamic therapy in the treatment of actinic keratoses and Bowen's disease in transplant recipients. <i>Transplantation</i> , 2004, 77, 115-121.	1.0	154
15	HLA-G protein up-regulation in primary cutaneous lymphomas is associated with interleukin-10 expression in large cell T-cell lymphomas and indolent B-cell lymphomas. <i>Blood</i> , 2002, 99, 609-617.	1.4	152
16	A randomized controlled clinical trial of topical photodynamic therapy with methyl aminolaevulinate in the treatment of actinic keratoses in transplant recipients. <i>British Journal of Dermatology</i> , 2004, 151, 196-200.	1.5	144
17	Scleromyxedema: A multicenter study of characteristics, comorbidities, course, and therapy in 30 patients. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 66-72.	1.2	139
18	The PROCLIP international registry of early-stage mycosis fungoides identifies substantial diagnostic delay in most patients. <i>British Journal of Dermatology</i> , 2019, 181, 350-357.	1.5	127

#	ARTICLE	IF	CITATIONS
19	Superficial radiotherapy for patients with basal cell carcinoma. <i>Cancer</i> , 2003, 98, 2708-2714.	4.1	114
20	CD56-positive haematological neoplasms of the skin: a multicentre study of the Cutaneous Lymphoma Project Group of the European Organisation for Research and Treatment of Cancer. <i>Journal of Clinical Pathology</i> , 2006, 60, 981-989.	2.0	110
21	Angiolymphoid hyperplasia with eosinophilia: Evidence for a T-cell lymphoproliferative origin. <i>Human Pathology</i> , 2002, 33, 1023-1029.	2.0	108
22	Scleredema. A multicentre study of characteristics, comorbidities, course and therapy in 44 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 2399-2404.	2.4	104
23	Baseline staging in cutaneous malignant melanoma. <i>British Journal of Dermatology</i> , 2004, 150, 677-686.	1.5	101
24	Pyogenic lymphoma of the skin: a peculiar variant of primary cutaneous neutrophil-rich CD30+ anaplastic large-cell lymphoma. Clinicopathological study of four cases and review of the literature. <i>British Journal of Dermatology</i> , 2003, 148, 580-586.	1.5	100
25	Classification of cutaneous lymphomas – an update. <i>Histopathology</i> , 2010, 56, 57-70.	2.9	91
26	Pityriasis Lichenoides et Varioliformis Acuta With Numerous CD30+ Cells. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1021-1029.	3.7	88
27	Aggressive epidermotropic cutaneous CD8 ⁺ lymphoma: a cutaneous lymphoma with distinct clinical and pathological features. Report of an EORTC Cutaneous Lymphoma Task Force Workshop. <i>Histopathology</i> , 2015, 67, 425-441.	2.9	86
28	Pityriasis Rosea Is Not Associated With Human Herpesvirus 7. <i>Archives of Dermatology</i> , 1999, 135, 1070-2.	1.4	85
29	Apocrine mixed tumor of the skin (œmixed tumor of the folliculosebaceous-apocrine complex). <i>Journal of the American Academy of Dermatology</i> , 2007, 57, 467-483.	1.2	85
30	Intralesional Therapy With Anti-CD20 Monoclonal Antibody Rituximab in Primary Cutaneous B-Cell Lymphoma. <i>Archives of Dermatology</i> , 2000, 136, 374-8.	1.4	84
31	Fine-Mapping Chromosomal Loss at 9p21: Correlation with Prognosis in Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1149-1155.	0.7	84
32	Follicular lymphomatoid papulosis revisited: A study of 11 cases, with new histopathological findings. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, 809-816.	1.2	77
33	Nephrogenic Fibrosing Dermopathy Treated with Extracorporeal Photopheresis. <i>Dermatology</i> , 2004, 208, 278-280.	2.1	76
34	Tomato profilin Lyc e 1: IgE cross-reactivity and allergenic potency. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2004, 59, 526-532.	5.7	76
35	Primary cutaneous B-cell lymphomas – Clinicopathological, prognostic and therapeutic characterisation of 54 cases according to the WHO-EORTC classification and the ISCL/EORTC TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and SÅzary syndrome. <i>Leukemia and Lymphoma</i> , 2008, 49, 1094-1103.	1.3	76
36	Pseudo-Melanoma after Laser Therapy. <i>Dermatology</i> , 1998, 197, 71-73.	2.1	75

#	ARTICLE	IF	CITATIONS
37	Imiquimod in basal cell carcinoma: how does it work?. British Journal of Dermatology, 2003, 149, 57-58.	1.5	75
38	Primary Cutaneous Posttransplant Lymphoproliferative Disorders in Solid Organ Transplant Recipients: A Multicenter European Case Series. American Journal of Transplantation, 2013, 13, 2146-2153.	4.7	73
39	Inflammatory Monocytes Are a Reservoir for Merkel Cell Polyomavirus. Journal of Investigative Dermatology, 2010, 130, 1146-1151.	0.7	71
40	Comparative analysis of histological and immunohistological features in mycosis fungoides and Sezary syndrome. Journal of Cutaneous Pathology, 1998, 25, 407-412.	1.3	68
41	<i>Borrelia</i> in granuloma annulare, morphea and lichen sclerosus: a PCR-based study and review of the literature. Journal of Cutaneous Pathology, 2010, 37, 571-577.	1.3	67
42	Histopathological and immunophenotypical criteria for the diagnosis of Sezary syndrome in differentiation from other erythrodermic skin diseases: a European Organisation for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Task Force Study of 9. British Journal of Dermatology, 2015, 173, 93-105.	1.5	67
43	CD68 ⁺ cells of monocyte/macrophage lineage in the environment of AIDS-associated and classic-sporadic Kaposi sarcoma are singly or doubly infected with human herpesviruses 7 and 8. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 7600-7605.	7.1	66
44	Persistence of Human Herpesvirus 7 in Normal Tissues Detected by Expression of a Structural Antigen. Journal of Infectious Diseases, 1998, 178, 841-845.	4.0	66
45	Cutaneous Lymphomas. American Journal of Dermatopathology, 2014, 36, 197-210.	0.6	66
46	Imiquimod Induces Complete Clearance of a PUVA-Resistant Plaque in Mycosis fungoides. Dermatology, 2003, 207, 116-118.	2.1	65
47	Cutaneous lymphomas—An update 2019. Hematological Oncology, 2019, 37, 43-47.	1.7	65
48	Cutaneous lymphomas. Current Problems in Dermatology, 1997, 9, 137-204.	0.0	64
49	Cutaneous pseudolymphoma—A review on the spectrum and a proposal for a new classification. Journal of Cutaneous Pathology, 2020, 47, 76-97.	1.3	64
50	Junctional CD8+ Cutaneous Lymphomas With Nonaggressive Clinical Behavior. Archives of Dermatology, 2002, 138, 199-203.	1.4	63
51	Intra-lesional low-dose interferon γ 2a therapy for primary cutaneous marginal zone B-cell lymphoma. Leukemia and Lymphoma, 2006, 47, 865-869.	1.3	63
52	Inadequate Clearance of Translocated Bacterial Products in HIV-Infected Humanized Mice. PLoS Pathogens, 2010, 6, e1000867.	4.7	63
53	Blastic natural killer-cell lymphoma of the skin associated with myelodysplastic syndrome or myelogenous leukaemia: a coincidence or more?. British Journal of Dermatology, 2003, 149, 869-876.	1.5	59
54	Febrile ulceronecrotic Mucha-Habermann disease with clonality: A cutaneous T-cell lymphoma entity?. Journal of the American Academy of Dermatology, 2004, 51, 1014-1017.	1.2	59

#	ARTICLE	IF	CITATIONS
55	Skin Cancer in Organ Transplant Recipients. <i>Pathobiology</i> , 2013, 80, 302-309.	3.8	59
56	Mycosis fungoides with Mucinosis follicularis in Childhood. <i>Dermatology</i> , 1999, 198, 284-287.	2.1	58
57	Fascin expression in CD30-positive cutaneous lymphoproliferative disorders. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 295-300.	1.3	58
58	Cutaneous CD30-Positive Lymphoproliferative Disorders. <i>Surgical Pathology Clinics</i> , 2014, 7, 203-228.	1.7	57
59	Treatment of Verrucous Carcinoma with Imiquimod and CO ₂ Laser Ablation. <i>Dermatology</i> , 2003, 207, 119-122.	2.1	54
60	Pityriasis rosea - An update. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2005, 71, 311.	0.6	53
61	CD123-positive Plasmacytoid Dendritic Cells in Primary Cutaneous Marginal Zone B-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1307-1313.	3.7	52
62	Primary Cutaneous Marginal Zone B-cell Lymphoma May Exhibit Both the t(14;18)(q32;q21) IGH/BCL2 and the t(14;18)(q32;q21) IGH/MALT1 Translocation: An Indicator for Clonal Transformation Towards Higher-Grade B-cell Lymphoma?. <i>American Journal of Dermatopathology</i> , 2007, 29, 231-236.	0.6	51
63	Multilineage progression of genetically unstable tumor subclones in cutaneous T-cell lymphoma. <i>Experimental Dermatology</i> , 2004, 13, 472-483.	2.9	50
64	Paediatric cutaneous lymphomas: a review and comparison with adult counterparts. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1696-1709.	2.4	50
65	Histopathologic characteristics of scleromyxedema: A study of a series of 34 cases. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1194-1200.	1.2	50
66	Cutaneous Pseudolymphoma. <i>Surgical Pathology Clinics</i> , 2017, 10, 455-476.	1.7	50
67	From inflammation to neoplasia: mycosis fungoides evolves from reactive inflammatory conditions (lymphoid infiltrates) transforming into neoplastic plaques and tumors. <i>Archives of Dermatology</i> , 2001, 137, 949-52.	1.4	50
68	Detection of clonal rearrangement of T-cell receptor genes in the diagnosis of primary cutaneous CD30+lymphoproliferative disorders. <i>Journal of Cutaneous Pathology</i> , 2006, 33, 711-715.	1.3	49
69	Sebaceous Differentiation in Poroid Neoplasms: Report of 11 Cases, Including a Case of Metaplastic Carcinoma Associated With Apocrine Poroma (Sarcomatoid Apocrine Porocarcinoma). <i>American Journal of Dermatopathology</i> , 2008, 30, 21-26.	0.6	49
70	C3d immunohistochemistry on formalin-fixed tissue is a valuable tool in the diagnosis of bullous pemphigoid of the skin. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 654-658.	1.3	49
71	A new era for cutaneous CD30-positive T-cell lymphoproliferative disorders. <i>Seminars in Diagnostic Pathology</i> , 2017, 34, 22-35.	1.5	47
72	Primary Cutaneous CD8+ Small- to Medium-Sized Lymphoproliferative Disorder in Extrafacial Sites. <i>American Journal of Dermatopathology</i> , 2013, 35, 159-166.	0.6	46

#	ARTICLE	IF	CITATIONS
73	Indolent CD8 ⁺ positive lymphoid proliferation of acral sites: three further cases of a rare entity and an update on a unique patient. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 125-136.	1.3	46
74	Primary cutaneous lymphoma: two-decade comparison in a population of 263 cases from a Swiss tertiary referral centre. <i>British Journal of Dermatology</i> , 2011, 164, 1071-1077.	1.5	45
75	Cutaneous Lymphomas. <i>American Journal of Dermatopathology</i> , 2014, 36, 105-123.	0.6	45
76	Folliculotropic mycosis fungoides. <i>JDDG - Journal of the German Society of Dermatology</i> , 2018, 16, 543-557.	0.8	45
77	MUM1 expression in cutaneous CD30+ lymphoproliferative disorders: a valuable tool for the distinction between lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma. <i>British Journal of Dermatology</i> , 2008, 158, 1280-1287.	1.5	43
78	MicroRNA expression differs in cutaneous squamous cell carcinomas and healthy skin of immunocompetent individuals. <i>Experimental Dermatology</i> , 2013, 22, 426-428.	2.9	43
79	Tumor Burden Index as a Prognostic Tool for Cutaneous T-Cell Lymphoma. <i>Archives of Dermatology</i> , 1999, 135, 1204-8.	1.4	42
80	Multiple (Familial) Trichoepitheliomas: A Clinicopathological and Molecular Biological Study, Including CYLD and PTCH Gene Analysis, of a Series of 16 Patients. <i>American Journal of Dermatopathology</i> , 2011, 33, 251-265.	0.6	42
81	The 85-kilodalton phosphoprotein (pp85) of human herpesvirus 7 is encoded by open reading frame U14 and localizes to a tegument substructure in virion particles. <i>Journal of Virology</i> , 1997, 71, 5758-5763.	3.4	42
82	Cutaneous T-cell lymphomas – An update 2021. <i>Hematological Oncology</i> , 2021, 39, 46-51.	1.7	41
83	Human herpesvirus type 6 and cytomegalovirus in AIDS-associated Kaposi's sarcoma: No evidence for an etiological association. <i>Human Pathology</i> , 1995, 26, 914-919.	2.0	40
84	Pityriasis rosea - a virus-induced skin disease? An update. <i>Archives of Virology</i> , 2000, 145, 1509-1520.	2.1	40
85	Tumor Microenvironment and Checkpoint Molecules in Primary Cutaneous Diffuse Large B-Cell Lymphoma – New Therapeutic Targets. <i>American Journal of Surgical Pathology</i> , 2017, 41, 998-1004.	3.7	40
86	Distinct Effects of CD30 and Fas Signaling in Cutaneous Anaplastic Lymphomas: A Possible Mechanism for Disease Progression. <i>Journal of Investigative Dermatology</i> , 2000, 115, 1034-1040.	0.7	39
87	Merkel cell polyomavirus is present in common warts and carcinoma in situ of the skin. <i>Human Pathology</i> , 2010, 41, 1369-1379.	2.0	39
88	Immunohistochemical dual staining as an adjunct in assessment of mitotic activity in melanoma. <i>Journal of Cutaneous Pathology</i> , 2012, 39, 324-330.	1.3	39
89	Treatment of early-stage mycosis fungoides: results from the PROspective Cutaneous Lymphoma International Prognostic Index (PROCLIFI) study*. <i>British Journal of Dermatology</i> , 2021, 184, 722-730.	1.5	39
90	'Tubular' epithelioid cell nevus: a new variant of Spitz's nevus. <i>Journal of Cutaneous Pathology</i> , 1998, 25, 475-478.	1.3	38

#	ARTICLE	IF	CITATIONS
91	Primary cutaneous plasmacytoma: a clinicopathological study of two cases with a long-term follow-up and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 244-248.	1.3	38
92	Ephrin-A1 Suppresses Th2 Cell Activation and Provides a Regulatory Link to Lung Epithelial Cells. <i>Journal of Immunology</i> , 2004, 172, 843-850.	0.8	37
93	Cutaneous CD30-positive T-cell lymphoproliferative disordersâ€™ clinical and histopathologic features, differential diagnosis, and treatment. <i>Seminars in Cutaneous Medicine and Surgery</i> , 2018, 37, 24-29.	1.6	37
94	Superficial Acral Fibromyxoma: Report of Two Cases. <i>Dermatology</i> , 2002, 205, 285-288.	2.1	36
95	Topical and systemic retinoid therapy for cutaneous T-cell lymphoma. <i>Hematology/Oncology Clinics of North America</i> , 2003, 17, 1405-1419.	2.2	36
96	Progression of Lymphomatoid Papulosis to Systemic Lymphoma Is Associated with Escape from Growth Inhibition by Transforming Growth Factorâ€™2 and CD30 Ligand. <i>Annals of the New York Academy of Sciences</i> , 2001, 941, 59-68.	3.8	36
97	Eosinophilic annular erythema: An expression of the clinical and pathological polymorphism of Wells syndrome. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, e135-e137.	1.2	35
98	Comparative diagnostic accuracy in virtual dermatopathology. <i>Skin Research and Technology</i> , 2011, 17, 251-255.	1.6	35
99	Castleman Disease of the Subcutis and Underlying Skeletal Muscle. <i>American Journal of Surgical Pathology</i> , 2004, 28, 569-577.	3.7	34
100	Cutaneous Mixed Tumor, Eccrine Variant: A Clinicopathologic and Immunohistochemical Study of 50 Cases, With Emphasis on Unusual Histopathologic Features. <i>American Journal of Dermatopathology</i> , 2011, 33, 557-568.	0.6	34
101	Low-Grade Trichoblastic Carcinosarcoma of the Skin. <i>American Journal of Dermatopathology</i> , 2004, 26, 304-309.	0.6	33
102	Primary Cutaneous Lymphoproliferative Disorders With Dual Lineage Rearrangement. <i>American Journal of Dermatopathology</i> , 2006, 28, 399-409.	0.6	33
103	Detection of Merkel Cell Polyomavirus and Human Papillomaviruses in Merkel Cell Carcinoma Combined With Squamous Cell Carcinoma in Immunocompetent European Patients. <i>American Journal of Dermatopathology</i> , 2012, 34, 506-510.	0.6	33
104	Benign Atypical Intravascular CD30+ T-Cell Proliferation: A Recently Described Reactive Lymphoproliferative Process and Simulator of Intravascular Lymphoma. <i>American Journal of Clinical Pathology</i> , 2014, 142, 694-699.	0.7	33
105	Differential Expression of Cytotoxic Molecules and Killer Cell Inhibitory Receptors in CD8+ and CD56+ Cutaneous Lymphomas. <i>American Journal of Pathology</i> , 2001, 158, 1593-1598.	3.8	32
106	CD4/CD8 Double Negative Mycosis Fungoides With PD-1 (CD279) Expressionâ€™A Disease of Follicular Helper T-Cells?. <i>American Journal of Dermatopathology</i> , 2012, 34, 757-761.	0.6	32
107	Unilesional follicular mycosis fungoides: report of two cases withÂ progression to tumor stage andÂ review of the literature. <i>Journal of Cutaneous Pathology</i> , 2012, 39, 853-860.	1.3	32
108	Primary Cutaneous Anaplastic Large Cell Lymphoma with Angioinvasive Features and Cytotoxic Phenotype: A Rare Lymphoma Variant within the Spectrum of CD30+ Lymphoproliferative Disorders. <i>Dermatology</i> , 2013, 227, 346-352.	2.1	32

#	ARTICLE	IF	CITATIONS
109	Approach to lymphoproliferative infiltrates of the skin. The difficult lesions. American Journal of Clinical Pathology, 1999, 111, S84-93.	0.7	32
110	Lymphomatoid papulosis and human herpesviruses - A PCR-based evaluation for the presence of human herpesvirus 6, 7 and 8 and related herpesviruses. Journal of Cutaneous Pathology, 2001, 28, 29-33.	1.3	31
111	Two Cases of Primary Cutaneous Lymphoma With a \hat{t}^3/\hat{t}^+ Phenotype and an Indolent Course. American Journal of Dermatopathology, 2014, 36, 570-577.	0.6	31
112	Absence of herpesvirus-like DNA sequences in skin cancers of non-immunosuppressed patients. Lancet, The, 1995, 346, 1715-1716.	13.7	30
113	Therapy of Cutaneous Lymphoma – Current Practice and Future Developments. Oncology Research and Treatment, 2003, 26, 366-372.	1.2	30
114	Subcutaneous Infection with <i>Mycobacterium abscessus</i> in a Renal Transplant Recipient. Dermatology, 2004, 208, 259-261.	2.1	30
115	Treatment of Bowen's disease with imiquimod 5% cream in transplant recipients. Transplantation, 2004, 77, 790-791.	1.0	30
116	HLA-G expression in basal cell carcinomas of the skin recurring after radiotherapy. Clinical and Experimental Dermatology, 2005, 30, 422-425.	1.3	30
117	Economic evaluation of a vaccine for the prevention of herpes zoster and post-herpetic neuralgia in older adults in Switzerland. Hum Vaccin, 2011, 7, 749-756.	2.4	30
118	Angiogenesis in Cutaneous Lymphoproliferative Disorders. American Journal of Dermatopathology, 2000, 22, 140-143.	0.6	30
119	Multilesional Primary Cutaneous Diffuse Large B-Cell Lymphoma Responsive to Antibiotic Treatment. Dermatology, 2001, 203, 168-170.	2.1	29
120	Clonality in Sarcoidosis, Granuloma Annulare, and Granulomatous Mycosis Fungoides. American Journal of Dermatopathology, 2011, 33, 659-662.	0.6	29
121	Are there distinct clinical and pathological features distinguishing idiopathic from drug-induced subacute cutaneous lupus erythematosus? A European retrospective multicenter study. Journal of the American Academy of Dermatology, 2019, 81, 403-411.	1.2	29
122	From Inflammation to Neoplasia: New Concepts in the Pathogenesis of Cutaneous Lymphomas. Recent Results in Cancer Research, 2002, 160, 271-280.	1.8	29
123	Determination of Hexokinase Isoenzyme I and II Composition by RT-PCR: Increased Hexokinase Isoenzyme II in Human Renal Cell Carcinoma. Biochemical and Molecular Medicine, 1995, 54, 53-58.	1.4	27
124	A case of Sezary's syndrome associated with granulomatous lesions, myelodysplastic syndrome and transformation into CD30-positive large-cell pleomorphic lymphoma. British Journal of Dermatology, 2002, 147, 582-586.	1.5	27
125	Hepatitis C and G viruses in B-cell lymphomas of the skin. Journal of Cutaneous Pathology, 2003, 30, 369-372.	1.3	27
126	HHV-8 DNA Sequences in the Peripheral Blood and Skin Lesions of an HIV-Negative Patient with Multiple Eruptive Dermatofibromas: Implications for the Detection of HHV-8 as a Diagnostic Marker for Kaposi's Sarcoma. Dermatology, 2003, 206, 217-221.	2.1	27

#	ARTICLE	IF	CITATIONS
127	Primary Cutaneous Marginal Zone Lymphoma in Children. American Journal of Dermatopathology, 2014, 36, 661-666.	0.6	27
128	Spiky follicular mycosis fungoides: a clinicopathologic study of 8 cases. Journal of Cutaneous Pathology, 2015, 42, 164-172.	1.3	27
129	Reticular erythematous mucinosis: histopathological and immunohistochemical features of 25 patients compared with 25 cases of lupus erythematosus tumidus. Journal of the European Academy of Dermatology and Venereology, 2015, 29, 689-697.	2.4	27
130	CO ₂ Laser Treatment of Warts in Immunosuppressed Patients. Dermatology, 2003, 206, 148-152.	2.1	26
131	B-Zell-Lymphome der Haut. JDDG - Journal of the German Society of Dermatology, 2012, 10, 12-24.	0.8	26
132	Detection of several types of human papilloma viruses in AIDS-associated Kaposi's sarcoma. Journal of Medical Virology, 1995, 46, 189-193.	5.0	25
133	Viruses in the Pathogenesis of Kaposi's Sarcoma—A Review. Biochemical and Molecular Medicine, 1996, 58, 1-12.	1.4	25
134	Pityriasis rosea, Gianotti-Crosti syndrome, asymmetric periflexural exanthem, papular-purpuric gloves and socks syndrome, eruptive pseudoangiomatosis, and eruptive hypomelanosis: do their epidemiological data substantiate infectious etiologies?. Gastroenterology Insights, 2016, 8, 6418.	1.2	25
135	Cutaneous malignant lymphomas: Update 2006. JDDG - Journal of the German Society of Dermatology, 2006, 4, 914-933.	0.8	24
136	Melanoma with Prominent Pigment Synthesis (Animal-Type Melanoma). American Journal of Dermatopathology, 2004, 26, 290-297.	0.6	23
137	Topical treatment of cutaneous Kaposi sarcoma with imiquimod 5% in renal-transplant recipients: a clinicopathological observation. Clinical and Experimental Dermatology, 2012, 37, 620-625.	1.3	23
138	Primary cutaneous follicle center lymphoma with diffuse CD30 expression: A report of 4 cases of a rare variant. Journal of the American Academy of Dermatology, 2014, 71, 548-554.	1.2	23
139	Cutaneous peripheral T-cell lymphomas, unspecified/NOS and rare subtypes: a heterogeneous group of challenging cutaneous lymphomas. Giornale Italiano Di Dermatologia E Venereologia, 2012, 147, 553-62.	0.8	23
140	CD123-Positive Plasmacytoid Dendritic Cells in Primary Cutaneous Marginal Zone B-Cell Lymphoma: A Crucial Role and a New Lymphoma Paradigm. American Journal of Dermatopathology, 2010, 32, 194-196.	0.6	22
141	Primary cutaneous B-cell lymphomas. JDDG - Journal of the German Society of Dermatology, 2012, 10, 12-23.	0.8	22
142	Pathologic Diagnosis of Cutaneous Lymphomas. Dermatologic Clinics, 2015, 33, 655-681.	1.7	22
143	Immunocytochemical p63 expression discriminates between primary cutaneous follicle centre cell and diffuse large B cell lymphoma type, and is of the TA p63 isoform. Histopathology, 2016, 69, 11-19.	2.9	22
144	EBV renders B cells susceptible to HIV-1 in humanized mice. Life Science Alliance, 2020, 3, e202000640.	2.8	22

#	ARTICLE	IF	CITATIONS
145	Endogenous retroviral elements, but not exogenous retroviruses, are detected in CD30-positive lymphoproliferative disorders of the skin. <i>Carcinogenesis</i> , 2003, 24, 301-306.	2.8	21
146	Apoptosis in CD30-positive lymphoproliferative disorders of the skin. <i>Experimental Dermatology</i> , 2005, 14, 380-385.	2.9	21
147	Porokeratotic adnexal ostial naevus: review on the entity and therapeutic approach. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 2032-2037.	2.4	21
148	Novel <i>TMC8</i> splice site mutation in epidermodysplasia verruciformis and review of <i>HPV</i> infections in patients with the disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1722-1726.	2.4	21
149	IgG4 Expression in Primary Cutaneous Marginal Zone Lymphoma: A Multicenter Study. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 462-467.	1.2	21
150	Experts and Gold Standards in Dermatopathology. <i>American Journal of Dermatopathology</i> , 1998, 20, 478-482.	0.6	21
151	Homozygosity for the c.917A → T (p.N306I) Polymorphism in the <i>EVER2/TMC8</i> Gene of Two Sisters with Epidermodysplasia Verruciformis Lewandowsky-Lutz Originally Described by Wilhelm Lutz. <i>Dermatology</i> , 2011, 222, 81-86.	2.1	20
152	Cutaneous borreliosis associated with T cell predominant infiltrates: A diagnostic challenge. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 683-689.	1.2	20
153	A position statement on the management of patients with pityriasis rosea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1670-1681.	2.4	20
154	Cutaneous Lymphomas and Pseudolymphomas: Newly Described Entities. <i>Recent Results in Cancer Research</i> , 2002, 160, 283-293.	1.8	20
155	HIV - associated and non - HIV associated types of Kaposi's sarcoma in an African population in Tanzania. Status of immune suppression and HHV-8 seroprevalence. <i>European Journal of Dermatology</i> , 2006, 16, 677-82.	0.6	20
156	Trichogerminoma: A Rare Cutaneous Adnexal Tumor with Differentiation toward the Hair Germ Epithelium. <i>Dermatology</i> , 2002, 205, 405-408.	2.1	19
157	Study of HHV-8 DNA sequences in archival biopsies from lesional skin of Kaposi's sarcoma, various mesenchymal tumors and related reactive conditions. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 279-281.	1.3	19
158	Unusual Manifestation of Specific Cutaneous Involvement by B-Cell Chronic Lymphocytic Leukemia: Spontaneous Regression with Scar Formation. <i>Dermatology</i> , 2003, 207, 111-115.	2.1	19
159	Paraneoplastic pityriasis lichenoides in cutaneous lymphoma: case report and review of the literature on paraneoplastic reactions of the skin in lymphoma and leukaemia. <i>British Journal of Dermatology</i> , 2005, 152, 1327-1331.	1.5	19
160	Basal cell carcinoma in a series of renal transplant recipients: epidemiology and clinicopathologic features. <i>International Journal of Dermatology</i> , 2010, 49, 385-389.	1.0	19
161	Expression of programmed death-1 (CD279) in primary cutaneous B-cell lymphomas with correlation to lymphoma entities and biological behaviour. <i>British Journal of Dermatology</i> , 2013, 169, 1212-1218.	1.5	19
162	Mucormycosis of the liver: CT findings.. <i>American Journal of Roentgenology</i> , 1995, 165, 340-342.	2.2	18

#	ARTICLE	IF	CITATIONS
163	Posttransplant CD30+ Anaplastic Large Cell Lymphoma with Skin and Lymph Node Involvement. <i>Dermatology</i> , 2003, 207, 107-110.	2.1	18
164	Detection of Merkel Cell Polyomavirus in Epidermodysplasia-Verruciformis-Associated Skin Neoplasms. <i>Dermatology</i> , 2011, 222, 87-92.	2.1	18
165	Lobular Panniculitis due to <i>Borrelia burgdorferi</i> Infection Mimicking Subcutaneous Panniculitis-Like T-Cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2013, 35, e30-e33.	0.6	18
166	Intralesional Cisplatin for the Treatment of Cutaneous B-Cell Lymphoma. <i>Archives of Dermatology</i> , 1998, 134, 1343-5.	1.4	17
167	Increased expression of human herpesvirus 7 in lymphoid organs of AIDS patients. <i>Journal of Clinical Virology</i> , 2000, 16, 193-201.	3.1	17
168	Monoclonal Rearrangement of the T Cell Receptor Gamma-Chain in Lichenoid Pigmented Purpuric Dermatitis of Gougerot-Blum Responding to Topical Corticosteroid Therapy. <i>Dermatology</i> , 2002, 205, 191-193.	2.1	17
169	Trauma-Induced Cutaneous Focal Mucinosis of the Mammary Areola: An Unusual Presentation. <i>Dermatopathology (Basel, Switzerland)</i> , 2014, 1, 24-28.	1.5	17
170	The Use of Central Pathology Review With Digital Slide Scanning in Advanced-stage Mycosis Fungoides and SÅ©zary Syndrome. <i>American Journal of Surgical Pathology</i> , 2018, 42, 726-734.	3.7	17
171	Allergy to proteases in medical laboratory technicians: A new occupational disease?. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 104, 700-701.	2.9	16
172	Lyell syndrome revisited: analysis of 18 cases of severe bullous skin disease in a burns unit. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2005, 58, 73-80.	1.1	16
173	Necrotizing infundibular crystalline folliculitis: AÄclinopathological study. <i>Journal of the American Academy of Dermatology</i> , 2012, 66, 823-826.	1.2	16
174	Primary cutaneous plasmablastic lymphoma of the lower leg in an HIV-negative patient. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, e202-e205.	1.2	16
175	Granulomas are a source of interleukin-33 expression in pulmonary and extrapulmonary sarcoidosis. <i>Human Pathology</i> , 2014, 45, 2202-2210.	2.0	16
176	Human Herpesvirus 7 in Dermatology. <i>American Journal of Clinical Dermatology</i> , 2002, 3, 309-315.	6.7	15
177	Cutaneous Adenolipoma: Extending the Spectrum of Changes in the Lipomatous and Epithelial Components. <i>American Journal of Dermatopathology</i> , 2011, 33, 56-59.	0.6	15
178	Disseminated molluscum contagiosum in a HIV-positive child. Improvement after therapy with 5% imiquimod.. <i>Journal of Dermatological Case Reports</i> , 2011, 5, 19-23.	1.1	15
179	Primary cutaneous diffuse large Bâ€cell lymphoma, NOS and leg type: Clinical, morphologic and prognostic differences. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 275-285.	0.8	15
180	â€COVID armâ€™ â€ histological features of a delayedâ€™type hypersensitivity reaction to Moderna mRNAâ€™1273 SARSâ€™CoV2 vaccine. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e730-e732.	2.4	15

#	ARTICLE	IF	CITATIONS
181	Primary Cutaneous T-Cell-Rich B-Cell Lymphoma and Hodgkin's Disease in a Patient with Gardner's Syndrome. <i>Dermatology</i> , 2000, 201, 362-365.	2.1	14
182	Micronodular Kaposi's Sarcoma – A New Variant of Classic-Sporadic Kaposi's Sarcoma. <i>Dermatology</i> , 2004, 208, 255-258.	2.1	14
183	Molecular diagnostics in infectious skin diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 50-58.	0.8	14
184	Spindle-cell variant of primary cutaneous follicle center lymphoma spreading to the hepatobiliary tree, mimicking Klatzkin tumor. <i>Journal of Cutaneous Pathology</i> , 2013, 40, 56-60.	1.3	14
185	Human herpesvirus 8 (HHV-8) in familial Kaposi's sarcoma. <i>Experimental Dermatology</i> , 1999, 8, 68-70.	2.9	13
186	Diagnostic approach in lymphoplasmacytic plaque. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 2206-2215.	2.4	13
187	Taxanes-induced cutaneous eruption: another histopathologic mimicker of malignancy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 638-644.	2.4	13
188	Unilesional plantar mycosis fungoides treated with topical photodynamic therapy – case report and review of the literature. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1633-1637.	2.4	13
189	Annular Eruptive Pseudoangiomatosis and Adenovirus Infection: A Novel Clinical Variant of Paraviral Exanthems and a Novel Virus Association. <i>Acta Dermato-Venereologica</i> , 2017, 97, 354-357.	1.3	13
190	Position paper on a simplified histopathological classification of basal cell carcinoma: results of the European Consensus Project. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 351-359.	2.4	13
191	Successful Treatment of Recalcitrant Chronic Actinic Dermatitis with Tacrolimus. <i>Dermatology</i> , 2004, 209, 325-328.	2.1	12
192	The Anti-MAGE Antibody B57 as a Diagnostic Marker in Melanocytic Lesions. <i>American Journal of Dermatopathology</i> , 2004, 26, 102-107.	0.6	12
193	Pre- and Posttransplant Management of Solid Organ Transplant Recipients: Risk-Adjusted Follow-Up. <i>Current Problems in Dermatology</i> , 2012, 43, 57-70.	0.7	12
194	Pediatric CD8+CD56+ Non-poikilodermatous Mycosis Fungoides. <i>American Journal of Dermatopathology</i> , 2014, 36, 598-602.	0.6	12
195	Primary cutaneous peripheral T-cell lymphoma, not otherwise specified: results of a multicentre European Organization for Research and Treatment of Cancer (EORTC) cutaneous lymphoma taskforce study on the clinicopathological and prognostic features. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 658-668.	2.4	12
196	Clinical, histopathological and prognostic features of primary cutaneous acral CD8+ T-cell lymphoma and other dermal CD8+ cutaneous lymphoproliferations: results of an EORTC Cutaneous Lymphoma Group workshop*. <i>British Journal of Dermatology</i> , 2022, 186, 887-897.	1.5	12
197	Disseminated dermatophytic pseudomycetomas arising in an immunocompromised patient. <i>British Journal of Dermatology</i> , 2006, 155, 628-630.	1.5	11
198	Merkel Cell Carcinoma With a Follicular Lymphocytic Infiltrate: Report of 2 Cases. <i>American Journal of Dermatopathology</i> , 2008, 30, 389-391.	0.6	11

#	ARTICLE	IF	CITATIONS
199	Loss of expression of 5-hydroxymethylcytosine in CD30-positive cutaneous lymphoproliferative disorders. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 901-906.	1.3	11
200	Report of Three Novel Germline CYLD Mutations in Unrelated Patients with Brooke-Spiegler Syndrome, Including Classic Phenotype, Multiple Familial Trichoepitheliomas and Malignant Transformation. <i>Dermatology</i> , 2016, 232, 30-37.	2.1	11
201	AL-Amyloidoma of the Skin – A Rare Manifestation of Primary Cutaneous Marginal Zone Lymphoma. <i>American Journal of Dermatopathology</i> , 2019, 41, 518-521.	0.6	11
202	Allelic Deletion at 9p21-22 in Primary Cutaneous CD30+ Large Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2000, 115, 1104-1107.	0.7	11
203	Primary subcutaneous follicular centre cell lymphoma with involvement of the galea: a case report and short review of the literature. <i>British Journal of Dermatology</i> , 2002, 146, 663-666.	1.5	10
204	Constitutional Intraepidermal Ascent of Melanocytes. <i>Archives of Dermatology</i> , 2012, 148, 235.	1.4	10
205	Lymphomatoid papulosis – making sense of the alphabet soup: a proposal to simplify terminology. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 390-394.	0.8	10
206	Tumor-infiltrating T cells in primary cutaneous B-cell lympho-proliferative disorders. <i>Journal of Cutaneous Pathology</i> , 2001, 28, 448-452.	1.3	9
207	Combination of Bexarotene and Psoralen-UVA Therapy in a Patient with Mycosis fungoides. <i>Dermatology</i> , 2004, 209, 72-74.	2.1	9
208	Hypertext atlas of dermatopathology with expert system for epithelial tumors of the skin. <i>Journal of Cutaneous Pathology</i> , 2005, 32, 433-437.	1.3	9
209	Nodal Anaplastic Large-Cell Lymphoma ALK-1 with CD30+ Cutaneous Lymphoproliferation Treated with Mistletoe: Spontaneous Remission or Treatment Response?. <i>Klinische Padiatrie</i> , 2011, 223, 364-367.	0.6	9
210	Diagnostic accuracy in virtual dermatopathology. <i>Journal of Cutaneous Pathology</i> , 2012, 39, 758-761.	1.3	9
211	Cutaneous Borreliosis With a T-Cell-Rich Infiltrate and Simultaneous Involvement by B-Cell Chronic Lymphocytic Leukemia With t(14;18)(q32;q21). <i>American Journal of Dermatopathology</i> , 2015, 37, 715-718.	0.6	9
212	Galectin-3 Expression in Primary Cutaneous CD30-Positive Lymphoproliferative Disorders and Transformed Mycosis Fungoides. <i>Dermatology</i> , 2015, 231, 164-170.	2.1	9
213	Characterization of the tumor microenvironment in primary cutaneous CD30-positive lymphoproliferative disorders: a predominance of CD163-positive M2 macrophages. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 579-588.	1.3	9
214	Photodynamic Therapy – a New Treatment Option for Epithelial Malignancies of the Skin. <i>Oncology Research and Treatment</i> , 2004, 27, 407-411.	1.2	8
215	The identification of primary human herpesvirus 7 infection in young adults with pityriasis rosea by investigating avidity of antibodies. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 629-630.	2.4	8
216	Extracutaneous transformation into a high-grade lymphoma: a potential pitfall in the management of patients with Sezary syndrome. <i>International Journal of Dermatology</i> , 2006, 45, 277-279.	1.0	8

#	ARTICLE	IF	CITATIONS
217	Critical Skin Cancer in Organ Transplant Recipients – A Dermatopathological View. <i>Current Problems in Dermatology</i> , 2012, 43, 18-35.	0.7	8
218	In transit Recurrence of Merkel Cell Carcinoma Associated with Polyarthritis Effectively Treated with Immunocryosurgery. <i>Acta Dermato-Venereologica</i> , 2014, 94, 739-740.	1.3	8
219	Cutaneous atypical papular CD8+ lymphoproliferative disorder at acral sites in a renal transplant patient. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 902-905.	1.3	8
220	Clinicopathological features, <scp>MCPyV</scp> status and outcomes of Merkel cell carcinoma in <scp>solidâ€œorgan</scp> transplant recipients: a retrospective, multicentre cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 1991-2001.	2.4	8
221	Skin Cancers in Organ Transplant Recipients: Two Cases of Virus-Induced Neoplasms. <i>Dermatology</i> , 2001, 202, 359-361.	2.1	7
222	The Spectrum of Mesenchymal Skin Neoplasms Reflected by the New WHO Classification. <i>Oncology Research and Treatment</i> , 2004, 27, 401-406.	1.2	7
223	A rare case of atypical cellular neurothekeoma in a 68â€œyearâ€œold woman. <i>Journal of Cutaneous Pathology</i> , 2009, 36, 1210-1214.	1.3	7
224	Interstitial Mycosis Fungoides With Lichen Sclerosusâ€œLike Clinical and Histopathological Features. <i>American Journal of Dermatopathology</i> , 2016, 38, 138-143.	0.6	7
225	Regorafenibâ€œinduced handâ€œfoot skin reaction with striking epidermal dysmaturation â€œ a new histopathological pattern associated with the use of multiâ€œkinase inhibitors. <i>British Journal of Dermatology</i> , 2016, 175, 216-217.	1.5	7
226	Complete durable remission of a fulminant primary cutaneous aggressive epidermotropic CD8 + cytotoxic T-cell lymphoma after autologous and allogeneic hematopoietic stem cell transplantation. <i>JAAD Case Reports</i> , 2017, 3, 196-199.	0.8	7
227	Semantic Segmentation of Histopathological Slides for the Classification of Cutaneous Lymphoma and Eczema. <i>Communications in Computer and Information Science</i> , 2020, , 26-42.	0.5	7
228	Allelic Deletion at 9p21â€œ22 in Primary Cutaneous CD30+ Large Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2000, 115, 1104-1107.	0.7	6
229	Dyscrasias With â€œUndetermined Significanceâ€œ. <i>Archives of Dermatology</i> , 2005, 141, 382-4.	1.4	6
230	Disseminated Primary Cutaneous CD8+ Small/Medium-sized Pleomorphic T-cell Lymphoma Responding to Hydroxychloroquine. <i>Acta Dermato-Venereologica</i> , 2015, 95, 602-603.	1.3	6
231	Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type, With Bilateral Intraocular Involvement and Infiltration to the CNS. <i>Journal of Clinical Oncology</i> , 2016, 34, e93-e96.	1.6	6
232	Most rare subtypes of cutaneous lymphoma display variable CD30 expression: analysis of the German Cutaneous Lymphoma Network. <i>British Journal of Dermatology</i> , 2021, 185, 228-230.	1.5	6
233	Follicular T-Helper Cells in Marginal Zone Lymphoma: Evidence of an Organoid Immune Response. <i>American Journal of Dermatopathology</i> , 2021, 43, e197-e203.	0.6	6
234	A CD4+ CD56+ natural killer-like T-cell systemic lymphoma with haemorrhagic cutaneous manifestations. <i>British Journal of Dermatology</i> , 2001, 144, 432-434.	1.5	6

#	ARTICLE	IF	CITATIONS
235	Specific Skin Infiltration as First Sign of Localized Stage Hodgkin's Lymphoma Involving an Epitrochlear Node. <i>American Journal of Dermatopathology</i> , 2015, 37, 499-502.	0.6	5
236	<scp>CD30</scp>+ clonal Tâ€cell lymphoid proliferation of the skin in a patient with hypereosinophilic syndrome. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 130-135.	1.3	5
237	Expression of Peripheral Node Addressins by Plasmacytic Plaque of Children, APACHE, TRAPP, and Primary Cutaneous Angioplasmacellular Hyperplasia. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, 411-419.	1.2	5
238	Tâ€cell pseudolymphoma in recurrent herpes simplex virus infection. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 717-722.	1.3	5
239	Lichen aureus with pseudolymphomatous infiltrate. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 669-673.	1.3	5
240	Histopathologic Spectrum of Findings Associated With Tattoos: Multicenter Study Series of 230 Cases. <i>American Journal of Dermatopathology</i> , 2021, 43, 543-553.	0.6	5
241	Clinicopathological characterization of an HIV-2-infected individual with two clonally unrelated primary lymphomas. <i>American Journal of Hematology</i> , 2000, 65, 302-306.	4.1	4
242	Warren L. Macaulay (1915â€2006). <i>Journal of the American Academy of Dermatology</i> , 2006, 55, 730-732.	1.2	4
243	Black dots in palmoplantar wartsâ€challenging a concept: A histopathologic study. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 380-382.	1.2	4
244	Juvenile granulomatous cutaneous T cell lymphoma: a new entity in cutaneous lymphomas?. <i>American Journal of Dermatopathology</i> , 1997, 19, 497.	0.6	4
245	Diagnostic signs of cutaneous lymphomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2001, 15, 358-360.	2.4	3
246	T-zone lymphoma with cutaneous involvement: a case report and review of the literature. <i>British Journal of Dermatology</i> , 2002, 146, 1096-1100.	1.5	3
247	Follicular lymphoma of the skin and superficial soft tissues associated with a prominent follicular dendritic cell proliferation: an unusual pattern which may represent a diagnostic pitfall. <i>Pathology Research and Practice</i> , 2004, 200, 557-565.	2.3	3
248	Maligne Lymphome der Haut. , 2005, , 1366-1386.		3
249	Atypical Poorly Differentiated Cutaneous T-Cell Lymphoma with an Angiocentric Growth Pattern Presenting Histologically as Vasculitis. <i>Dermatology</i> , 2005, 210, 341-345.	2.1	3
250	Precursor Bâ€lymphoblastic lymphoma in a 3â€monthâ€old baby. <i>International Journal of Dermatology</i> , 2011, 50, 730-732.	1.0	3
251	Primary Cutaneous Anaplastic Lymphoma Kinaseâ€Positive Large B-Cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2019, 41, 602-605.	0.6	3
252	CD4Â+ÂT cells are found within endemic Burkitt lymphoma and modulate Burkitt lymphoma precursor cell viability and expression of pathogenically relevant Epsteinâ€Barr virus genes. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 1371-1392.	4.2	3

#	ARTICLE	IF	CITATIONS
253	Diagnostic signs of cutaneous lymphomas. Journal of the European Academy of Dermatology and Venereology, 2001, 15, 358-360.	2.4	2
254	Fludarabine: risk factor for aggressive behaviour of squamous cell carcinoma of the skin?. Annals of Oncology, 2005, 16, 515-516.	1.2	2
255	Perineural Invasion in the Absence of Malignancy: Report of Two Cases and Review of the Literature. Dermatopathology (Basel, Switzerland), 2015, 1, 86-90.	1.5	2
256	Die histologischen Typen der lymphomatoiden Papulose – Ein Vorschlag für die Vereinfachung des Buchstabenchaos. JDDG - Journal of the German Society of Dermatology, 2017, 15, 390-394.	0.8	2
257	Spitzoid melanoma and micrometastases in two lymph node regions: a critical situation. European Journal of Dermatology, 2011, 21, 229-233.	0.6	2
258	5.3.3. HistoClinC: A Web-Based Telemedicine Application for Clinicopathologic Correlations in Dermatopathology. , 2002, 32, 213-220.		1
259	Major achievements of the EORTC Cutaneous Lymphoma Task Force (CLTF). European Journal of Cancer, Supplement, 2012, 10, 46-50.	2.2	1
260	Molekulare Diagnostik von infektiösen Hauterkrankungen. JDDG - Journal of the German Society of Dermatology, 2013, 11, 50-59.	0.8	1
261	Primary cutaneous CD30-positive anaplastic large cell lymphoma in an 80-year-old man: a case report from Nepal. International Journal of Dermatology, 2014, 53, 1498-1500.	1.0	1
262	De Novo CD5+ Diffuse Large B-Cell Lymphoma With Cutaneous Involvement. , 2014, 19, 200-203.		1
263	Disseminated anetoderma in a patient with nodal Epstein-Barr virus-associated classical Hodgkin lymphoma: Anetodermic form of a concurrent discordant cutaneous marginal zone lymphoma. International Journal of Dermatology, 2016, 55, 739-744.	1.0	1
264	Fixed Erythema on the Abdomen in a Hematologic Patient. JAMA Dermatology, 2016, 152, 1159.	4.1	1
265	Papular mucinosis with monotypic plasma cells in a child. Journal of the European Academy of Dermatology and Venereology, 2017, 31, e89-e90.	2.4	1
266	Multifocal anaplastic large cell lymphoma - insight into its biology and treatment. British Journal of Dermatology, 2018, 179, 565-566.	1.5	1
267	Primär kutanes diffusgroßzelliges B-Zell-Lymphom, NOS oder leg type: klinische, morphologische und prognostische Unterschiede. JDDG - Journal of the German Society of Dermatology, 2019, 17, 275-286.	0.8	1
268	A Problem of Classification. American Journal of Dermatopathology, 2021, Publish Ahead of Print, e237-e240.	0.6	1
269	Kutane Lymphome. , 2002, , 33-51.		1
270	Therapy of Kaposi's Sarcoma. , 1997, , 347-356.		1

#	ARTICLE	IF	CITATIONS
271	HPV 56 in verrucae of the hands and perianal condylomata acuminata of an immunosuppressed patient with Alport-syndrome. American Journal of Dermatopathology, 1997, 19, 514.	0.6	1
272	Infektionen durch humane Herpesviren 6 und 7. , 1998, , 198-200.		1
273	Granulomatous pigmented purpuric dermatosis: Clinical and histopathologic findings in a series of nine cases. Journal of Cutaneous Pathology, 2022, 49, 597-603.	1.3	1
274	Kutane maligne Lymphome: Update 2006 zu ausgewählten Aspekten. JDDG - Journal of the German Society of Dermatology, 2006, 4, no-no.	0.8	0
275	“Cutaneous T-Cell Lymphoma“: Cutaneous TNMania in Cutaneous Lymphomas“Reply. Archives of Dermatology, 2009, 145, .	1.4	0
276	Angioinvasive Lymphomatoid Papulosis. , 2014, 19, 187-190.		0
277	In Response. American Journal of Dermatopathology, 2014, 36, 103.	0.6	0
278	Lymphomatoid papulosis presenting as periarticular nodules - a rare variant. JDDG - Journal of the German Society of Dermatology, 2014, 12, 257-258.	0.8	0
279	Lymphomatoide Papulose unter dem Bild gelenknaher Knoten - eine seltene Variante. JDDG - Journal of the German Society of Dermatology, 2014, 12, 257-259.	0.8	0
280	Systemic treatment influences on immune accessibility of melanoma: A retrospective histopathological investigation. Annals of Oncology, 2016, 27, vi388.	1.2	0
281	Condyloma acuminatum and bilharziosis cutanea tarda coexisting in the same vulvar lesion. JDDG - Journal of the German Society of Dermatology, 2016, 14, 624-626.	0.8	0
282	Condyloma acuminatum und Bilharziosis cutanea tarda in derselben vulvären Läsion. JDDG - Journal of the German Society of Dermatology, 2016, 14, 624-626.	0.8	0
283	TOX - what role does it play in cutaneous lymphomas?. British Journal of Dermatology, 2016, 175, 248-249.	1.5	0
284	Cutaneous lymphomas in childhood and adolescence: much needed new data. British Journal of Dermatology, 2017, 176, 857-858.	1.5	0
285	Die folliculotrope Mycosis fungoides. JDDG - Journal of the German Society of Dermatology, 2018, 16, 544-559.	0.8	0
286	Primary cutaneous follicle centre lymphoma, spindle cell type, presenting with multicentre figured erythema and complete remission after intralesional injections of ultra-low-dose Interferon alpha-2a. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e223-e225.	2.4	0
287	Case 20. Lymphomatoid papulosis type D in a child with CD8+ hypopigmented mycosis fungoides. , 2021, , 44-45.		0
288	Emergent Cutaneous T-Cell Pseudolymphomas. , 2021, , 493-502.		0

#	ARTICLE	IF	CITATIONS
289	Solitary CD8-Positive Primary Cutaneous Peripheral T-Cell Lymphoma: A Question of Classification. American Journal of Dermatopathology, 2021, 43, e107-e110.	0.6	0
290	Applications of Molecular Virology to Modern Dermatopathology. Current Topics in Pathology Ergebnisse Der Pathologie, 2001, 94, 39-47.	0.2	0
291	Kutane T-Zell-Lymphome. , 2003, , 869-899.		0
292	Die Rolle onkogener Herpesviren in der Dermatologie. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2003, , 71-75.	0.0	0
293	T- und B-Zell-Neoplasien der Haut. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2005, , 56-61.	0.0	0
294	Imiquimod: FÄ¼r alles gut?. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2005, , 539-543.	0.0	0
295	Haut und lymphatisches System. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2005, , 126-130.	0.0	0
296	Kutane Non-Hodgkin-Lymphome. , 2006, , 3086-3100.		0
297	Seltene Hauttumore bei alten Menschen. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2009, , 107-113.	0.0	0
298	Cutaneous Lymphomas. , 2009, , 1478-1502.		0
299	Cutaneous Lymphoma, Leukemia and Related Disorders. , 2010, , 197-231.		0
300	Lymphome. , 2012, , 1773-1796.		0
301	Subcutaneous Panniculitis-Like T-Cell Lymphoma. , 2015, , 283-285.		0
302	Intravascular Lymphoma. , 2015, , 303-305.		0
303	Kutane Lymphome und LeukÄmien. , 2015, , 1-57.		0
304	Kutane Lymphome und LeukÄmien. , 2016, , 903-941.		0
305	Maligne Lymphome der Haut. , 2017, , 1-24.		0
306	Maligne Lymphome der Haut. , 2018, , 1945-1968.		0

#	ARTICLE	IF	CITATIONS
307	Kutane lymphoproliferative und hÄmatopoietische Erkrankungen. , 2019, , 963-989.		0
308	Cutaneous Lymphomas. , 2020, , 1-25.		0
309	Kutane lymphoproliferative und hÄmatopoietische Erkrankungen. , 2009, , 979-1002.		0
310	Kutane T-Zell-Lymphome â€“ Update 2021. Karger Kompass Dermatologie, 2022, 10, 2-7.	0.0	0
311	Primary cutaneous B-cell lymphomas and pseudolymphomas: review of histopathological features. Ceskoslovenska Patologie, 2002, 38, 147-54.	0.1	0
312	A palliative intervention allows discovery of a rare tumor: lymphoepithelioma-like carcinoma of the skin. Dermatology Online Journal, 2012, 18, 7.	0.5	0
313	Cutaneous Lymphomas. , 2022, , 1931-1954.		0