

Werner Kempf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5531538/publications.pdf>

Version: 2024-02-01

313
papers

16,837
citations

26630

56
h-index

18647

119
g-index

360
all docs

360
docs citations

360
times ranked

8324
citing authors

#	ARTICLE	IF	CITATIONS
1	CD4 ⁺ T cells are found within endemic Burkitt lymphoma and modulate Burkitt lymphoma precursor cell viability and expression of pathogenically relevant Epstein-Barr virus genes. <i>Cancer Immunology, Immunotherapy</i> , 2022, 71, 1371-1392.	4.2	3
2	Kutane T-Zell-Lymphome – Update 2021. <i>Karger Kompass Dermatologie</i> , 2022, 10, 2-7.	0.0	0
3	Clinical, histopathological and prognostic features of primary cutaneous acral ⁺ CD8 ⁺ T-cell lymphoma and other dermal ⁺ CD8 ⁺ cutaneous lymphoproliferations: results of an EORTC Cutaneous Lymphoma Group workshop*. <i>British Journal of Dermatology</i> , 2022, 186, 887-897.	1.5	12
4	Granulomatous pigmented purpuric dermatosis: Clinical and histopathologic findings in a series of nine cases. <i>Journal of Cutaneous Pathology</i> , 2022, 49, 597-603.	1.3	1
5	Position paper on a simplified histopathological classification of basal cell carcinoma: results of the European Consensus Project. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 351-359.	2.4	13
6	Cutaneous Lymphomas. , 2022, , 1931-1954.		0
7	Clinicopathological features, MCPyV status and outcomes of Merkel cell carcinoma in solid-organ transplant recipients: a retrospective, multicentre cohort study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 1991-2001.	2.4	8
8	The 5th edition of the World Health Organization Classification of Haematolymphoid Tumours: Lymphoid Neoplasms. <i>Leukemia</i> , 2022, 36, 1720-1748.	7.2	1,023
9	Treatment of early-stage mycosis fungoides: results from the PROspective Cutaneous Lymphoma International Prognostic Index (PROCLIPi) study*. <i>British Journal of Dermatology</i> , 2021, 184, 722-730.	1.5	39
10	Primary cutaneous follicle centre lymphoma, spindle cell type, presenting with multicentre figured erythema and complete remission after intralesional injections of ultra-low-dose Interferon alpha2a. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e223-e225.	2.4	0
11	Case 20. Lymphomatoid papulosis type D in a child with CD8+ hypopigmented mycosis fungoides. , 2021, , 44-45.		0
12	Emergent Cutaneous T-Cell Pseudolymphomas. , 2021, , 493-502.		0
13	Lichen aureus with pseudolymphomatous infiltrate. <i>Journal of Cutaneous Pathology</i> , 2021, 48, 669-673.	1.3	5
14	Solitary CD8-Positive Primary Cutaneous Peripheral T-Cell Lymphoma: A Question of Classification. <i>American Journal of Dermatopathology</i> , 2021, 43, e107-e110.	0.6	0
15	Histopathologic Spectrum of Findings Associated With Tattoos: Multicenter Study Series of 230 Cases. <i>American Journal of Dermatopathology</i> , 2021, 43, 543-553.	0.6	5
16	Most rare subtypes of cutaneous lymphoma display variable CD30 expression: analysis of the German Cutaneous Lymphoma Network. <i>British Journal of Dermatology</i> , 2021, 185, 228-230.	1.5	6
17	A Problem of Classification. <i>American Journal of Dermatopathology</i> , 2021, Publish Ahead of Print, e237-e240.	0.6	1
18	Cutaneous T-cell lymphomas – An update 2021. <i>Hematological Oncology</i> , 2021, 39, 46-51.	1.7	41

#	ARTICLE	IF	CITATIONS
19	â€œCOVID armâ€™™ â€™ histological features of a delayedâ€™type hypersensitivity reaction to Moderna mRNAâ€™1273 SARSâ€™CoV2 vaccine. Journal of the European Academy of Dermatology and Venereology, 2021, 35, e730-e732.	2.4	15
20	Follicular T-Helper Cells in Marginal Zone Lymphoma: Evidence of an Organoid Immune Response. American Journal of Dermatopathology, 2021, 43, e197-e203.	0.6	6
21	Primary cutaneous peripheral Tâ€™cell lymphoma, not otherwise specified: results of a multicentre European Organization for Research and Treatment of Cancer (EORTC) cutaneous lymphoma taskforce study on the clinicoâ€™pathological and prognostic features. Journal of the European Academy of Dermatology and Venereology, 2021, 35, 658-668.	2.4	12
22	Cutaneous pseudolymphomaâ€™A review on the spectrum and a proposal for a new classification. Journal of Cutaneous Pathology, 2020, 47, 76-97.	1.3	64
23	EBV renders B cells susceptible to HIV-1 in humanized mice. Life Science Alliance, 2020, 3, e202000640.	2.8	22
24	Semantic Segmentation of Histopathological Slides for the Classification of Cutaneous Lymphoma and Eczema. Communications in Computer and Information Science, 2020, , 26-42.	0.5	7
25	Cutaneous Lymphomas. , 2020, , 1-25.		0
26	Are there distinct clinical and pathological features distinguishing idiopathic from drug-induced subacute cutaneous lupus erythematosus? A European retrospective multicenter study. Journal of the American Academy of Dermatology, 2019, 81, 403-411.	1.2	29
27	Cutaneous lymphomasâ€™An update 2019. Hematological Oncology, 2019, 37, 43-47.	1.7	65
28	PrimÃr kutanes diffusâ€™groÃzelliges Bâ€™Zellâ€™Lymphom, NOS oder leg type: klinische, morphologische und prognostische Unterschiede. JDDG - Journal of the German Society of Dermatology, 2019, 17, 275-286.	0.8	1
29	Tâ€™cell pseudolymphoma in recurrent herpes simplex virus infection. Journal of Cutaneous Pathology, 2019, 46, 717-722.	1.3	5
30	Primary cutaneous diffuse large Bâ€™cell lymphoma, NOS and leg type: Clinical, morphologic and prognostic differences. JDDG - Journal of the German Society of Dermatology, 2019, 17, 275-285.	0.8	15
31	AL-Amyloidoma of the Skinâ€™A Rare Manifestation of Primary Cutaneous Marginal Zone Lymphoma. American Journal of Dermatopathology, 2019, 41, 518-521.	0.6	11
32	Primary Cutaneous Anaplastic Lymphoma Kinaseâ€™Positive Large B-Cell Lymphoma. American Journal of Dermatopathology, 2019, 41, 602-605.	0.6	3
33	The 2018 update of the WHO-EORTC classification for primary cutaneous lymphomas. Blood, 2019, 133, 1703-1714.	1.4	846
34	The PROCLIFI international registry of earlyâ€™stage mycosis fungoides identifies substantial diagnostic delay in most patients. British Journal of Dermatology, 2019, 181, 350-357.	1.5	127
35	Kutane lymphoproliferative und hÃmatopoietische Erkrankungen. , 2019, , 963-989.		0
36	Black dots in palmoplantar wartsâ€™challenging a concept: A histopathologic study. Journal of the American Academy of Dermatology, 2018, 79, 380-382.	1.2	4

#	ARTICLE	IF	CITATIONS
37	The Use of Central Pathology Review With Digital Slide Scanning in Advanced-stage Mycosis Fungoides and SÅ©zary Syndrome. American Journal of Surgical Pathology, 2018, 42, 726-734.	3.7	17
38	IgG4 Expression in Primary Cutaneous Marginal Zone Lymphoma: A Multicenter Study. Applied Immunohistochemistry and Molecular Morphology, 2018, 26, 462-467.	1.2	21
39	Expression of Peripheral Node Addressins by Plasmacytic Plaque of Children, APACHE, TRAPP, and Primary Cutaneous Angioplasmacellular Hyperplasia. Applied Immunohistochemistry and Molecular Morphology, 2018, 26, 411-419.	1.2	5
40	Die folliculotrope Mycosis fungoides. JDDG - Journal of the German Society of Dermatology, 2018, 16, 544-559.	0.8	0
41	Multifocal anaplastic large cell lymphoma - insight into its biology and treatment. British Journal of Dermatology, 2018, 179, 565-566.	1.5	1
42	Folliculotropic mycosis fungoides. JDDG - Journal of the German Society of Dermatology, 2018, 16, 543-557.	0.8	45
43	Cutaneous CD30-positive T-cell lymphoproliferative disordersâ€™ clinical and histopathologic features, differential diagnosis, and treatment. Seminars in Cutaneous Medicine and Surgery, 2018, 37, 24-29.	1.6	37
44	Maligne Lymphome der Haut. , 2018, , 1945-1968.		0
45	Papular mucinosis with monotypic plasma cells in a child. Journal of the European Academy of Dermatology and Venereology, 2017, 31, e89-e90.	2.4	1
46	Unilesional plantar mycosis fungoides treated with topical photodynamic therapy â€™ case report and review of the literature. Journal of the European Academy of Dermatology and Venereology, 2017, 31, 1633-1637.	2.4	13
47	Cutaneous lymphomas in childhood and adolescence: much needed new data. British Journal of Dermatology, 2017, 176, 857-858.	1.5	0
48	Die histologischen Typen der lymphomatoiden Papulose â€™ Ein Vorschlag fÅ¼r die Vereinfachung des Buchstabenchaos. JDDG - Journal of the German Society of Dermatology, 2017, 15, 390-394.	0.8	2
49	Complete durable remission of a fulminant primary cutaneous aggressive epidermotropic CD8 + cytotoxic T-cell lymphoma after autologous and allogeneic hematopoietic stem cell transplantation. JAAD Case Reports, 2017, 3, 196-199.	0.8	7
50	Tumor Microenvironment and Checkpoint Molecules in Primary Cutaneous Diffuse Large B-Cell Lymphomaâ€™New Therapeutic Targets. American Journal of Surgical Pathology, 2017, 41, 998-1004.	3.7	40
51	Cutaneous Pseudolymphoma. Surgical Pathology Clinics, 2017, 10, 455-476.	1.7	50
52	Lymphomatoid papulosis â€™ making sense of the alphabet soup: a proposal to simplify terminology. JDDG - Journal of the German Society of Dermatology, 2017, 15, 390-394.	0.8	10
53	A new era for cutaneous CD30-positive T-cell lymphoproliferative disorders. Seminars in Diagnostic Pathology, 2017, 34, 22-35.	1.5	47
54	Cutaneous atypical papular CD8+ lymphoproliferative disorder at acral sites in a renal transplant patient. Clinical and Experimental Dermatology, 2017, 42, 902-905.	1.3	8

#	ARTICLE	IF	CITATIONS
55	Novel <i>TMC8</i> splice site mutation in epidermodysplasia verruciformis and review of <i>HPV</i> infections in patients with the disease. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1722-1726.	2.4	21
56	Annular Eruptive Pseudoangiomatosis and Adenovirus Infection: A Novel Clinical Variant of Paraviral Exanthems and a Novel Virus Association. <i>Acta Dermato-Venereologica</i> , 2017, 97, 354-357.	1.3	13
57	Maligne Lymphome der Haut. , 2017, , 1-24.		0
58	Pityriasis rosea, Gianotti-Crosti syndrome, asymmetric periflexural exanthem, papular-purpuric gloves and socks syndrome, eruptive pseudoangiomatosis, and eruptive hypomelanosis: do their epidemiological data substantiate infectious etiologies?. <i>Gastroenterology Insights</i> , 2016, 8, 6418.	1.2	25
59	Systemic treatment influences on immune accessibility of melanoma: A retrospective histopathological investigation. <i>Annals of Oncology</i> , 2016, 27, vi388.	1.2	0
60	Condyloma acuminatum and bilharziosis cutanea tarda coexisting in the same vulvar lesion. <i>JDDG - Journal of the German Society of Dermatology</i> , 2016, 14, 624-626.	0.8	0
61	Condyloma acuminatum und Bilharziosis cutanea tarda in derselben vulvären Läsion. <i>JDDG - Journal of the German Society of Dermatology</i> , 2016, 14, 624-626.	0.8	0
62	Interstitial Mycosis Fungoides With Lichen Sclerosus-Like Clinical and Histopathological Features. <i>American Journal of Dermatopathology</i> , 2016, 38, 138-143.	0.6	7
63	Taxanes-induced cutaneous eruption: another histopathologic mimicker of malignancy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 638-644.	2.4	13
64	Indolent <i>CD8</i> -positive lymphoid proliferation of acral sites: three further cases of a rare entity and an update on a unique patient. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 125-136.	1.3	46
65	Regorafenib-induced hand-foot skin reaction with striking epidermal dysmaturation - a new histopathological pattern associated with the use of multi-kinase inhibitors. <i>British Journal of Dermatology</i> , 2016, 175, 216-217.	1.5	7
66	Immunocytochemical p63 expression discriminates between primary cutaneous follicle centre cell and diffuse large B cell lymphoma-t1 type, and is of the <i>TA</i> -p63 isoform. <i>Histopathology</i> , 2016, 69, 11-19.	2.9	22
67	Characterization of the tumor microenvironment in primary cutaneous <i>CD30</i> -positive lymphoproliferative disorders: a predominance of <i>CD163</i> -positive <i>M2</i> macrophages. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 579-588.	1.3	9
68	Disseminated anetoderma in a patient with nodal Epstein-Barr virus-associated classical Hodgkin lymphoma: Anetodermic form of a concurrent discordant cutaneous marginal zone lymphoma. <i>International Journal of Dermatology</i> , 2016, 55, 739-744.	1.0	1
69	TOX - what role does it play in cutaneous lymphomas?. <i>British Journal of Dermatology</i> , 2016, 175, 248-249.	1.5	0
70	A position statement on the management of patients with pityriasis rosea. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 1670-1681.	2.4	20
71	Fixed Erythema on the Abdomen in a Hematologic Patient. <i>JAMA Dermatology</i> , 2016, 152, 1159.	4.1	1
72	Report of Three Novel Germline <i>CYLD</i> Mutations in Unrelated Patients with Brooke-Spiegler Syndrome, Including Classic Phenotype, Multiple Familial Trichoepitheliomas and Malignant Transformation. <i>Dermatology</i> , 2016, 232, 30-37.	2.1	11

#	ARTICLE	IF	CITATIONS
73	Histopathologic characteristics of scleromyxedema: A study of a series of 34 cases. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1194-1200.	1.2	50
74	Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type, With Bilateral Intraocular Involvement and Infiltration to the CNS. <i>Journal of Clinical Oncology</i> , 2016, 34, e93-e96.	1.6	6
75	Kutane Lymphome und Leukämien. , 2016, , 903-941.		0
76	Histopathological and immunophenotypical criteria for the diagnosis of Szary syndrome in differentiation from other erythrodermic skin diseases: a European Organisation for Research and Treatment of Cancer (EORTC) Cutaneous Lymphoma Task Force Study of 9. <i>British Journal of Dermatology</i> , 2015, 173, 93-105.	1.5	67
77	Aggressive epidermotropic cutaneous CD8 ⁺ lymphoma: a cutaneous lymphoma with distinct clinical and pathological features. Report of an EORTC Cutaneous Lymphoma Task Force Workshop. <i>Histopathology</i> , 2015, 67, 425-441.	2.9	86
78	Scleredema. A multicentre study of characteristics, comorbidities, course and therapy in 44 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 2399-2404.	2.4	104
79	Diagnostic approach in lymphoplasmacytic plaque. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 2206-2215.	2.4	13
80	Specific Skin Infiltration as First Sign of Localized Stage Hodgkin's Lymphoma Involving an Epitrochlear Node. <i>American Journal of Dermatopathology</i> , 2015, 37, 499-502.	0.6	5
81	Paediatric cutaneous lymphomas: a review and comparison with adult counterparts. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 1696-1709.	2.4	50
82	Cutaneous Borreliosis With a T-Cell-Rich Infiltrate and Simultaneous Involvement by B-Cell Chronic Lymphocytic Leukemia With t(14;18)(q32;q21). <i>American Journal of Dermatopathology</i> , 2015, 37, 715-718.	0.6	9
83	Perineural Invasion in the Absence of Malignancy: Report of Two Cases and Review of the Literature. <i>Dermatopathology (Basel, Switzerland)</i> , 2015, 1, 86-90.	1.5	2
84	Galectin-3 Expression in Primary Cutaneous CD30-Positive Lymphoproliferative Disorders and Transformed Mycosis Fungoides. <i>Dermatology</i> , 2015, 231, 164-170.	2.1	9
85	Disseminated Primary Cutaneous CD8 ⁺ Small/Medium-sized Pleomorphic T-cell Lymphoma Responding to Hydroxychloroquine. <i>Acta Dermato-Venereologica</i> , 2015, 95, 602-603.	1.3	6
86	Cutaneous borreliosis associated with T-cell-predominant infiltrates: A diagnostic challenge. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 683-689.	1.2	20
87	Spiky follicular mycosis fungoides: a clinicopathologic study of 8 cases. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 164-172.	1.3	27
88	CD30 ⁺ clonal T-cell lymphoid proliferation of the skin in a patient with hypereosinophilic syndrome. <i>Journal of Cutaneous Pathology</i> , 2015, 42, 130-135.	1.3	5
89	Pathologic Diagnosis of Cutaneous Lymphomas. <i>Dermatologic Clinics</i> , 2015, 33, 655-681.	1.7	22
90	Porokeratotic adnexal ostial naevus: review on the entity and therapeutic approach. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 2032-2037.	2.4	21

#	ARTICLE	IF	CITATIONS
91	Reticular erythematous mucinosis: histopathological and immunohistochemical features of 25 patients compared with 25 cases of lupus erythematosus tumidus. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 689-697.	2.4	27
92	Subcutaneous Panniculitis-Like T-Cell Lymphoma. , 2015, , 283-285.		0
93	Intravascular Lymphoma. , 2015, , 303-305.		0
94	Kutane Lymphome und Leukämien. , 2015, , 1-57.		0
95	In transit Recurrence of Merkel Cell Carcinoma Associated with Polyarthritis Effectively Treated with Immunocryosurgery. <i>Acta Dermato-Venereologica</i> , 2014, 94, 739-740.	1.3	8
96	Primary cutaneous CD30-positive anaplastic large cell lymphoma in an 80-year-old man: a case report from Nepal. <i>International Journal of Dermatology</i> , 2014, 53, 1498-1500.	1.0	1
97	De Novo CD5+ Diffuse Large B-Cell Lymphoma With Cutaneous Involvement. , 2014, 19, 200-203.		1
98	Angioinvasive Lymphomatoid Papulosis. , 2014, 19, 187-190.		0
99	Cutaneous Lymphomas. <i>American Journal of Dermatopathology</i> , 2014, 36, 105-123.	0.6	45
100	Pediatric CD8+CD56+ Non-poikilodermatous Mycosis Fungoides. <i>American Journal of Dermatopathology</i> , 2014, 36, 598-602.	0.6	12
101	In Response. <i>American Journal of Dermatopathology</i> , 2014, 36, 103.	0.6	0
102	Cutaneous Lymphomas. <i>American Journal of Dermatopathology</i> , 2014, 36, 197-210.	0.6	66
103	Primary Cutaneous Marginal Zone Lymphoma in Children. <i>American Journal of Dermatopathology</i> , 2014, 36, 661-666.	0.6	27
104	Two Cases of Primary Cutaneous Lymphoma With a $\text{CD}30^+$ Phenotype and an Indolent Course. <i>American Journal of Dermatopathology</i> , 2014, 36, 570-577.	0.6	31
105	Benign Atypical Intravascular CD30+ T-Cell Proliferation: A Recently Described Reactive Lymphoproliferative Process and Simulator of Intravascular Lymphoma. <i>American Journal of Clinical Pathology</i> , 2014, 142, 694-699.	0.7	33
106	Loss of expression of 5-hydroxymethylcytosine in CD30-positive cutaneous lymphoproliferative disorders. <i>Journal of Cutaneous Pathology</i> , 2014, 41, 901-906.	1.3	11
107	Granulomas are a source of interleukin-33 expression in pulmonary and extrapulmonary sarcoidosis. <i>Human Pathology</i> , 2014, 45, 2202-2210.	2.0	16
108	Primary cutaneous follicle center lymphoma with diffuse CD30 expression: A report of 4 cases of a rare variant. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 548-554.	1.2	23

#	ARTICLE	IF	CITATIONS
109	Cutaneous CD30-Positive Lymphoproliferative Disorders. <i>Surgical Pathology Clinics</i> , 2014, 7, 203-228.	1.7	57
110	Trauma-Induced Cutaneous Focal Mucinosis of the Mammary Areola: An Unusual Presentation. <i>Dermatopathology (Basel, Switzerland)</i> , 2014, 1, 24-28.	1.5	17
111	Lymphomatoid papulosis presenting as periarticular nodules - a rare variant. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014, 12, 257-258.	0.8	0
112	Lymphomatoide Papulose unter dem Bild gelenknaher Knoten - eine seltene Variante. <i>JDDG - Journal of the German Society of Dermatology</i> , 2014, 12, 257-259.	0.8	0
113	Molekulare Diagnostik von infektiösen Hauterkrankungen. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 50-59.	0.8	1
114	Expression of programmed death-1 (CD279) in primary cutaneous B-cell lymphomas with correlation to lymphoma entities and biological behaviour. <i>British Journal of Dermatology</i> , 2013, 169, 1212-1218.	1.5	19
115	Scleromyxedema: A multicenter study of characteristics, comorbidities, course, and therapy in 30 patients. <i>Journal of the American Academy of Dermatology</i> , 2013, 69, 66-72.	1.2	139
116	Molecular diagnostics in infectious skin diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2013, 11, 50-58.	0.8	14
117	Follicular lymphomatoid papulosis revisited: A study of 11 cases, with new histopathological findings. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, 809-816.	1.2	77
118	Spindle cell variant of primary cutaneous follicle center lymphoma spreading to the hepatobiliary tree, mimicking Klatskin tumor. <i>Journal of Cutaneous Pathology</i> , 2013, 40, 56-60.	1.3	14
119	Skin Cancer in Organ Transplant Recipients. <i>Pathobiology</i> , 2013, 80, 302-309.	3.8	59
120	Primary Cutaneous Anaplastic Large Cell Lymphoma with Angioinvasive Features and Cytotoxic Phenotype: A Rare Lymphoma Variant within the Spectrum of CD30+ Lymphoproliferative Disorders. <i>Dermatology</i> , 2013, 227, 346-352.	2.1	32
121	MicroRNA expression differs in cutaneous squamous cell carcinomas and healthy skin of immunocompetent individuals. <i>Experimental Dermatology</i> , 2013, 22, 426-428.	2.9	43
122	Primary Cutaneous Posttransplant Lymphoproliferative Disorders in Solid Organ Transplant Recipients: A Multicenter European Case Series. <i>American Journal of Transplantation</i> , 2013, 13, 2146-2153.	4.7	73
123	Primary Cutaneous CD8+ Small- to Medium-Sized Lymphoproliferative Disorder in Extrafacial Sites. <i>American Journal of Dermatopathology</i> , 2013, 35, 159-166.	0.6	46
124	Angioinvasive Lymphomatoid Papulosis. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1-13.	3.7	210
125	Lobular Panniculitis due to <i>Borrelia burgdorferi</i> Infection Mimicking Subcutaneous Panniculitis-Like T-Cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2013, 35, e30-e33.	0.6	18
126	Constitutional Intraepidermal Ascent of Melanocytes. <i>Archives of Dermatology</i> , 2012, 148, 235.	1.4	10

#	ARTICLE	IF	CITATIONS
127	Detection of Merkel Cell Polyomavirus and Human Papillomaviruses in Merkel Cell Carcinoma Combined With Squamous Cell Carcinoma in Immunocompetent European Patients. American Journal of Dermatopathology, 2012, 34, 506-510.	0.6	33
128	Pityriasis Lichenoides et Varioliformis Acuta With Numerous CD30+ Cells. American Journal of Surgical Pathology, 2012, 36, 1021-1029.	3.7	88
129	CD4/CD8 Double Negative Mycosis Fungoides With PD-1 (CD279) Expression—A Disease of Follicular Helper T-Cells?. American Journal of Dermatopathology, 2012, 34, 757-761.	0.6	32
130	Unilesional follicular mycosis fungoides: report of two cases with progression to tumor stage and review of the literature. Journal of Cutaneous Pathology, 2012, 39, 853-860.	1.3	32
131	Necrotizing infundibular crystalline folliculitis: A clinicopathological study. Journal of the American Academy of Dermatology, 2012, 66, 823-826.	1.2	16
132	Critical Skin Cancer in Organ Transplant Recipients—A Dermatopathological View. Current Problems in Dermatology, 2012, 43, 18-35.	0.7	8
133	Pre- and Posttransplant Management of Solid Organ Transplant Recipients: Risk-Adjusted Follow-Up. Current Problems in Dermatology, 2012, 43, 57-70.	0.7	12
134	Major achievements of the EORTC Cutaneous Lymphoma Task Force (CLTF). European Journal of Cancer, Supplement, 2012, 10, 46-50.	2.2	1
135	Primary cutaneous plasmablastic lymphoma of the lower leg in an HIV-negative patient. Journal of the American Academy of Dermatology, 2012, 67, e202-e205.	1.2	16
136	Topical treatment of cutaneous Kaposi sarcoma with imiquimod 5% in renal-transplant recipients: a clinicopathological observation. Clinical and Experimental Dermatology, 2012, 37, 620-625.	1.3	23
137	Immunohistochemical dual staining as an adjunct in assessment of mitotic activity in melanoma. Journal of Cutaneous Pathology, 2012, 39, 324-330.	1.3	39
138	Primary cutaneous B-cell lymphomas. JDDG - Journal of the German Society of Dermatology, 2012, 10, 12-23.	0.8	22
139	B-Zell-Lymphome der Haut. JDDG - Journal of the German Society of Dermatology, 2012, 10, 12-24.	0.8	26
140	Diagnostic accuracy in virtual dermatopathology. Journal of Cutaneous Pathology, 2012, 39, 758-761.	1.3	9
141	Lymphome. , 2012, , 1773-1796.		0
142	A palliative intervention allows discovery of a rare tumor: lymphoepithelioma-like carcinoma of the skin. Dermatology Online Journal, 2012, 18, 7.	0.5	0
143	Cutaneous peripheral T-cell lymphomas, unspecified/NOS and rare subtypes: a heterogeneous group of challenging cutaneous lymphomas. Giornale Italiano Di Dermatologia E Venereologia, 2012, 147, 553-62.	0.8	23
144	Eosinophilic annular erythema: An expression of the clinical and pathological polymorphism of Wells syndrome. Journal of the American Academy of Dermatology, 2011, 65, e135-e137.	1.2	35

#	ARTICLE	IF	CITATIONS
145	Multiple (Familial) Trichoepitheliomas: A Clinicopathological and Molecular Biological Study, Including CYLD and PTCH Gene Analysis, of a Series of 16 Patients. <i>American Journal of Dermatopathology</i> , 2011, 33, 251-265.	0.6	42
146	Clonality in Sarcoidosis, Granuloma Annulare, and Granulomatous Mycosis Fungoides. <i>American Journal of Dermatopathology</i> , 2011, 33, 659-662.	0.6	29
147	Cutaneous Mixed Tumor, Eccrine Variant: A Clinicopathologic and Immunohistochemical Study of 50 Cases, With Emphasis on Unusual Histopathologic Features. <i>American Journal of Dermatopathology</i> , 2011, 33, 557-568.	0.6	34
148	Cutaneous Adenolipoma: Extending the Spectrum of Changes in the Lipomatous and Epithelial Components. <i>American Journal of Dermatopathology</i> , 2011, 33, 56-59.	0.6	15
149	EORTC, ISCL, and USCLC consensus recommendations for the treatment of primary cutaneous CD30-positive lymphoproliferative disorders: lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma*. <i>Blood</i> , 2011, 118, 4024-4035.	1.4	365
150	Precursor B-lymphoblastic lymphoma in a 3-month-old baby. <i>International Journal of Dermatology</i> , 2011, 50, 730-732.	1.0	3
151	Primary cutaneous lymphoma: two-decade comparison in a population of 263 cases from a Swiss tertiary referral centre. <i>British Journal of Dermatology</i> , 2011, 164, 1071-1077.	1.5	45
152	Comparative diagnostic accuracy in virtual dermatopathology. <i>Skin Research and Technology</i> , 2011, 17, 251-255.	1.6	35
153	Nodal Anaplastic Large-Cell Lymphoma ALK-1 ⁺ with CD30+ Cutaneous Lymphoproliferation Treated with Mistletoe: Spontaneous Remission or Treatment Response?. <i>Klinische Padiatrie</i> , 2011, 223, 364-367.	0.6	9
154	Economic evaluation of a vaccine for the prevention of herpes zoster and post-herpetic neuralgia in older adults in Switzerland. <i>Hum Vaccin</i> , 2011, 7, 749-756.	2.4	30
155	Disseminated molluscum contagiosum in a HIV-positive child. Improvement after therapy with 5% imiquimod.. <i>Journal of Dermatological Case Reports</i> , 2011, 5, 19-23.	1.1	15
156	Detection of Merkel Cell Polyomavirus in Epidermodysplasia-Verruciformis-Associated Skin Neoplasms. <i>Dermatology</i> , 2011, 222, 87-92.	2.1	18
157	Homozygosity for the c.917A → T (p.N306I) Polymorphism in the EVER2/TMC8 Gene of Two Sisters with Epidermodysplasia Verruciformis Lewandowsky-Lutz Originally Described by Wilhelm Lutz. <i>Dermatology</i> , 2011, 222, 81-86.	2.1	20
158	Spitzoid melanoma and micrometastases in two lymph node regions: a critical situation. <i>European Journal of Dermatology</i> , 2011, 21, 229-233.	0.6	2
159	<i>Borrelia</i> in granuloma annulare, morphea and lichen sclerosus: a PCR-based study and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 571-577.	1.3	67
160	Basal cell carcinoma in a series of renal transplant recipients: epidemiology and clinicopathologic features. <i>International Journal of Dermatology</i> , 2010, 49, 385-389.	1.0	19
161	Classification of cutaneous lymphomas – an update. <i>Histopathology</i> , 2010, 56, 57-70.	2.9	91
162	C3d immunohistochemistry on formalin-fixed tissue is a valuable tool in the diagnosis of bullous pemphigoid of the skin. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 654-658.	1.3	49

#	ARTICLE	IF	CITATIONS
163	Inadequate Clearance of Translocated Bacterial Products in HIV-Infected Humanized Mice. PLoS Pathogens, 2010, 6, e1000867.	4.7	63
164	CD123-Positive Plasmacytoid Dendritic Cells in Primary Cutaneous Marginal Zone B-Cell Lymphoma: A Crucial Role and a New Lymphoma Paradigm. American Journal of Dermatopathology, 2010, 32, 194-196.	0.6	22
165	Inflammatory Monocytes Are a Reservoir for Merkel Cell Polyomavirus. Journal of Investigative Dermatology, 2010, 130, 1146-1151.	0.7	71
166	Merkel cell polyomavirus is present in common warts and carcinoma in situ of the skin. Human Pathology, 2010, 41, 1369-1379.	2.0	39
167	Cutaneous Lymphoma, Leukemia and Related Disorders. , 2010, , 197-231.		0
168	“Cutaneous T-Cell Lymphoma” Cutaneous TNMania in Cutaneous Lymphomas”Reply. Archives of Dermatology, 2009, 145, .	1.4	0
169	Fine-Mapping Chromosomal Loss at 9p21: Correlation with Prognosis in Primary Cutaneous Diffuse Large B-Cell Lymphoma, Leg Type. Journal of Investigative Dermatology, 2009, 129, 1149-1155.	0.7	84
170	A rare case of atypical cellular neurothekeoma in a 68-year-old woman. Journal of Cutaneous Pathology, 2009, 36, 1210-1214.	1.3	7
171	CD123-positive Plasmacytoid Dendritic Cells in Primary Cutaneous Marginal Zone B-cell Lymphoma. American Journal of Surgical Pathology, 2009, 33, 1307-1313.	3.7	52
172	Seltene Hauttumore bei alten Menschen. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2009, , 107-113.	0.0	0
173	Cutaneous Lymphomas. , 2009, , 1478-1502.		0
174	Kutane lymphoproliferative und hämatopoietische Erkrankungen. , 2009, , 979-1002.		0
175	MUM1 expression in cutaneous CD30+ lymphoproliferative disorders: a valuable tool for the distinction between lymphomatoid papulosis and primary cutaneous anaplastic large-cell lymphoma. British Journal of Dermatology, 2008, 158, 1280-1287.	1.5	43
176	Primary cutaneous B-cell lymphomas “ Clinicopathological, prognostic and therapeutic characterisation of 54 cases according to the WHO-EORTC classification and the ISCL/EORTC TNM classification system for primary cutaneous lymphomas other than mycosis fungoides and SÅžary syndrome. Leukemia and Lymphoma, 2008, 49, 1094-1103.	1.3	76
177	Subcutaneous panniculitis-like T-cell lymphoma: definition, classification, and prognostic factors: an EORTC Cutaneous Lymphoma Group Study of 83 cases. Blood, 2008, 111, 838-845.	1.4	617
178	Granulomatous Mycosis Fungoides and Granulomatous Slack Skin. Archives of Dermatology, 2008, 144, 1609-17.	1.4	158
179	Merkel Cell Carcinoma With a Follicular Lymphocytic Infiltrate: Report of 2 Cases. American Journal of Dermatopathology, 2008, 30, 389-391.	0.6	11
180	Sebaceous Differentiation in Poroid Neoplasms: Report of 11 Cases, Including a Case of Metaplastic Carcinoma Associated With Apocrine Poroma (Sarcomatoid Apocrine Porocarcinoma). American Journal of Dermatopathology, 2008, 30, 21-26.	0.6	49

#	ARTICLE	IF	CITATIONS
181	Primary Cutaneous Marginal Zone B-cell Lymphoma May Exhibit Both the t(14;18)(q32;q21) IGH/BCL2 and the t(14;18)(q32;q21) IGH/MALT1 Translocation: An Indicator for Clonal Transformation Towards Higher-Grade B-cell Lymphoma?. American Journal of Dermatopathology, 2007, 29, 231-236.	0.6	51
182	Apocrine mixed tumor of the skin (â€œmixed tumor of the folliculosebaceous-apocrine complexâ€). Journal of the American Academy of Dermatology, 2007, 57, 467-483.	1.2	85
183	Intra-lesional low-dose interferon γ 2a therapy for primary cutaneous marginal zone B-cell lymphoma. Leukemia and Lymphoma, 2006, 47, 865-869.	1.3	63
184	Warren L. Macaulay (1915â€“2006). Journal of the American Academy of Dermatology, 2006, 55, 730-732.	1.2	4
185	Primary Cutaneous Lymphoproliferative Disorders With Dual Lineage Rearrangement. American Journal of Dermatopathology, 2006, 28, 399-409.	0.6	33
186	CD30+ lymphoproliferative disorders: histopathology, differential diagnosis, new variants, and simulators. Journal of Cutaneous Pathology, 2006, 33, 58-70.	1.3	171
187	The identification of primary human herpesvirus 7 infection in young adults with pityriasis rosea by investigating avidity of antibodies. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 629-630.	2.4	8
188	Detection of clonal rearrangement of T-cell receptor genes in the diagnosis of primary cutaneous CD30+lymphoproliferative disorders. Journal of Cutaneous Pathology, 2006, 33, 711-715.	1.3	49
189	Cutaneous malignant lymphomas: Update 2006. JDDG - Journal of the German Society of Dermatology, 2006, 4, 914-933.	0.8	24
190	Kutane maligne Lymphome: Update 2006 zu ausgewÃhlten Aspekten. JDDG - Journal of the German Society of Dermatology, 2006, 4, no-no.	0.8	0
191	Disseminated dermatophytic pseudomycetomas arising in an immunocompromised patient. British Journal of Dermatology, 2006, 155, 628-630.	1.5	11
192	Extracutaneous transformation into a high-grade lymphoma: a potential pitfall in the management of patients with Sezary syndrome. International Journal of Dermatology, 2006, 45, 277-279.	1.0	8
193	CD56-positive haematological neoplasms of the skin: a multicentre study of the Cutaneous Lymphoma Project Group of the European Organisation for Research and Treatment of Cancer. Journal of Clinical Pathology, 2006, 60, 981-989.	2.0	110
194	Kutane Non-Hodgkin-Lymphome. , 2006, , 3086-3100.		0
195	HIV - associated and non - HIV associated types of Kaposi's sarcoma in an African population in Tanzania. Status of immune suppression and HHV-8 seroprevalence. European Journal of Dermatology, 2006, 16, 677-82.	0.6	20
196	Maligne Lymphome der Haut. , 2005, , 1366-1386.		3
197	Paraneoplastic pityriasis lichenoides in cutaneous lymphoma: case report and review of the literature on paraneoplastic reactions of the skin in lymphoma and leukaemia. British Journal of Dermatology, 2005, 152, 1327-1331.	1.5	19
198	HLA-G expression in basal cell carcinomas of the skin recurring after radiotherapy. Clinical and Experimental Dermatology, 2005, 30, 422-425.	1.3	30

#	ARTICLE	IF	CITATIONS
199	Hypertext atlas of dermatopathology with expert system for epithelial tumors of the skin. Journal of Cutaneous Pathology, 2005, 32, 433-437.	1.3	9
200	WHO/EORTC classification of cutaneous lymphomas 2005: histological and molecular aspects. Journal of Cutaneous Pathology, 2005, 32, 647-674.	1.3	313
201	Apoptosis in CD30-positive lymphoproliferative disorders of the skin. Experimental Dermatology, 2005, 14, 380-385.	2.9	21
202	Lyell syndrome revisited: analysis of 18 cases of severe bullous skin disease in a burns unit. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2005, 58, 73-80.	1.1	16
203	Fludarabine: risk factor for aggressive behaviour of squamous cell carcinoma of the skin?. Annals of Oncology, 2005, 16, 515-516.	1.2	2
204	Dyscrasias With "Undetermined Significance". Archives of Dermatology, 2005, 141, 382-4.	1.4	6
205	Atypical Poorly Differentiated Cutaneous T-Cell Lymphoma with an Angiocentric Growth Pattern Presenting Histologically as Vasculitis. Dermatology, 2005, 210, 341-345.	2.1	3
206	WHO-EORTC classification for cutaneous lymphomas. Blood, 2005, 105, 3768-3785.	1.4	3,529
207	Defining early mycosis fungoides. Journal of the American Academy of Dermatology, 2005, 53, 1053-1063.	1.2	453
208	Pityriasis rosea - An update. Indian Journal of Dermatology, Venereology and Leprology, 2005, 71, 311.	0.6	53
209	T- und B-Zell-Neoplasien der Haut. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2005, , 56-61.	0.0	0
210	Imiquimod: Für alles gut?. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2005, , 539-543.	0.0	0
211	Haut und lymphatisches System. Fortschritte Der Praktischen Dermatologie Und Venerologie, 2005, , 126-130.	0.0	0
212	Combination of Bexarotene and Psoralen-UVA Therapy in a Patient with Mycosis fungoides. Dermatology, 2004, 209, 72-74.	2.1	9
213	Micronodular Kaposi's Sarcoma " A New Variant of Classic-Sporadic Kaposi's Sarcoma. Dermatology, 2004, 208, 255-258.	2.1	14
214	Subcutaneous Infection with <i>Mycobacterium abscessus</i> in a Renal Transplant Recipient. Dermatology, 2004, 208, 259-261.	2.1	30
215	Nephrogenic Fibrosing Dermopathy Treated with Extracorporeal Photopheresis. Dermatology, 2004, 208, 278-280.	2.1	76
216	Photodynamic Therapy " a New Treatment Option for Epithelial Malignancies of the Skin. Oncology Research and Treatment, 2004, 27, 407-411.	1.2	8

#	ARTICLE	IF	CITATIONS
217	The Spectrum of Mesenchymal Skin Neoplasms Reflected by the New WHO Classification. <i>Oncology Research and Treatment</i> , 2004, 27, 401-406.	1.2	7
218	Ephrin-A1 Suppresses Th2 Cell Activation and Provides a Regulatory Link to Lung Epithelial Cells. <i>Journal of Immunology</i> , 2004, 172, 843-850.	0.8	37
219	Successful Treatment of Recalcitrant Chronic Actinic Dermatitis with Tacrolimus. <i>Dermatology</i> , 2004, 209, 325-328.	2.1	12
220	A randomized controlled clinical trial of topical photodynamic therapy with methyl aminolaevulinate in the treatment of actinic keratoses in transplant recipients. <i>British Journal of Dermatology</i> , 2004, 151, 196-200.	1.5	144
221	Clinicopathological spectrum of mycosis fungoides. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2004, 18, 397-415.	2.4	238
222	Multilineage progression of genetically unstable tumor subclones in cutaneous Tâ€cell lymphoma. <i>Experimental Dermatology</i> , 2004, 13, 472-483.	2.9	50
223	Baseline staging in cutaneous malignant melanoma. <i>British Journal of Dermatology</i> , 2004, 150, 677-686.	1.5	101
224	Tomato profilin Lyc e 1: IgE cross-reactivity and allergenic potency. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2004, 59, 526-532.	5.7	76
225	Follicular lymphoma of the skin and superficial soft tissues associated with a prominent follicular dendritic cell proliferation: an unusual pattern which may represent a diagnostic pitfall. <i>Pathology Research and Practice</i> , 2004, 200, 557-565.	2.3	3
226	Febrile ulceronecrotic Mucha-Habermann disease with clonality: A cutaneous T-cell lymphoma entity?. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, 1014-1017.	1.2	59
227	Treatment of Bowen's disease with imiquimod 5% cream in transplant recipients. <i>Transplantation</i> , 2004, 77, 790-791.	1.0	30
228	Topical photodynamic therapy in the treatment of actinic keratoses and Bowen's disease in transplant recipients. <i>Transplantation</i> , 2004, 77, 115-121.	1.0	154
229	The Anti-MAGE Antibody B57 as a Diagnostic Marker in Melanocytic Lesions. <i>American Journal of Dermatopathology</i> , 2004, 26, 102-107.	0.6	12
230	Melanoma with Prominent Pigment Synthesis (Animal-Type Melanoma). <i>American Journal of Dermatopathology</i> , 2004, 26, 290-297.	0.6	23
231	Low-Grade Trichoblastic Carcinosarcoma of the Skin. <i>American Journal of Dermatopathology</i> , 2004, 26, 304-309.	0.6	33
232	Castleman Disease of the Subcutis and Underlying Skeletal Muscle. <i>American Journal of Surgical Pathology</i> , 2004, 28, 569-577.	3.7	34
233	Treatment of Verrucous Carcinoma with Imiquimod and CO ₂ Laser Ablation. <i>Dermatology</i> , 2003, 207, 119-122.	2.1	54
234	Cytotoxic/natural killer cell cutaneous lymphomas. <i>Cancer</i> , 2003, 97, 610-627.	4.1	242

#	ARTICLE	IF	CITATIONS
235	Superficial radiotherapy for patients with basal cell carcinoma. <i>Cancer</i> , 2003, 98, 2708-2714.	4.1	114
236	Hepatitis C and G viruses in B-cell lymphomas of the skin. <i>Journal of Cutaneous Pathology</i> , 2003, 30, 369-372.	1.3	27
237	Imiquimod in basal cell carcinoma: how does it work?. <i>British Journal of Dermatology</i> , 2003, 149, 57-58.	1.5	75
238	Pyogenic lymphoma of the skin: a peculiar variant of primary cutaneous neutrophil-rich CD30+ anaplastic large-cell lymphoma. Clinicopathological study of four cases and review of the literature. <i>British Journal of Dermatology</i> , 2003, 148, 580-586.	1.5	100
239	Blastic natural killer-cell lymphoma of the skin associated with myelodysplastic syndrome or myelogenous leukaemia: a coincidence or more?. <i>British Journal of Dermatology</i> , 2003, 149, 869-876.	1.5	59
240	Topical and systemic retinoid therapy for cutaneous T-cell lymphoma. <i>Hematology/Oncology Clinics of North America</i> , 2003, 17, 1405-1419.	2.2	36
241	Anti-inflammatory effects of exercise training in the skeletal muscle of patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2003, 42, 861-868.	2.8	515
242	Endogenous retroviral elements, but not exogenous retroviruses, are detected in CD30-positive lymphoproliferative disorders of the skin. <i>Carcinogenesis</i> , 2003, 24, 301-306.	2.8	21
243	Therapy of Cutaneous Lymphoma – Current Practice and Future Developments. <i>Oncology Research and Treatment</i> , 2003, 26, 366-372.	1.2	30
244	CO ₂ Laser Treatment of Warts in Immunosuppressed Patients. <i>Dermatology</i> , 2003, 206, 148-152.	2.1	26
245	HHV-8 DNA Sequences in the Peripheral Blood and Skin Lesions of an HIV-Negative Patient with Multiple Eruptive Dermatofibromas: Implications for the Detection of HHV-8 as a Diagnostic Marker for Kaposi's Sarcoma. <i>Dermatology</i> , 2003, 206, 217-221.	2.1	27
246	Unusual Manifestation of Specific Cutaneous Involvement by B-Cell Chronic Lymphocytic Leukemia: Spontaneous Regression with Scar Formation. <i>Dermatology</i> , 2003, 207, 111-115.	2.1	19
247	Imiquimod Induces Complete Clearance of a PUVA-Resistant Plaque in Mycosis fungoides. <i>Dermatology</i> , 2003, 207, 116-118.	2.1	65
248	Posttransplant CD30+ Anaplastic Large Cell Lymphoma with Skin and Lymph Node Involvement. <i>Dermatology</i> , 2003, 207, 107-110.	2.1	18
249	Kutane T-Zell-Lymphome. , 2003, , 869-899.		0
250	Die Rolle onkogener Herpesviren in der Dermatologie. <i>Fortschritte Der Praktischen Dermatologie Und Venerologie</i> , 2003, , 71-75.	0.0	0
251	Monoclonal Rearrangement of the T Cell Receptor Gamma-Chain in Lichenoid Pigmented Purpuric Dermatitis of Gougerot-Blum Responding to Topical Corticosteroid Therapy. <i>Dermatology</i> , 2002, 205, 191-193.	2.1	17
252	Junctional CD8+ Cutaneous Lymphomas With Nonaggressive Clinical Behavior. <i>Archives of Dermatology</i> , 2002, 138, 199-203.	1.4	63

#	ARTICLE	IF	CITATIONS
253	Trichogermioma: A Rare Cutaneous Adnexal Tumor with Differentiation toward the Hair Germ Epithelium. <i>Dermatology</i> , 2002, 205, 405-408.	2.1	19
254	5.3.3. HistoClinC: A Web-Based Telemedicine Application for Clinicopathologic Correlations in Dermatopathology. , 2002, 32, 213-220.		1
255	HLA-G protein up-regulation in primary cutaneous lymphomas is associated with interleukin-10 expression in large cell T-cell lymphomas and indolent B-cell lymphomas. <i>Blood</i> , 2002, 99, 609-617.	1.4	152
256	Superficial Acral Fibromyxoma: Report of Two Cases. <i>Dermatology</i> , 2002, 205, 285-288.	2.1	36
257	Human Herpesvirus 7 in Dermatology. <i>American Journal of Clinical Dermatology</i> , 2002, 3, 309-315.	6.7	15
258	Angiolymphoid hyperplasia with eosinophilia: Evidence for a T-cell lymphoproliferative origin. <i>Human Pathology</i> , 2002, 33, 1023-1029.	2.0	108
259	Primary cutaneous plasmacytoma: a clinicopathological study of two cases with a long-term follow-up and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 244-248.	1.3	38
260	Study of HHV-8 DNA sequences in archival biopsies from lesional skin of Kaposi's sarcoma, various mesenchymal tumors and related reactive conditions. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 279-281.	1.3	19
261	Fascin expression in CD30-positive cutaneous lymphoproliferative disorders. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 295-300.	1.3	58
262	Primary subcutaneous follicular centre cell lymphoma with involvement of the galea: a case report and short review of the literature. <i>British Journal of Dermatology</i> , 2002, 146, 663-666.	1.5	10
263	T-zone lymphoma with cutaneous involvement: a case report and review of the literature. <i>British Journal of Dermatology</i> , 2002, 146, 1096-1100.	1.5	3
264	A case of Sezary's syndrome associated with granulomatous lesions, myelodysplastic syndrome and transformation into CD30-positive large-cell pleomorphic lymphoma. <i>British Journal of Dermatology</i> , 2002, 147, 582-586.	1.5	27
265	Kutane Lymphome. , 2002, , 33-51.		1
266	From Inflammation to Neoplasia: New Concepts in the Pathogenesis of Cutaneous Lymphomas. <i>Recent Results in Cancer Research</i> , 2002, 160, 271-280.	1.8	29
267	Cutaneous Lymphomas and Pseudolymphomas: Newly Described Entities. <i>Recent Results in Cancer Research</i> , 2002, 160, 283-293.	1.8	20
268	Primary cutaneous B-cell lymphomas and pseudolymphomas: review of histopathological features. <i>Ceskoslovenska Patologie</i> , 2002, 38, 147-54.	0.1	0
269	Differential Expression of Cytotoxic Molecules and Killer Cell Inhibitory Receptors in CD8+ and CD56+ Cutaneous Lymphomas. <i>American Journal of Pathology</i> , 2001, 158, 1593-1598.	3.8	32
270	Skin Cancers in Organ Transplant Recipients: Two Cases of Virus-Induced Neoplasms. <i>Dermatology</i> , 2001, 202, 359-361.	2.1	7

#	ARTICLE	IF	CITATIONS
271	Multilesional Primary Cutaneous Diffuse Large B-Cell Lymphoma Responsive to Antibiotic Treatment. <i>Dermatology</i> , 2001, 203, 168-170.	2.1	29
272	Tumor-infiltrating T cells in primary cutaneous B-cell lympho-proliferative disorders. <i>Journal of Cutaneous Pathology</i> , 2001, 28, 448-452.	1.3	9
273	Lymphomatoid papulosis and human herpesviruses - A PCR-based evaluation for the presence of human herpesvirus 6, 7 and 8 and related herpesviruses. <i>Journal of Cutaneous Pathology</i> , 2001, 28, 29-33.	1.3	31
274	Diagnostic signs of cutaneous lymphomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2001, 15, 358-360.	2.4	2
275	Diagnostic signs of cutaneous lymphomas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2001, 15, 358-360.	2.4	3
276	Progression of Lymphomatoid Papulosis to Systemic Lymphoma Is Associated with Escape from Growth Inhibition by Transforming Growth Factor β 2 and CD30 Ligand. <i>Annals of the New York Academy of Sciences</i> , 2001, 941, 59-68.	3.8	36
277	A CD4+ CD56+ natural killer-like T-cell systemic lymphoma with haemorrhagic cutaneous manifestations. <i>British Journal of Dermatology</i> , 2001, 144, 432-434.	1.5	6
278	Applications of Molecular Virology to Modern Dermatopathology. <i>Current Topics in Pathology Ergebnisse Der Pathologie</i> , 2001, 94, 39-47.	0.2	0
279	From inflammation to neoplasia: mycosis fungoides evolves from reactive inflammatory conditions (lymphoid infiltrates) transforming into neoplastic plaques and tumors. <i>Archives of Dermatology</i> , 2001, 137, 949-52.	1.4	50
280	Clinicopathological characterization of an HIV-2-infected individual with two clonally unrelated primary lymphomas. <i>American Journal of Hematology</i> , 2000, 65, 302-306.	4.1	4
281	Distinct Effects of CD30 and Fas Signaling in Cutaneous Anaplastic Lymphomas: A Possible Mechanism for Disease Progression. <i>Journal of Investigative Dermatology</i> , 2000, 115, 1034-1040.	0.7	39
282	Pityriasis rosea - a virus-induced skin disease? An update. <i>Archives of Virology</i> , 2000, 145, 1509-1520.	2.1	40
283	Intralesional Therapy With Anti-CD20 Monoclonal Antibody Rituximab in Primary Cutaneous B-Cell Lymphoma. <i>Archives of Dermatology</i> , 2000, 136, 374-8.	1.4	84
284	Primary Cutaneous T-Cell-Rich B-Cell Lymphoma and Hodgkin's Disease in a Patient with Gardner's Syndrome. <i>Dermatology</i> , 2000, 201, 362-365.	2.1	14
285	Allelic Deletion at 9p21 Δ 22 in Primary Cutaneous CD30+ Large Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2000, 115, 1104-1107.	0.7	6
286	Increased expression of human herpesvirus 7 in lymphoid organs of AIDS patients. <i>Journal of Clinical Virology</i> , 2000, 16, 193-201.	3.1	17
287	Allelic Deletion at 9p21-22 in Primary Cutaneous CD30+ Large Cell Lymphoma. <i>Journal of Investigative Dermatology</i> , 2000, 115, 1104-1107.	0.7	11
288	Angiogenesis in Cutaneous Lymphoproliferative Disorders. <i>American Journal of Dermatopathology</i> , 2000, 22, 140-143.	0.6	30

#	ARTICLE	IF	CITATIONS
289	Human herpesvirus 8 (HHV-8) in familial Kaposi's sarcoma. <i>Experimental Dermatology</i> , 1999, 8, 68-70.	2.9	13
290	Allergy to proteases in medical laboratory technicians: A new occupational disease?. <i>Journal of Allergy and Clinical Immunology</i> , 1999, 104, 700-701.	2.9	16
291	Tumor Burden Index as a Prognostic Tool for Cutaneous T-Cell Lymphoma. <i>Archives of Dermatology</i> , 1999, 135, 1204-8.	1.4	42
292	Mycosis fungoides with Mucinosis follicularis in Childhood. <i>Dermatology</i> , 1999, 198, 284-287.	2.1	58
293	Pityriasis Rosea Is Not Associated With Human Herpesvirus 7. <i>Archives of Dermatology</i> , 1999, 135, 1070-2.	1.4	85
294	Approach to lymphoproliferative infiltrates of the skin. The difficult lesions. <i>American Journal of Clinical Pathology</i> , 1999, 111, S84-93.	0.7	32
295	'Tubular' epithelioid cell nevus: a new variant of Spitz's nevus. <i>Journal of Cutaneous Pathology</i> , 1998, 25, 475-478.	1.3	38
296	Comparative analysis of histological and immunohistological features in mycosis fungoides and Sezary syndrome. <i>Journal of Cutaneous Pathology</i> , 1998, 25, 407-412.	1.3	68
297	Persistence of Human Herpesvirus 7 in Normal Tissues Detected by Expression of a Structural Antigen. <i>Journal of Infectious Diseases</i> , 1998, 178, 841-845.	4.0	66
298	Pseudo-Melanoma after Laser Therapy. <i>Dermatology</i> , 1998, 197, 71-73.	2.1	75
299	Intralesional Cisplatin for the Treatment of Cutaneous B-Cell Lymphoma. <i>Archives of Dermatology</i> , 1998, 134, 1343-5.	1.4	17
300	Experts and Gold Standards in Dermatopathology. <i>American Journal of Dermatopathology</i> , 1998, 20, 478-482.	0.6	21
301	Infektionen durch humane Herpesviren 6 und 7. , 1998, , 198-200.		1
302	CD68 ⁺ cells of monocyte/macrophage lineage in the environment of AIDS-associated and classic-sporadic Kaposi sarcoma are singly or doubly infected with human herpesviruses 7 and 8. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 7600-7605.	7.1	66
303	Cutaneous lymphomas. <i>Current Problems in Dermatology</i> , 1997, 9, 137-204.	0.0	64
304	Juvenile granulomatous cutaneous T cell lymphoma: a new entity in cutaneous lymphomas?. <i>American Journal of Dermatopathology</i> , 1997, 19, 497.	0.6	4
305	The 85-kilodalton phosphoprotein (pp85) of human herpesvirus 7 is encoded by open reading frame U14 and localizes to a tegument substructure in virion particles. <i>Journal of Virology</i> , 1997, 71, 5758-5763.	3.4	42
306	Therapy of Kaposi's Sarcoma. , 1997, , 347-356.		1

#	ARTICLE	IF	CITATIONS
307	HPV 56 in verrucae of the hands and perianal condylomata acuminata of an immunosuppressed patient with Alport-syndrome. American Journal of Dermatopathology, 1997, 19, 514.	0.6	1
308	Viruses in the Pathogenesis of Kaposi's Sarcoma—A Review. Biochemical and Molecular Medicine, 1996, 58, 1-12.	1.4	25
309	Detection of several types of human papilloma viruses in AIDS-associated Kaposi's sarcoma. Journal of Medical Virology, 1995, 46, 189-193.	5.0	25
310	Determination of Hexokinase Isoenzyme I and II Composition by RT-PCR: Increased Hexokinase Isoenzyme II in Human Renal Cell Carcinoma. Biochemical and Molecular Medicine, 1995, 54, 53-58.	1.4	27
311	Mucormycosis of the liver: CT findings.. American Journal of Roentgenology, 1995, 165, 340-342.	2.2	18
312	Human herpesvirus type 6 and cytomegalovirus in AIDS-associated Kaposi's sarcoma: No evidence for an etiological association. Human Pathology, 1995, 26, 914-919.	2.0	40
313	Absence of herpesvirus-like DNA sequences in skin cancers of non-immunosuppressed patients. Lancet, The, 1995, 346, 1715-1716.	13.7	30