Kongchang Wei

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/5532695/kongchang-wei-publications-by-year.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

35	1,655	23	40
papers	citations	h-index	g-index
41 ext. papers	2,075 ext. citations	12.2 avg, IF	4.74 L-index

#	Paper	IF	Citations
35	Hydrogel Fibers Produced via Microfluidics 2022 , 233-274		
34	Reversible and Broad-Range Oxygen Sensing Based on Purely Organic Long-Lived Photoemitters. <i>ACS Applied Polymer Materials</i> , 2021 , 3, 2480-2488	4.3	1
33	Enhanced mechanosensing of cells in synthetic 3D matrix with controlled biophysical dynamics. <i>Nature Communications</i> , 2021 , 12, 3514	17.4	27
32	Chemically Stable, Strongly Adhesive Sealant Patch for Intestinal Anastomotic Leakage Prevention. <i>Advanced Functional Materials</i> , 2021 , 31, 2007099	15.6	15
31	Carbohydrate-Based Macromolecular Biomaterials. <i>Chemical Reviews</i> , 2021 , 121, 10950-11029	68.1	21
30	Biomimetic Presentation of Cryptic Ligands Single-Chain Nanogels for Synergistic Regulation of Stem Cells. <i>ACS Nano</i> , 2020 , 14, 4027-4035	16.7	11
29	Facile Fabrication of Microfluidic Chips for 3D Hydrodynamic Focusing and Wet Spinning of Polymeric Fibers. <i>Polymers</i> , 2020 , 12,	4.5	4
28	Reversible Oxygen Sensing Based on Multi-Emission Fluorescence Quenching. Sensors, 2020 , 20,	3.8	8
27	Bioadhesive hydrogels demonstrating pH-independent and ultrafast gelation promote gastric ulcer healing in pigs. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	74
26	Conformational manipulation of scale-up prepared single-chain polymeric nanogels for multiscale regulation of cells. <i>Nature Communications</i> , 2019 , 10, 2705	17.4	37
25	Injectable stem cell-laden supramolecular hydrogels enhance in situ osteochondral regeneration via the sustained co-delivery of hydrophilic and hydrophobic chondrogenic molecules. <i>Biomaterials</i> , 2019 , 210, 51-61	15.6	108
24	Highly Dynamic Nanocomposite Hydrogels Self-Assembled by Metal Ion-Ligand Coordination. <i>Small</i> , 2019 , 15, e1900242	11	23
23	Stretchable and Bioadhesive Supramolecular Hydrogels Activated by a One-Stone-Two-Bird Postgelation Functionalization Method. <i>ACS Applied Materials & Activated Symposium (Note: Activated By a One-Stone-Two-Bird Postgelation Functionalization Method. ACS Applied Materials & Activated By a One-Stone-Two-Bird Postgelation Functionalization Method. <i>ACS Applied Materials & Activated By a One-Stone-Two-Bird Postgelation Functionalization Method. ACS Applied Materials & Activated By a One-Stone-Two-Bird Postgelation Functionalization Method. ACS Applied Materials & Activated By a One-Stone-Two-Bird Postgelation Functionalization Method. ACS Applied Materials & Activated By a One-Stone-Two-Bird Postgelation Functionalization Method. ACS Applied Materials & Activated By a One-Stone-Two-Bird Postgelation Functionalization Method. ACS Applied Materials & Activated By Activ</i></i>	9.5	15
22	Synthetic presentation of noncanonical Wnt5a motif promotes mechanosensing-dependent differentiation of stem cells and regeneration. <i>Science Advances</i> , 2019 , 5, eaaw3896	14.3	40
21	Dynamic and Cell-Infiltratable Hydrogels as Injectable Carrier of Therapeutic Cells and Drugs for Treating Challenging Bone Defects. <i>ACS Central Science</i> , 2019 , 5, 440-450	16.8	112
20	Mussel-Inspired Injectable Hydrogel Adhesive Formed under Mild Conditions Features Near-Native Tissue Properties. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 47707-47719	9.5	30
19	Manipulating the mechanical properties of biomimetic hydrogels with multivalent host-guest interactions. <i>Journal of Materials Chemistry B</i> , 2019 , 7, 1726-1733	7.3	7

(2011-2018)

18	Bioadhesive Polymersome for Localized and Sustained Drug Delivery at Pathological Sites with Harsh Enzymatic and Fluidic Environment via Supramolecular Host-Guest Complexation. <i>Small</i> , 2018 , 14, 1702288	11	29
17	One-pot solvent exchange preparation of non-swellable, thermoplastic, stretchable and adhesive supramolecular hydrogels based on dual synergistic physical crosslinking. <i>NPG Asia Materials</i> , 2018 , 10, e455-e455	10.3	39
16	Supramolecular hydrogels cross-linked by preassembled host@uest PEG cross-linkers resist excessive, ultrafast, and non-resting cyclic compression. <i>NPG Asia Materials</i> , 2018 , 10, 788-799	10.3	37
15	Nanolayered hybrid mediates synergistic co-delivery of ligand and ligation activator for inducing stem cell differentiation and tissue healing. <i>Biomaterials</i> , 2017 , 149, 12-28	15.6	25
14	Mussel-mimetic hydrogels with defined cross-linkers achieved via controlled catechol dimerization exhibiting tough adhesion for wet biological tissues. <i>Chemical Communications</i> , 2017 , 53, 12000-12003	5.8	53
13	Remote Control of Multimodal Nanoscale Ligand Oscillations Regulates Stem Cell Adhesion and Differentiation. <i>ACS Nano</i> , 2017 , 11, 9636-9649	16.7	47
12	Multivalent Host © uest Hydrogels as Fatigue-Resistant 3D Matrix for Excessive Mechanical Stimulation of Encapsulated Cells. <i>Chemistry of Materials</i> , 2017 , 29, 8604-8610	9.6	37
11	Building Nanowires from Micelles: Hierarchical Self-Assembly of Alternating Amphiphilic Glycopolypeptide Brushes with Pendants of High-Mannose Glycodendron and Oligophenylalanine. <i>Journal of the American Chemical Society</i> , 2016 , 138, 12387-94	16.4	41
10	Mechanically resilient, injectable, and bioadhesive supramolecular gelatin hydrogels crosslinked by weak host-guest interactions assist cell infiltration and in situ tissue regeneration. <i>Biomaterials</i> , 2016 , 101, 217-28	15.6	180
9	Robust Biopolymeric Supramolecular Host@uest Macromer[Hydrogels Reinforced by in Situ Formed Multivalent Nanoclusters for Cartilage Regeneration. <i>Macromolecules</i> , 2016 , 49, 866-875	5.5	82
8	Bioactive Nanocomposite Poly (Ethylene Glycol) Hydrogels Crosslinked by Multifunctional Layered Double Hydroxides Nanocrosslinkers. <i>Macromolecular Bioscience</i> , 2016 , 16, 1019-26	5.5	22
7	Preserving the adhesion of catechol-conjugated hydrogels by thiourea-quinone coupling. <i>Biomaterials Science</i> , 2016 , 4, 1726-1730	7.4	22
6	A gold@polydopamine core-shell nanoprobe for long-term intracellular detection of microRNAs in differentiating stem cells. <i>Journal of the American Chemical Society</i> , 2015 , 137, 7337-46	16.4	164
5	Cell-mediated degradation regulates human mesenchymal stem cell chondrogenesis and hypertrophy in MMP-sensitive hyaluronic acid hydrogels. <i>PLoS ONE</i> , 2014 , 9, e99587	3.7	47
4	Progressive macromolecular self-assembly: from biomimetic chemistry to bio-inspired materials. <i>Advanced Materials</i> , 2013 , 25, 5215-56	24	190
3	Dual Molecular Recognition Leading to a Protein-Polymer Conjugate and Further Self-Assembly <i>ACS Macro Letters</i> , 2013 , 2, 278-283	6.6	42
2	Reversible vesicles of supramolecular hybrid nanoparticles. Soft Matter, 2012, 8, 3300	3.6	21
1	Does PNIPAM block really retard the micelle-to-vesicle transition of its copolymer?. <i>Polymer</i> , 2011 , 52, 3647-3654	3.9	37