
## Chun-Jen Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5533174/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Depressive symptoms, chronic medical conditions and functional status: a comparison of urban and rural elders in Taiwan. International Journal of Geriatric Psychiatry, 2005, 20, 635-644.	1.3	90
2	Exploring the burden of the primary family caregivers of schizophrenia patients in Taiwan. Psychiatry and Clinical Neurosciences, 2008, 62, 508-514.	1.0	59
3	A comparison of inpatients with anxious depression to those with nonanxious depression. Psychiatry Research, 2014, 220, 855-860.	1.7	51
4	Prevalence and incidence of anxiety disorders in diabetic patients: a national population-based cohort study. General Hospital Psychiatry, 2011, 33, 8-15.	1.2	44
5	Desipramine-induced apoptosis in human PC3 prostate cancer cells: Activation of JNK kinase and caspase-3 pathways and a protective role of [Ca2+]i elevation. Toxicology, 2008, 250, 9-14.	2.0	31
6	The association between participation in a pay-for-performance program and macrovascular complications in patients with type 2 diabetes in Taiwan: A nationwide population-based cohort study. Preventive Medicine, 2016, 85, 53-59.	1.6	30
7	Thimerosal-Induced Apoptosis in Human SCM1 Gastric Cancer Cells: Activation of p38 MAP Kinase and Caspase-3 Pathways without Involvement of [Ca2+]i Elevation. Toxicological Sciences, 2007, 100, 109-117.	1.4	28
8	Prevalence and incidence of diagnosed depression disorders in patients with diabetes: a national population-based cohort study. General Hospital Psychiatry, 2012, 34, 242-248.	1.2	26
9	Independent [Ca2+]i increases and cell proliferation induced by the carcinogen safrole in human oral cancer cells. Naunyn-Schmiedeberg's Archives of Pharmacology, 2005, 372, 88-94.	1.4	24
10	Prevalence of anxiety disorder in patients with type 2 diabetes: a nationwide population-based study in Taiwan 2000–2010. Psychiatric Quarterly, 2017, 88, 75-91.	1.1	24
11	Prevalence and incidence of mental illness in diabetes: A national population-based cohort study. Diabetes Research and Clinical Practice, 2011, 93, 106-114.	1.1	23
12	Factors related to missed first appointments after discharge among patients with schizophrenia in Taiwan. Journal of the Formosan Medical Association, 2014, 113, 436-441.	0.8	17
13	Major depressive disorder in patients with type 2 diabetes mellitus: Prevalence and clinical characteristics. Journal of Affective Disorders, 2018, 227, 141-148.	2.0	16
14	Generalized anxiety disorder in type 2 diabetes mellitus: prevalence and clinical characteristics. Revista Brasileira De Psiquiatria, 2020, 42, 621-629.	0.9	14
15	Desipramine-induced Ca2+ movement and cytotoxicity in PC3 human prostate cancer cells. Toxicology in Vitro, 2007, 21, 449-456.	1.1	13
16	Tamoxifen-Induced [Ca <sup>2+</sup> ] <sub><i>i</i></sub> Rises and Ca <sup>2+</sup> -Independent Cell Death in Human Oral Cancer Cells. Journal of Receptor and Signal Transduction Research, 2007, 27, 353-367.	1.3	13
17	Health care utilization and expenditures of persons with diabetes comorbid with anxiety disorder: a national population-based cohort study. General Hospital Psychiatry, 2015, 37, 299-304.	1.2	13
18	Schizophrenia in type 2 diabetes mellitus: Prevalence and clinical characteristics. European Psychiatry, 2018, 54, 102-108.	0.1	13

CHUN-JEN HUANG

#	Article	IF	CITATIONS
19	Prevalence of Depressive Disorder in Persons With Type 2 Diabetes: A National Population-Based Cohort Study 2000–2010. Psychosomatics, 2017, 58, 151-163.	2.5	11
20	Effect of the antidepressant sertraline on Ca <sup>2+</sup> fluxes in Madin-Darby canine renal tubular cells. Journal of Receptor and Signal Transduction Research, 2009, 29, 342-348.	1.3	9
21	Melancholic features in inpatients with major depressive disorder associate with differential clinical characteristics and treatment outcomes. Psychiatry Research, 2016, 238, 368-373.	1.7	9
22	A longitudinal study of healthcare utilisation and expenditure in people with type 2 diabetes mellitus with and without major depressive disorder. General Hospital Psychiatry, 2019, 57, 50-58.	1.2	9
23	Impact of Anxiety Disorders on Mortality for Persons With Diabetes: A National Population-Based Cohort Study. Psychosomatics, 2017, 58, 266-273.	2.5	8
24	Insomnia Increases Symptom Severity and Health Care Utilization in Patients With Fibromyalgia. Clinical Journal of Pain, 2019, 35, 780-785.	0.8	8
25	Electroconvulsive Therapy Versus Fluoxetine in Suicidal Resolution for Patients With Major Depressive Disorder. Journal of ECT, 2020, 36, 234-241.	0.3	8
26	Health Care Utilization and Expenditures of Patients with Diabetes Comorbid with Depression Disorder: A National Population-Based Cohort Study. Psychiatry Investigation, 2017, 14, 770.	0.7	8
27	Healthcare Utilization and Expenditures for Persons with Diabetes Comorbid with Mental Illnesses. Psychiatric Quarterly, 2016, 87, 545-557.	1.1	7
28	ECT Has Greater Efficacy Than Fluoxetine in Alleviating the Burden of Illness for Patients with Major Depressive Disorder: A Taiwanese Pooled Analysis. International Journal of Neuropsychopharmacology, 2018, 21, 63-72.	1.0	7
29	Effects of <i>Antrodia camphorata</i> on viability, apoptosis, [Ca <sup>2+</sup> ] <sub>i</sub> , and MAPKs phosphorylation in MG63 human osteosarcoma cells. Drug Development Research, 2007, 68, 71-78.	1.4	6
30	Early prediction of olanzapine-induced weight gain for schizophrenia patients. Psychiatry Research, 2018, 263, 207-211.	1.7	6
31	Nonylphenolâ€induced apoptotic pathways in SCM1 human gastric cancer cells. Drug Development Research, 2010, 71, 139-148.	1.4	5
32	Influences of Attribution and Stigma on Working Relationships with Providers Practicing Western Psychiatry in the Taiwanese Context. Psychiatric Quarterly, 2014, 85, 439-451.	1.1	5
33	Ketoconazole-Evoked [Ca <sup>2+</sup> ] <sub><i>i</i></sub> Rises and Non-Ca <sup>2+</sup> -Triggered Cell Death in Rabbit Corneal Epithelial Cells (SIRC). Journal of Receptor and Signal Transduction Research, 2007, 27, 295-307.	1.3	4
34	Factors Related to the Changes in Quality of Life for Patients With Depression After an Acute Course of Electroconvulsive Therapy. Journal of ECT, 2017, 33, 126-133.	0.3	4
35	Psychological distress and diabetes self-management in patients with type 2 diabetes and comorbid serious mental illness. Archives of Psychiatric Nursing, 2020, 34, 218-223.	0.7	4
36	Competing risk analysis of the association between dementia and major depressive disorder: a nationwide population-based study in Taiwan. Aging and Mental Health, 2021, 25, 766-772.	1.5	4

CHUN-JEN HUANG

#	Article	IF	CITATIONS
37	Healthcare burden and factors of type 2 diabetes mellitus with Schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 519-529.	1.8	3
38	Efficacy, tolerability, and safety of oral paliperidone extended release in the treatment of schizophrenia: a 24-week, open-label, prospective switch study in different settings in Taiwan. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 725-732.	1.0	2
39	The Relationship Between Depression Symptoms and Anxiety Symptoms During Acute ECT for Patients With Major Depressive Disorder. International Journal of Neuropsychopharmacology, 2019, 22, 609-615.	1.0	2
40	Mortality and Suicide Related to Major Depressive Disorder Before and After Type 2 Diabetes Mellitus. Journal of Clinical Psychiatry, 2022, 83, .	1.1	2
41	Impact of non-apnea sleep disorders on diabetic control and metabolic outcome - A population-based cohort study. General Hospital Psychiatry, 2018, 52, 1-7.	1.2	1
42	Do baseline WAIS-III subtests predict treatment outcomes for depressed inpatients receiving fluoxetine?. Psychiatry Research, 2019, 271, 279-285.	1.7	1
43	Effect of clomiphene on [Ca <sup>2+</sup> ] <sub>i</sub> rises and cell viability in rabbit corneal epithelial cells. Drug Development Research, 2008, 69, 272-278.	1.4	Ο