

Reza Hosseini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5533467/publications.pdf>

Version: 2024-02-01

28
papers

209
citations

1478505

6
h-index

1058476

14
g-index

29
all docs

29
docs citations

29
times ranked

267
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors affecting detectability of prey DNA in the gut contents of invertebrate predators: a polymerase chain reaction-based method. <i>Entomologia Experimentalis Et Applicata</i> , 2008, 126, 194-202.	1.4	66
2	Global genetic variation in the Asian citrus psyllid, <i>Diaphorina citri</i> (Hemiptera: Liviidae) and the endosymbiont <i>Wolbachia</i> : links between Iran and the USA detected. <i>Pest Management Science</i> , 2014, 70, 1033-1040.	3.4	38
3	Functional and Numerical Responses of <i>Scymnus Syriacus</i> Marseul (Coleoptera: Coccinellidae) to the Black Bean Aphid, <i>Aphis Fabae</i> Scopoli (Hemiptera: Aphididae) Under Laboratory Conditions. <i>Journal of Plant Protection Research</i> , 2011, 51, 423-428.	1.0	21
4	Molecular identification of wolf spiders (Araneae: Lycosidae) by multiplex polymerase chain reaction. <i>Biological Control</i> , 2007, 40, 128-135.	3.0	20
5	Predation rate and numerical response of <i>Aphidoletes aphidimyza</i> feeding on different densities of <i>Aphis craccivora</i> . <i>Biocontrol Science and Technology</i> , 2015, 25, 72-83.	1.3	9
6	<i>Vertagopus</i> (Collembola, Isotomidae) of Iran and Caucasus. <i>Zootaxa</i> , 2020, 4786, zootaxa.4786.4.9.	0.5	8
7	Molecular identification of three of the most important mealybug species (Hemiptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 2011, 3009, 46.	0.5	7
8	Rauno linnavuori: Entomologist and explorer. <i>Entomologica Americana</i> , 2017, 122, 505-512.	0.2	5
9	Systematics of the plant bug tribe Hyaliadini (Hemiptera, Heteroptera, Miridae, Deraeocorinae) from Australia and New Caledonia: phylogenetic analysis and discussion of deraeocorine relationships, and four new genera and thirteen new species. <i>Insect Systematics and Evolution</i> , 2019, 50, 445-582.	0.7	5
10	A new species of <i>Isometopus</i> from Iran (Hemiptera: Heteroptera: Miridae: Isometopinae). <i>Acta Entomologica Musei Nationalis Pragae</i> , 2017, 57, 23-34.	0.5	5
11	Bottom-up effect of host plants on life history characteristics of <i>Aphidoletes aphidimyza</i> feeding on <i>Aphis gossypii</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2019, 167, 835-847.	1.4	4
12	Genetic variation of <i>Chilo suppressalis</i> Walker (Lepidoptera: Pyralidae) populations in Guilan and west of Mazandaran provinces analysed with RAPD markers. <i>Plant Protection Science</i> , 2014, 50, 26-35.	1.4	3
13	Genetic Variation of Beet Armyworm (Lepidoptera: Noctuidae) Populations Detected Using Microsatellite Markers in Iran. <i>Journal of Economic Entomology</i> , 2018, 111, 1404-1410.	1.8	3
14	On remarkable <i>Pachylaelaps</i> species with unusual sperm induction system in females (Acari,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 T	0.5	3
15	Different squash cultivars mediate performance of <i>Aphis gossypii</i> and its predator (<i>Aphidoletes</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 222 T	0.9	3
16	A new species of <i>Olopachys</i> Berlese (Acari: Pachylaelapidae) from Iran with a key to the world species. <i>Acarologia</i> , 2019, 59, 46-56.	0.6	2
17	A new species of <i>Aleuroclava</i> Singh (Hemiptera: Aleyrodidae) from Iran. <i>Zootaxa</i> , 2010, 2428, .	0.5	1
18	Effect of two host plants, <i>Helianthus annuus</i> L. and <i>Sinapis arvensis</i> L., on life table parameters of <i>Nysius cymoides</i> (Spinola) (Hemiptera: Lygaeidae) under laboratory conditions. <i>Plant Protection Science</i> , 2016, 52, 209-216.	1.4	1

#	ARTICLE	IF	CITATIONS
19	A remarkable new plant bug genus and species (Hemiptera, Heteroptera, Miridae, Deraocorinae) from the Australian wet tropics. <i>Zootaxa</i> , 2017, 4232, 123.	0.5	1
20	A new species of the genus <i>Phytocoris</i> (Hemiptera: Heteroptera: Miridae: Mirinae) from western Iran. <i>Zootaxa</i> , 2018, 4446, 567.	0.5	1
21	Two new species of the genus <i>Phytocoris</i> (Hemiptera: Miridae), with a revised identification key to species of the subgenus <i>Compsocerochoris</i> found in Iran. <i>Zootaxa</i> , 2019, 4648, 130-140.	0.5	1
22	A new species of the genus <i>Phytocoris</i> (Hemiptera: Miridae), with an identification key to amygdali-group species of the subgenus <i>Compsocerochoris</i> found in Iran. <i>Zootaxa</i> , 2019, 4563, 354.	0.5	1
23	Prey-Stage Preference and Comparing Reproductive Performance of <i>Aphidoletes aphidimyza</i> (Diptera: Tj ETQq1 1 0.784314 rgBT /Overlock 1.8 1 <i>Economic Entomology</i> , 2019, 112, 1073-1080.	1.8	1
24	<p>A new species of the genus Ectagela Schmidt from Iran (Hemiptera, Heteroptera,) Tj ETQq0 0 0 rgBT /Overlock 0.5 0	0.5	0
25	Improvement of wind farm power quality by means of ANN-controlled hybrid filter. , 2014, , .		0
26	A multiplex PCR method for identification of two common true cutworm species (Lepidoptera:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46 0.5 0	0.5	0
27	A new species of <i>Olopachys</i> Berlese (Acari: Pachylaelapidae) from Iran with a key to the world species. <i>International Journal of Acarology</i> , 2020, 46, 530-537.	0.7	0
28	A new species of the genus <i>Brachycoleus</i> (Hemiptera: Miridae), with a revised identification key to the species found in Iran. <i>Acta Entomologica Musei Nationalis Pragae</i> , 2019, 59, 63-69.	0.5	0