

# Daniel Abramowicz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5533510/publications.pdf>

Version: 2024-02-01

208  
papers

10,081  
citations

38720

50  
h-index

38368

95  
g-index

212  
all docs

212  
docs citations

212  
times ranked

8744  
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomized Trial of Plasma Exchange or High-Dosage Methylprednisolone as Adjunctive Therapy for Severe Renal Vasculitis. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 2180-2188.	3.0	973
2	Urothelial Carcinoma Associated with the Use of a Chinese Herb ( <i>Aristolochia fangchi</i> ). <i>New England Journal of Medicine</i> , 2000, 342, 1686-1692.	13.9	944
3	SIROLIMUS IN ASSOCIATION WITH MYCOPHENOLATE MOFETIL INDUCTION FOR THE PREVENTION OF ACUTE GRAFT REJECTION IN RENAL ALLOGRAFT RECIPIENTS <sup>1,2</sup> . <i>Transplantation</i> , 2000, 69, 1252-1260.	0.5	499
4	RELEASE OF TUMOR NECROSIS FACTOR, INTERLEUKIN-2, AND GAMMA-INTERFERON IN SERUM AFTER INJECTION OF OKT3 MONOCLONAL ANTIBODY IN KIDNEY TRANSPLANT RECIPIENTS. <i>Transplantation</i> , 1989, 47, 606-608.	0.5	327
5	Interleukin-10 controls interferon- $\gamma$ and tumor necrosis factor production during experimental endotoxemia. <i>European Journal of Immunology</i> , 1994, 24, 1167-1171.	1.6	295
6	Prevalence and Management of Anemia in Renal Transplant Recipients: A European Survey. <i>American Journal of Transplantation</i> , 2003, 3, 835-845.	2.6	281
7	European Renal Best Practice Guideline on kidney donor and recipient evaluation and perioperative care: FIGURE 1. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1790-1797.	0.4	229
8	Multiple pathways to allograft rejection. <i>Transplantation</i> , 2002, 73, 1373-1381.	0.5	190
9	Daclizumab versus Antithymocyte Globulin in High-Immunological-Risk Renal Transplant Recipients. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1385-1392.	3.0	177
10	Extended Valganciclovir Prophylaxis in D+/R <sup>-</sup> Kidney Transplant Recipients is Associated With Long-Term Reduction in Cytomegalovirus Disease: Two-Year Results of the IMPACT Study. <i>Transplantation</i> , 2010, 90, 1427-1431.	0.5	175
11	Fibrate-induced increase in blood urea and creatinine: is gemfibrozil the only innocuous agent?. <i>Nephrology Dialysis Transplantation</i> , 2000, 15, 1993-1999.	0.4	158
12	A three-arm study comparing immediate tacrolimus therapy with antithymocyte globulin induction therapy followed by tacrolimus or cyclosporine A in adult renal transplant recipients <sup>1</sup> . <i>Transplantation</i> , 2003, 75, 844-851.	0.5	150
13	Cold Ischemia is a Major Determinant of Acute Rejection and Renal Graft Survival in the Modern Era of Immunosuppression. <i>Transplantation</i> , 2008, 85, S3-S9.	0.5	143
14	Cell-Free DNA: An Upcoming Biomarker in Transplantation. <i>American Journal of Transplantation</i> , 2015, 15, 2541-2551.	2.6	142
15	Cyclosporine Withdrawal from a Mycophenolate Mofetil-Containing Immunosuppressive Regimen: Results of a Five-Year, Prospective, Randomized Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2234-2240.	3.0	139
16	Cyclosporine withdrawal from a mycophenolate mofetil-containing immunosuppressive regimen in stable kidney transplant recipients: a randomized, controlled study <sup>1,2</sup> . <i>Transplantation</i> , 2002, 74, 1725-1734.	0.5	118
17	Genotype-phenotype correlation in primary hyperoxaluria type 1: the p.Gly170Arg AGXT mutation is associated with a better outcome. <i>Kidney International</i> , 2010, 77, 443-449.	2.6	117
18	HYPERCHOLESTEROLEMIA IS ASSOCIATED WITH INCREASED KIDNEY GRAFT LOSS CAUSED BY CHRONIC REJECTION IN MALE PATIENTS WITH PREVIOUS ACUTE REJECTION. <i>Transplantation</i> , 2000, 70, 464-472.	0.5	108

#	ARTICLE	IF	CITATIONS
19	New-Onset Diabetes After Renal Transplantation. <i>Diabetes Care</i> , 2012, 35, 181-188.	4.3	105
20	A role for eosinophils in transplant rejection. <i>Trends in Immunology</i> , 2001, 22, 247-251.	2.9	104
21	REACTIVATION OF HEPATITIS B AFTER TRANSPLANTATION IN PATIENTS WITH PRE-EXISTING ANTI-HEPATITIS B SURFACE ANTIGEN ANTIBODIES. <i>Transplantation</i> , 1998, 66, 883-886.	0.5	104
22	Critical roles for IL-4, IL-5, and eosinophils in chronic skin allograft rejection. <i>Journal of Clinical Investigation</i> , 1999, 103, 1659-1667.	3.9	103
23	A Controlled Study of Vitamin D3 to Prevent Bone Loss in Renal-Transplant Patients Receiving Low Doses of Steroids. <i>Transplantation</i> , 2005, 79, 108-115.	0.5	100
24	Late Onset of Bladder Urothelial Carcinoma After Kidney Transplantation for End-Stage Aristolochic Acid Nephropathy: A Case Series With 15-Year Follow-up. <i>American Journal of Kidney Diseases</i> , 2008, 51, 471-477.	2.1	99
25	Interleukin-10 inhibits the induction of monocyte procoagulant activity by bacterial lipopolysaccharide. <i>European Journal of Immunology</i> , 1993, 23, 2700-2703.	1.6	97
26	How should I manage immunosuppression in a kidney transplant patient with COVID-19? An ERA-EDTA DESCARTES expert opinion. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 899-904.	0.4	96
27	Effects of steroids on the progression of renal failure in chronic interstitial renal fibrosis: A pilot study in Chinese herbs nephropathy. <i>American Journal of Kidney Diseases</i> , 1996, 27, 209-215.	2.1	93
28	Guideline. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, ii1-ii71.	0.4	93
29	Hypothermia and hypoglycemia induced by anti-CD3 monoclonal antibody in mice: Role of tumor necrosis factor. <i>European Journal of Immunology</i> , 1990, 20, 707-710.	1.6	83
30	Intraperitoneal Secretion of Interleukin-6 during Continuous Ambulatory Peritoneal Dialysis. <i>Nephron</i> , 1990, 56, 277-280.	0.9	79
31	Long-term risks of kidney living donation: review and position paper by the ERA-EDTA DESCARTES working group. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 216-223.	0.4	79
32	Anaphylactic shock caused by immunoglobulin E sensitization after retreatment with the chimeric anti- $\alpha$ interleukin-2 receptor monoclonal antibody basiliximab. <i>Transplantation</i> , 2003, 76, 459-463.	0.5	77
33	Endorsement of the Kidney Disease Improving Global Outcomes (KDIGO) guidelines on kidney transplantation: a European Renal Best Practice (ERBP) position statement. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2099-2106.	0.4	77
34	CRITICAL ROLE OF INTERLEUKIN 4 IN THE INDUCTION OF NEONATAL TRANSPLANTATION TOLERANCE. <i>Transplantation</i> , 1995, 59, 1571-1575.	0.5	75
35	ABSENCE OF DELETERIOUS EFFECT ON LONG-TERM KIDNEY GRAFT SURVIVAL OF REJECTION EPISODES WITH COMPLETE FUNCTIONAL RECOVERY <sup>1</sup> . <i>Transplantation</i> , 1997, 63, 1739-1743.	0.5	75
36	Strategies to increase the donor pool and access to kidney transplantation: an international perspective. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 217-222.	0.4	68

#	ARTICLE	IF	CITATIONS
37	Influenza A/H1N1 Vaccine in Patients Treated by Kidney Transplant or Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2573-2578.	2.2	67
38	EVIDENCE THAT PENTOXIFYLLINE REDUCES ANTI-CD3 MONOCLONAL ANTIBODY-INDUCED CYTOKINE RELEASE SYNDROME. <i>Transplantation</i> , 1991, 52, 674-679.	0.5	64
39	Critical role of interleukin 5 and eosinophils in concanavalin A-induced hepatitis in mice. <i>Gastroenterology</i> , 2002, 122, 2001-2010.	0.6	64
40	Conversion From Prograf to Advagraf Among Kidney Transplant Recipients Results in Sustained Decrease in Tacrolimus Exposure. <i>Transplantation</i> , 2011, 91, 566-569.	0.5	64
41	TCF7L2 Polymorphism Associates with New-Onset Diabetes after Transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 2459-2467.	3.0	63
42	Criteria for and Appropriateness of Renal Transplantation in Elderly Patients With End-Stage Renal Disease. <i>Transplantation</i> , 2016, 100, e55-e65.	0.5	63
43	Does pre-emptive transplantation versus post start of dialysis transplantation with a kidney from a living donor improve outcomes after transplantation? A systematic literature review and position statement by the Descartes Working Group and ERBP. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 691-697.	0.4	62
44	Induction Therapy for Kidney Transplant Recipients: Do We Still Need Anti-IL2 Receptor Monoclonal Antibodies?. <i>American Journal of Transplantation</i> , 2017, 17, 22-27.	2.6	62
45	Non-invasive Biomarkers of Acute Rejection in Kidney Transplantation: Novel Targets and Strategies. <i>Frontiers in Medicine</i> , 2018, 5, 358.	1.2	62
46	The use of plasma donor-derived, cell-free DNA to monitor acute rejection after kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 714-721.	0.4	61
47	European best practice quo vadis? From European best practice guidelines (EBPG) to European renal best practice (ERBP). <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2162-2166.	0.4	59
48	MicroRNAs in AKI and Kidney Transplantation. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 454-468.	2.2	58
49	Is the Kidney Donor Risk Index a step forward in the assessment of deceased donor kidney quality?. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 1285-1290.	0.4	54
50	Conversion from tacrolimus to cyclosporine A for new-onset diabetes after transplantation: a single-centre experience in renal transplanted patients and review of the literature. <i>Transplant International</i> , 2007, 21, 071029080703003-???	0.8	50
51	Daclizumab Versus Rabbit Antithymocyte Globulin in High-Risk Renal Transplants: Five-Year Follow-up of a Randomized Study. <i>American Journal of Transplantation</i> , 2015, 15, 1923-1932.	2.6	50
52	Genome-Wide Association Study of Acute Renal Graft Rejection. <i>American Journal of Transplantation</i> , 2017, 17, 201-209.	2.6	50
53	Composing a new song for trials: the Standardized Outcomes in Nephrology (SONG) initiative. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1963-1966.	0.4	50
54	Plasma donor-derived cell-free DNA kinetics after kidney transplantation using a single tube multiplex PCR assay. <i>PLoS ONE</i> , 2018, 13, e0208207.	1.1	50

#	ARTICLE	IF	CITATIONS
55	OKT3 prophylaxis in renal grafts with prolonged cold ischemia times: Association with improvement in long-term survival. <i>Kidney International</i> , 1996, 49, 768-772.	2.6	49
56	Recurrent leishmaniasis in kidney transplant recipients: report of 2 cases and systematic review of the literature. <i>Transplant Infectious Disease</i> , 2011, 13, 397-406.	0.7	49
57	Major Histocompatibility Complex Class 1 Chain-Related Antigen A Antibodies: Sensitizing Events and Impact on Renal Graft Outcomes. <i>Transplantation</i> , 2010, 90, 168-174.	0.5	47
58	Prospective randomized study of conversion from tacrolimus to cyclosporine A to improve glucose metabolism in patients with posttransplant diabetes mellitus after renal transplantation. <i>American Journal of Transplantation</i> , 2018, 18, 1726-1734.	2.6	47
59	Laparoscopic Live Donor Right Nephrectomy: A New Technique to Maximize the Length of the Renal Vein Using a Modified Endo GIA Stapler. <i>European Urology</i> , 2007, 51, 1326-1331.	0.9	46
60	The DESCARTES-Nantes survey of kidney transplant recipients displaying clinical operational tolerance identifies 35 new tolerant patients and 34 almost tolerant patients. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1002-1013.	0.4	46
61	A PILOT TRIAL OF RECOMBINANT HUMAN INTERLEUKIN-10 IN KIDNEY TRANSPLANT RECIPIENTS RECEIVING OKT3 INDUCTION THERAPY <sup>1,2</sup> . <i>Transplantation</i> , 1997, 64, 999-1006.	0.5	46
62	IL-12 prevents neonatal induction of transplantation tolerance in mice. <i>European Journal of Immunology</i> , 1998, 28, 1426-1430.	1.6	45
63	RENAL TRANSPLANTATION EXPOSES PATIENTS WITH PREVIOUS KAPOSIS' SARCOMA TO A HIGH RISK OF RECURRENCE <sup>1</sup> . <i>Transplantation</i> , 1996, 62, 463-466.	0.5	45
64	FTY720 combined with tacrolimus in de novo renal transplantation: 1-year, multicenter, open-label randomized study. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 3802-3805.	0.4	44
65	Antibiotics versus no therapy in kidney transplant recipients with asymptomatic bacteriuria (BiRT): a pragmatic, multicentre, randomized, controlled trial. <i>Clinical Microbiology and Infection</i> , 2021, 27, 398-405.	2.8	43
66	HLA Mismatches Remain Risk Factors for Acute Kidney Allograft Rejection in Patients Receiving Quadruple Immunosuppression With Anti-Interleukin-2 Receptor Antibodies. <i>Transplantation</i> , 2008, 85, 411-416.	0.5	42
67	Recent advances in kidney transplantation: a viewpoint from the Descartes advisory board*. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1699-1707.	0.4	42
68	Endorsement of the Kidney Disease Improving Global Outcomes (KDIGO) hepatitis C guidelines: a European Renal Best Practice (ERBP) position statement. <i>Nephrology Dialysis Transplantation</i> , 2008, 24, 719-727.	0.4	41
69	Autosomal-dominant periodic fever with AA amyloidosis: Novel mutation in tumor necrosis factor receptor 1 gene Rapid Communication. <i>Kidney International</i> , 2001, 59, 1677-1682.	2.6	39
70	Persistence of anti-donor allohelper T cells after neonatal induction of allotolerance in mice. <i>European Journal of Immunology</i> , 1990, 20, 1647-1653.	1.6	38
71	Delayed Graft Function in Kidney Transplants: Time Evolution, Role of Acute Rejection, Risk Factors, and Impact on Patient and Graft Outcome. <i>Journal of Transplantation</i> , 2015, 2015, 1-9.	0.3	37
72	CD40 engagement induces monocyte procoagulant activity through an interleukin-10 resistant pathway. <i>European Journal of Immunology</i> , 1996, 26, 3048-3054.	1.6	36

#	ARTICLE	IF	CITATIONS
73	Evolution of immunoglobulin and mannose binding protein levels after renal transplantation: association with infectious complications. <i>Transplant International</i> , 2007, 21, 071012050800003-???	0.8	36
74	Bortezomib: a new player in pre- and post-transplant desensitization?. <i>Nephrology Dialysis Transplantation</i> , 2010, 25, 3480-3489.	0.4	33
75	Posttransplant Major Histocompatibility Complex Class I Chain-Related Gene A Antibodies and Long-Term Graft Outcomes in a Multicenter Cohort of 779 Kidney Transplant Recipients. <i>Transplantation</i> , 2012, 93, 1258-1264.	0.5	32
76	Diagnosis and management of asymptomatic bacteriuria in kidney transplant recipients: a survey of current practice in Europe. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1661-1668.	0.4	32
77	MODULATION OF THE RELEASE OF CYTOKINES AND REDUCTION OF THE SHOCK SYNDROME INDUCED BY ANTI-CD3 MONOCLONAL ANTIBODY IN MICE BY INTERLEUKIN-10. <i>Transplantation</i> , 1994, 57, 1436-1439.	0.5	32
78	OKT3-INDUCED CYTOKINE RELEASE ATTENUATION BY HIGH-DOSE METHYLPREDNISOLONE. <i>Lancet, The</i> , 1989, 334, 802-803.	6.3	31
79	Increased expression of Ia antigens on B cells after neonatal induction of lymphoid chimerism in mice: Role of interleukin 4. <i>European Journal of Immunology</i> , 1990, 20, 469-476.	1.6	31
80	Procoagulant effect of the OKT3 monoclonal antibody: Involvement of tumor necrosis factor. <i>Kidney International</i> , 1992, 42, 1124-1129.	2.6	31
81	Thrombophilic factors in Stage V chronic kidney disease patients are largely corrected by renal transplantation. <i>Nephrology Dialysis Transplantation</i> , 2011, 26, 2700-2705.	0.4	31
82	Should we treat asymptomatic bacteriuria after renal transplantation?. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 260-262.	0.4	31
83	Antibiotics for asymptomatic bacteriuria in kidney transplant recipients. <i>The Cochrane Library</i> , 2018, 2018, CD011357.	1.5	30
84	Donor-derived cell-free DNA as a biomarker for rejection after kidney transplantation: a systematic review and meta-analysis. <i>Transplant International</i> , 2020, 33, 1626-1642.	0.8	30
85	IL-4 Deficiency Prevents Eosinophilic Rejection and Uncovers a Role for Neutrophils in the Rejection of MHC Class II Disparate Skin Grafts. <i>Transplantation</i> , 2005, 80, 1485-1492.	0.5	29
86	Effect of Atorvastatin Therapy and Conversion to Tacrolimus on Hypercholesterolemia and Endothelial Dysfunction After Renal Transplantation. <i>Transplantation</i> , 2006, 82, 771-778.	0.5	29
87	High-dose glucocorticosteroids increase the procoagulant effects of OKT3. <i>Kidney International</i> , 1994, 46, 1596-1602.	2.6	28
88	Increased serum levels of endopeptidase 24.11 (enkephalinase) in patients with end-stage renal failure. <i>Life Sciences</i> , 1989, 45, 133-141.	2.0	27
89	Immunosuppression in the elderly renal allograft recipient: a systematic review. <i>Transplantation Reviews</i> , 2016, 30, 144-153.	1.2	25
90	Management of obesity in kidney transplant candidates and recipients: A clinical practice guideline by the DESCARTES Working Group of ERA. <i>Nephrology Dialysis Transplantation</i> , 2021, 37, i1-i15.	0.4	25

#	ARTICLE	IF	CITATIONS
91	Conversion From Tacrolimus to Cyclosporin Is Associated With a Significant Improvement of Glucose Metabolism in Patients With New-Onset Diabetes Mellitus After Renal Transplantation. <i>Transplantation Proceedings</i> , 2005, 37, 1857-1860.	0.3	24
92	Rabbit anti-thymocyte globulin for the prevention of acute rejection in kidney transplantation. <i>American Journal of Transplantation</i> , 2019, 19, 2252-2261.	2.6	24
93	Tacrolimus Pharmacokinetics of Once- Versus Twice-Daily Formulations in De Novo Kidney Transplantation. <i>Therapeutic Drug Monitoring</i> , 2012, 34, 143-147.	1.0	23
94	Combined introduction of anti-IL2 receptor antibodies, mycophenolic acid and tacrolimus: effect on malignancies after renal transplantation in a single-centre retrospective cohort study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2547-2553.	0.4	23
95	Kidney donation after circulatory death in a country with a high number of brain dead donors: 10-year experience in Belgium. <i>Transplant International</i> , 2012, 25, 857-866.	0.8	23
96	POSSIBLE NEPHROTOXICITY OF THE PROPHYLACTIC USE OF OKT3 MONOCLONAL ANTIBODY AFTER CADAVERIC RENAL TRANSPLANTATION. <i>Transplantation</i> , 1989, 48, 524-525.	0.5	22
97	Skin Graft Rejection Elicited by $\hat{I}^{22}$ -Microglobulin as a Minor Transplantation Antigen Involves Multiple Effector Pathways: Role of Fas-Fas Ligand Interactions and Th2-Dependent Graft Eosinophil Infiltrates. <i>Journal of Immunology</i> , 2002, 169, 500-506.	0.4	22
98	Efficacy and cardiovascular safety of daclizumab, mycophenolate mofetil, tacrolimus, and early steroid withdrawal in renal transplant recipients: a multicenter, prospective, pilot trial. <i>Clinical Transplantation</i> , 2005, 19, 475-482.	0.8	22
99	The Once-Daily Formulation of Tacrolimus. <i>Transplantation</i> , 2012, 93, 241-243.	0.5	22
100	The clinical significance of epitope mismatch load in kidney transplantation: A multicentre study. <i>Transplant Immunology</i> , 2018, 50, 55-59.	0.6	22
101	THE IgE HUMORAL RESPONSE IN OKT3-TREATED PATIENTS. <i>Transplantation</i> , 1996, 61, 577-581.	0.5	22
102	Ineligibility for renal transplantation: prevalence, causes and survival in a consecutive cohort of 445 patients. <i>Clinical Transplantation</i> , 2011, 25, 576-583.	0.8	21
103	Outcomes of kidney transplantations in children weighing 15 kilograms or less: a retrospective cohort study. <i>Transplant International</i> , 2018, 31, 720-728.	0.8	21
104	INFLUENCE OF DONOR-RECIPIENT HLA-DR MISMATCHES AND OKT3 PROPHYLAXIS ON CADAVER KIDNEY GRAFT SURVIVAL. <i>Transplantation</i> , 1995, 60, 253-257.	0.5	20
105	Conversion to sirolimus for chronic renal allograft dysfunction: risk factors for graft loss and severe side effects. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 3727-3729.	0.4	20
106	Do elderly recipients really benefit from kidney transplantation?. <i>Transplantation Reviews</i> , 2015, 29, 197-201.	1.2	20
107	European renal best practice guideline on the management and evaluation of the kidney donor and recipient. <i>Nefrologia</i> , 2014, 34, 293-301.	0.2	20
108	EFFECTS OF SYSTEMIC ADMINISTRATION OF rIL-10 IN AN IN VIVO MODEL OF ALLOREACTIVITY. <i>Transplantation</i> , 1994, 58, 972-974.	0.5	19

#	ARTICLE	IF	CITATIONS
109	Amplification of T-cell responses by neutrophils: relevance to allograft immunity. <i>Immunology Letters</i> , 2004, 94, 163-166.	1.1	18
110	Does Kidney Donor Risk Index implementation lead to the transplantation of more and higher-quality donor kidneys?. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1934-1938.	0.4	17
111	Renal immunopathology in murine host-versus-graft disease. <i>Kidney International</i> , 1991, 40, 852-861.	2.6	16
112	Does kidney transplantation with a standard or expanded criteria donor improve patient survival? Results from a Belgian cohort. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 918-926.	0.4	16
113	Waiting Time for Second Kidney Transplantation and Mortality. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2022, 17, 90-97.	2.2	16
114	The induction of human T cell unresponsiveness by soluble anti-CD3 mAb requires T cell activation. <i>International Immunology</i> , 1995, 7, 1593-1598.	1.8	15
115	Pre-existing malignancies in renal transplant candidates—time to reconsider waiting times. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1292-1300.	0.4	15
116	The role of HLA-DP mismatches and donor specific HLA-DP antibodies in kidney transplantation: a case series. <i>Transplant Immunology</i> , 2021, 65, 101287.	0.6	15
117	Peroxisome proliferator-activated receptors (PPARs): Novel therapeutic targets in renal disease. <i>Kidney International</i> , 2002, 61, 354-355.	2.6	14
118	Thrombophilic Factors Do Not Predict Outcomes in Renal Transplant Recipients Under Prophylactic Acetylsalicylic Acid. <i>American Journal of Transplantation</i> , 2010, 10, 99-105.	2.6	14
119	Optimizing hypertension management in renal transplantation: a call to action. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 1959-1962.	0.4	14
120	Electrolytes disturbances after kidney transplantation. <i>Acta Clinica Belgica</i> , 2019, 74, 48-52.	0.5	14
121	CHIMERISM AND CYTOTOXIC T LYMPHOCYTE UNRESPONSIVENESS AFTER NEONATAL INJECTION OF SPLEEN CELLS IN MICE EFFECTS OF T CELL DEPLETION AND OF A SEMIALLOGENEIC OR FULLY ALLOGENEIC INOCULUM. <i>Transplantation</i> , 1987, 44, 696-700.	0.5	13
122	Long-term risks after kidney donation: how do we inform potential donors? A survey from DESCARTES and EKITA transplantation working groups. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1742-1753.	0.4	13
123	CD3 ANTIBODY-INDUCED IL-10 IN RENAL ALLOGRAFT RECIPIENTS. <i>Transplantation</i> , 1999, 68, 616-622.	0.5	13
124	mRNA-1273 vaccine (Moderna): a better option than BNT162b2 (Pfizer) in kidney transplant recipients and dialysis patients?. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 799-803.	0.4	13
125	Belgian consensus statement on the diagnosis and management of patients with atypical hemolytic uremic syndrome. <i>Acta Clinica Belgica</i> , 2018, 73, 80-89.	0.5	12
126	Standard work-up of the low-risk kidney transplant candidate: a European expert survey of the ERA-EDTA Developing Education Science and Care for Renal Transplantation in European States Working Group. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1605-1611.	0.4	12



#	ARTICLE	IF	CITATIONS
127	Host and microbial factors in kidney transplant recipients with Escherichia coli acute pyelonephritis or asymptomatic bacteriuria: a prospective study using whole-genome sequencing. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 878-885.	0.4	12
128	Large decrease of anti-tetanus anatoxin and anti-pneumococcal antibodies at one year after renal transplantation. <i>Clinical Nephrology</i> , 2013, 79, 313-317.	0.4	12
129	Ticlopidine and clopidogrel, sometimes combined with aspirin, only minimally increase the surgical risk in renal transplantation: a case-control study. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 463-466.	0.4	11
130	Prevalence of asymptomatic bacteriuria among kidney transplant recipients beyond two months post-transplant: A multicenter, prospective, cross-sectional study. <i>PLoS ONE</i> , 2019, 14, e0221820.	1.1	11
131	DOWN-REGULATION OF INTERLEUKIN-2 AND INTERFERON-?? AND MAINTENANCE OF INTERLEUKIN-4 AND INTERLEUKIN-10 PRODUCTION AFTER ADMINISTRATION OF AN ANTI-CD3 MONOCLONAL ANTIBODY IN MICE1. <i>Transplantation</i> , 1999, 68, 677-684.	0.5	11
132	CHRONIC REJECTION OF MAJOR HISTOCOMPATIBILITY COMPLEX CLASS II-DISPARATE SKIN GRAFTS AFTER ANTI-CD3 THERAPY. <i>Transplantation</i> , 1998, 66, 1537-1544.	0.5	9
133	Prediction of delayed graft function using different scoring algorithms: A single-center experience. <i>World Journal of Transplantation</i> , 2017, 7, 260-268.	0.6	9
134	Experience with the Wujciak-Opelz allocation system in a single center: an increase in HLA-DR mismatching and in early occurring acute rejection episodes. <i>Transplant International</i> , 1998, 11, 378-381.	0.8	8
135	Transplantation in older individuals: is it really better than dialysis?. <i>Current Opinion in Organ Transplantation</i> , 2020, 25, 86-91.	0.8	8
136	Cytomegalovirus after kidney transplantation in 2020: moving towards personalized prevention. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 810-816.	0.4	8
137	Hypereosinophilic syndrome induced by neonatal immunization against MHC class II alloantigen: critical role of IL-4. <i>European Journal of Immunology</i> , 2002, 32, 174-181.	1.6	7
138	The future of European Nephrology 'Guidelines'—a declaration of intent by European Renal Best Practice (ERBP). <i>CKJ: Clinical Kidney Journal</i> , 2009, 2, 213-221.	1.4	7
139	Shipping donor kidneys within Eurotransplant: outcomes after renal transplantation in a single-centre cohort study. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 3638-3644.	0.4	7
140	Renal transplantation in the elderly. <i>Transplantation Reviews</i> , 2015, 29, 191-192.	1.2	7
141	A split strategy to prevent cytomegalovirus after kidney transplantation using prophylaxis in serological high-risk patients and a pre-emptive strategy in intermediate-risk patients: Combining the best of two options?. <i>Transplant Infectious Disease</i> , 2021, 23, e13467.	0.7	7
142	Renin-Angiotensin System Blockers and the Risk of COVID-19-Related Mortality in Patients with Kidney Failure. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 1061-1072.	2.2	7
143	Assessment of pre-donation glomerular filtration rate: going back to basics. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 430-437.	0.4	7
144	In Vivo Immunosuppression Induced by a Weakly Mitogenic Antibody to Mouse CD3: Evidence That Induction of Long-Lasting in Vivo Unresponsiveness Requires TcR Signaling. <i>Cellular Immunology</i> , 1994, 157, 239-248.	1.4	6

#	ARTICLE	IF	CITATIONS
145	Induction protocols: yesterday, today, and tomorrow. <i>Transplantation Proceedings</i> , 1999, 31, 1100-1101.	0.3	6
146	Old Habits Die Hard: Screening for and Treating Asymptomatic Bacteriuria After Kidney Transplantation. <i>American Journal of Transplantation</i> , 2016, 16, 3301-3302.	2.6	6
147	Therapeutic drug monitoring of enteric-coated mycophenolate sodium by limited sampling strategies is associated with a high rate of failure. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 319-323.	1.4	6
148	SARS-CoV-2 breakthrough infections in vaccinated kidney transplant recipients: an issue of concern. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 2261-2262.	1.4	6
149	Induction with anti-CD3 antibodies. <i>Current Opinion in Organ Transplantation</i> , 1999, 4, 312.	0.8	6
150	HHV-8 is associated with recurrent Kaposi's sarcoma in a renal transplant recipient. <i>Transplant International</i> , 1997, 10, 81-82.	0.8	5
151	Single-Center Case Series of Donor-Related Malignancies: Rare Cases With Tremendous Impact. <i>Transplantation Proceedings</i> , 2016, 48, 2669-2677.	0.3	5
152	Unacceptable human leucocyte antigens: how to navigate between increased immunological risk and waiting time?. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, 745-747.	0.4	5
153	Optimizing hypertension management in renal transplantation. <i>Journal of Hypertension</i> , 2017, 35, 2335-2338.	0.3	5
154	Reply to Hernandez et al. - GWAS of acute renal graft rejection. <i>American Journal of Transplantation</i> , 2018, 18, 2098-2099.	2.6	5
155	Variability in the incidence of renal replacement therapy over time in Western industrialized countries: A retrospective registry analysis. <i>PLoS ONE</i> , 2020, 15, e0235004.	1.1	5
156	A surprising journey into the conversion of urinary protein creatinine ratio to urinary albumin creatinine ratio as needed in the Kidney Failure Risk Equation. <i>CKJ: Clinical Kidney Journal</i> , 2021, 14, 1481-1482.	1.4	5
157	Soluble tumor necrosis factor-receptors are not a useful marker of acute allograft rejection: a study in patients with renal or cardiac allografts. <i>Transplant International</i> , 1995, 8, 459-465.	0.8	4
158	Frailty: a new comorbidity in kidney transplant candidates?. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 1085-1087.	0.4	4
159	Soluble tumor necrosis factor-receptors are not a useful marker of acute allograft rejection: a study in patients with renal or cardiac allografts. <i>Transplant International</i> , 1995, 8, 459-465.	0.8	4
160	A novel mutation of tumor necrosis factor receptor alpha type 1 associated with TRAPS and amyloidosis. <i>American Journal of Medical Genetics Part A</i> , 2004, 128A, 331-331.	2.4	3
161	Management of Asymptomatic Bacteriuria After Kidney Transplantation: What Is the Quality of the Evidence Behind the Infectious Diseases Society of America Guidelines?. <i>Clinical Infectious Diseases</i> , 2019, 70, 987-988.	2.9	3
162	IMPAIRED ANTIGEN-PRESENTING CELL FUNCTION CONTRIBUTES TO T-CELL HYPORESPONSIVENESS IN STABLE LUNG TRANSPLANT RECIPIENTS1. <i>Transplantation</i> , 2000, 69, 1332-1336.	0.5	3

#	ARTICLE	IF	CITATIONS
163	OKT3 serum levels as a guide for prophylactic therapy: a pilot study in kidney transplant recipients. <i>Transplant International</i> , 1994, 7, 258-263.	0.8	3
164	CRITICAL ROLE OF INTERLEUKIN 4 IN THE INDUCTION OF NEONATAL TRANSPLANTATION TOLERANCE. <i>Transplantation</i> , 1995, 59, 1571-1575.	0.5	3
165	UMOD polymorphism rs12917707 is not associated with severe or stable IgA nephropathy in a large Caucasian cohort. <i>BMC Nephrology</i> , 2014, 15, 138.	0.8	2
166	SO002 QUANTIFICATION OF PLASMA DONOR-DERIVED CELL-FREE DNA TO MONITOR KIDNEY TRANSPLANT HEALTH: PRELIMINARY RESULTS OF A SINGLE TUBE MULTIPLEX PCR ASSAY. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i1-i1.	0.4	2
167	Cardiovascular disease in kidney transplant recipients: leave no stone unturned. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 727-730.	0.4	2
168	Does basiliximab induction trigger lifethreatening ARDS and shock in young patients after kidney transplantation?. <i>Clinical Nephrology</i> , 2015, 83 (2015), 61-70.	0.4	2
169	New evidence shows it is time to stop unnecessary use of antibiotics in kidney transplant recipients with asymptomatic bacteriuria. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 754-756.	0.4	2
170	HHV-8 is associated with recurrent Kaposi's sarcoma in a renal transplant recipient. <i>Transplant International</i> , 1996, 10, 81-82.	0.8	1
171	Kidney graft dysfunction after drug interaction between miocamycin and cyclosporin. <i>Transplant International</i> , 1999, 12, 157-157.	0.8	1
172	Laparoscopic-Assisted Recipient Nephrectomy and Recipient Kidney Procurement during Orthotopic Living-Related Kidney Transplantation. <i>Case Reports in Transplantation</i> , 2011, 2011, 1-4.	0.1	1
173	Antibiotics for asymptomatic bacteriuria in kidney transplant recipients. <i>The Cochrane Library</i> , 2014, , .	1.5	1
174	Early steroid withdrawal: a niche for anti-interleukin 2 receptor monoclonal antibodies?. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 1083-1087.	0.4	1
175	TO011 HEALTH UTILITY BUT NOT UREMIC TOXINS ARE ASSOCIATED WITH ONE YEAR MORTALITY IN HD PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	1
176	“Does Perioperative Patient Perfusion Obviate the Need for Kidney Machine Perfusion?” A Retrospective Analysis of Patients Receiving a Kidney From “Donation After Circulatory Death” Donors. <i>Transplantation Proceedings</i> , 2020, 52, 2923-2929.	0.3	1
177	5-Year outcomes of the prospective and randomized CISTCERT study comparing steroid withdrawal to replacement of cyclosporine with everolimus in de novo kidney transplant patients. <i>Transplant International</i> , 2021, 34, 313-326.	0.8	1
178	The Use of OKT3 in Clinical Transplantation. <i>Medical Intelligence Unit</i> , 1995, , 99-135.	0.2	1
179	EFFICACY OF REJECTION PROPHYLAXIS WITH OKT3. <i>Transplantation</i> , 1996, 62, 700,701.	0.5	1
180	MODULATION OF THE RELEASE OF CYTOKINES AND REDUCTION OF THE SHOCK SYNDROME INDUCED BY ANTI-CD3 MONOCLONAL ANTIBODY IN MICE BY INTERLEUKIN-10. <i>Transplantation</i> , 1994, 57, 1436-1439.	0.5	1

#	ARTICLE	IF	CITATIONS
181	Inability of OKT3 to prevent donor-derived ABO hemolytic anemia in a kidney-pancreas transplant recipient. <i>Transplant International</i> , 1995, 8, 159-160.	0.8	0
182	42-P Biological and clinical relevance of the luminex crossmatch: A single center study of 117 kidney transplant recipients. <i>Human Immunology</i> , 2011, 72, S45.	1.2	0
183	Professor Dr Yves Vanrenterghem. <i>Transplantation</i> , 2014, 97, 125-126.	0.5	0
184	SaO017NANTES-DESCARTES INITIATIVE ON OPERATIONAL TOLERANCE AFTER KIDNEY TRANSPLANTATION: A EUROPE-WIDE SURVEY AND NETWORK. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii30-iii31.	0.4	0
185	FP847WHAT IS THE PREDICTIVE VALUE OF DELAYED GRAFT FUNCTION CALCULATORS IN KIDNEY TRANSPLANTATION?. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii360-iii361.	0.4	0
186	SP007GENOME-WIDE ASSOCIATION STUDY IDENTIFIES NEW LOCI ASSOCIATED WITH ACUTE RENAL GRAFT REJECTION. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii383-iii383.	0.4	0
187	MO031IS THE INCIDENCE OF RENAL REPLACEMENT THERAPY IN WESTERNIZED COUNTRIES DECLINING?. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i40-i41.	0.4	0
188	TO020SHOULD WE DISCONTINUE CYCLOSPORIN OR STEROIDS IN RENAL TRANSPLANTATION? FIVE YEAR OUTCOME RESULTS OF THE CISTCERT TRIAL. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii86-iii86.	0.4	0
189	Analysis of the Profile of Live Kidney Donation Candidates in the Antwerp University Hospital. <i>Transplantation</i> , 2017, 101, S96.	0.5	0
190	Outcome of the Assessment of Live Kidney Donation Candidates in the Antwerp University Hospital. <i>Transplantation</i> , 2017, 101, S137.	0.5	0
191	MP794THE KIDNEY DONOR RISK INDEX: A HELPFUL TOOL IN ALLOCATING DISEASED DONOR KIDNEYS?. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii725-iii726.	0.4	0
192	FP252BETA TRACE PROTEIN IN ACUTE KIDNEY INJURY. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
193	FP544THE EFFECT OF HAEMODIALYSIS AND HAEMODIAFILTRATION ON PLASMA LEVELS OF MICRORNA. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, .	0.4	0
194	What happens to the live donor in the years following donation?. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1289-1291.	0.4	0
195	P1765COMBINING THE BEST OF TWO OPTIONS: A SPLIT STRATEGY WITH PROPHYLAXIS OR PRE-EMPTIVE THERAPY TO PREVENT CYTOMEGALOVIRUS AFTER KIDNEY TRANSPLANTATION. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
196	TO009THE POTENTIAL OF DONOR-DERIVED CELL-FREE DNA AS A BIOMARKER FOR REJECTION IN KIDNEY TRANSPLANTATION: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
197	P1611PRE-ANALYTICAL CONSIDERATIONS IN STUDYING CIRCULATING MICRORNA EXPRESSION: COMPARISON BETWEEN PAIRED EDTA PLASMA, EDTA WHOLE BLOOD AND PAXGENE BLOOD RNA TUBES. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
198	P1630IS THERE ALWAYS A SURVIVAL BENEFIT WITH KIDNEY TRANSPLANTATION? RESULTS FROM A BELGIAN COHORT. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0

#	ARTICLE	IF	CITATIONS
199	TOO05OPERATIONAL TOLERANCE IN KIDNEY TRANSPLANT RECIPIENTS: TOMOGRAM TRANSCRIPTOMIC STUDY. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
200	MO149PREGNANCY AFTER LIVING KIDNEY DONATION, A SYSTEMATIC REVIEW OF THE AVAILABLE EVIDENCE AND A REVIEW OF THE CURRENT GUIDANCE. Nephrology Dialysis Transplantation, 2021, 36, .	0.4	0
201	HYPERCHOLESTEROLEMIA AND CHRONIC REJECTION OF RENAL ALLOGRAFTS. Transplantation, 2001, 72, 752-753.	0.5	0
202	Immunomodulators: interleukins, interferons, and the OKT3 monoclonal antibody. , 2003, , 459-482.		0
203	Immunomodulators: interleukins, interferons, and IV immunoglobulin. , 2008, , 683-698.		0
204	OKT3 Nephrotoxicity: From acute tubular necrosis to hemolytic uremic syndrome. , 1998, , 301-309.		0
205	Inability of OKT3 to prevent donor-derived ABO hemolytic anemia in a kidney-pancreas transplant recipient. Transplant International, 1995, 8, 159-160.	0.8	0
206	Is the failure of recent trials on withdrawal of calcineurin inhibitors due to inadequate mycophenolic acid dosing?. Journal of Nephrology, 2022, , 1.	0.9	0
207	Timing of the Pre-Transplant Workup for Renal Transplantation: Is There Room for Improvement?. CKJ: Clinical Kidney Journal, 0, , .	1.4	0
208	MO1010: Seroconversion Rate After Primary Vaccination with Two Doses of BNT162B2 versus MRNA-1273 in Solid Organ Transplant Recipients: A Systematic Review and Meta-Analysis. Nephrology Dialysis Transplantation, 2022, 37, .	0.4	0