

Tetsuo Asai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5533533/publications.pdf>

Version: 2024-02-01

130
papers

2,672
citations

172207

29
h-index

253896

43
g-index

133
all docs

133
docs citations

133
times ranked

2668
citing authors

#	ARTICLE	IF	CITATIONS
1	Extended-Spectrum-β-Lactamase-Producing <i>Escherichia coli</i> Strains Isolated from Farm Animals from 1999 to 2002: Report from the Japanese Veterinary Antimicrobial Resistance Monitoring Program. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 3533-3537.	1.4	168
2	Role of Antimicrobial Selective Pressure and Secondary Factors on Antimicrobial Resistance Prevalence in <i>Escherichia coli</i> from Food-Producing Animals in Japan. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-12.	3.0	112
3	Increased levels of tumor necrosis factor and interleukin 1 in bronchoalveolar lavage fluids from pigs infected with <i>Mycoplasma hyopneumoniae</i> . <i>Veterinary Immunology and Immunopathology</i> , 1993, 38, 253-260.	0.5	86
4	Elevated serum haptoglobin in pigs infected with porcine reproductive and respiratory syndrome virus. <i>Veterinary Immunology and Immunopathology</i> , 1999, 70, 143-148.	0.5	77
5	Development of a one-run real-time PCR detection system for pathogens associated with bovine respiratory disease complex. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 517-523.	0.3	70
6	Correlation between the usage volume of veterinary therapeutic antimicrobials and resistance in <i>Escherichia coli</i> isolated from the feces of food-producing animals in Japan. <i>Japanese Journal of Infectious Diseases</i> , 2005, 58, 369-72.	0.5	67
7	High prevalence of <i>mcr-1</i> , <i>mcr-3</i> and <i>mcr-5</i> in <i>Escherichia coli</i> derived from diseased pigs in Japan. <i>International Journal of Antimicrobial Agents</i> , 2018, 51, 163-164.	1.1	58
8	Decreased Resistance to Broad-Spectrum Cephalosporin in <i>Escherichia coli</i> from Healthy Broilers at Farms in Japan After Voluntary Withdrawal of Ceftiofur. <i>Foodborne Pathogens and Disease</i> , 2015, 12, 639-643.	0.8	57
9	Role of coresistance in the development of resistance to chloramphenicol in <i>Escherichia coli</i> isolated from sick cattle and pigs. <i>American Journal of Veterinary Research</i> , 2006, 67, 230-235.	0.3	56
10	Phylogenetic groups and cephalosporin resistance genes of <i>Escherichia coli</i> from diseased food-producing animals in Japan. <i>Acta Veterinaria Scandinavica</i> , 2011, 53, 52.	0.5	55
11	Increase in Resistance to Extended-Spectrum Cephalosporins in <i>Salmonella</i> Isolated from Retail Chicken Products in Japan. <i>PLoS ONE</i> , 2015, 10, e0116927.	1.1	48
12	Detection of interleukin-6 and prostaglandin E2 in bronchoalveolar lavage fluids of pigs experimentally infected with <i>Mycoplasma hyopneumoniae</i> . <i>Veterinary Immunology and Immunopathology</i> , 1994, 44, 97-102.	0.5	46
13	Continued circulation of reassortant H1N2 influenza viruses in pigs in Japan. <i>Archives of Virology</i> , 1998, 143, 1773-1782.	0.9	45
14	Isolation of methicillin-resistant <i>Staphylococcus aureus</i> (MRSA) from swine in Japan. <i>International Journal of Antimicrobial Agents</i> , 2010, 36, 352-354.	1.1	45
15	Antimicrobial Susceptibilities, Serogroups, and Molecular Characterization of Avian Pathogenic <i>Escherichia coli</i> Isolates in Japan. <i>Avian Diseases</i> , 2008, 52, 392-397.	0.4	43
16	National surveillance of <i>Salmonella enterica</i> in food-producing animals in Japan. <i>Acta Veterinaria Scandinavica</i> , 2009, 51, 35.	0.5	42
17	<i>Campylobacter</i> Contamination of Chicken Products at an Abattoir. <i>Zoonoses and Public Health</i> , 2013, 60, 134-140.	0.9	39
18	Diversity of Plasmid Replicons Encoding the <i>bla</i> _{CMY-2} Gene in Broad-Spectrum Cephalosporin-Resistant <i>Escherichia coli</i> from Livestock Animals in Japan. <i>Foodborne Pathogens and Disease</i> , 2013, 10, 243-249.	0.8	38

#	ARTICLE	IF	CITATIONS
19	Antimicrobial Resistance in Salmonella Isolates from Apparently Healthy Food-Producing Animal from 2000 to 2003: the First Stage of Japanese Veterinary Antimicrobial Resistance Monitoring (JVARM). Journal of Veterinary Medical Science, 2006, 68, 881-884.	0.3	37
20	Comparison of Campylobacter isolated from humans and food-producing animals in Japan. Journal of Applied Microbiology, 2006, 100, 153-160.	1.4	36
21	National Monitoring for Antimicrobial Resistance among Indicator Bacteria Isolated from Food-Producing Animals in Japan. Journal of Veterinary Medical Science, 2009, 71, 1301-1308.	0.3	36
22	Prevalence and Antimicrobial Susceptibility of <i>Campylobacter</i> in Broiler Flocks in Japan. Zoonoses and Public Health, 2012, 59, 241-245.	0.9	36
23	Association of antimicrobial resistance in Campylobacter isolated from food-producing animals with antimicrobial use on farms. Japanese Journal of Infectious Diseases, 2007, 60, 290-4.	0.5	36
24	Antimicrobial Susceptibility of Pathogenic Escherichia coli Isolated from Sick Cattle and Pigs in Japan. Journal of Veterinary Medical Science, 2005, 67, 999-1003.	0.3	34
25	Shedding of Porcine Circovirus into Colostrum of Sows. Zoonoses and Public Health, 2006, 53, 278-280.	1.4	34
26	Detection of Mycoplasma hyopneumoniae in Lung and Nasal Swab Samples from Pigs by Nested PCR and Culture Methods. Journal of Veterinary Medical Science, 2005, 67, 801-805.	0.3	32
27	Antimicrobial Resistance Types and Genes in Salmonella enterica Infantis Isolates from Retail Raw Chicken Meat and Broiler Chickens on Farms. Journal of Food Protection, 2006, 69, 214-216.	0.8	32
28	Long-Term Prevalence of Antimicrobial-Resistant <i>Salmonella enterica</i> Subspecies <i>enterica</i> Serovar Infantis in the Broiler Chicken Industry in Japan. Microbiology and Immunology, 2007, 51, 111-115.	0.7	31
29	Recent Trends in Antimicrobial Susceptibility and the Presence of the Tetracycline Resistance Gene in Actinobacillus pleuropneumoniae Isolates in Japan. Journal of Veterinary Medical Science, 2008, 70, 1261-1264.	0.3	31
30	Chicken Meat Is an Infection Source of <i>Salmonella</i> Serovar Infantis for Humans in Japan. Foodborne Pathogens and Disease, 2010, 7, 727-735.	0.8	31
31	Molecular typing and antimicrobial resistance of Salmonella enterica subspecies enterica serovar Choleraesuis isolates from diseased pigs in Japan. Comparative Immunology, Microbiology and Infectious Diseases, 2010, 33, 109-119.	0.7	30
32	Classification and Antimicrobial Susceptibilities of <i>Enterococcus</i> Species Isolated from Apparently Healthy Food-Producing Animals in Japan. Zoonoses and Public Health, 2010, 57, 137-141.	0.9	30
33	Rapid detection of quinolone-resistant Salmonella by real time SNP genotyping. Journal of Microbiological Methods, 2004, 58, 131-134.	0.7	29
34	Prevalence and Antimicrobial Resistance of <i>Campylobacter</i> Isolates from Beef Cattle and Pigs in Japan. Journal of Veterinary Medical Science, 2013, 75, 625-628.	0.3	29
35	Presence of Staphylococcus aureus ST398 and ST9 in Swine in Japan. Japanese Journal of Infectious Diseases, 2012, 65, 551-552.	0.5	28
36	Genetic relatedness between Japanese and European isolates of Clostridium difficile originating from piglets and their risk associated with human health. Frontiers in Microbiology, 2014, 5, 513.	1.5	28

#	ARTICLE	IF	CITATIONS
37	Phenotypic and genotypic analyses of antimicrobial resistant bacteria in livestock in Uganda. <i>Transboundary and Emerging Diseases</i> , 2019, 66, 317-326.	1.3	28
38	Prevalence and antimicrobial susceptibility of <i>Salmonella</i> in Japanese broiler flocks. <i>Epidemiology and Infection</i> , 2012, 140, 2074-2081.	1.0	26
39	Suppressive effect of bronchoalveolar lavage fluid from pigs infected with <i>Mycoplasma hyopneumoniae</i> on chemiluminescence of porcine peripheral neutrophils. <i>Veterinary Immunology and Immunopathology</i> , 1996, 51, 325-331.	0.5	24
40	Manure Compost Is a Potential Source of Tetracycline-Resistant <i>Escherichia coli</i> and Tetracycline Resistance Genes in Japanese Farms. <i>Antibiotics</i> , 2020, 9, 76.	1.5	24
41	Antimicrobial Susceptibility of <i>Mannheimia haemolytica</i> Isolates from Cattle in Japan from 2001 to 2002. <i>Journal of Veterinary Medical Science</i> , 2005, 67, 75-77.	0.3	23
42	Multi-locus sequence typing of <i>Salmonella enterica</i> subsp. <i>enterica</i> serovar <i>Enteritidis</i> strains in Japan between 1973 and 2004. <i>Acta Veterinaria Scandinavica</i> , 2011, 53, 38.	0.5	23
43	Antimicrobial Resistance in Shiga Toxin-Producing <i>Escherichia coli</i> O157 and O26 Isolates from Beef Cattle. <i>Japanese Journal of Infectious Diseases</i> , 2012, 65, 117-121.	0.5	23
44	Cytological and immunological changes in bronchoalveolar lavage fluid and histological observation of lung lesions in pigs immunized with <i>Mycoplasma hyopneumoniae</i> inactivated vaccine prepared from broth culture supernate. <i>Vaccine</i> , 2000, 18, 2825-2831.	1.7	21
45	Epidemiological Characterization of <i>Salmonella</i> Typhimurium DT104 Prevalent among Food-Producing Animals in the Japanese Veterinary Antimicrobial Resistance Monitoring Program (1999-2001). <i>Microbiology and Immunology</i> , 2004, 48, 553-556.	0.7	21
46	Multivariable Analysis of the Association Between Antimicrobial Use and Antimicrobial Resistance in <i>Escherichia coli</i> Isolated from Apparently Healthy Pigs in Japan. <i>Microbial Drug Resistance</i> , 2016, 22, 28-39.	0.9	21
47	Isolation of <i>Salmonella</i> from Diarrheic Feces of Pigs. <i>Journal of Veterinary Medical Science</i> , 2002, 64, 159-160.	0.3	20
48	Phylogenetic grouping, epidemiological typing, analysis of virulence genes, and antimicrobial susceptibility of <i>Escherichia coli</i> isolated from healthy broilers in Japan. <i>Irish Veterinary Journal</i> , 2014, 67, 14.	0.8	20
49	Serological diagnosis of enzootic pneumonia of swine by a double-sandwich enzyme-linked immunosorbent assay using a monoclonal antibody and recombinant antigen (P46) of <i>Mycoplasma hyopneumoniae</i> . <i>Veterinary Microbiology</i> , 2005, 105, 251-259.	0.8	19
50	Molecular Typing of Avian Pathogenic <i>Escherichia coli</i> O78 Strains in Japan by Using Multilocus Sequence Typing and Pulsed-Field Gel Electrophoresis. <i>Journal of Veterinary Medical Science</i> , 2010, 72, 1517-1520.	0.3	19
51	Emergence of Fluoroquinolone Resistance in <i>Campylobacter jejuni</i> in Chickens Exposed to Enrofloxacin Treatment at the Inherent Dosage Licensed in Japan. <i>Zoonoses and Public Health</i> , 2005, 52, 460-464.	1.4	18
52	Sales of veterinary antimicrobial agents for therapeutic use in food-producing animal species in Japan between 2005 and 2010. <i>OIE Revue Scientifique Et Technique</i> , 2014, 33, 1007-1015.	0.5	18
53	Comparison of <i>In Vitro</i> Activities and Pharmacokinetics/Pharmacodynamics Estimations of Veterinary Fluoroquinolones Against Avian Pathogenic <i>Escherichia coli</i> Isolates. <i>Microbial Drug Resistance</i> , 2010, 16, 327-332.	0.9	17
54	<i>Clostridium difficile</i> Isolated from the Fecal Contents of Swine in Japan. <i>Journal of Veterinary Medical Science</i> , 2013, 75, 539-541.	0.3	17

#	ARTICLE	IF	CITATIONS
55	Changes in antimicrobial resistance phenotypes and genotypes in <i>Streptococcus suis</i> strains isolated from pigs in the Tokai area of Japan. <i>Journal of Veterinary Medical Science</i> , 2020, 82, 9-13.	0.3	17
56	Risk factors for <i>Salmonella</i> prevalence in laying-hen farms in Japan. <i>Epidemiology and Infection</i> , 2012, 140, 982-990.	1.0	16
57	Changes of Multi-Drug Resistance Pattern in <i>Salmonella enterica</i> Subspecies <i>enterica</i> Serovar Typhimurium Isolates from Food-Producing Animals in Japan. <i>Journal of Veterinary Medical Science</i> , 2007, 69, 1211-1213.	0.3	15
58	Farm-Level Impact of Therapeutic Antimicrobial Use on Antimicrobial-Resistant Populations of <i>Escherichia coli</i> Isolates from Pigs. <i>Microbial Drug Resistance</i> , 2008, 14, 239-244.	0.9	15
59	Epidemiology of plasmid-mediated quinolone resistance in <i>Salmonella enterica</i> serovar Typhimurium Isolates from Food-Producing Animals in Japan. <i>Gut Pathogens</i> , 2010, 2, 17.	1.6	15
60	Evaluation of Transferability of R-Plasmid in Bacteriocin-Producing Donors to Bacteriocin-Resistant Recipients. <i>Japanese Journal of Infectious Diseases</i> , 2012, 65, 252-255.	0.5	15
61	<i>Salmonella</i> prevalence in commercial raw shell eggs in Japan: a survey. <i>Epidemiology and Infection</i> , 2011, 139, 1060-1064.	1.0	14
62	Selection of broad-spectrum cephalosporin-resistant <i>Escherichia coli</i> in the feces of healthy dogs after administration of first-generation cephalosporins. <i>Microbiology and Immunology</i> , 2017, 61, 34-41.	0.7	14
63	The occurrence of CTX-M-25-producing Enterobacteriaceae in day-old broiler chicks in Japan. <i>Journal of Veterinary Medical Science</i> , 2017, 79, 1644-1647.	0.3	14
64	Antimicrobial susceptibility of <i>Escherichia coli</i> isolates obtained from wild mammals between 2013 and 2017 in Japan. <i>Journal of Veterinary Medical Science</i> , 2020, 82, 345-349.	0.3	14
65	Use of veterinary antimicrobial agents from 2005 to 2010 in Japan. <i>International Journal of Antimicrobial Agents</i> , 2013, 41, 489-490.	1.1	13
66	Relationships between Mutant Prevention Concentrations and Mutation Frequencies against Enrofloxacin for Avian Pathogenic <i>Escherichia coli</i> Isolates. <i>Journal of Veterinary Medical Science</i> , 2013, 75, 709-713.	0.3	13
67	Control of the Development and Prevalence of Antimicrobial Resistance in Bacteria of Food Animal Origin in Japan: A New Approach for Risk Management of Antimicrobial Veterinary Medicinal Products in Japan. <i>Foodborne Pathogens and Disease</i> , 2014, 11, 171-176.	0.8	13
68	<i>In vitro</i> Activity of 24 Antimicrobial Agents against <i>Staphylococcus</i> and <i>Streptococcus</i> Isolated from Diseased Animals in Japan. <i>Journal of Veterinary Medical Science</i> , 2005, 67, 207-210.	0.3	11
69	Contribution of Multi-Antimicrobial Resistance to the Population of Antimicrobial Resistant <i>Escherichia coli</i> Isolated from Apparently Healthy Pigs in Japan. <i>Microbiology and Immunology</i> , 2007, 51, 493-499.	0.7	11
70	Effect of Antimicrobial Exposure on AcrAB Expression in <i>Salmonella enterica</i> Subspecies <i>enterica</i> Serovar Choleraesuis. <i>Frontiers in Microbiology</i> , 2013, 4, 53.	1.5	11
71	Prevalence of Colistin-Resistant Bacteria among Retail Meats in Japan. <i>Food Safety (Tokyo, Japan)</i> , 2021, 9, 48-56.	1.0	11
72	Comparison of fluoroquinolone resistance genes of <i>Salmonella enterica</i> serovar Choleraesuis isolates in Japan and Taiwan. <i>Japanese Journal of Infectious Diseases</i> , 2004, 57, 287-8.	0.5	11

#	ARTICLE	IF	CITATIONS
73	Susceptibility of Pregnant Hamster, Guinea Pig, and Rabbit to the Transplacental Infection of Getah Virus.. Journal of Veterinary Medical Science, 1991, 53, 1109-1111.	0.3	10
74	The Dynamics of Antimicrobial-Resistant <i>Campylobacter jejuni</i> on Japanese Broiler Farms. Journal of Veterinary Medical Science, 2006, 68, 515-518.	0.3	10
75	Prevalence and Mechanism of Antimicrobial Resistance in <i>Staphylococcus aureus</i> Isolates from Diseased Cattle, Swine and Chickens in Japan. Journal of Veterinary Medical Science, 2012, 74, 561-565.	0.3	10
76	Associations of antimicrobial use with antimicrobial resistance in <i>Campylobacter coli</i> from grow-finish pigs in Japan. Preventive Veterinary Medicine, 2012, 106, 295-300.	0.7	10
77	Molecular Typing of Fluoroquinolone-Resistant <i>Campylobacter jejuni</i> isolated from Broilers in Japan Using Multilocus Sequence Typing and Pulsed-Field Gel Electrophoresis. Foodborne Pathogens and Disease, 2016, 13, 1-7.	0.8	10
78	Isolation and Serological Survey of <i>Salmonella</i> in Pigs in Japan.. Journal of Veterinary Medical Science, 2002, 64, 1011-1015.	0.3	9
79	Intracellular concentrations of enrofloxacin in quinolone-resistant <i>Salmonella enterica</i> subspecies <i>enterica</i> serovar <i>Choleraesuis</i> . International Journal of Antimicrobial Agents, 2009, 34, 592-595.	1.1	9
80	Mutations in <i>GyrA</i> and <i>ParC</i> in Fluoroquinolone-Resistant <i>Mannheimia haemolytica</i> Isolates from Cattle in Japan. Journal of Veterinary Medical Science, 2009, 71, 493-494.	0.3	9
81	Isolation of ST398 methicillin-resistant <i>Staphylococcus aureus</i> ; from pigs at abattoirs in Tohoku region, Japan. Journal of Veterinary Medical Science, 2020, 82, 1400-1403.	0.3	9
82	Relationships between multidrug-resistant <i>Salmonella enterica</i> Serovar <i>Schwarzengrund</i> and both broiler chickens and retail chicken meats in Japan. Japanese Journal of Infectious Diseases, 2009, 62, 198-200.	0.5	9
83	Characterization of Macrolide-Resistant <i>Campylobacter coli</i> Isolates from Food-Producing Animals on Farms Across Japan during 2004. Journal of Veterinary Medical Science, 2006, 68, 1109-1111.	0.3	8
84	Contribution of Enhanced Efflux to Reduced Susceptibility of <i>Salmonella enterica</i> Serovar <i>Choleraesuis</i> to Fluoroquinolone and Other Antimicrobials. Journal of Veterinary Medical Science, 2011, 73, 279-282.	0.3	8
85	Antimicrobial Susceptibility of <i>Escherichia coli</i> Isolates from Wild Mice in a Forest of a Natural Park in Hokkaido, Japan. Journal of Veterinary Medical Science, 2011, 73, 1191-1193.	0.3	8
86	Application of Enrofloxacin and Orbifloxacin Disks Approved in Japan for Susceptibility Testing of Representative Veterinary Respiratory Pathogens. Journal of Veterinary Medical Science, 2014, 76, 1427-1430.	0.3	8
87	Isolation and antimicrobial susceptibility of <i>Plesiomonas shigelloides</i> from great cormorants (<i>Phalacrocorax carbo hanedae</i>) in Gifu and Shiga Prefectures, Japan. Journal of Veterinary Medical Science, 2015, 77, 1179-1181.	0.3	8
88	Quantitative Release Assessment of <i>mcr</i> -mediated Colistin-resistant <i>Escherichia coli</i> from Japanese Pigs. Food Safety (Tokyo, Japan), 2020, 8, 13-33.	1.0	8
89	Detection of <i>aac(6)-Ib-cr</i> in Avian Pathogenic <i>Escherichia coli</i> Isolates in Japan. Journal of Veterinary Medical Science, 2013, 75, 1539-1542.	0.3	7
90	Becker Muscular Dystrophy-Like Myopathy Regarded as So-Called "Fatty Muscular Dystrophy" in a Pig: A Case Report and Its Diagnostic Method. Journal of Veterinary Medical Science, 2014, 76, 243-248.	0.3	7

#	ARTICLE	IF	CITATIONS
91	Prevalence of Antibodies to Five Selected Zoonosis Agents in Monkeys.. Journal of Veterinary Medical Science, 1991, 53, 553-559.	0.3	6
92	Enrichment for Isolating Salmonella Choleraesuis and other Salmonella spp. from Pigs. Journal of Veterinary Medical Science, 2003, 65, 949-951.	0.3	6
93	Prevalence of the Virulence Plasmid in Salmonella Typhimurium Isolates from Pigs. Journal of Veterinary Medical Science, 2006, 68, 187-188.	0.3	6
94	Prevalence of antimicrobial resistance among serotypes of <i>Campylobacter jejuni</i> isolates from cattle and poultry in Japan. Microbiology and Immunology, 2009, 53, 107-111.	0.7	6
95	Colonization of chicken flocks by <i>Campylobacter jejuni</i> in multiple farms in Japan. Poultry Science, 2013, 92, 375-381.	1.5	6
96	Association of <i>Salmonella</i> ; Serotypes with Quinolone Resistance in Broilers. Food Safety (Tokyo, Japan), 2018, 6, 156-159.	1.0	6
97	Association between the blaCTX-M-14-harboring <i>Escherichia coli</i> Isolated from Weasels and Domestic Animals Reared on a University Campus. Antibiotics, 2021, 10, 432.	1.5	6
98	Antimicrobial Resistance in <i>Salmonella</i> Isolated from Food Workers and Chicken Products in Japan. Antibiotics, 2021, 10, 1541.	1.5	6
99	Characterization of Japanese Isolates of Aujeszky's Disease Virus by Restriction Endonuclease Cleavage Patterns, Virulence in Mice and Thymidine Kinase Activity.. Journal of Veterinary Medical Science, 1992, 54, 523-528.	0.3	5
100	Protective Effect of Vaccination with Culture Supernate of <i>M. hyopneumoniae</i> against Experimental Infection in Pigs. Zoonoses and Public Health, 2000, 47, 527-533.	1.4	5
101	Dembo polymerase chain reaction technique for detection of bovine abortion, diarrhea, and respiratory disease complex infectious agents in potential vectors and reservoirs. Journal of Veterinary Science, 2018, 19, 350.	0.5	5
102	Persistence of extended-spectrum β -lactamase plasmids among Enterobacteriaceae in commercial broiler farms. Microbiology and Immunology, 2020, 64, 712-718.	0.7	5
103	ISOLATION AND ANTIMICROBIAL SUSCEPTIBILITIES OF NONTUBERCULOUS MYCOBACTERIA FROM WILDLIFE IN JAPAN. Journal of Wildlife Diseases, 2020, 56, 851-862.	0.3	5
104	Effectiveness of ear skin swabs for monitoring methicillin-resistant <i>Staphylococcus aureus</i> ; ST398 in pigs at abattoirs. Journal of Veterinary Medical Science, 2021, 83, 112-115.	0.3	5
105	Clonal Spread of Quinolone-Resistant <i>Escherichia coli</i> among Sika Deer (<i>Cervus nippon</i>) Inhabiting an Urban City Park in Japan. Journal of Wildlife Diseases, 2021, 57, 172-177.	0.3	5
106	Suppurative granulomatous sinorhinitis associated with <i>Nocardia</i> spp.; infection in a cat. Journal of Veterinary Medical Science, 2015, 77, 597-599.	0.3	4
107	Evaluation of the relationship between the minimum inhibitory concentration of ceftiofur and third-generation cephalosporins in <i>Escherichia coli</i> isolates from food-producing animals. Journal of Veterinary Diagnostic Investigation, 2017, 29, 716-720.	0.5	4
108	Isolation and molecular characterization of a urease-negative <i>Actinobacillus pleuropneumoniae</i> mutant. Journal of Veterinary Diagnostic Investigation, 2018, 30, 172-174.	0.5	4

#	ARTICLE	IF	CITATIONS
109	Effects of Antimicrobial Administration on the Prevalence of Antimicrobial-Resistant <i>Escherichia coli</i> in Broiler Flocks. Japanese Journal of Infectious Diseases, 2019, 72, 179-184.	0.5	4
110	Flagellum expression and swimming activity by the zoonotic pathogen <i>Escherichia albertii</i> . Environmental Microbiology Reports, 2020, 12, 92-96.	1.0	4
111	Continuous prevalence of VEB extended-spectrum β -lactamase-producing <i>Aeromonas hydrophila</i> in a local river in Gifu city, Japan. Microbiology and Immunology, 2021, 65, 99-100.	0.7	4
112	Prevalence of Antimicrobial-Resistant <i>Escherichia coli</i> in Migratory Greater White-Fronted Geese (<i>Anser albifrons</i>) and their Habitat in Miyajimanuma, Japan. Journal of Wildlife Diseases, 2021, 57, 954-958.	0.3	4
113	Low expression of AcrB in the deoxycholate-sensitive strains of <i>Salmonella enterica</i> subspecies <i>enterica</i> serovar Pullorum. Microbiology and Immunology, 2011, 55, 366-368.	0.7	3
114	Prevalence of antimicrobial resistance in bacteria isolated from Great Cormorants (<i>Phalacrocorax carbo hanedae</i>) in Japan. Journal of Veterinary Medical Science, 2021, 83, 1191-1195.	0.3	3
115	Molecular Characteristics and Antimicrobial Resistance of <i>Salmonella enterica</i> Serovar Schwarzengrund from Chicken Meat in Japan. Antibiotics, 2021, 10, 1336.	1.5	3
116	Genomic features of <i>Mycobacterium avium</i> subsp. <i>hominissuis</i> isolated from pigs in Japan. GigaByte, 0, 2021, 1-12.	0.0	3
117	Phage type and antimicrobial susceptibility of <i>Salmonella enterica</i> serovar Enteritidis from food-producing animals in Japan between 1976 and 2004. New Microbiologica, 2008, 31, 555-9.	0.1	3
118	Prevalence and fluoroquinolone resistance of <i>Campylobacter</i> spp. isolated from beef cattle in Japan. Animal Diseases, 2022, 2, .	0.6	3
119	Prevalence of Antibodies to Field Pseudorabies Virus in Pigs of Herd Vaccinated with Live Vaccine.. Journal of Veterinary Medical Science, 1998, 60, 399-400.	0.3	2
120	Genomic Analysis of <i>Salmonella enterica</i> Serovar Typhimurium Definitive Phage Type 104. Emerging Infectious Diseases, 2013, 19, 823-5.	2.0	2
121	Metagenomic identification, sequencing, and genome analysis of porcine hepe-astroviruses (bastroviruses) in porcine feces in Japan. Infection, Genetics and Evolution, 2021, 88, 104664.	1.0	2
122	Antimicrobial resistance in Enterobacteriaceae isolated from arthropods in Gifu City, Japan. Microbiology and Immunology, 2021, 65, 136-141.	0.7	2
123	Antimicrobial Resistance Monitoring Program in Food-Producing Animals in Japan. Japan Journal of Veterinary Informatics, 2008, 12, 93-98.	0.1	2
124	Enterotoxigenicity of <i>Staphylococcus aureus</i> isolates from Bulk and Individual Cow Milks. Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association, 1996, 49, 666-668.	0.0	2
125	Third-Generation Cephalosporin Resistance in Intrinsic Colistin-Resistant Enterobacterales Isolated from Retail Meat. Antibiotics, 2021, 10, 1437.	1.5	2
126	First detection of Lake Sinai virus in honeybees (<i>Apis mellifera</i>) and wild arthropods in Japan. Journal of Veterinary Medical Science, 2022, , .	0.3	2

#	ARTICLE	IF	CITATIONS
127	Isolation and Characterization of Antimicrobial-Resistant <i>Escherichia coli</i> from Retail Meats from Roadside Butcheries in Uganda. <i>Foodborne Pathogens and Disease</i> , 2020, 17, 666-671.	0.8	1
128	Isolation of Several Microbial Pathogens from Piglets Weaned at Various Ages. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 2001, 54, 353-357.	0.0	1
129	Isolation and Characterization of <i>Escherichia albertii</i> from Cattle and Swine in the Tokai Region, Japan. <i>Nippon Juishikai Zasshi Journal of the Japan Veterinary Medical Association</i> , 2022, 75, e107-e113.	0.0	0
130	First isolation of ST398 methicillin-resistant <i>Staphylococcus aureus</i> carrying staphylococcal cassette chromosome <i>mec</i> type IVd from pig ears in Japan. <i>Journal of Veterinary Medical Science</i> , 2022, , .	0.3	0