

Hayriye Esra Ataoglu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5534620/hayriye-esra-ataoglu-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

12
papers

256
citations

7
h-index

15
g-index

15
ext. papers

324
ext. citations

3.1
avg, IF

1.95
L-index

#	Paper	IF	Citations
12	PIONEER 1: Randomized Clinical Trial of the Efficacy and Safety of Oral Semaglutide Monotherapy in Comparison With Placebo in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2019 , 42, 1724-1732	14.6	128
11	Neck circumference, metabolic syndrome and obstructive sleep apnea syndrome; evaluation of possible linkage. <i>Medical Science Monitor</i> , 2013 , 19, 111-7	3.2	37
10	Significance and usefulness of narrow fragmented QRS complex on 12-lead electrocardiogram in acute ST-segment elevation myocardial infarction for prediction of early mortality and morbidity. <i>Annals of Noninvasive Electrocardiology</i> , 2014 , 19, 338-44	1.5	23
9	FT3/FT4 ratio predicts non-alcoholic fatty liver disease independent of metabolic parameters in patients with euthyroidism and hypothyroidism. <i>Clinics</i> , 2016 , 71, 221-5	2.3	22
8	Oxidative status and lipid profile in metabolic syndrome: gender differences. <i>Metabolic Syndrome and Related Disorders</i> , 2010 , 8, 53-8	2.6	13
7	Prognostic significance of high free T4 and low free T3 levels in non-thyroidal illness syndrome. <i>European Journal of Internal Medicine</i> , 2018 , 57, 91-95	3.9	10
6	Additional value of carotid artery intima-media thickness in cardiovascular risk assessment by Framingham risk-score in Type 2 diabetes: a retrospective cohort study. <i>Journal of Diabetes</i> , 2009 , 1, 188-93	3.8	9
5	The prevalence of metabolic syndrome in different ethnic groups in Turkey. <i>Journal of International Medical Research</i> , 2013 , 41, 188-99	1.4	4
4	N-Terminal pro-B-Type Natriuretic Peptide Levels are Linked with Modified Child-Pugh Classification in Patients with Nonalcoholic Cirrhosis [NT-ProBNP and Liver Cirrhosis]. <i>Cell Biochemistry and Biophysics</i> , 2017 , 75, 111-117	3.2	3
3	The correlation of inflammatory markers and plasma vaspin levels in patients with diabetic nephropathy. <i>Renal Failure</i> , 2016 , 38, 1044-9	2.9	3
2	Prediabetes and Type 2 Diabetes are Independent Risk Factors for Computed Tomography-Estimated Nonalcoholic Fatty Pancreas Disease. <i>Clinics</i> , 2019 , 74, e1337	2.3	3
1	Serum albumin and FT3/FT4 ratio as additional co-morbidity parameters to predict mortality as a new approach: The Haseki Scoring Index (updated Charlson Comorbidity Index).. <i>PLoS ONE</i> , 2022 , 17, e0264724	3.7	0