

# Naomi E Hammond

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5534865/publications.pdf>

Version: 2024-02-01

62  
papers

4,102  
citations

448610

19  
h-index

190340

53  
g-index

66  
all docs

66  
docs citations

66  
times ranked

7617  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Long-term costs and cost-effectiveness of adjunctive corticosteroids for patients with septic shock in New Zealand. <i>Australian Critical Care</i> , 2022, 35, 241-250.   | 0.6  | 3         |
| 2  | Critical care health professionals' self-reported needs for wellbeing during the COVID-19 pandemic: A thematic analysis of survey responses. <i>Australian Critical Care</i> , 2022, 35, 40-45.  | 0.6  | 13        |
| 3  | Infection control in the intensive care unit: expert consensus statements for SARS-CoV-2 using a Delphi method. <i>Lancet Infectious Diseases</i> , The, 2022, 22, e74-e87.  | 4.6  | 10        |
| 4  | Balanced Multielectrolyte Solution versus Saline in Critically Ill Adults. <i>New England Journal of Medicine</i> , 2022, 386, 815-826.  | 13.9 | 139       |
| 5  | Estimates of Sepsis Prevalence and Outcomes in Adult Patients in the ICU in India. <i>Chest</i> , 2022, 161, 1543-1554.  | 0.4  | 21        |
| 6  | Balanced Crystalloids versus Saline in Critically Ill Adults – A Systematic Review with Meta-Analysis. , 2022, 1, .  |      | 65        |
| 7  | Long-term outcomes of dexamethasone 12Âmg versus 6Âmg in patients with COVID-19 and severe hypoxaemia. <i>Intensive Care Medicine</i> , 2022, 48, 580-589.   | 3.9  | 17        |
| 8  | Ventilation management and outcomes in out-of-hospital cardiac arrest: a protocol for a preplanned secondary analysis of the TTM2 trial. <i>BMJ Open</i> , 2022, 12, e058001.  | 0.8  | 3         |
| 9  | Challenges in operationalising clinical trials in India during the COVID-19 pandemic. <i>The Lancet Global Health</i> , 2022, 10, e317-e319.   | 2.9  | 12        |
| 10 | Hydroxychloroquine plus personal protective equipment versus personal protective equipment alone for the prevention of laboratory-confirmed COVID-19 infections among healthcare workers: a multicentre, parallel-group randomised controlled trial from India. <i>BMJ Open</i> , 2022, 12, e059540.                         | 0.8  | 8         |
| 11 | Prevalence of pressure injuries and the management of support surfaces (mattresses) in adult intensive care patients: A multicentre point prevalence study in Australia and New Zealand. <i>Australian Critical Care</i> , 2021, 34, 60-66.  | 0.6  | 5         |
| 12 | An international comparison of the cost of fluid resuscitation therapies. <i>Australian Critical Care</i> , 2021, 34, 23-32.   | 0.6  | 9         |
| 13 | Device-related pressure injuries in adult intensive care unit patients: An Australian and New Zealand point prevalence study. <i>Australian Critical Care</i> , 2021, 34, 561-568.   | 0.6  | 12        |
| 14 | The Plasma-Lyte 148 versus Saline (PLUS) statistical analysis plan: a multicentre, randomised controlled trial of the effect of intensive care fluid therapy on mortality. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 24-31.                          | 0.0  | 1         |
| 15 | Impact of the coronavirus disease 2019 pandemic on critical care healthcare workers' depression, anxiety, and stress levels. <i>Australian Critical Care</i> , 2021, 34, 146-154.  | 0.6  | 67        |
| 16 | Protecting the role of the intensive care research coordinator during pandemics. <i>Australian Critical Care</i> , 2021, 34, 119.  | 0.6  | 2         |
| 17 | Protocol summary and statistical analysis plan for the Selective Decontamination of the Digestive Tract in Intensive Care Unit Patients (SuDDICU) crossover, cluster randomised controlled trial. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 183-193. | 0.0  | 2         |
| 18 | Clinician preferences for prescription of corticosteroids in patients with septic shock: an international survey. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 234-238.   | 0.0  | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Statistical analysis plan for the BLING III study: a phase 3 multicentre randomised controlled trial of continuous versus intermittent $\beta$ -lactam antibiotic infusion in critically ill patients with sepsis. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2021, 23, 273-284. | 0.0 | 0         |
| 20 | Health-related quality of life in survivors of septic shock: 6-month follow-up from the ADRENAL trial. <i>Intensive Care Medicine</i> , 2020, 46, 1696-1706.  | 3.9 | 23        |
| 21 | Functional outcomes at 12 months for patients with traumatic brain injury, intracerebral haemorrhage and subarachnoid haemorrhage treated in an Australian neurocritical care unit: A prospective cohort study. <i>Australian Critical Care</i> , 2020, 33, 497-503.  | 0.6 | 4         |
| 22 | Interventions to reduce body temperature to 35 °C to 37 °C in adults and children with traumatic brain injury. <i>The Cochrane Library</i> , 2020, 2020, CD006811.  | 1.5 | 1         |
| 23 | Effect of mannitol plus hypertonic saline combination versus hypertonic saline monotherapy on acute kidney injury after traumatic brain injury. <i>Journal of Critical Care</i> , 2020, 57, 220-224.  | 1.0 | 5         |
| 24 | Surviving Sepsis Campaign: guidelines on the management of critically ill adults with Coronavirus Disease 2019 (COVID-19). <i>Intensive Care Medicine</i> , 2020, 46, 854-887.  | 3.9 | 1,536     |
| 25 | The association between hyponatraemia and long-term functional outcome in patients with aneurysmal subarachnoid haemorrhage: A single centre prospective cohort study. <i>Journal of Clinical Neuroscience</i> , 2020, 78, 353-359.   | 0.8 | 5         |
| 26 | Why is a fluid bolus administered and has there been a change in practice? Results from SAFE, SAFE TRIPS and fluid TRIPS datasets. <i>Intensive Care Medicine</i> , 2020, 46, 1284-1285.  | 3.9 | 2         |
| 27 | Checklists and protocols in the ICU: less variability in care or more unnecessary interventions?. <i>Intensive Care Medicine</i> , 2020, 46, 1249-1251.   | 3.9 | 4         |
| 28 | Surviving Sepsis Campaign: Guidelines on the Management of Critically Ill Adults with Coronavirus Disease 2019 (COVID-19). <i>Critical Care Medicine</i> , 2020, 48, e440-e469.   | 0.4 | 816       |
| 29 | A multicentre point prevalence study of delirium assessment and management in patients admitted to Australian and New Zealand intensive care units. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020, 22, 355-360.  | 0.0 | 1         |
| 30 | Cognitive impairment in intensive care unit patients: A pilot mixed-methods feasibility study exploring incidence and experiences for recovering patients. <i>Australian Critical Care</i> , 2019, 32, 131-138.   | 0.6 | 8         |
| 31 | Randomised evaluation of active control of temperature versus ordinary temperature management (REACTOR) trial. <i>Intensive Care Medicine</i> , 2019, 45, 1382-1391.  | 3.9 | 13        |
| 32 | The Plasma-Lyte 148 versus Saline (PLUS) study protocol amendment. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2019, 21, 284-86.  | 0.0 | 0         |
| 33 | Internet health information use by surrogate decision makers of patients admitted to the intensive care unit: a multicentre survey. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2019, 21, 305-10.   | 0.0 | 3         |
| 34 | Preventing Delirium in the Intensive Care Unit. <i>JAMA - Journal of the American Medical Association</i> , 2018, 319, 659.   | 3.8 | 9         |
| 35 | Secretion clearance strategies in Australian and New Zealand Intensive Care Units. <i>Australian Critical Care</i> , 2018, 31, 191-196.   | 0.6 | 33        |
| 36 | The evolution of Australian intensive care and its related costs: A narrative review. <i>Australian Critical Care</i> , 2018, 31, 325-330.  | 0.6 | 10        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Sepsis incidence and mortality are underestimated in Australian intensive care unit administrative data. <i>Medical Journal of Australia</i> , 2018, 209, 255-260.  | 0.8  | 39        |
| 38 | Health-related outcomes of critically ill patients with and without sepsis. <i>Intensive Care Medicine</i> , 2018, 44, 1249-1257.   | 3.9  | 41        |
| 39 | Patterns of intravenous fluid resuscitation use in adult intensive care patients between 2007 and 2014: An international cross-sectional study. <i>PLoS ONE</i> , 2017, 12, e0176292.   | 1.1  | 95        |
| 40 | Fluid Resuscitation. , 2016, , 47-53.   |      | 0         |
| 41 | Resuscitation fluid use in Australian and New Zealand Intensive Care Units between 2007 and 2013. <i>Intensive Care Medicine</i> , 2015, 41, 1611-1619.   | 3.9  | 42        |
| 42 | Acetaminophen for Fever in Critically Ill Patients with Suspected Infection. <i>New England Journal of Medicine</i> , 2015, 373, 2215-2224.   | 13.9 | 183       |
| 43 | Measurement of the frequency and source of interruptions occurring during bedside nursing handover in the intensive care unit: An observational study. <i>Australian Critical Care</i> , 2015, 28, 19-23.   | 0.6  | 50        |
| 44 | Fluid resuscitation in the critically ill: what is the next challenge?. <i>Revista Brasileira De Terapia Intensiva</i> , 2015, 27, 309-11.  | 0.1  | 3         |
| 45 | Continuous intra-arterial blood glucose monitoring using quenched fluorescence sensing in intensive care patients after cardiac surgery: phase II of a product development study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2015, 17, 190-6.  | 0.0  | 4         |
| 46 | Modest cooling therapies (35°C to 37.5°C) for traumatic brain injury. <i>The Cochrane Library</i> , 2014, , CD006811.   | 1.5  | 15        |
| 47 | Head-of-Bed Elevation Improves End-Expiratory Lung Volumes in Mechanically Ventilated Subjects: A Prospective Observational Study. <i>Respiratory Care</i> , 2014, 59, 1583-1589.   | 0.8  | 17        |
| 48 | Procalcitonin for diagnosis of bacterial pneumonia in critically ill patients during 2009 H1N1 influenza pandemic: a prospective cohort study, systematic review and individual patient data meta-analysis. <i>Critical Care</i> , 2014, 18, R44.   | 2.5  | 91        |
| 49 | Continuous intra-arterial blood glucose monitoring using quenched fluorescence sensing: a product development study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2014, 16, 54-61.   | 0.0  | 5         |
| 50 | Individual patient data meta-analysis of hydroxyethyl starch 130/0.4-0.42 versus crystalloid for fluid resuscitation in patients with severe sepsis: a statistical analysis plan. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2014, 16, 96-103. | 0.0  | 0         |
| 51 | Individual patient data comparative analysis of hydroxyethyl starch 130/0.4 v 4% albumin for fluid resuscitation in critically ill patients: statistical analysis plan. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2014, 16, 206-13.           | 0.0  | 0         |
| 52 | Intravenous magnesium therapy in adult patients with an aneurysmal subarachnoid haemorrhage: A systematic review and meta-analysis. <i>Australian Critical Care</i> , 2013, 26, 105-117.  | 0.6  | 2         |
| 53 | The effect of implementing a modified early warning scoring (MEWS) system on the adequacy of vital sign documentation. <i>Australian Critical Care</i> , 2013, 26, 18-22.   | 0.6  | 46        |
| 54 | Understanding current intensive care unit nursing handover practices. <i>International Journal of Nursing Practice</i> , 2013, 19, 214-220.   | 0.8  | 30        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Temperature management of non-elective intensive care patients without neurological abnormalities: a point prevalence study of practice in Australia and New Zealand. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013, 15, 228-33. | 0.0 | 1         |
| 56 | End-expiratory lung volume recovers more slowly after closed endotracheal suctioning than after open suctioning: A randomized crossover study. <i>Journal of Critical Care</i> , 2012, 27, 742.e1-742.e7.   | 1.0 | 30        |
| 57 | Pharmacological versus non-pharmacological antipyretic treatments in febrile critically ill adult patients: A systematic review and meta-analysis. <i>Australian Critical Care</i> , 2011, 24, 4-17.  | 0.6 | 76        |
| 58 | The Utility of Procalcitonin in Diagnosis of H1N1 Influenza in Intensive Care Patients. <i>Anaesthesia and Intensive Care</i> , 2011, 39, 238-241.  | 0.2 | 10        |
| 59 | Injury in China: a systematic review of injury surveillance studies conducted in Chinese hospital emergency departments. <i>BMC Emergency Medicine</i> , 2011, 11, 18.  | 0.7 | 11        |
| 60 | The status of trauma registry systems in Chinese hospitals. <i>Injury Prevention</i> , 2011, 17, 419-421.   | 1.2 | 9         |
| 61 | The experiences of health care workers employed in an Australian intensive care unit during the H1N1 Influenza pandemic of 2009: A phenomenological study. <i>International Journal of Nursing Studies</i> , 2010, 47, 577-585.   | 2.5 | 145       |
| 62 | Prevalence of Delirium with Dexmedetomidine Compared with Morphine Based Therapy after Cardiac Surgery. <i>Anesthesiology</i> , 2009, 111, 1075-1084.   | 1.3 | 291       |