
## Vincenzo Malagnino

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5535681/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Droplet digital PCR assay as an innovative and promising highly sensitive assay to unveil residual and cryptic HBV replication in peripheral compartment. Methods, 2022, 201, 74-81.	1.9	8
2	In Patients with Severe COVID-19, the Profound Decrease in the Peripheral Blood T-Cell Subsets Is Correlated with an Increase of QuantiFERON-TB Gold Plus Indeterminate Rates and Reflecting a Reduced Interferon-Gamma Production. Life, 2022, 12, 244.	1.1	6
3	Highly Sensitive HBsAg, Anti-HBc and Anti HBsAg Titres in Early Diagnosis of HBV Reactivation in Anti-HBc-Positive Onco-Haematological Patients. Biomedicines, 2022, 10, 443.	1.4	4
4	Thymosin Alpha 1 Mitigates Cytokine Storm in Blood Cells From Coronavirus Disease 2019 Patients. Open Forum Infectious Diseases, 2021, 8, ofaa588.	0.4	27
5	Poor CD4/CD8 ratio recovery in HBcAb-positive HIV patients with worse immune status is associated with significantly higher CD8 cell numbers. Scientific Reports, 2021, 11, 3965.	1.6	5
6	HBcAb Positivity Is a Risk Factor for an Increased Detectability of HIV RNA after Switching to a Two-Drug Regimen Lamivudine-Based (2DR-3TC-Based) Treatment: Analysis of a Multicenter Italian Cohort. Microorganisms, 2021, 9, 396.	1.6	6
7	Evidence of the pathogenic HERV-W envelope expression in T lymphocytes in association with the respiratory outcome of COVID-19 patients. EBioMedicine, 2021, 66, 103341.	2.7	57
8	Baseline T-lymphocyte subset absolute counts can predict both outcome and severity in SARS-CoV-2 infected patients: a single center study. Scientific Reports, 2021, 11, 12762.	1.6	29
9	HBeAg Levels Vary across the Different Stages of HBV Infection According to the Extent of Immunological Pressure and Are Associated with Therapeutic Outcome in the Setting of Immunosuppression-Driven HBV Reactivation. Biomedicines, 2021, 9, 1352.	1.4	1
10	Genotypic HIV-1 tropism determination might help to identify people with exhausted treatment options and advanced disease. Journal of Antimicrobial Chemotherapy, 2021, 76, 3272-3279.	1.3	0
11	T-cell responses to SARS-CoV-2 in multiple sclerosis patients treated with ocrelizumab healed from COVID-19 with absent or low anti-spike antibody titers. Multiple Sclerosis and Related Disorders, 2021, 55, 103157.	0.9	30
12	HBcAb Positivity Increases the Risk of Severe Hepatic Fibrosis Development in HIV/HCV-Positive Subjects From the ICONA Italian Cohort of HIV-Infected Patients. Open Forum Infectious Diseases, 2021, 8, ofaa566.	0.4	2
13	Ceftazidime/Avibactam-Resistant Klebsiella pneumoniae subsp. pneumoniae Isolates in a Tertiary Italian Hospital: Identification of a New Mutation of the Carbapenemase Type 3 (KPC-3) Gene Conferring Ceftazidime/Avibactam Resistance. Microorganisms, 2021, 9, 2356.	1.6	9
14	B- and T-Cell Responses After SARS-CoV-2 Vaccination in Patients With Multiple Sclerosis Receiving Disease Modifying Therapies: Immunological Patterns and Clinical Implications. Frontiers in Immunology, 2021, 12, 796482.	2.2	28
15	Cryptic HBV Replicative Activity Is Frequently Revealed in Anti-HBc-Positive/HBsAg-Negative Patients with HIV Infection by Highly Sensitive Molecular Assays, and Can Be Predicted by Integrating Classical and Novel Serological HBV Markers. Microorganisms, 2020, 8, 1819.	1.6	7
16	Long-Term SARS-CoV-2 Infection Associated with Viral Dissemination in Different Body Fluids Including Bile in Two Patients with Acute Cholecystitis. Life, 2020, 10, 302.	1.1	15
17	Mild clinical manifestations of SARS-CoV-2 related pneumonia in two patients with multiple sclerosis under treatment with ocrelizumab. Multiple Sclerosis and Related Disorders, 2020, 45, 102442.	0.9	18
18	Tuberculosis-Related Hospitalizations in a Low-Incidence Country: A Retrospective Analysis in Two Italian Infectious Diseases Wards. International Journal of Environmental Research and Public Health, 2020, 17, 124.	1.2	3

#	Article	IF	CITATIONS
19	Key mutations in the C-terminus of the HBV surface glycoprotein correlate with lower HBsAg levels <i>in vivo</i> , hinder HBsAg secretion <i>in vitro</i> and reduce HBsAg structural stability in the setting of HBeAg-negative chronic HBV genotype-D infection. Emerging Microbes and Infections, 2020, 9, 928-939.	3.0	5
20	New Markers in Monitoring the Reactivation of Hepatitis B Virus Infection in Immunocompromised Hosts. Viruses, 2019, 11, 783.	1.5	10
21	HBcAb seropositivity is correlated with poor HIV viremia control in an Italian cohort of HIV/HBV-coinfected patients on first-line therapy. Scientific Reports, 2019, 9, 11942.	1.6	10
22	Hepatitis B virus reactivation sustained by a hepatitis B virus surface antigen immune-escape mutant isolate in a patient who was hepatitis B core antibody positive during treatment with sofosbuvir and velpatasvir for hepatitis C virus infection: a case report. Journal of Medical Case Reports, 2019, 13, 299.	0.4	2
23	Abnormal elevation of international normalized ratio in a patient during the coadministration of elvitegravir/cobicistat/emtricitabine/tenofovir alafenamide and warfarin. Aids, 2019, 33, 360-361.	1.0	2
24	HBV Infection in HIV-Driven Immune Suppression. Viruses, 2019, 11, 1077.	1.5	26
25	Hepatitis B virus genotype G and liver fibrosis progression in chronic hepatitis B and human immunodeficiency virus coinfection. Journal of Medical Virology, 2019, 91, 630-641.	2.5	16
26	Occult Hepatitis B Virus Infection: An Old Entity With Novel Clinical Involvements. Open Forum Infectious Diseases, 2018, 5, ofy227.	0.4	14
27	HDV Can Constrain HBV Genetic Evolution in HBsAg: Implications for the Identification of Innovative Pharmacological Targets. Viruses, 2018, 10, 363.	1.5	4
28	High rates of chronic HBV genotype E infection in a group of migrants in Italy from West Africa: Virological characteristics associated with poor immune clearance. PLoS ONE, 2018, 13, e0195045.	1.1	15
29	NK cells of HIV-1-infected patients with poor CD4+ T-cell reconstitution despite suppressive HAART show reduced IFN-γ production and high frequency of autoreactive CD56bright cells. Immunology Letters, 2017, 190, 185-193.	1.1	16
30	Infectious disease ward admission positively influences P. jiroveci pneumonia (PjP) outcome: A retrospective analysis of 116 HIV-positive and HIV-negative immunocompromised patients. PLoS ONE, 2017, 12, e0176881.	1.1	13
31	Brief Report: L-Selectin (CD62L) Is Downregulated on CD4+ and CD8+ T Lymphocytes of HIV-1–Infected Individuals Naive for ART. Journal of Acquired Immune Deficiency Syndromes (1999), 2016, 72, 492-497.	0.9	4
32	Impact of HIV-1 tropism on the emergence of non-AIDS events in HIV-infected patients receiving fully suppressive antiretroviral therapy. Aids, 2016, 30, 731-741.	1.0	12
33	Impact of Previous Invasive Fungal Infections on the Outcome of Patients Undergoing Allogeneic Hematopoietic Stem Cells. Blood, 2016, 128, 5748-5748.	0.6	0
34	Expression and Function of NKG2D Is Impaired in CD8+ T Cells of Chronically HIV-1–Infected Patients Without ART. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, 347-356.	0.9	4
35	First Evidence of Pathogenic HERV-W Envelope Expression in T Lymphocytes in Association with the Respiratory Outcome of COVID-19 Patients. SSRN Electronic Journal, 0, , .	0.4	0