Guvem Gumus-Akay

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/5536980/publications.pdf

Version: 2024-02-01

567281 477307 1,255 30 15 29 g-index citations h-index papers 30 30 30 2093 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A replication study of JTC bias, genetic liability for psychosis and delusional ideation. Psychological Medicine, 2022, 52, 1777-1783. | 4.5 | 10 |
| 2 | Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. Psychological Medicine, 2022, 52, 1910-1922. | 4.5 | 14 |
| 3 | Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2022, 113, 110440. | 4.8 | 10 |
| 4 | Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. European Psychiatry, 2021, 64, e25. | 0.2 | 18 |
| 5 | Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. Molecular Psychiatry, 2021, 26, 4529-4543. | 7.9 | 23 |
| 6 | Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene–environment interaction. The EUGEI study. Psychological Medicine, 2020, 50, 1884-1897. | 4.5 | 28 |
| 7 | Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. Schizophrenia Bulletin, 2019, 45, 960-965. | 4.3 | 46 |
| 8 | Neuronal network dysfunction in a model for Kleefstra syndrome mediated by enhanced NMDAR signaling. Nature Communications, 2019, 10, 4928. | 12.8 | 92 |
| 9 | White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. Frontiers in Psychiatry, 2019, 10, 676. | 2.6 | 5 |
| 10 | Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. World Psychiatry, 2019, 18, 173-182. | 10.4 | 127 |
| 11 | Psychometric liability to psychosis and childhood adversities are associated with shorter telomere length: A study on schizophrenia patients, unaffected siblings, and non-clinical controls. Journal of Psychiatric Research, 2019, 111, 169-185. | 3.1 | 17 |
| 12 | Higher schizotypy predicts better metabolic profile in unaffected siblings of patients with schizophrenia. Psychopharmacology, 2018, 235, 1029-1039. | 3.1 | 3 |
| 13 | LRP5- linked osteoporosis-pseudoglioma syndrome mimicking isolated microphthalmia. European Journal of Medical Genetics, 2017, 60, 200-204. | 1.3 | 7 |
| 14 | Diagnostic and prognostic significance of glypicanÂ5 and glypicanÂ6 gene expression levels in gastric adenocarcinoma. Molecular and Clinical Oncology, 2015, 3, 584-590. | 1.0 | 16 |
| 15 | Identifying Gene-Environment Interactions in Schizophrenia: Contemporary Challenges for Integrated, Large-scale Investigations. Schizophrenia Bulletin, 2014, 40, 729-736. | 4.3 | 229 |
| 16 | Association analysis of three <i>ABCB1</i> (<i>MDR1</i>) gene variants (C1236T, G2677A/T and C3435T) and their genotype/haplotype combinations with the familial Mediterranean fever. Xenobiotica, 2014, 44, 933-940. | 1.1 | 4 |
| 17 | Potential genotoxic effect of 186Re-HEDP on human lymphocyte cells. Nuclear Medicine Communications, 2012, 33, 415-421. | 1.1 | 1 |
| 18 | MDR1 gene polymorphisms may be associated with Behçet's disease and its colchicum treatment response. Gene, 2012, 505, 333-339. | 2.2 | 16 |

| # | Article | IF | CITATION |
|----|---|-----|----------|
| 19 | Telomere and Telomerase in Cancer: Recent Progress. , 2012, , . | | 0 |
| 20 | Analysis of common MDR1 (ABCB1) gene C1236T and C3435T polymorphisms in Turkish patients with familial Mediterranean fever. Genetics and Molecular Research, 2011, 10, 3411-3420. | 0.2 | 14 |
| 21 | Haplotype-Based Analysis of MDR1/ABCB1 Gene Polymorphisms in a Turkish Population. DNA and Cell Biology, 2010, 29, 83-90. | 1.9 | 15 |
| 22 | Endothelial nitric oxide synthase gene polymorphism in gastric cancer. Turkish Journal of Gastroenterology, 2010, 21, 338-344. | 1.1 | 17 |
| 23 | Endothelial nitric oxide synthase gene polymorphism in gastric cancer. Turkish Journal of Gastroenterology, 2010, 21, 338-44. | 1.1 | 8 |
| 24 | DNA Copy Number Changes in Gastric Adenocarcinomas: High Resolution–Comparative Genomic Hybridization Study in Turkey. Archives of Medical Research, 2009, 40, 551-560. | 3.3 | 9 |
| 25 | Effects of Genomic Imbalances on Telomerase Activity in Gastric Cancer: Clues to Telomerase Regulation. Oncology Research, 2009, 17, 455-462. | 1.5 | 4 |
| 26 | Genotype and allele frequencies of MDR1 gene C1236T polymorphism in a Turkish population. Genetics and Molecular Research, 2008, 7, 1193-1199. | 0.2 | 22 |
| 27 | Biology of Stem Cells in Human Umbilical Cord Stroma: In Situ and In Vitro Surveys. Stem Cells, 2007, 25, 319-331. | 3.2 | 463 |
| 28 | del5p/dup5q in a â€~cri du chat' patient without parental chromosomal rearrangement. American Journal of Medical Genetics, Part A, 2006, 140A, 1016-1020. | 1.2 | 1 |
| 29 | Y-STR polymorphism in Central Anatolian Region of Turkey. Forensic Science International, 2004, 139, 227-230. | 2.2 | 8 |
| 30 | Common fragile sites associated with the breakpoints of chromosomal aberrations in hematologic | 1.0 | 28 |