

Domenico F Intiso

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5537130/publications.pdf>

Version: 2024-02-01

60
papers

1,507
citations

279487

23
h-index

329751

37
g-index

64
all docs

64
docs citations

64
times ranked

2293
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | ICU-acquired weakness: should medical sovereignty belong to any specialist?. <i>Critical Care</i> , 2018, 22, 1. | 2.5 | 145 |
| 2 | Tumor necrosis factor alpha serum levels and inflammatory response in acute ischemic stroke patients. <i>Neurological Sciences</i> , 2004, 24, 390-396. | 0.9 | 129 |
| 3 | The Rehabilitation Role in Chronic Kidney and End Stage Renal Disease. <i>Kidney and Blood Pressure Research</i> , 2014, 39, 180-188. | 0.9 | 114 |
| 4 | Rehabilitation of walking with electromyographic biofeedback in foot-drop after stroke.. <i>Stroke</i> , 1994, 25, 1189-1192. | 1.0 | 82 |
| 5 | Long-term functional outcome and health status of patients with critical illness polyneuromyopathy. <i>Acta Neurologica Scandinavica</i> , 2011, 123, 211-219. | 1.0 | 52 |
| 6 | Urgent Measures for the Containment of the Coronavirus (Covid-19) Epidemic in the Neurorehabilitation/Rehabilitation Departments in the Phase of Maximum Expansion of the Epidemic. <i>Frontiers in Neurology</i> , 2020, 11, 423. | 1.1 | 52 |
| 7 | Post-stroke depression: research methodology of a large multicentre observational study (DESTRO). <i>Neurological Sciences</i> , 2004, 25, 138-44. | 0.9 | 44 |
| 8 | Botulinum Toxin Type A for the Treatment of Neuropathic Pain in Neuro-Rehabilitation. <i>Toxins</i> , 2015, 7, 2454-2480. | 1.5 | 43 |
| 9 | Employment of higher doses of botulinum toxin type A to reduce spasticity after stroke. <i>Journal of the Neurological Sciences</i> , 2015, 350, 1-6. | 0.3 | 42 |
| 10 | Mesial temporal cortex hypoperfusion is associated with depression in subcortical stroke.. <i>Stroke</i> , 1994, 25, 980-985. | 1.0 | 41 |
| 11 | Botulinum toxin type-A and plaster cast treatment in children with upper brachial plexus palsy. <i>Developmental Neurorehabilitation</i> , 2006, 9, 165-170. | 1.1 | 38 |
| 12 | Botulinum Toxin Type A for the Treatment of Lower Limb Spasticity after Stroke. <i>Drugs</i> , 2019, 79, 143-160. | 4.9 | 38 |
| 13 | Botulinum toxin type B for sialorrhoea in children with cerebral palsy: a randomized trial comparing three doses. <i>Developmental Medicine and Child Neurology</i> , 2011, 53, 559-564. | 1.1 | 37 |
| 14 | Incidence of first-ever ischemic and hemorrhagic stroke in a well-defined community of southern Italy, 1993-1995. <i>European Journal of Neurology</i> , 2003, 10, 559-565. | 1.7 | 36 |
| 15 | Mobilization in early rehabilitation in intensive care unit patients with severe acquired brain injury: An observational study. <i>Journal of Rehabilitation Medicine</i> , 2017, 49, 715-722. | 0.8 | 36 |
| 16 | Efficacy and safety of higher doses of botulinum toxin type A NT 201 free from complexing proteins in the upper and lower limb spasticity after stroke. <i>Journal of Neural Transmission</i> , 2013, 120, 469-476. | 1.4 | 32 |
| 17 | The Effect of Robotic Assisted Gait Training With Lokomat® on Balance Control After Stroke: Systematic Review and Meta-Analysis. <i>Frontiers in Neurology</i> , 2021, 12, 661815. | 1.1 | 31 |
| 18 | Therapeutic Use of Botulinum Toxin in Neurorehabilitation. <i>Journal of Toxicology</i> , 2012, 2012, 1-12. | 1.4 | 30 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Survival and functional outcome in patients 90 years of age or older after hip fracture. <i>Age and Ageing</i> , 2009, 38, 619-622. | 0.7 | 28 |
| 20 | Multi-center study on overall clinical complexity of patients with prolonged disorders of consciousness of different etiologies. <i>Brain Injury</i> , 2021, 35, 1-7. | 0.6 | 26 |
| 21 | Occurrence of factor V Leiden mutation (Arg506Gln) and anticardiolipin antibodies in migraine patients. <i>Neurological Sciences</i> , 2002, 22, 455-458. | 0.9 | 24 |
| 22 | High doses of a new botulinum toxin type A (NT-201) in adult patients with severe spasticity following brain injury and cerebral palsy. <i>NeuroRehabilitation</i> , 2014, 34, 515-522. | 0.5 | 24 |
| 23 | Leukocyte response in patients suffering from acute stroke.. <i>Stroke</i> , 1988, 19, 1283-1284. | 1.0 | 23 |
| 24 | Brain MRI white matter lesions in migraine patients: is there a relationship with antiphospholipid antibodies and coagulation parameters?. <i>European Journal of Neurology</i> , 2006, 13, 1364-1369. | 1.7 | 23 |
| 25 | Prolonged Remission of Neuro-Behcet Disease following Autologous Transplantation. <i>International Journal of Immunopathology and Pharmacology</i> , 2007, 20, 91-96. | 1.0 | 21 |
| 26 | Effect of electrical stimulation as an adjunct to botulinum toxin type A in the treatment of adult spasticity: a systematic review. <i>Disability and Rehabilitation</i> , 2017, 39, 2123-2133. | 0.9 | 21 |
| 27 | Early rehabilitation for severe acquired brain injury in intensive care unit: multicenter observational study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2016, 52, 90-100. | 1.1 | 21 |
| 28 | Long-term safety of repeated high doses of incobotulinumtoxinA injections for the treatment of upper and lower limb spasticity after stroke. <i>Journal of the Neurological Sciences</i> , 2017, 378, 182-186. | 0.3 | 18 |
| 29 | Identifying clinical complexity in patients affected by severe acquired brain injury in neurorehabilitation: a cross sectional survey. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2019, 55, 191-198. | 1.1 | 18 |
| 30 | Readmission to the acute care unit and functional outcomes in patients with severe brain injury during rehabilitation. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 268-276. | 1.1 | 16 |
| 31 | High Dosage of Botulinum Toxin Type A in Adult Subjects with Spasticity Following Acquired Central Nervous System Damage: Where Are We at?. <i>Toxins</i> , 2020, 12, 315. | 1.5 | 16 |
| 32 | Botulinum toxin type A in the healing of a chronic buttock ulcer in a patient with spastic paraplegia after spinal cord injury. <i>Journal of Rehabilitation Medicine</i> , 2009, 41, 1100-1102. | 0.8 | 15 |
| 33 | Rehabilitation strategy in the elderly. <i>Journal of Nephrology</i> , 2012, 25, 90-95. | 0.9 | 15 |
| 34 | Preoperative treatment with botulinum A toxin in patients with cervical disk herniation secondary to dystonic cerebral palsy. <i>Neurological Sciences</i> , 2000, 21, 63-63. | 0.9 | 14 |
| 35 | Botulinum toxin use in neuro-rehabilitation to treat obstetrical plexus palsy and sialorrhea following neurological diseases: A review. <i>NeuroRehabilitation</i> , 2012, 31, 117-129. | 0.5 | 14 |
| 36 | The Role of Rehabilitation in Patients With Progressive Supranuclear Palsy: A Narrative Review. <i>PM and R</i> , 2018, 10, 636-645. | 0.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Localized muscle vibration in the treatment of motor impairment and spasticity in post-stroke patients: a systematic review. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2021, 57, 44-60. | 1.1 | 13 |
| 38 | Recovery and long term functional outcome in people with critical illness polyneuropathy and myopathy: a scoping review. <i>BMC Neurology</i> , 2022, 22, 50. | 0.8 | 12 |
| 39 | Functional outcome and health status of injured patients with peripheral nerve lesions. <i>Injury</i> , 2010, 41, 540-543. | 0.7 | 11 |
| 40 | Functional outcome of critical illness polyneuropathy in patients affected by severe brain injury. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 910-919. | 1.1 | 11 |
| 41 | Long-term outcome and health status in decompressive craniectomized patients with intractable intracranial pressure after severe brain injury. <i>Brain Injury</i> , 2011, 25, 379-386. | 0.6 | 10 |
| 42 | Efficacy of botulinum toxin type B for the treatment of primary palmar hyperhidrosis: a prospective, open, single-blind, multi-centre study. <i>Archives of Dermatological Research</i> , 2014, 306, 497-503. | 1.1 | 10 |
| 43 | Rehabilitation in oldest-old stroke patients: a comparison within over 65 population. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2019, 55, 148-155. | 1.1 | 10 |
| 44 | Multi-center observational study on occurrence and related clinical factors of neurogenic heterotopic ossification in patients with disorders of consciousness. <i>Brain Injury</i> , 2021, 35, 530-535. | 0.6 | 9 |
| 45 | Critical Illness Polyneuropathy and Functional Outcome in Subjects with Covid-19: Report on Four Patients and a Scoping Review of the Literature. <i>Journal of Rehabilitation Medicine</i> , 2021, 54, jrm00257. | 0.8 | 9 |
| 46 | Bilateral periventricular nodular heterotopia associated with coeliac disease and palatoschisis. <i>Italian Journal of Neurological Sciences</i> , 1998, 19, 180-183. | 0.1 | 7 |
| 47 | Caregivers'™ engagement during in-hospital care of sAbi'™s patients: Evaluation of informal co-production from the health providers'™ perspective. <i>Health and Social Care in the Community</i> , 2020, 28, 2086-2094. | 0.7 | 6 |
| 48 | Impact of healthcare-associated infections on functional outcome of severe acquired brain injury during inpatient rehabilitation. <i>Scientific Reports</i> , 2022, 12, 5245. | 1.6 | 6 |
| 49 | Botulinum toxin type A in the healing of ulcer following oro-mandibular dyskinesia in a patient in a vegetative state. <i>Journal of Rehabilitation Medicine</i> , 2008, 40, 315-316. | 0.8 | 5 |
| 50 | Thrombocytosis after hip and knee surgery in the rehabilitation setting: is it an occasional phenomenon? Relationship with deep venous thrombosis and functional outcome. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 90. | 0.8 | 5 |
| 51 | Serum vitamin D deficiency in subjects with severe acquired brain injury and relationship with functional severity. <i>Brain Injury</i> , 2018, 32, 1817-1823. | 0.6 | 4 |
| 52 | Healthcare-Associated Infections in Subjects With Severe Acquired Brain Injury: The Effect of Microbial Colonization on the Functional Outcome. Data From a Multicenter Observational Study. <i>Frontiers in Neurology</i> , 2020, 11, 563275. | 1.1 | 3 |
| 53 | User-centered practices in the eyes of informal caregivers of in-patients with severe acquired brain injury: needs, caring experience, and satisfaction. <i>Brain Injury</i> , 2021, , 1-11. | 0.6 | 2 |
| 54 | Ultrasonographic Evaluation of Three Approaches for Botulinum Toxin Injection into Tibialis Posterior Muscle in Chronic Stroke Patients with Equinovarus Foot: An Observational Study. <i>Toxins</i> , 2021, 13, 829. | 1.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Post-stroke depression: a neuroimaging study. <i>European Neuropsychopharmacology</i> , 1992, 2, 321. | 0.3 | 0 |
| 56 | Botulinum toxin A for the treatment of ulcer caused by oro-mandibular dyskinesia in a patient with a vegetative state. <i>Toxicon</i> , 2008, 51, 45-46. | 0.8 | 0 |
| 57 | SP039ACUTE INTERMITTENT PORPHYRIA IN ELDERLY UNDERGOING HEMODIALYSIS: RESOLUTION OF TETRAPLEGIA WITH SYSTEMIC HEMIN AND REHABILITATION. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, iii118-iii118. | 0.4 | 0 |
| 58 | Rehabilitation of Older Patients with Chronic Kidney Diseases. <i>Practical Issues in Geriatrics</i> , 2018, , 477-481. | 0.3 | 0 |
| 59 | Vitamin D serum level in subjects with critical illness polyneuropathy and myopathy. <i>Journal of Musculoskeletal Neuronal Interactions</i> , 2020, 20, 18-26. | 0.1 | 0 |
| 60 | Case Report: Functional Outcome of COVID-19 Subjects With Myasthenia Gravis and Critical Illness Polyneuropathy. <i>Frontiers in Neurology</i> , 0, 13, . | 1.1 | 0 |