

Young Kul Jung

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5537884/publications.pdf>

Version: 2024-02-01

120
papers

2,428
citations

236612

25
h-index

264894

42
g-index

132
all docs

132
docs citations

132
times ranked

3567
citing authors

#	ARTICLE	IF	CITATIONS
1	Besifovir therapy improves hepatic histology and reduces covalently closed circular DNA in chronic hepatitis B patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 378-386.	1.4	4
2	Determinants of reâ€compensation in patients with hepatitis B virusâ€related decompensated cirrhosis starting antiviral therapy. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 83-96.	1.9	13
3	Regression of liver fibrosis and hepatocellular carcinoma development after HCV eradication with oral antiviral agents. <i>Scientific Reports</i> , 2022, 12, 193.	1.6	10
4	Telbivudine Plus Adefovir Versus Lamivudine Plus Adefovir for Lamivudine-Resistant Chronic Hepatitis B: TeSLA Randomized Trial. <i>Hepatitis Monthly</i> , 2022, 21, .	0.1	0
5	Clinical Effect of Hepatitis B Virus on COVID-19 Infected Patients: A Nationwide Population-Based Study Using the Health Insurance Review & Assessment Service Database. <i>Journal of Korean Medical Science</i> , 2022, 37, e29.	1.1	16
6	MRE-based NASH score for diagnosis of nonalcoholic steatohepatitis in patients with nonalcoholic fatty liver disease. <i>Hepatology International</i> , 2022, 16, 316-324.	1.9	5
7	FIB-4 index and liver fibrosis are risk factors for long-term outcomes in atrial fibrillation-related stroke. <i>Clinical Neurology and Neurosurgery</i> , 2022, 217, 107235.	0.6	1
8	Platelet-to-White Blood Cell Ratio Is Associated with Adverse Outcomes in Cirrhotic Patients with Acute Deterioration. <i>Journal of Clinical Medicine</i> , 2022, 11, 2463.	1.0	5
9	Effect of L-carnitine on quality of life in covert hepatic encephalopathy: a randomized, double-blind, placebo-controlled study. <i>Korean Journal of Internal Medicine</i> , 2022, 37, 757-767.	0.7	2
10	Improved anti-fibrotic effects by combined treatments of simvastatin and NS-398 in experimental liver fibrosis models. <i>Korean Journal of Internal Medicine</i> , 2022, 37, 745-756.	0.7	6
11	Incidence and risk factors for postoperative common bile duct stones in patients undergoing endoscopic extraction and subsequent cholecystectomy. <i>Gastrointestinal Endoscopy</i> , 2021, 93, 608-615.	0.5	7
12	Maintaining Antiviral Efficacy after Switching to Generic Entecavir 1 mg for Antiviral-resistant Chronic Hepatitis B. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2021, 77, 22-29.	0.2	2
13	Therapeutic Decision Making in Hepatocellular Carcinoma According to Age and Childâ€Pugh Class: A Nationwide Cohort Analysis in South Korea. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021, 2021, 1-7.	0.8	2
14	Primary prophylaxis of gastric variceal bleeding: endoscopic obturation, radiologic intervention, or observation?. <i>Hepatology International</i> , 2021, 15, 934-945.	1.9	11
15	Comparison of Sorafenib versus Hepatic Arterial Infusion Chemotherapy-Based Treatment for Advanced Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis. <i>Gut and Liver</i> , 2021, 15, 284-294.	1.4	33
16	Early Normalization of Alanine Aminotransferase during Antiviral Therapy Reduces Risk of Hepatocellular Carcinoma in HBV Patients. <i>Journal of Clinical Medicine</i> , 2021, 10, 1840.	1.0	11
17	Continuing besifovir dipivoxil maleate versus switching from tenofovir disoproxil fumarate for treatment of chronic hepatitis B: Results of 192-week phase 3 trial. <i>Clinical and Molecular Hepatology</i> , 2021, 27, 346-359.	4.5	10
18	Change in the Recurrence Pattern and Predictors over Time after Complete Cure of Hepatocellular Carcinoma. <i>Gut and Liver</i> , 2021, 15, 420-429.	1.4	11

#	ARTICLE	IF	CITATIONS
19	Partial Virological Response after 2 Years of Entecavir Therapy Increases the Risk of Hepatocellular Carcinoma in Patients with Hepatitis B Virus-Associated Cirrhosis. <i>Gut and Liver</i> , 2021, 15, 430-439.	1.4	5
20	Natural killer cell activity is a risk factor for the recurrence risk after curative treatment of hepatocellular carcinoma. <i>BMC Gastroenterology</i> , 2021, 21, 258.	0.8	14
21	Serum milk fat globule-EGF factor 8 protein as a potential biomarker for metabolic syndrome. <i>Clinical and Molecular Hepatology</i> , 2021, 27, 463-473.	4.5	2
22	Circulating miRNA is a useful diagnostic biomarker for nonalcoholic steatohepatitis in nonalcoholic fatty liver disease. <i>Scientific Reports</i> , 2021, 11, 14639.	1.6	37
23	Direct Bilirubin Is More Valuable than Total Bilirubin for Predicting Prognosis in Patients with Liver Cirrhosis. <i>Gut and Liver</i> , 2021, 15, 599-605.	1.4	18
24	<i>Lens culinaris</i> agglutinin-reactive fraction of alpha-fetoprotein improves diagnostic accuracy for hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2021, 27, 4687-4696.	1.4	6
25	Evaluation of the severity of nonalcoholic fatty liver disease through analysis of serum exosomal miRNA expression. <i>PLoS ONE</i> , 2021, 16, e0255822.	1.1	5
26	The Role of Urinary N-Acetyl-β-D-glucosaminidase in Cirrhotic Patients with Acute Kidney Injury: Multicenter, Prospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 4328.	1.0	6
27	A case report of a patient presented with skin ulcer after treatment of lenvatinib. <i>Journal of Liver Cancer</i> , 2021, 21, 194-198.	0.3	1
28	Role of tenofovir disoproxil fumarate in prevention of perinatal transmission of hepatitis B virus from mother to child: a systematic review and meta-analysis. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 76-85.	0.7	9
29	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, 885-893.	0.8	4
30	Prokinetic effects of diatrizoate meglumine (Gastrografin®) in a zebrafish for opioid-induced constipation model. <i>Animal Cells and Systems</i> , 2021, 25, 264-271.	0.8	3
31	Feasibility of Changing Intra-Arterial Flow Direction by Temporary Occlusion Using Retrievable Coils: Study with a Normal Pig Model. <i>Journal of Vascular and Interventional Radiology</i> , 2020, 31, 341-346.	0.2	0
32	Effect of urea cream on sorafenib-associated hand-foot skin reaction in patients with hepatocellular carcinoma: A multicenter, randomised, double-blind controlled study. <i>European Journal of Cancer</i> , 2020, 140, 19-27.	1.3	13
33	Prognosis predictability of serum and urine renal markers in patients with decompensated cirrhosis: A multicentre prospective study. <i>Liver International</i> , 2020, 40, 3083-3092.	1.9	11
34	Tenofovir-based combination therapy or monotherapy for multidrug-resistant chronic hepatitis B: Long-term data from a multicenter cohort study. <i>Journal of Viral Hepatitis</i> , 2020, 27, 1306-1318.	1.0	1
35	Besifovir Dipivoxil Maleate 144-Week Treatment of Chronic Hepatitis B: An Open-Label Extensional Study of a Phase 3 Trial. <i>American Journal of Gastroenterology</i> , 2020, 115, 1217-1225.	0.2	16
36	Extremely low risk of hepatocellular carcinoma development in patients with chronic hepatitis B in immune-tolerant phase. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 196-204.	1.9	43

#	ARTICLE	IF	CITATIONS
37	Multiplexed Proteomic Approach for Identification of Serum Biomarkers in Hepatocellular Carcinoma Patients with Normal AFP. <i>Journal of Clinical Medicine</i> , 2020, 9, 323.	1.0	3
38	Multiparametric MR Is a Valuable Modality for Evaluating Disease Severity of Nonalcoholic Fatty Liver Disease. <i>Clinical and Translational Gastroenterology</i> , 2020, 11, e00157.	1.3	16
39	Acute-on-chronic liver failure as a major predictive factor for mortality in patients with variceal bleeding. <i>Clinical and Molecular Hepatology</i> , 2020, 26, 540-553.	4.5	24
40	Evaluation of Treatment Response after Endoscopic Variceal Obturation with Abdominal Computed Tomography. <i>Gut and Liver</i> , 2020, 14, 117-124.	1.4	5
41	First-line <i>Helicobacter pylori</i> Eradication Rate of the 10-day Hybrid Therapy. <i>The Korean Journal of Helicobacter and Upper Gastrointestinal Research</i> , 2020, 20, 300-305.	0.1	0
42	Differential Impact of Serum 25-Hydroxyvitamin D3 Levels on the Prognosis of Patients with Liver Cirrhosis According to MELD and Child-Pugh Scores. <i>Journal of Korean Medical Science</i> , 2020, 35, e129.	1.1	4
43	Assessment and prediction of acute kidney injury in patients with decompensated cirrhosis with serum cystatin C and urine N-acetylglicosaminidase. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 234-240.	1.4	17
44	The Impact of Previous Acute Decompensation on the Long-Term Prognosis of Alcoholic Hepatitis in Cirrhotic Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 1600.	1.0	2
45	Validation of the Korean Stroop Test in Diagnosis of Minimal Hepatic Encephalopathy. <i>Scientific Reports</i> , 2019, 9, 8027.	1.6	9
46	Prognostic assessment using a new substaging system for Barcelona clinic liver cancer stage C hepatocellular carcinoma: A nationwide study. <i>Liver International</i> , 2019, 39, 1109-1119.	1.9	6
47	Efficacy and Safety of Besifovir Dipivoxil Maleate Compared With Tenofovir Disoproxil Fumarate in Treatment of Chronic Hepatitis B Virus Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 1850-1859.e4.	2.4	45
48	Efficacy of Low Dose Proton Pump Inhibitor-Based Therapy to Eradicate <i>Helicobacter pylori</i> in Patients with Subtotal Gastrectomy. <i>Journal of Clinical Medicine</i> , 2019, 8, 1933.	1.0	2
49	Prognosis of patients with gastric variceal bleeding after endoscopic variceal obturation according to the type of varices. <i>European Journal of Gastroenterology and Hepatology</i> , 2019, 31, 211-217.	0.8	12
50	Underlying nonalcoholic fatty liver disease is a significant factor for breast cancer recurrence after curative surgery. <i>Medicine (United States)</i> , 2019, 98, e17277.	0.4	16
51	Prediction of the varices needing treatment with noninvasive tests in patients with compensated advanced chronic liver disease. <i>Liver International</i> , 2019, 39, 1071-1079.	1.9	33
52	Long-term Prognosis of Acute-on-Chronic Liver Failure Survivors. <i>Journal of Clinical Gastroenterology</i> , 2019, 53, 134-141.	1.1	21
53	How can we improve the performance of Model for End-stage Liver Disease sodium score in patients with hepatitis B virus-related decompensated liver cirrhosis commencing antiviral treatment?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 1641-1648.	1.4	7
54	ALBI versus Child-Pugh grading systems for liver function in patients with hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2018, 117, 912-921.	0.8	38

#	ARTICLE	IF	CITATIONS
55	Comparative study of <i>Helicobacter pylori</i> eradication rates of concomitant therapy vs modified quadruple therapy comprising proton pump inhibitor, bismuth, amoxicillin, and metronidazole in Korea. <i>Helicobacter</i> , 2018, 23, e12466.	1.6	29
56	Hepatic resection compared to chemoembolization in intermediate- to advanced-stage hepatocellular carcinoma: A meta-analysis of high-quality studies. <i>Hepatology</i> , 2018, 68, 977-993.	3.6	142
57	Reduced risk of hepatocellular carcinoma by achieving a subcirrhotic liver stiffness through antiviral agents in hepatitis B virus-related advanced fibrosis or cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 503-510.	1.4	24
58	Validation of prognostic scores to predict short-term mortality in patients with acute-on-chronic liver failure. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018, 33, 900-909.	1.4	23
59	Clinical usefulness of psoas muscle thickness for the diagnosis of sarcopenia in patients with liver cirrhosis. <i>Clinical and Molecular Hepatology</i> , 2018, 24, 319-330.	4.5	88
60	Chronic Hepatitis B Infection Is Significantly Associated with Chronic Kidney Disease: a Population-based, Matched Case-control Study. <i>Journal of Korean Medical Science</i> , 2018, 33, e264.	1.1	13
61	Comparison on the Efficacy between Partially Covered Self-Expandable Metal Stent with Funnel-Shaped Enlarged Head versus Uncovered Self-Expandable Metal Stent for Palliation of Gastric Outlet Obstruction. <i>Gastroenterology Research and Practice</i> , 2018, 2018, 1-8.	0.7	11
62	Daily Norfloxacin vs. Weekly Ciprofloxacin to Prevent Spontaneous Bacterial Peritonitis: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2018, 113, 1167-1176.	0.2	23
63	Randomized, prospective, comparative study on the effects and safety of sorafenib vs. hepatic arterial infusion chemotherapy in patients with advanced hepatocellular carcinoma with portal vein tumor thrombosis. <i>Cancer Chemotherapy and Pharmacology</i> , 2018, 82, 469-478.	1.1	88
64	Can More Aggressive Treatment Improve Prognosis in Patients with Hepatocellular Carcinoma? A Direct Comparison of the Hong Kong Liver Cancer and Barcelona Clinic Liver Cancer Algorithms. <i>Gut and Liver</i> , 2018, 12, 94-101.	1.4	14
65	The LAW index as an accurate indicator of the initiation of antiviral treatment in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 208-214.	1.4	2
66	Exosomes derived from palmitic acid-treated hepatocytes induce fibrotic activation of hepatic stellate cells. <i>Scientific Reports</i> , 2017, 7, 3710.	1.6	170
67	Treatment of Severe Alcoholic Hepatitis With Corticosteroid, Pentoxifylline, or Dual Therapy. <i>Journal of Clinical Gastroenterology</i> , 2017, 51, 364-377.	1.1	14
68	<i>Helicobacter pylori</i> eradication rates of concomitant and sequential therapies in Korea. <i>Helicobacter</i> , 2017, 22, e12441.	1.6	19
69	Antiviral response is not sustained after cessation of lamivudine treatment in chronic hepatitis B patients: A 10-year follow-up study. <i>Journal of Medical Virology</i> , 2017, 89, 849-856.	2.5	9
70	Standard and double-dose intravenous proton pump inhibitor injections for prevention of bleeding after endoscopic resection. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 778-781.	1.4	7
71	Validation of a Paper and Pencil Test Battery for the Diagnosis of Minimal Hepatic Encephalopathy in Korea. <i>Journal of Korean Medical Science</i> , 2017, 32, 1484.	1.1	9
72	Reversal of liver cirrhosis: current evidence and expectations. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 213-228.	0.7	100

#	ARTICLE	IF	CITATIONS
73	Diagnostic delay in inflammatory bowel disease increases the risk of intestinal surgery. <i>World Journal of Gastroenterology</i> , 2017, 23, 6474-6481.	1.4	71
74	Endoscopic biliary stent insertion through specialized duodenal stent for combined malignant biliary and duodenal obstruction facilitated by stent or PTBD guidance. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 1258-1262.	0.6	7
75	Complete response of advanced hepatocellular carcinoma to sorafenib : another case and a comprehensive review. <i>Clinical and Molecular Hepatology</i> , 2017, 23, 340-346.	4.5	19
76	Management of Clevudine-Resistant Chronic Hepatitis B: A Multicenter Cohort Study. <i>Gut and Liver</i> , 2017, 11, 129-135.	1.4	3
77	Is the AIMS 65 Score Useful in Predicting Clinical Outcomes in Korean Patients with Variceal and Nonvariceal Upper Gastrointestinal Bleeding?. <i>Gut and Liver</i> , 2017, 11, 813-820.	1.4	11
78	Changes in Cardiac Varices and Their Clinical Significance after Eradication of Esophageal Varices by Band Ligation. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2016, 2016, 1-9.	0.8	8
79	Clinical effect of addâ€œon Primovistâ€œenhanced magnetic resonance imaging on preoperative tumor staging in hepatocellular carcinoma patients. <i>Journal of Surgical Oncology</i> , 2016, 114, 106-111.	0.8	1
80	Subclinical Ascites Does Not Affect the Long-term Prognosis in Hepatitis B Virusâ€œrelated Cirrhosis Patients Receiving Antivirals. <i>Journal of Clinical Gastroenterology</i> , 2016, 50, 676-685.	1.1	1
81	BCLC stage B is a better designation for single large hepatocellular carcinoma than BCLC stage A. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 467-474.	1.4	47
82	Predictive Factors for Pain After Endoscopic Resection of Gastric Tumors. <i>Digestive Diseases and Sciences</i> , 2016, 61, 3560-3564.	1.1	9
83	Risk of Vascular Thrombotic Events Following Discontinuation of Antithrombotics After Peptic Ulcer Bleeding. <i>Journal of Clinical Gastroenterology</i> , 2016, 50, e40-e44.	1.1	12
84	Proton Pump Inhibitor Therapy Is Associated With Reduction of Early Bleeding Risk After Prophylactic Endoscopic Variceal Band Ligation. <i>Medicine (United States)</i> , 2016, 95, e2903.	0.4	26
85	Characteristics and Discrepancies in Acute-on-Chronic Liver Failure: Need for a Unified Definition. <i>PLoS ONE</i> , 2016, 11, e0146745.	1.1	45
86	Hepatitis B surface antigen titer is a good indicator of durable viral response after entecavir off-treatment for chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2016, 22, 382-389.	4.5	19
87	Cyanoacrylate injection versus band ligation for bleeding from cardiac varices along the lesser curvature of the stomach. <i>Clinical and Molecular Hepatology</i> , 2016, 22, 487-494.	4.5	10
88	Assessment of scoring systems for acute-on-chronic liver failure at predicting short-term mortality in patients with alcoholic hepatitis. <i>World Journal of Gastroenterology</i> , 2016, 22, 9205.	1.4	17
89	Comparison on Response and Dissolution Rates Between Ursodeoxycholic Acid Alone or in Combination With Chenodeoxycholic Acid for Gallstone Dissolution According to Stone Density on CT Scan. <i>Medicine (United States)</i> , 2015, 94, e2037.	0.4	9
90	Management of entecavir-resistant chronic hepatitis B with adefovir-based combination therapies. <i>World Journal of Gastroenterology</i> , 2015, 21, 10874.	1.4	14

#	ARTICLE	IF	CITATIONS
91	Pancreatic mucinous cystadenoma of borderline malignancy associated with <i>Clonorchis sinensis</i> . Korean Journal of Internal Medicine, 2015, 30, 398.	0.7	9
92	The prognostic factors and the cause of death in patients with advanced or recurrent gastric cancer.. Journal of Clinical Oncology, 2015, 33, 215-215.	0.8	0
93	Clinical outcomes of transjugular intrahepatic portosystemic shunt for portal hypertension: Korean multicenter real-practice data. Clinical and Molecular Hepatology, 2014, 20, 18.	4.5	22
94	Survey of perinatal hepatitis B virus transmission after Korean National Prevention Program in a tertiary hospital. Korean Journal of Internal Medicine, 2014, 29, 307.	0.7	8
95	Clinical features of autoimmune hepatitis and comparison of two diagnostic criteria in Korea: A nationwide, multicenter study. Journal of Gastroenterology and Hepatology (Australia), 2013, 28, 128-134.	1.4	31
96	Role of Interleukin 28B-related Gene Polymorphisms in Chronic Hepatitis C and the Response to Antiviral Therapy in Koreans. Journal of Clinical Gastroenterology, 2013, 47, 644-650.	1.1	21
97	A nationwide seroepidemiology of hepatitis C virus infection in South Korea. Liver International, 2013, 33, 586-594.	1.9	81
98	The Impact of Inosine Triphosphatase Variants on Hemoglobin Level and Sustained Virologic Response of Chronic Hepatitis C in Korean. Journal of Korean Medical Science, 2013, 28, 1213.	1.1	10
99	Is peginterferon and ribavirin therapy effective in Korean patients with chronic hepatitis C?. Clinical and Molecular Hepatology, 2013, 19, 26.	4.5	4
100	The Efficacy and Safety of Peginterferon-Korean Patients with Chronic Hepatitis B: A Multicenter Study Conducted in a Real Clinical Setting. Gut and Liver, 2013, 7, 197-205.	1.4	7
101	The short-term efficacy of entecavir in lamivudine-resistant chronic hepatitis B: influence of sequential adefovir-refractoriness. Hepato-Gastroenterology, 2013, 60, 842-9.	0.5	0
102	Ten-day sequential versus triple therapy for <i>Helicobacter pylori</i> eradication: A prospective, open-label, randomized trial. Journal of Gastroenterology and Hepatology (Australia), 2012, 27, 1675-1680.	1.4	61
103	Revision and update on clinical practice guideline for liver cirrhosis. The Korean Journal of Hepatology, 2012, 18, 1.	1.5	120
104	Recurrence rates and factors for recurrence after radiofrequency ablation combined with transarterial chemoembolization for hepatocellular carcinoma: a retrospective cohort study. Hepatology International, 2012, 6, 505-510.	1.9	9
105	Efficacy of peginterferon and ribavirin is associated with the IL28B gene in Korean patients with chronic hepatitis C. Clinical and Molecular Hepatology, 2012, 18, 360.	4.5	14
106	Granular Cell Tumor Originating from Gallbladder. Korean Journal of Medicine, 2012, 83, 624.	0.1	1
107	Increased Serum Activity of Matrix Metalloproteinase-9 in Patients with Acute Variceal Bleeding. Gut and Liver, 2012, 6, 249-255.	1.4	1
108	HBsAg Seroclearance in Chronic Hepatitis B. Journal of Clinical Gastroenterology, 2011, 45, 64-68.	1.1	35

#	ARTICLE	IF	CITATIONS
109	Virologic response is not durable after adefovir discontinuation in lamivudine-resistant chronic hepatitis B patients. <i>The Korean Journal of Hepatology</i> , 2011, 17, 261.	1.5	11
110	Change in Serum Hepatitis B Surface Antigen Level and Its Clinical Significance in Treatment-naïve, Hepatitis B e Antigen-positive Patients Receiving Entecavir. <i>Journal of Clinical Gastroenterology</i> , 2010, 44, 653-657.	1.1	42
111	Hepatitis B Viral Surface Mutations in Patients with Adefovir Resistant Chronic Hepatitis B with A181T/V Polymerase Mutations. <i>Journal of Korean Medical Science</i> , 2010, 25, 257.	1.1	17
112	Factors influencing the severity of acute viral hepatitis A. <i>The Korean Journal of Hepatology</i> , 2010, 16, 295.	1.5	22
113	Effect of alcohol on the development of hepatocellular carcinoma in patients with hepatitis B virus-related cirrhosis: a cross-sectional case-control study. <i>The Korean Journal of Hepatology</i> , 2010, 16, 308.	1.5	8
114	Pulmonary Arteriovenous Malformation in Cryptogenic Liver Cirrhosis Associated with Turner's Syndrome. <i>Gut and Liver</i> , 2010, 4, 258-261.	1.4	1
115	Fanconi's Syndrome Associated with Prolonged Adefovir Dipivoxil Therapy in a Hepatitis B Virus Patient. <i>Gut and Liver</i> , 2010, 4, 389-393.	1.4	51
116	Virologic Response at 12 Months of Treatment Predicts Sustained Antiviral Efficacy in Patients with Adefovir-Treated Lamivudine-Resistant Chronic Hepatitis B. <i>Gut and Liver</i> , 2010, 4, 212-218.	1.4	3
117	Durability of Antiviral Response in HBeAg-Positive Chronic Hepatitis B Patients Who Maintained Virologic Response for One Year After Lamivudine Discontinuation. <i>Digestive Diseases and Sciences</i> , 2009, 54, 1572-1577.	1.1	10
118	Serum cystatin C level is a good prognostic marker in patients with cirrhotic ascites and normal serum creatinine levels. <i>Liver International</i> , 2009, 29, 1521-1527.	1.9	39
119	Value of the model for end-stage liver disease for predicting survival in hepatocellular carcinoma patients treated with transarterial chemoembolization. <i>Scandinavian Journal of Gastroenterology</i> , 2009, 44, 346-357.	0.6	8
120	Chronic cirrhotic hepatitis B patients with a high incidence of hepatic decompensation after viral breakthrough with lamivudine-resistant mutants and during rescue treatment. <i>Scandinavian Journal of Gastroenterology</i> , 2008, 43, 1514-1521.	0.6	5