

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5538941/lin-ye-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100 papers	1,513 citations	25 h-index	34 g-index
108 ext. papers	1,775 ext. citations	4.6 avg, IF	4.66 L-index

#	Paper	IF	Citations
100	Heparin-Conjugated PCL Scaffolds Fabricated by Electrospinning and Loaded with Fibroblast Growth Factor 2. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2011 , 22, 389-406	3.5	63
99	Preparation and self-assembly of amphiphilic triblock copolymers with polyrotaxane as a middle block and their application as carrier for the controlled release of Amphotericin B. <i>Polymer</i> , 2009 , 50, 4343-4351	3.9	61
98	The in vitro and in vivo biocompatibility evaluation of heparin-poly(ϵ -caprolactone) conjugate for vascular tissue engineering scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2012 , 100, 3251-8	5.4	58
97	A vascular tissue engineering scaffold with core-shell structured nano-fibers formed by coaxial electrospinning and its biocompatibility evaluation. <i>Biomedical Materials (Bristol)</i> , 2016 , 11, 035007	3.5	49
96	Preparation and characterization of solid polymer electrolytes based on PHEMO and PVDF-HFP. <i>Solid State Ionics</i> , 2009 , 180, 677-680	3.3	48
95	The fabrication of double layer tubular vascular tissue engineering scaffold via coaxial electrospinning and its 3D cell coculture. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 3863-71	5.4	45
94	Novel main-chain polyrotaxanes synthesized via ATRP of HPMA in aqueous media. <i>Journal of Polymer Science Part A</i> , 2008 , 46, 5283-5293	2.5	45
93	Organo- and hydrogels derived from cyclo(L-Tyr-L-Lys) and its amino derivatives. <i>Soft Matter</i> , 2009 , 5, 1474	3.6	43
92	Electrospinning and biocompatibility evaluation of biodegradable polyurethanes based on L-lysine diisocyanate and L-lysine chain extender. <i>Journal of Biomedical Materials Research - Part A</i> , 2011 , 96, 705-14	5.14	39
91	Solvent- and thermoresponsive polyrotaxanes with beta-cyclodextrin dispersed/aggregated structures on a pluronic F127 backbone. <i>Journal of Physical Chemistry B</i> , 2010 , 114, 5342-9	3.4	39
90	Low-Molecular-Weight Organo- and Hydrogelators Based on Cyclo(L-Lys-L-Glu). <i>Langmuir</i> , 2016 , 32, 4586-94	4.4	38
89	Dual thermo-responsive polyrotaxane-based triblock copolymers synthesized via ATRP of N-isopropylacrylamide initiated with self-assemblies of Br end-capped Pluronic F127 with β -cyclodextrins. <i>Polymer Chemistry</i> , 2011 , 2, 931-940	4.9	37
88	A pH-sensitive nano drug delivery system of doxorubicin-conjugated amphiphilic polyrotaxane-based block copolymers. <i>Biomaterials Science</i> , 2013 , 1, 1282-1291	7.4	35
87	Flame-retardant gel polymer electrolyte and interface for quasi-solid-state sodium ion batteries. <i>Chemical Engineering Journal</i> , 2020 , 401, 126065	14.7	33
86	Synthesis and characterization of biodegradable polyurethane based on poly(ϵ -caprolactone) and L-lysine ethyl ester diisocyanate. <i>Frontiers of Materials Science in China</i> , 2009 , 3, 25-32		33
85	Shear-assisted hydrogels based on self-assembly of cyclic dipeptide derivatives. <i>Journal of Materials Chemistry</i> , 2009 , 19, 6100		33
84	Synthesis and characterization of block copolymers comprising a polyrotaxane middle block flanked by two brush-like PCL blocks. <i>Soft Matter</i> , 2009 , 5, 1848	3.6	31

83	The multifunctional wound dressing with core-shell structured fibers prepared by coaxial electrospinning. <i>Frontiers of Materials Science</i> , 2016 , 10, 113-121	2.5	31
82	A tumor-targeting nano doxorubicin delivery system built from amphiphilic polyrotaxane-based block copolymers. <i>Polymer</i> , 2013 , 54, 5188-5198	3.9	29
81	Preparation and surface properties of polyrotaxane-containing tri-block copolymers as a design for dynamic biomaterials surfaces. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012 , 89, 223-7	6	29
80	Novel triblock copolymers comprising a polyrotaxane middle block flanked by PNIPAAm blocks showing both thermo- and solvent-response. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3243-3250		28
79	In situ hydrogel dressing loaded with heparin and basic fibroblast growth factor for accelerating wound healing in rat. <i>Materials Science and Engineering C</i> , 2020 , 116, 111169	8.3	26
78	The preparation of an azo-substituted polyrotaxane end-capped with PNIPAAm and its dual stimuli-responsive behavior for drug delivery applications. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 5746-5757	7.3	26
77	Cyclodextrin polymers: Structure, synthesis, and use as drug carriers. <i>Progress in Polymer Science</i> , 2021 , 118, 101408	29.6	26
76	Hyperbranched polyether boosting ionic conductivity of polymer electrolytes for all-solid-state sodium ion batteries. <i>Chemical Engineering Journal</i> , 2020 , 394, 124885	14.7	25
75	Formation of a polypseudorotaxane via self-assembly of β -cyclodextrin with poly(N-isopropylacrylamide). <i>Macromolecular Rapid Communications</i> , 2012 , 33, 1143-8	4.8	25
74	Novel polyrotaxanes comprising β -cyclodextrins and Pluronic F127 end-capped with poly(N-isopropylacrylamide) showing solvent-responsive crystal structures. <i>Polymer</i> , 2011 , 52, 347-355	3.9	23
73	The self-aggregation behaviour of amphotericin B-loaded polyrotaxane-based triblock copolymers and their hemolytic evaluation. <i>Soft Matter</i> , 2009 , 5, 4797	3.6	22
72	A pH-sensitive binary drug delivery system based on poly(caprolactone)-heparin conjugates. <i>Journal of Biomedical Materials Research - Part A</i> , 2014 , 102, 880-9	5.4	21
71	Preparation of Small-Diameter Tissue-Engineered Vascular Grafts Electrospun from Heparin End-Capped PCL and Evaluation in a Rabbit Carotid Artery Replacement Model. <i>Macromolecular Bioscience</i> , 2019 , 19, e1900114	5.5	20
70	Self-healing biodegradable poly(urea-urethane) elastomers based on hydrogen bonding interactions. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2013 , 31, 251-262	3.5	19
69	Initiator-free photocrosslinking of electrospun biodegradable polyester fiber based tubular scaffolds and their cell affinity for vascular tissue engineering. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2010 , 28, 829-840	3.5	17
68	Self-Assembly of Polyrotaxanes Synthesized Via Click Chemistry of Azido-Endcapped PNIPAAm-b-Pluronic F68-b-PNIPAAm/ECD with Propargylamine-Substituted ECDs. <i>Macromolecular Chemistry and Physics</i> , 2014 , 215, 1022-1029	2.6	16
67	Synthesis of water soluble polyrotaxanes by end-capping polypseudo-rotaxanes of ECDs with PHEMA-PPO-PEO-PPO-PHEMA using ATRP of MPC. <i>Polymer Chemistry</i> , 2015 , 6, 5832-5837	4.9	15
66	The penetration and phenotype modulation of smooth muscle cells on surface heparin modified poly(e-caprolactone) vascular scaffold. <i>Journal of Biomedical Materials Research - Part A</i> , 2017 , 105, 2806-2815	5.4	15

65	Synthesis and application as polymer electrolyte of hyperbranched copolyethers derived from cationic ring-opening polymerization of 3-{2-[2-(2-methoxyethoxy)ethoxy]ethoxy)methyl- and 3-hydroxymethyl-3?-methyloxetane. <i>Polymer</i> , 2007 , 48, 1550-1556	3.9	15
64	Synthesis and characterization of homo- and copolymers of 3-(2-cyano ethoxy)methyl- and 3-[methoxy(triethylenoxy)]methyl-3?-methyl-oxetane. <i>Polymer International</i> , 2005 , 54, 1440-1448	3.3	15
63	Experimental study on the construction of small three-dimensional tissue engineered grafts of electrospun poly- ϵ -caprolactone. <i>Journal of Materials Science: Materials in Medicine</i> , 2015 , 26, 112	4.5	14
62	Ultrasound-induced gelation of fluorenyl-9-methoxycarbonyl-L-lysine(fluorenyl-9-methoxycarbonyl)-OH and its dipeptide derivatives showing very low minimum gelation concentrations. <i>Journal of Colloid and Interface Science</i> , 2017 , 490, 665-676	9.3	13
61	The preparation and morphology control of heparin-based pH sensitive polyion complexes and their application as drug carriers. <i>Carbohydrate Polymers</i> , 2019 , 211, 370-379	10.3	13
60	The synthesis and application of heparin-based smart drug carrier. <i>Carbohydrate Polymers</i> , 2016 , 140, 260-8	10.3	13
59	Loose-fit polypseudorotaxanes constructed from CDs and PHEMA-PPG-PEG-PPG-PHEMA. <i>Beilstein Journal of Organic Chemistry</i> , 2014 , 10, 2461-9	2.5	13
58	ϵ Cyclodextrin functionalized coaxially electrospun poly(vinylidene fluoride) @ polystyrene membranes with higher mechanical performance for efficient removal of phenolphthalein. <i>Reactive and Functional Polymers</i> , 2019 , 141, 100-111	4.6	12
57	Stable and Unconventional Conformation of Single PEG Bent ϵ CD-Based Polypseudorotaxanes. <i>Macromolecular Chemistry and Physics</i> , 2011 , 212, 2319-2327	2.6	11
56	Vascular Remodeling Process of Heparin-Conjugated Poly(ϵ Caprolactone) Scaffold in a Rat Abdominal Aorta Replacement Model. <i>Journal of Vascular Research</i> , 2018 , 55, 338-349	1.9	11
55	Rapidly Recoverable Thixotropic Hydrogels from the Racemate of Chiral OFm Monosubstituted Cyclo(Glu-Glu) Derivatives. <i>Langmuir</i> , 2017 , 33, 13821-13827	4	10
54	Poly(n-butyl methacrylate) end-capped polyrotaxanes via ATRP initiated with ϵ cyclodextrin and Pluronic 17R4 based inclusion complexes. <i>Polymer</i> , 2012 , 53, 2864-2872	3.9	10
53	The preparation of pH and GSH dual responsive thiolated heparin/DOX complex and its application as drug carrier. <i>Carbohydrate Polymers</i> , 2020 , 230, 115592	10.3	10
52	Recyclable Nanoporous Materials with Ordered Tunnels Self-Assembled from β and ϵ Cyclodextrins. <i>ChemNanoMat</i> , 2019 , 5, 838-846	3.5	9
51	Synthesis and characterization of polyrotaxanes comprising ϵ cyclodextrins and poly(ϵ caprolactone) end-capped with poly(N-isopropylacrylamide)s. <i>Polymer</i> , 2012 , 53, 2361-2368	3.9	9
50	Electrospinning of synthesized triblock copolymers of epsilon-caprolactone and L-lactide for the application of vascular tissue engineering. <i>Biomedical Materials (Bristol)</i> , 2009 , 4, 044105	3.5	9
49	The intrinsic microstructure of supramolecular hydrogels derived from ϵ cyclodextrin and pluronic F127: nanosheet building blocks and hierarchically self-assembled structures. <i>Soft Matter</i> , 2020 , 16, 5906-5909 ⁸	2.6	8
48	Preparation and experimental research into retrievable rapamycin- and heparin-coated vena cava filters: a pilot study. <i>Journal of Thrombosis and Thrombolysis</i> , 2016 , 41, 422-32	5.1	8

47	The preparation of cationic folic acid and its application in drug delivery system. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2014 , 32, 1714-1723	3.5	8
46	Gelation capability of cysteine-modified cyclo(L-Lys-L-Lys)s dominated by Fmoc and Trt protecting groups. <i>Science China Chemistry</i> , 2016 , 59, 293-302	7.9	7
45	Loose-Fit Polypseudorotaxanes Fabricated by β CDs Threaded Onto a Single PNIPAAm-PEG-PNIPAAm Chain in Aqueous Solution. <i>Macromolecular Chemistry and Physics</i> , 2012 , 213, 1532-1539	2.6	7
44	End-capping double-chain stranded polypseudorotaxanes using lengthily tunable poly(2-hydroxyethyl methacrylate) blocks via atom transfer radical polymerization. <i>Polymer International</i> , 2010 , 59, 917-922	3.3	7
43	Polyrotaxanes created by end-capping polypseudorotaxanes self-assembled from β CDs with distal azide terminated PHEMA using propargylamine monosubstituted β CDs. <i>Polymer Chemistry</i> , 2020 , 11, 653-658	4.9	7
42	Preparation and in vivo evaluation of surface heparinized small diameter tissue engineered vascular scaffolds of poly(ϵ -caprolactone) embedded with collagen suture. <i>Journal of Biomaterials Applications</i> , 2020 , 34, 812-826	2.9	7
41	Curcumin Ameliorates White Matter Injury after Ischemic Stroke by Inhibiting Microglia/Macrophage Pyroptosis through NF- κ B Suppression and NLRP3 Inflammasome Inhibition. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 1552127	6.7	7
40	Synthesis and gelation capability of mono- and disubstituted cyclo(L-Glu-L-Glu) derivatives with tyramine, tyrosine and phenylalanine. <i>Colloid and Polymer Science</i> , 2017 , 295, 1549-1561	2.4	6
39	A Study on Synthesis and Gelation Capability of Fmoc and Boc Disubstituted Cyclo(L-Lys-L-Lys)s. <i>Acta Chimica Sinica</i> , 2015 , 73, 423	3.3	6
38	Synthesis and gelation capability of Fmoc and Boc mono-substituted cyclo(L-Lys-L-Lys)s. <i>Chemical Research in Chinese Universities</i> , 2016 , 32, 484-492	2.2	6
37	New Insights Into the Roles of Microglial Regulation in Brain Plasticity-Dependent Stroke Recovery. <i>Frontiers in Cellular Neuroscience</i> , 2021 , 15, 727899	6.1	6
36	Unexpected Polypseudorotaxanes Formed from the Self-assembly of β Cyclodextrins with Poly(N-isopropylacrylamide) Homo- and Copolymers. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 5004-5013	3.4	5
35	The in vivo characterization of electrospun heparin-bonded polycaprolactone in small-diameter vascular reconstruction. <i>Vascular</i> , 2015 , 23, 358-65	1.3	5
34	Enzyme-catalyzed preparation of supramolecular structured hydrogel of polypseudorotaxanes derived from the self-assembly of β CDs with 3-arm p-hydroxyphenylpropionate terminated PEG. <i>Frontiers of Materials Science in China</i> , 2007 , 1, 395-400		5
33	Hydrogel Complex Electrospun Scaffolds and Their Multiple Functions in In Situ Vascular Tissue Engineering.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 2373-2384	4.1	5
32	How Does PHEMA Pass through the Cavity of β CDs to Create Mismatched Overfit Polypseudorotaxanes?. <i>Langmuir</i> , 2018 , 34, 14076-14084	4	5
31	A one-step synthesis of polyrotaxane via in situ Michael addition reaction. <i>Iranian Polymer Journal (English Edition)</i> , 2015 , 24, 679-685	2.3	4
30	Slightly Cross-Linked Polyrotaxanes Made by Linking β Cyclodextrins Entrapped in Polyrotaxanes Using Hexamethylene Diisocyanate. <i>Chinese Journal of Chemistry</i> , 2012 , 30, 2453-2460	4.9	4

29	Synthesis and characterization of radiopaque iodine-containing methacrylate-based polymers via reversible addition-fragmentation chain transfer (RAFT) polymerization. <i>Frontiers of Materials Science in China</i> , 2010 , 4, 366-375		4
28	Novel supramolecular hydrogels made via Michael-type addition reaction of dithiothreitol with self-assembly of β -cyclodextrins and acryloyl-terminated 3-arm PEG. <i>Frontiers of Materials Science in China</i> , 2010 , 4, 70-77		4
27	Biocompatibility evaluation of heparin-conjugated poly(ϵ -caprolactone) scaffolds in a rat subcutaneous implantation model. <i>Journal of Materials Science: Materials in Medicine</i> , 2020 , 31, 76	4.5	4
26	The synthesis and characterization of a processable polyrotaxane-based triblock copolymer via a two steps strategy. <i>RSC Advances</i> , 2016 , 6, 33221-33230	3.7	4
25	The mobility of threaded β -cyclodextrins in PR copolymer and its influences on mechanical properties. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2017 , 35, 752-763	3.5	3
24	Self-assemblies of CDs with pentablock copolymers PMA-PPO-PEO-PPO-PMA and endcapping via atom transfer radical polymerization of 2-methacryloyloxyethyl phosphorylcholine. <i>Beilstein Journal of Organic Chemistry</i> , 2015 , 11, 2267-77	2.5	3
23	Synthesis and characterization of polyrotaxanes comprising β -cyclodextrins and poly(ϵ -caprolactone) end-capped with poly(butyl methacrylate)s. <i>Polymer International</i> , 2014 , 63, 1025-1034	3.3	3
22	Synthesis and characteristics of a silicon-containing polymer, manufacture of an electrolyte membrane from the polymer and poly(vinylidene fluoride-co-hexafluoropropene), and property testing of the membrane. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 1086-1093	2.9	3
21	A Study on Properties of PEG Bent Double Chain Stranded Polypseudorotaxanes with β -Cyclodextrins. <i>Acta Chimica Sinica</i> , 2013 , 71, 347	3.3	3
20	The preparation of hybrid trimer by cyclo-oligomerization of TDI and HDI and its curing process with polyols to form elastic PU coating 2017 , 14, 1279-1288		3
19	Polypseudorotaxane-based multiblock copolymers prepared via in situ ATRP of NIPAAm initiated by inclusion complex having a feeding ratio of 4 CDs to ferrocene containing initiator. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2020 , 96, 69-79	1.7	3
18	Polyrotaxane-based triblock copolymers synthesized via ATRP of N-isopropylacrylamide initiated from the terminals of polypseudorotaxane of Br end-capped pluronic 17R4 and β -cyclodextrins. <i>Science China Chemistry</i> , 2012 , 55, 1115-1124	7.9	2
17	Synthesis of copolymers of 3-acryloyloxymethyl-3'-methyloxetane and 3-(2-(2-(2-methoxyethylenoxy)ethylenoxy)ethylenoxy)-3'-methyloxetane and their ionic conductivity properties. <i>Frontiers of Chemical Engineering in China</i> , 2007 , 1, 343-348		2
16	SYNTHESIS AND CHARACTERIZATION OF POLYROTAXANES MADE FROM CDs THREADED ONTO TRIBLOCK COPOLYMERS WITH PEG AS A CENTRAL AXLE AND FLANKED BY TWO LOW MOLECULAR WEIGHT POLYSTYRENES AS OUTER STOPPERS. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2008 , 26, 723	3.5	2
15	The Synthesis and Characterization of Spacer-Free Liquid Crystal Polyrotaxane by Virtue of the Mobility of Threaded β -Cyclodextrins. <i>Macromolecular Chemistry and Physics</i> , 2016 , 217, 646-653	2.6	2
14	Design and Fabrication of Polymeric Hydrogel Carrier for Nerve Repair.. <i>Polymers</i> , 2022 , 14,	4.5	2
13	Decontamination of Chemical Warfare Agents by Novel Oximated Acrylate Copolymer. <i>Chemical Research in Chinese Universities</i> , 2019 , 35, 1095-1104	2.2	1
12	Hydroxypropyl β -Cyclodextrin Solubilizing Hydrophobic Initiator to Initiate Copper-Mediated RDRP of NIPAM in Aqueous Media. <i>ChemistrySelect</i> , 2020 , 5, 3385-3390	1.8	1

11	Chemical coatings relying on the self-polymerization of catechol for retrievable vena cava filters. <i>New Journal of Chemistry</i> , 2018 , 42, 3722-3728	3.6	1
10	A Polyrotaxane-based pH-labile Drug Delivery System. <i>Periodica Polytechnica: Chemical Engineering</i> , 2014 , 58, 55	1.3	1
9	Preparation and evaluation of two kinds of solid polymer electrolytes made from crosslinked poly(ether urethane) elastomers consisting of a comb-like and a hyperbranched polyether. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 1955-1961	2.9	1
8	Size-complementary effects of PEG diamine 1,1'-disubstituted ferrocene on incorporations of β and γ -cyclodextrins and syntheses of poly(pseudo)rotaxanes with lower coverages therefrom. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 1	1.7	1
7	Mass Formation of β -Cyclodextrin Hexagonal Rods by the Direct Solvent Evaporation Strategy.. <i>ACS Applied Bio Materials</i> , 2021 , 4, 8033-8038	4.1	1
6	Synthesis and Characterization of Polyrotaxanes Comprising β CDs and Distal Azide-Terminated PHEMA Using Propargylamine Monosubstituted β CDs as End Stoppers. <i>Macromolecular Chemistry and Physics</i> , 2020 , 221, 2000157	2.6	1
5	The performance of heparin modified poly(ϵ -caprolactone) small diameter tissue engineering vascular graft in canine-A long-term pilot experiment in vivo. <i>Journal of Biomedical Materials Research - Part A</i> , 2021 , 109, 2493-2505	5.4	1
4	Melatonin Protects Against Ischemic Brain Injury by Modulating PI3K/AKT Signaling Pathway via Suppression of PTEN Activity. <i>ASN Neuro</i> , 2021 , 13, 17590914211022888	5.3	1
3	Anti-coagulation and anti-hyperplasia coating for retrievable vena cava filters by electrospraying and their performance in vivo.. <i>International Journal of Pharmaceutics</i> , 2022 , 619, 121690	6.5	1
2	Fabrication of heparinized small diameter TPU/PCL bi-layered artificial blood vessels and in vivo assessment in a rabbit carotid artery replacement model.. <i>Materials Science and Engineering C</i> , 2021 , 112628	8.3	0
1	Preparation and characterization of cross-linked polyurethanes using β CD [3]PR as slide-ring cross-linker. <i>Polymer</i> , 2022 , 249, 124862	3.9	0