

Teng Fei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/5540612/publications.pdf>

Version: 2024-02-01

118
papers

6,017
citations

57719

44
h-index

85498

71
g-index

118
all docs

118
docs citations

118
times ranked

6027
citing authors

#	ARTICLE	IF	CITATIONS
1	The synergistic effects of oxygen vacancy engineering and surface gold decoration on commercial SnO ₂ for ppb-level DMMP sensing. <i>Journal of Colloid and Interface Science</i> , 2022, 608, 2703-2717.	5.0	19
2	A humidity sensor based on ionic liquid modified metal organic frameworks for low humidity detection. <i>Sensors and Actuators B: Chemical</i> , 2022, 355, 131136.	4.0	30
3	Glucose-assisted combustion synthesis of oxygen vacancy enriched δ -MoO ₃ for ethanol sensing. <i>Journal of Alloys and Compounds</i> , 2022, 902, 163711.	2.8	14
4	Boosting room-temperature ppb-level NO ₂ sensing over reduced graphene oxide by co-decoration of δ -Fe ₂ O ₃ and SnO ₂ nanocrystals. <i>Journal of Colloid and Interface Science</i> , 2022, 612, 689-700.	5.0	29
5	A flexible humidity sensor based on self-supported polymer film. <i>Sensors and Actuators B: Chemical</i> , 2022, 358, 131438.	4.0	36
6	A dual-functional polyaniline film-based flexible electrochemical sensor for the detection of pH and lactate in sweat of the human body. <i>Talanta</i> , 2022, 242, 123289.	2.9	28
7	The synergistic effects of MoS ₂ and reduced graphene oxide on sensing performances for electrochemical chloramphenicol sensor. <i>FlatChem</i> , 2022, 33, 100364.	2.8	17
8	High Sensitive Humidity Sensors Based on Biomass Ionogels. <i>IEEE Sensors Journal</i> , 2022, 22, 12570-12575.	2.4	5
9	A universal sugar-blowing approach to synthesize fluorescent nitrogen-doped carbon nanodots for detection of Hg(II). <i>Applied Surface Science</i> , 2021, 544, 148725.	3.1	16
10	Humidity-activated ammonia sensor with excellent selectivity for exhaled breath analysis. <i>Sensors and Actuators B: Chemical</i> , 2021, 334, 129625.	4.0	40
11	PL sensor for sensitive and selective detection of 2,4,6-trinitrophenol based on carbazole and tetraphenylsilane polymer. <i>Dyes and Pigments</i> , 2021, 191, 109379.	2.0	18
12	Flexible humidity sensor based on modified cellulose paper. <i>Sensors and Actuators B: Chemical</i> , 2021, 339, 129879.	4.0	83
13	Electrochemical chloramphenicol sensors-based on trace MoS ₂ modified carbon nanomaterials: Insight into carbon supports. <i>Journal of Alloys and Compounds</i> , 2021, 872, 159687.	2.8	29
14	Biocompatible Multifunctional E-Skins with Excellent Self-Healing Ability Enabled by Clean and Scalable Fabrication. <i>Nano-Micro Letters</i> , 2021, 13, 200.	14.4	39
15	Humidity sensors based on metal organic frameworks derived polyelectrolyte films. <i>Journal of Colloid and Interface Science</i> , 2021, 602, 646-653.	5.0	17
16	Highly sensitive and chemically stable NH ₃ sensors based on an organic acid-sensitized cross-linked hydrogel for exhaled breath analysis. <i>Biosensors and Bioelectronics</i> , 2021, 191, 113459.	5.3	30
17	Hydrogen bonds-induced room-temperature detection of DMMP based on polypyrrole-reduced graphene oxide hybrids. <i>Sensors and Actuators B: Chemical</i> , 2021, 346, 130518.	4.0	22
18	Optical Waveguide Sensors for Measuring Human Temperature and Humidity with Gel Polymer Electrolytes. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 60384-60392.	4.0	9

#	ARTICLE	IF	CITATIONS
19	Phosphorescent iridium(III) complex based photoluminescence sensor for sensitive and selective detection of picric acid. <i>Dyes and Pigments</i> , 2020, 172, 107799.	2.0	15
20	Chitosan wrapped multiwalled carbon nanotubes as quartz crystal microbalance sensing material for humidity detection. <i>Journal of Colloid and Interface Science</i> , 2020, 560, 284-292.	5.0	63
21	Design strategy for ultrafast-response humidity sensors based on gel polymer electrolytes and application for detecting respiration. <i>Sensors and Actuators B: Chemical</i> , 2020, 304, 127270.	4.0	66
22	Humidity Sensors Based on 3D Porous Polyelectrolytes via Breath Figure Method. <i>Advanced Electronic Materials</i> , 2020, 6, 1900846.	2.6	19
23	Proton-Conductive Gas Sensor: a New Way to Realize Highly Selective Ammonia Detection for Analysis of Exhaled Human Breath. <i>ACS Sensors</i> , 2020, 5, 346-352.	4.0	66
24	$\text{In}_2\text{S}_3\text{-Fe}_2\text{O}_3/\text{NiO}$ heterojunction nanorods with enhanced gas sensing performance for acetone. <i>Sensors and Actuators B: Chemical</i> , 2020, 318, 128191.	4.0	65
25	Room temperature ammonia gas sensor based on ionic conductive biomass hydrogels. <i>Sensors and Actuators B: Chemical</i> , 2020, 320, 128318.	4.0	42
26	Rational design and tunable synthesis of Co_3O_4 nanoparticle-incorporating into In_2O_3 one-dimensional ribbon as effective sensing material for gas detection. <i>Sensors and Actuators B: Chemical</i> , 2020, 310, 127695.	4.0	40
27	Flexible Piezoresistive Sensors based on Conducting Polymer-coated Fabric Applied to Human Physiological Signals Monitoring. <i>Journal of Bionic Engineering</i> , 2020, 17, 55-63.	2.7	33
28	An organometallic chemistry-assisted strategy for modification of zinc oxide nanoparticles by tin oxide nanoparticles: Formation of n-n heterojunction and boosting NO_2 sensing properties. <i>Journal of Colloid and Interface Science</i> , 2020, 567, 328-338.	5.0	23
29	Capacitive humidity sensors based on mesoporous silica and poly(3,4-ethylenedioxythiophene) composites. <i>Journal of Colloid and Interface Science</i> , 2020, 565, 592-600.	5.0	46
30	Functionalized polymer waveguide optical switching devices integrated with visible optical amplifiers based on an organic gain material. <i>Dyes and Pigments</i> , 2020, 176, 108210.	2.0	5
31	In Situ Preparation of Porous Humidity Sensitive Composite via a One-Stone-Two-Birds Strategy. <i>Sensors and Actuators B: Chemical</i> , 2020, 316, 128159.	4.0	11
32	Biomass-derived Nitrogen and Phosphorus Co-doped Hierarchical Micro/mesoporous Carbon Materials for High-performance Non-enzymatic H_2O_2 Sensing. <i>Electroanalysis</i> , 2019, 31, 527-534.	1.5	12
33	Effect of Cation Substitution on the Gas-Sensing Performances of Ternary Spinel MCo_2O_4 (M = Mn, Ni, and Zn) Multishelled Hollow Twin Spheres. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 28023-28032.	4.0	76
34	Construction of ZnO/SnO_2 Heterostructure on Reduced Graphene Oxide for Enhanced Nitrogen Dioxide Sensitive Performances at Room Temperature. <i>ACS Sensors</i> , 2019, 4, 2048-2057.	4.0	142
35	Improvement of gas sensing performance for tin dioxide sensor through construction of nanostructures. <i>Journal of Colloid and Interface Science</i> , 2019, 557, 673-682.	5.0	29
36	Ultrafast Response Polyelectrolyte Humidity Sensor for Respiration Monitoring. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 6483-6490.	4.0	201

#	ARTICLE	IF	CITATIONS
37	Highly Sensitive and Selective Dopamine Detection Utilizing Nitrogen-Doped Mesoporous Carbon Prepared by a Molten Glucose-Assisted Hard-Template Approach. <i>ChemPlusChem</i> , 2019, 84, 845-852.	1.3	11
38	Investigation of the effect of oxygen-containing groups on reduced graphene oxide-based room-temperature NO ₂ sensor. <i>Journal of Alloys and Compounds</i> , 2019, 801, 142-150.	2.8	20
39	Mesoporous Magnesium Oxide Nanosheet Electrocatalysts for the Detection of Lead(II). <i>ACS Applied Nano Materials</i> , 2019, 2, 2606-2611.	2.4	11
40	Study on a paper-based piezoresistive sensor applied to monitoring human physiological signals. <i>Sensors and Actuators A: Physical</i> , 2019, 292, 66-70.	2.0	32
41	Oxygen vacancy modulation of commercial SnO ₂ by an organometallic chemistry-assisted strategy for boosting acetone sensing performances. <i>Sensors and Actuators B: Chemical</i> , 2019, 290, 493-502.	4.0	52
42	Zn _x Co _{3x} O ₄ bimetallic oxides derived from metal-organic frameworks for enhanced acetone sensing performances. <i>Inorganic Chemistry Frontiers</i> , 2019, 6, 3177-3183.	3.0	22
43	A Composite Structure of <i>In Situ</i> Cross-Linked Poly(Ionic Liquid)s and Paper for Humidity-Monitoring Applications. <i>IEEE Sensors Journal</i> , 2019, 19, 833-837.	2.4	24
44	Zeolitic imidazolate framework-8 (ZIF-8)-coated In ₂ O ₃ nanofibers as an efficient sensing material for ppb-level NO ₂ detection. <i>Journal of Colloid and Interface Science</i> , 2019, 541, 249-257.	5.0	94
45	A QCM humidity sensor constructed by graphene quantum dots and chitosan composites. <i>Sensors and Actuators A: Physical</i> , 2019, 287, 93-101.	2.0	64
46	Solvent-free synthesis of mesoporous carbon employing KIT-6 as hard template for removal of aqueous rhodamine B. <i>Journal of Porous Materials</i> , 2019, 26, 941-950.	1.3	8
47	Conjugated polymers containing tetraphenylethylene in the backbones and side-chains for highly sensitive TNT detection. <i>RSC Advances</i> , 2018, 8, 5760-5767.	1.7	32
48	Rational synthesis of molybdenum disulfide nanoparticles decorated reduced graphene oxide hybrids and their application for high-performance NO ₂ sensing. <i>Sensors and Actuators B: Chemical</i> , 2018, 260, 508-518.	4.0	55
49	Anchoring ultrafine Pd nanoparticles and SnO ₂ nanoparticles on reduced graphene oxide for high-performance room temperature NO ₂ sensing. <i>Journal of Colloid and Interface Science</i> , 2018, 514, 599-608.	5.0	60
50	Oxygen vacancy engineering for enhanced sensing performances: A case of SnO ₂ nanoparticles-reduced graphene oxide hybrids for ultrasensitive ppb-level room-temperature NO ₂ sensing. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 812-822.	4.0	109
51	Humidity sensor based on solution processible microporous silica nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 131-138.	4.0	34
52	Development of solution processible organic-inorganic hybrid materials with core-shell framework for humidity monitoring. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 2878-2885.	4.0	22
53	Investigation of Microstructure Effect on NO ₂ Sensors Based on SnO ₂ Nanoparticles/Reduced Graphene Oxide Hybrids. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 41773-41783.	4.0	100
54	Humidity sensors based on MCM-41/polypyrrole hybrid film via in-situ polymerization. <i>Sensors and Actuators B: Chemical</i> , 2018, 277, 584-590.	4.0	44

#	ARTICLE	IF	CITATIONS
55	High-Performance QCM Humidity Sensors Using Acidized-Multiwalled Carbon Nanotubes as Sensing Film. <i>IEEE Sensors Journal</i> , 2018, 18, 5278-5283.	2.4	32
56	Crosslinked fluorescent conjugated polymer nanoparticles for high performance explosive sensing in aqueous media. <i>Dyes and Pigments</i> , 2018, 159, 128-134.	2.0	28
57	Humidity Sensor Preparation by <i>In Situ</i> Click Polymerization. <i>IEEE Electron Device Letters</i> , 2018, 39, 1234-1237.	2.2	11
58	In situ formation of N-doped carbon film-immobilized Au nanoparticles-coated ZnO jungle on indium tin oxide electrode for excellent high-performance detection of hydrazine. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 1231-1239.	4.0	34
59	Drawn on Paper: A Reproducible Humidity Sensitive Device by Handwriting. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 28002-28009.	4.0	104
60	LiCl loaded cross-linked polymer composites by click reaction for humidity sensing. <i>Sensors and Actuators B: Chemical</i> , 2017, 253, 361-367.	4.0	35
61	High-performance reduced graphene oxide-based room-temperature NO ₂ sensors: A combined surface modification of SnO ₂ nanoparticles and nitrogen doping approach. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 269-279.	4.0	99
62	Preparation of hydrophilic organic groups modified mesoporous silica materials and their humidity sensitive properties. <i>Sensors and Actuators B: Chemical</i> , 2017, 240, 681-688.	4.0	19
63	Preparation of organic-inorganic hybrid polymers and their humidity sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 1108-1114.	4.0	37
64	Organic-inorganic hybrid materials based on mesoporous silica derivatives for humidity sensing. <i>Sensors and Actuators B: Chemical</i> , 2017, 248, 803-811.	4.0	31
65	A Highly Efficient Red-Emitting Ruthenium Complex with 3,5-Difluorophenyl Substituents. <i>ChemPlusChem</i> , 2016, 81, 73-79.	1.3	8
66	Excellent Humidity Sensor Based on LiCl Loaded Hierarchically Porous Polymeric Microspheres. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 25529-25534.	4.0	88
67	Stable cross-linked amphiphilic polymers from a one-pot reaction for application in humidity sensors. <i>Sensors and Actuators B: Chemical</i> , 2016, 227, 649-654.	4.0	30
68	A guest/host composite of Fe(NO ₃) ₃ /nanoporous polytriphenylamine assembly for humidity sensor. <i>Sensors and Actuators B: Chemical</i> , 2016, 222, 440-446.	4.0	34
69	Synthesis of core-shell Fe ₂ O ₃ @NiO nanofibers with hollow structures and their enhanced HCHO sensing properties. <i>Journal of Materials Chemistry A</i> , 2015, 3, 5635-5641.	5.2	83
70	Core-shell Co ₃ O ₄ /Fe ₂ O ₃ heterostructure nanofibers with enhanced gas sensing properties. <i>RSC Advances</i> , 2015, 5, 36340-36346.	1.7	51
71	Synthesis and humidity sensitive property of cross-linked water-resistant polymer electrolytes. <i>Sensors and Actuators B: Chemical</i> , 2015, 208, 277-282.	4.0	26
72	Humidity switching properties of sensors based on multiwalled carbon nanotubes/polyvinyl alcohol composite films. <i>Journal of Applied Polymer Science</i> , 2014, 131, .	1.3	44

#	ARTICLE	IF	CITATIONS
73	Humidity sensors based on Li-loaded nanoporous polymers. <i>Sensors and Actuators B: Chemical</i> , 2014, 190, 523-528.	4.0	81
74	Ordered mesoporous Co ₃ O ₄ for high-performance toluene sensing. <i>Sensors and Actuators B: Chemical</i> , 2014, 197, 342-349.	4.0	78
75	Humidity sensing properties of LiCl-loaded porous polymers with good stability and rapid response and recovery. <i>Sensors and Actuators B: Chemical</i> , 2014, 199, 1-6.	4.0	38
76	Highly sensitive TNT photoluminescent sensing by a phosphorescent complex. <i>Sensors and Actuators B: Chemical</i> , 2014, 199, 148-153.	4.0	24
77	Humidity sensor using a Li-loaded microporous organic polymer assembled by 1,3,5-trihydroxybenzene and terephthalic aldehyde. <i>RSC Advances</i> , 2014, 4, 28451.	1.7	26
78	Humidity sensor based on a cross-linked porous polymer with unexpectedly good properties. <i>RSC Advances</i> , 2014, 4, 21429.	1.7	34
79	Aggregation induced emission and amplified explosive detection of tetraphenylethylene-substituted polycarbazoles. <i>Polymer Chemistry</i> , 2014, 5, 4048.	1.9	104
80	A novel crosslinked polyelectrolyte synthesized via a one-step hydrothermal process as a humidity sensor. <i>RSC Advances</i> , 2014, 4, 43189-43194.	1.7	4
81	Preparation of lithium-modified porous polymer for enhanced humidity sensitive properties. <i>Sensors and Actuators B: Chemical</i> , 2014, 203, 752-758.	4.0	23
82	SnO ₂ nanoparticles-reduced graphene oxide nanocomposites for NO ₂ sensing at low operating temperature. <i>Sensors and Actuators B: Chemical</i> , 2014, 190, 472-478.	4.0	429
83	A dew sensor based on modified carbon black and polyvinyl alcohol composites. <i>Sensors and Actuators B: Chemical</i> , 2014, 192, 658-663.	4.0	43
84	Enhancing NO ₂ gas sensing performances at room temperature based on reduced graphene oxide-ZnO nanoparticles hybrids. <i>Sensors and Actuators B: Chemical</i> , 2014, 202, 272-278.	4.0	322
85	Low temperature thermal treatment of hexamethylenetetramine to synthesize nitrogen-doped carbon for non-enzymatic H ₂ O ₂ sensing. <i>Sensors and Actuators B: Chemical</i> , 2014, 201, 240-245.	4.0	13
86	Controllable synthesis and HCHO-sensing properties of In ₂ O ₃ micro/nanotubes with different diameters. <i>Sensors and Actuators B: Chemical</i> , 2014, 198, 180-187.	4.0	78
87	Polymeric humidity sensors with nonlinear response: Properties and mechanism investigation. <i>Journal of Applied Polymer Science</i> , 2013, 130, 2056-2061.	1.3	29
88	Toluene and ethanol sensing performances of pristine and PdO-decorated flower-like ZnO structures. <i>Sensors and Actuators B: Chemical</i> , 2013, 176, 323-329.	4.0	73
89	A class of hierarchical nanostructures: ZnO surface-functionalized TiO ₂ with enhanced sensing properties. <i>RSC Advances</i> , 2013, 3, 3131.	1.7	49
90	Synthesis of rattle-type SnO ₂ structures with porous shells. <i>Journal of Materials Chemistry</i> , 2012, 22, 18111.	6.7	51

#	ARTICLE	IF	CITATIONS
91	Ring-like PdO@NiO with lamellar structure for gas sensor application. Journal of Materials Chemistry, 2012, 22, 12453.	6.7	48
92	Templating synthesis of ZnO hollow nanospheres loaded with Au nanoparticles and their enhanced gas sensing properties. Journal of Materials Chemistry, 2012, 22, 4767.	6.7	115
93	Enhanced ethanol sensing properties of NiO-doped SnO ₂ polyhedra. New Journal of Chemistry, 2012, 36, 1003.	1.4	31
94	Synthesis and ethanol sensing properties of SnO ₂ nanosheets via a simple hydrothermal route. Solid-State Electronics, 2012, 76, 91-94.	0.8	57
95	Ring-like PdO-decorated NiO with lamellar structures and their application in gas sensor. Sensors and Actuators B: Chemical, 2012, 171-172, 1180-1185.	4.0	54
96	Preparation and humidity sensing properties of Ba _{0.8} Sr _{0.2} TiO ₃ nanofibers via electrospinning. Materials Letters, 2012, 66, 19-21.	1.3	23
97	Enhanced acetone sensing performances of hierarchical hollow Au-loaded NiO hybrid structures. Sensors and Actuators B: Chemical, 2012, 161, 178-183.	4.0	84
98	Template-free synthesized hollow NiO@SnO ₂ nanospheres with high gas-sensing performance. Sensors and Actuators B: Chemical, 2012, 164, 90-95.	4.0	73
99	Three-Dimensional Hierarchical Flowerlike Fe_2O_3 Nanostructures: Synthesis and Ethanol-Sensing Properties. ACS Applied Materials & Interfaces, 2011, 3, 4689-4694.	4.0	214
100	Zinc oxide core-shell hollow microspheres with multi-shelled architecture for gas sensor applications. Journal of Materials Chemistry, 2011, 21, 19331.	6.7	100
101	Multilayer Polymer Stacking by In Situ Electrochemical Polymerization for Color-Stable White Electroluminescence. Advanced Materials, 2011, 23, 527-530.	11.1	68
102	Low-temperature annealing to enhance efficiency in organic small-molecule solution-processable OLEDs. Semiconductor Science and Technology, 2011, 26, 055016.	1.0	1
103	Color-Stable White Electroluminescence Based on a Cross-linked Network Film Prepared by Electrochemical Copolymerization. Advanced Materials, 2010, 22, 2702-2705.	11.1	78
104	White phosphorescent polymer light-emitting devices based on a wide band-gap polymer derived from 3,6-carbazole and tetraphenylsilane. Organic Electronics, 2010, 11, 498-502.	1.4	18
105	Electrochemical polymerization films for highly efficient electroluminescent devices and RGB color pixel. Electrochemistry Communications, 2010, 12, 553-556.	2.3	33
106	Iridium complex grafted to 3,6-carbazole-tetraphenylsilane copolymers for blue electrophosphorescence. Journal of Polymer Science Part A, 2010, 48, 1859-1865.	2.5	37
107	Bipolar Host Molecules for Efficient Blue Electrophosphorescence: A Quantum Chemical Design. Journal of Physical Chemistry A, 2010, 114, 965-972.	1.1	26
108	Highly efficient white polymer light-emitting devices based on wide bandgap polymer doped with blue and yellow phosphorescent dyes. Optics Letters, 2010, 35, 2436.	1.7	14

#	ARTICLE	IF	CITATIONS
109	Highly-efficient solution-processed OLEDs based on new bipolar emitters. <i>Chemical Communications</i> , 2010, 46, 3923.	2.2	67
110	Highly efficient pure yellow electrophosphorescent device by utilizing an electron blocking material. <i>Semiconductor Science and Technology</i> , 2009, 24, 105019.	1.0	4
111	Tuning the Emission Color of Iridium(III) Complexes with Ancillary Ligands: A Combined Experimental and Theoretical Study. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 2407-2414.	1.0	27
112	A wide band gap polymer derived from 3,6-carbazole and tetraphenylsilane as host for green and blue phosphorescent complexes. <i>Journal of Polymer Science Part A</i> , 2009, 47, 4784-4792.	2.5	33
113	Optical and electronic properties of phosphorescent iridium(III) complexes with phenylpyrazole and ancillary ligands. <i>Synthetic Metals</i> , 2009, 159, 113-118.	2.1	30
114	A new kind of peripheral carbazole substituted ruthenium(II) complexes for electrochemical deposition organic light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2009, 19, 3941.	6.7	38
115	Silane coupling di-carbazoles with high triplet energy as host materials for highly efficient blue phosphorescent devices. <i>Journal of Materials Chemistry</i> , 2009, 19, 6143.	6.7	58
116	Highly efficient white organic light-emitting devices based on a multiple-emissive-layer structure. <i>Thin Solid Films</i> , 2008, 516, 5133-5136.	0.8	5
117	Theoretical Studies of Blue-Emitting Iridium Complexes with Different Ancillary Ligands. <i>Journal of Physical Chemistry A</i> , 2008, 112, 8387-8393.	1.1	94
118	White organic light-emitting devices with a phosphorescent multiple emissive layer. <i>Applied Physics Letters</i> , 2006, 89, 043504.	1.5	65