Marco Chilosi

List of Publications by Citations

Source: https://exaly.com/author-pdf/5540773/marco-chilosi-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

190
papers

8,672
citations

49
h-index

9-index

196
ext. papers

9,673
ext. citations

4.7
avg, IF

L-index

#	Paper	IF	Citations
190	Aberrant Wnt/beta-catenin pathway activation in idiopathic pulmonary fibrosis. <i>American Journal of Pathology</i> , 2003 , 162, 1495-502	5.8	541
189	Differential Activity of Nivolumab, Pembrolizumab and MPDL3280A according to the Tumor Expression of Programmed Death-Ligand-1 (PD-L1): Sensitivity Analysis of Trials in Melanoma, Lung and Genitourinary Cancers. <i>PLoS ONE</i> , 2015 , 10, e0130142	3.7	339
188	Anaplastic lymphoma kinase (ALK) activates Stat3 and protects hematopoietic cells from cell death. <i>Oncogene</i> , 2002 , 21, 1038-47	9.2	311
187	Clonal mast cell disorders in patients with systemic reactions to Hymenoptera stings and increased serum tryptase levels. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 680-6	11.5	301
186	Survivin is expressed on CD40 stimulation and interfaces proliferation and apoptosis in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2001 , 97, 2777-83	2.2	280
185	Transbronchial lung cryobiopsy in the diagnosis of fibrotic interstitial lung diseases. <i>PLoS ONE</i> , 2014 , 9, e86716	3.7	220
184	Safety and Diagnostic Yield of Transbronchial Lung Cryobiopsy in Diffuse Parenchymal Lung Diseases: A Comparative Study versus Video-Assisted Thoracoscopic Lung Biopsy and a Systematic Review of the Literature. <i>Respiration</i> , 2016 , 91, 215-27	3.7	211
183	Chronic lymphocytic leukemia B cells are endowed with the capacity to attract CD4+, CD40L+ T cells by producing CCL22. <i>European Journal of Immunology</i> , 2002 , 32, 1403-13	6.1	201
182	Transbronchial Cryobiopsies for the Diagnosis of Diffuse Parenchymal Lung Diseases: Expert Statement from the Cryobiopsy Working Group on Safety and Utility and a Call for Standardization of the Procedure. <i>Respiration</i> , 2018 , 95, 188-200	3.7	185
181	Premature lung aging and cellular senescence in the pathogenesis of idiopathic pulmonary fibrosis and COPD/emphysema. <i>Translational Research</i> , 2013 , 162, 156-73	11	185
180	The impact of lung cancer on survival of idiopathic pulmonary fibrosis. <i>Chest</i> , 2015 , 147, 157-164	5.3	183
179	Abnormal re-epithelialization and lung remodeling in idiopathic pulmonary fibrosis: the role of deltaN-p63. <i>Laboratory Investigation</i> , 2002 , 82, 1335-45	5.9	164
178	The pathogenesis of COPD and IPF: distinct horns of the same devil?. <i>Respiratory Research</i> , 2012 , 13, 3	7.3	128
177	Lung neuroendocrine tumours: deep sequencing of the four World Health Organization histotypes reveals chromatin-remodelling genes as major players and a prognostic role for TERT, RB1, MEN1 and KMT2D. <i>Journal of Pathology</i> , 2017 , 241, 488-500	9.4	122
176	CD30 and type 2 T helper (Th2) responses. <i>Journal of Leukocyte Biology</i> , 1995 , 57, 726-30	6.5	113
175	MEN1 in pancreatic endocrine tumors: analysis of gene and protein status in 169 sporadic neoplasms reveals alterations in the vast majority of cases. <i>Endocrine-Related Cancer</i> , 2010 , 17, 771-83	5.7	110
174	Biopsy-proved idiopathic pulmonary fibrosis: spectrum of nondiagnostic thin-section CT diagnoses. <i>Radiology</i> , 2010 , 254, 957-64	20.5	109

173	Most cases of primary salivary mucosa-associated lymphoid tissue lymphoma are associated either with Sjoegren syndrome or hepatitis C virus infection. <i>British Journal of Haematology</i> , 2004 , 126, 43-9	4.5	102
172	CD30 cell expression and abnormal soluble CD30 serum accumulation in OmennB syndrome: evidence for a T helper 2-mediated condition. <i>European Journal of Immunology</i> , 1996 , 26, 329-34	6.1	101
171	Routine application of polymerase chain reaction in the diagnosis of monoclonality of B-cell lymphoid proliferations. <i>Diagnostic Molecular Pathology</i> , 1995 , 4, 14-24		101
170	Oncocytic papillary renal cell carcinoma: a clinicopathologic, immunohistochemical, ultrastructural, and interphase cytogenetic study of 12 cases. <i>Annals of Diagnostic Pathology</i> , 2006 , 10, 133-9	2.2	100
169	Expression of inducible nitric oxide synthase in human granulomas and histiocytic reactions. <i>American Journal of Pathology</i> , 1999 , 154, 145-52	5.8	99
168	An international collaborative pathologic study of surgical lung biopsies from mustard gas-exposed patients. <i>Respiratory Medicine</i> , 2008 , 102, 825-30	4.6	98
167	Differential expression of cathepsin K in neoplasms harboring TFE3 gene fusions. <i>Modern Pathology</i> , 2011 , 24, 1313-9	9.8	90
166	S-phase kinase-associated protein 2 expression in non-Hodgkinß lymphoma inversely correlates with p27 expression and defines cells in S phase. <i>American Journal of Pathology</i> , 2002 , 160, 1457-66	5.8	89
165	Molecular typing of lung adenocarcinoma on cytological samples using a multigene next generation sequencing panel. <i>PLoS ONE</i> , 2013 , 8, e80478	3.7	88
164	Genotypic intratumoral heterogeneity in breast carcinoma with HER2/neu amplification: evaluation according to ASCO/CAP criteria. <i>American Journal of Clinical Pathology</i> , 2009 , 131, 678-82	1.9	87
163	Pathological assessment of pericolonic tumor deposits in advanced colonic carcinoma: relevance to prognosis and tumor staging. <i>Modern Pathology</i> , 2007 , 20, 843-55	9.8	87
162	CDX-2 homeobox gene product expression in neuroendocrine tumors: its role as a marker of intestinal neuroendocrine tumors. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1169-76	6.7	87
161	Parvalbumin is constantly expressed in chromophobe renal carcinoma. <i>Modern Pathology</i> , 2001 , 14, 760)- 3.8	86
160	Cathepsin K expression in the spectrum of perivascular epithelioid cell (PEC) lesions of the kidney. <i>Modern Pathology</i> , 2012 , 25, 100-11	9.8	81
159	BCL-2 expression in Hodgkin and Reed-Sternberg cells of classical Hodgkin disease predicts a poorer prognosis in patients treated with ABVD or equivalent regimens. <i>Blood</i> , 2002 , 100, 3935-41	2.2	81
158	Cathepsin-k expression in pulmonary lymphangioleiomyomatosis. <i>Modern Pathology</i> , 2009 , 22, 161-6	9.8	77
157	Diagnostic invasive procedures in diffuse infiltrative lung diseases. <i>Respiration</i> , 2004 , 71, 107-19	3.7	77
156	Chronic B cell malignancies and bone marrow microenvironment. <i>Seminars in Cancer Biology</i> , 2002 , 12, 149-55	12.7	76

155	Migratory marker expression in fibroblast foci of idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2006 , 7, 95	7.3	72
154	CD20 expression in Hodgkin and Reed-Sternberg cells of classical Hodgkinß disease: associations with presenting features and clinical outcome. <i>Journal of Clinical Oncology</i> , 2002 , 20, 1278-87	2.2	69
153	Chromosomal gains in the sarcomatoid transformation of chromophobe renal cell carcinoma. <i>Modern Pathology</i> , 2007 , 20, 303-9	9.8	68
152	The soluble interleukin-2 receptor in haematological disorders. <i>British Journal of Haematology</i> , 1987 , 67, 377-80	4.5	64
151	Comparison of epithelial differentiation and immune regulatory properties of mesenchymal stromal cells derived from human lung and bone marrow. <i>PLoS ONE</i> , 2012 , 7, e35639	3.7	59
150	Breast carcinoma with positive results for melanoma marker (HMB-45). HMB-45 immunoreactivity in normal and neoplastic breast. <i>American Journal of Clinical Pathology</i> , 1989 , 92, 491-5	1.9	59
149	Diagnostic utility of S100A1 expression in renal cell neoplasms: an immunohistochemical and quantitative RT-PCR study. <i>Modern Pathology</i> , 2007 , 20, 722-8	9.8	58
148	Role of dendritic cell-derived CXCL13 in the pathogenesis of Bartonella henselae B-rich granuloma. <i>Blood</i> , 2006 , 107, 454-62	2.2	58
147	Immunohistochemical demonstration of follicular dendritic cells in bone marrow involvement of B-cell chronic lymphocytic leukemia. <i>Cancer</i> , 1985 , 56, 328-32	6.4	58
146	Small-cell neuroendocrine carcinoma of the ampullary region. A clinicopathologic, immunohistochemical, and ultrastructural study of three cases. <i>American Journal of Surgical Pathology</i> , 1990 , 14, 703-13	6.7	57
145	Allergen specific immunotherapy is safe and effective in patients with systemic mastocytosis and Hymenoptera allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 256-7	11.5	56
144	Transbronchial Lung Cryobiopsy in Diffuse Parenchymal Lung Disease: Comparison between Biopsy from 1 Segment and Biopsy from 2 Segments - Diagnostic Yield and Complications. <i>Respiration</i> , 2017 , 93, 285-292	3.7	55
143	A rapid immunostaining method for frozen sections. <i>Biotechnic and Histochemistry</i> , 1994 , 69, 235-9	1.8	54
142	CD10 is expressed in a subset of chromophobe renal cell carcinomas. <i>Modern Pathology</i> , 2004 , 17, 1455-	- 63 8	51
141	Lineage relationship of chronic lymphocytic leukemia and hairy cell leukemia: studies with TPA. <i>Leukemia Research</i> , 1984 , 8, 567-78	2.7	49
140	Magnitude of PD-1, PD-L1 and T Lymphocyte Expression on Tissue from Castration-Resistant Prostate Adenocarcinoma: An Exploratory Analysis. <i>Targeted Oncology</i> , 2016 , 11, 345-51	5	48
139	Expression of Epstein-Barr virus latent membrane protein-1 in Hodgkin and Reed-Sternberg cells of classical Hodgkinß lymphoma: associations with presenting features, serum interleukin 10 levels, and clinical outcome. <i>Clinical Cancer Research</i> , 2003 , 9, 2114-20	12.9	47
138	Epithelial stem cell exhaustion in the pathogenesis of idiopathic pulmonary fibrosis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2010 , 27, 7-18	1.1	47

(2013-1989)

137	Increased levels of soluble interleukin-2 receptor in non-Hodgkinß lymphomas. Relationship with clinical, histologic, and phenotypic features. <i>American Journal of Clinical Pathology</i> , 1989 , 92, 186-91	1.9	46
136	A distinctive cutaneous malignant neoplasm expressing the Langerhans cell phenotype. Synchronous occurrence with B-chronic lymphocytic leukemia. <i>Cancer</i> , 1985 , 55, 2417-25	6.4	46
135	High-throughput mutation profiling identifies novel molecular dysregulation in high-grade intraepithelial neoplasia and early gastric cancers. <i>Gastric Cancer</i> , 2014 , 17, 442-9	7.6	45
134	Expression pattern of claudins 5 and 7 distinguishes solid-pseudopapillary from pancreatoblastoma, acinar cell and endocrine tumors of the pancreas. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 768-74	6.7	45
133	HER-2/neu assessment in breast cancer using the original FDA and new ASCO/CAP guideline recommendations: impact on selecting patients for herceptin therapy. <i>American Journal of Clinical Pathology</i> , 2008 , 129, 907-11	1.9	45
132	Molecular pathology of lymphangioleiomyomatosis and other perivascular epithelioid cell tumors. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 33-40	5	45
131	Epithelial to mesenchymal transition-related proteins ZEB1, Latenin, and Lubulin-III in idiopathic pulmonary fibrosis. <i>Modern Pathology</i> , 2017 , 30, 26-38	9.8	44
130	Constitutive expression of DeltaN-p63alpha isoform in human thymus and thymic epithelial tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003 , 443, 175-83	5.1	44
129	Linker for activation of T cells (LAT), a novel immunohistochemical marker for T cells, NK cells, mast cells, and megakaryocytes: evaluation in normal and pathological conditions. <i>American Journal of Pathology</i> , 1999 , 154, 1037-46	5.8	44
128	Molecular heterogeneity assessment by next-generation sequencing and response to gefitinib of EGFR mutant advanced lung adenocarcinoma. <i>Oncotarget</i> , 2015 , 6, 12783-95	3.3	44
127	Isolated bone marrow mastocytosis: an underestimated subvariant of indolent systemic mastocytosis. <i>Haematologica</i> , 2011 , 96, 482-4	6.6	42
126	Bronchoalveolar lavage in malignancy. Seminars in Respiratory and Critical Care Medicine, 2007, 28, 534-	45 .9	42
125	Covid-19 Interstitial Pneumonia: Histological and Immunohistochemical Features on Cryobiopsies. <i>Respiration</i> , 2021 , 100, 488-498	3.7	41
124	ALK/EML4 fusion gene may be found in pure squamous carcinoma of the lung. <i>Journal of Thoracic Oncology</i> , 2014 , 9, 729-32	8.9	39
123	Signet ring melanoma, S-100 negative. American Journal of Surgical Pathology, 1989, 13, 522-3	6.7	39
122	Peripheral giant cell granuloma: evidence for osteoclastic differentiation. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1990 , 70, 471-5		39
121	Heterogeneous distribution of mechanical stress in human lung: a mathematical approach to evaluate abnormal remodeling in IPF. <i>Journal of Theoretical Biology</i> , 2013 , 332, 136-40	2.3	37
120	Idiopathic pulmonary fibrosis: diagnosis and prognostic evaluation. <i>Respiration</i> , 2013 , 86, 5-12	3.7	37

119	Immunohistochemical analysis of thymoma. Evidence for medullary origin of epithelial cells. <i>American Journal of Surgical Pathology</i> , 1984 , 8, 309-18	6.7	37
118	Lymphoproliferative lung disorders. Seminars in Respiratory and Critical Care Medicine, 2005, 26, 490-50	13.9	36
117	Serum levels of p55 and p75 soluble TNF receptors in adult acute leukaemia at diagnosis: correlation with clinical and biological features and outcome. <i>British Journal of Haematology</i> , 1998 , 102, 1025-34	4.5	35
116	Serum levels of soluble interleukin-2 receptor in Hodgkin disease. Relationship with clinical stage, tumor burden, and treatment outcome. <i>Cancer</i> , 1993 , 72, 201-6	6.4	35
115	Oncogene-induced senescence distinguishes indolent from aggressive forms of pulmonary and non-pulmonary Langerhans cell histiocytosis. <i>Leukemia and Lymphoma</i> , 2014 , 55, 2620-6	1.9	34
114	Two-dimensional molecular profiling of mantle cell lymphoma. <i>Electrophoresis</i> , 2003 , 24, 2376-85	3.6	33
113	Chronic obstructive pulmonary disease with mild airflow limitation: current knowledge and proposal for future research - a consensus document from six scientific societies. <i>International Journal of COPD</i> , 2017 , 12, 2593-2610	3	32
112	Multivariate statistical tools applied to the characterization of the proteomic profiles of two human lymphoma cell lines by two-dimensional gel electrophoresis. <i>Electrophoresis</i> , 2006 , 27, 484-94	3.6	32
111	Gene therapy of thyroid cancer via retrovirally-driven combined expression of human interleukin-2 and herpes simplex virus thymidine kinase. <i>European Journal of Endocrinology</i> , 2003 , 148, 73-80	6.5	32
110	HHV-8 and EBV are not commonly found in idiopathic pulmonary fibrosis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2005 , 22, 123-8	1.1	32
109	iPathology cockpit diagnostic station: validation according to College of American Pathologists Pathology and Laboratory Quality Center recommendation at the Hospital Trust and University of Verona. <i>Diagnostic Pathology</i> , 2014 , 9 Suppl 1, S12	3	31
108	Transcriptionally targeted retroviral vector for combined suicide and immunomodulating gene therapy of thyroid cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 5304-11	5.6	31
107	Neoplasms derived from plasmacytoid monocytes/interferon-producing cells: variability of CD56 and granzyme B expression. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 1489-92; author reply 149	6- 7 2-3	30
106	Regulation of IL-8 gene expression in gliomas by microRNA miR-93. <i>BMC Cancer</i> , 2015 , 15, 661	4.8	29
105	LKB1 Expression Correlates with Increased Survival in Patients with Advanced Non-Small Cell Lung Cancer Treated with Chemotherapy and Bevacizumab. <i>Clinical Cancer Research</i> , 2017 , 23, 3316-3324	12.9	28
104	Invasive diagnostic techniques in idiopathic interstitial pneumonias. <i>Respirology</i> , 2016 , 21, 44-50	3.6	28
103	Cellular Senescence Markers p16INK4a and p21CIP1/WAF Are Predictors of Hodgkin Lymphoma Outcome. <i>Clinical Cancer Research</i> , 2015 , 21, 5164-72	12.9	27
102	From "traction bronchiectasis" to honeycombing in idiopathic pulmonary fibrosis: A spectrum of bronchiolar remodeling also in radiology?. <i>BMC Pulmonary Medicine</i> , 2016 , 16, 87	3.5	27

(2002-2001)

101	Alveolar macrophage-T cell interactions during Th1-type sarcoid inflammation. <i>Microscopy Research and Technique</i> , 2001 , 53, 278-87	2.8	27	
100	T-cell-rich B-cell lymphoma. <i>American Journal of Surgical Pathology</i> , 1989 , 13, 335-7	6.7	27	
99	Signal transduction pathways of mantle cell lymphoma: a phosphoproteome-based study. <i>Proteomics</i> , 2008 , 8, 4495-506	4.8	26	
98	Renal cell carcinoma with smooth muscle stroma lacks chromosome 3p and VHL alterations. <i>Modern Pathology</i> , 2014 , 27, 765-74	9.8	25	
97	Dipeptidyl(amino)peptidase IV (DAP-IV) histochemistry on normal and pathologic lymphoid tissues. <i>American Journal of Clinical Pathology</i> , 1982 , 77, 714-9	1.9	25	
96	Mixed adenocarcinomas of the lung: place in new proposals in classification, mandatory for target therapy. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 55-65	5	25	
95	Immunologic abnormalities in angioimmunoblastic lymphadenopathy. <i>Cancer</i> , 1987 , 60, 2412-8	6.4	24	
94	Increased frequency of bronchiolar histotypes in lung carcinomas associated with idiopathic pulmonary fibrosis. <i>Histopathology</i> , 2017 , 71, 725-735	7.3	23	
93	ZAP-70 expression is associated with increased risk of autoimmune cytopenias in CLL patients. <i>American Journal of Hematology</i> , 2010 , 85, 494-8	7.1	23	
92	Enzyme histochemistry on normal and pathologic paraffin-embedded lymphoid tissues. <i>American Journal of Clinical Pathology</i> , 1981 , 76, 729-36	1.9	23	
91	Inhibition of Notch Signaling Enhances Chemosensitivity in B-cell Precursor Acute Lymphoblastic Leukemia. <i>Cancer Research</i> , 2019 , 79, 639-649	10.1	23	
90	Digital reporting of whole-slide images is safe and suitable for assessing organ quality in preimplantation renal biopsies. <i>Human Pathology</i> , 2016 , 47, 115-20	3.7	22	
89	Establishment of the MAVER-1 cell line, a model for leukemic and aggressive mantle cell lymphoma. <i>Haematologica</i> , 2006 , 91, 40-7	6.6	22	
88	Current status of idiopathic nonspecific interstitial pneumonia. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2012 , 33, 440-9	3.9	21	
87	Molecular characterization of composite mantle cell and follicular lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006 , 448, 639-43	5.1	21	
86	Expression of TP73L is a helpful diagnostic marker of primary mediastinal large B-cell lymphomas. <i>Modern Pathology</i> , 2005 , 18, 1448-53	9.8	21	
85	Nonspecific Interstitial Pneumonia: What Is the Optimal Approach to Management?. Seminars in Respiratory and Critical Care Medicine, 2016 , 37, 378-94	3.9	21	
84	Proteomics and immunomapping of reactive lymph-node and lymphoma. <i>Electrophoresis</i> , 2002 , 23, 356	5- 6 26	20	

83	Application of microfluidic technology to the BIOMED-2 protocol for detection of B-cell clonality. Journal of Molecular Diagnostics, 2012 , 14, 30-7	5.1	19
82	Increased Levels of Free Circulating Dna in Patients with Idiopathic Pulmonary Fibrosis. International Journal of Biological Markers, 2010 , 25, 229-235	2.8	19
81	Induction of apoptosis in Jeko-1 mantle cell lymphoma cell line by resveratrol: a proteomic analysis. <i>Journal of Proteome Research</i> , 2008 , 7, 2670-80	5.6	19
80	Everolimus-induced epithelial to mesenchymal transition (EMT) in bronchial/pulmonary cells: when the dosage does matter in transplantation. <i>Journal of Nephrology</i> , 2016 , 29, 881-891	4.8	19
79	Double immunostaining of lymph node sections by monoclonal antibodies using phycoerythrin labeling and haptenated reagents. <i>American Journal of Clinical Pathology</i> , 1984 , 82, 44-7	1.9	18
78	Low expression of p27 and low proliferation index do not correlate in hairy cell leukaemia. <i>British Journal of Haematology</i> , 2000 , 111, 263-71	4.5	18
77	The pathogenic role of epithelial and endothelial cells in early-phase COVID-19 pneumonia: victims and partners in crime. <i>Modern Pathology</i> , 2021 , 34, 1444-1455	9.8	18
76	BAX expression in Hodgkin and Reed-Sternberg cells of Hodgkinß disease: correlation with clinical outcome. <i>Clinical Cancer Research</i> , 2002 , 8, 488-93	12.9	18
75	Primary role of multiparametric flow cytometry in the diagnostic work-up of indolent clonal mast cell disorders. <i>Cytometry Part B - Clinical Cytometry</i> , 2011 , 80, 362-8	3.4	17
74	Primary mediastinal B-cell lymphoma: hypermutation of the BCL6 gene targets motifs different from those in diffuse large B-cell and follicular lymphomas. <i>Haematologica</i> , 2004 , 89, 1091-9	6.6	17
73	Uncommon pulmonary presentation of IgG4-related disease in a 15-year-old boy. <i>Chest</i> , 2013 , 144, 669-	·6 7 .¶	16
72	The impact of P53 and P21(waf1) expression on the survival of patients with the germinal center phenotype of diffuse large B-cell lymphoma. <i>Haematologica</i> , 2006 , 91, 687-90	6.6	16
71	Lymphoproliferative lung disorders: clinicopathological aspects. <i>European Respiratory Review</i> , 2013 , 22, 427-36	9.8	15
70	Risk Stratification Model for Resected Squamous-Cell Lung Cancer Patients According to Clinical and Pathological Factors. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 1341-1348	8.9	13
69	Microfluidic deletion/insertion analysis for rapid screening of KIT and PDGFRA mutations in CD117-positive gastrointestinal stromal tumors: diagnostic applications and report of a new KIT mutation. <i>Journal of Molecular Diagnostics</i> , 2007 , 9, 151-7	5.1	13
68	In situ study of chemokine and chemokine-receptor expression in Kaposi sarcoma. <i>American Journal of Dermatopathology</i> , 2003 , 25, 377-83	0.9	13
67	Isolation of multicellular complexes of follicular dendritic cells and lymphocytes: immunophenotypical characterization, electron microscopy and culture studies. <i>Cell and Tissue Research</i> , 1989 , 257, 9-15	4.2	13
66	Wound healing and longevity: lessons from long-lived MUPA mice. <i>Aging</i> , 2015 , 7, 167-76	5.6	12

(2015-1987)

65	Alpha-interferon activated cytotoxic lymphocytes in hairy cell leukemia patients: evaluation of cytotoxic events. <i>Leukemia Research</i> , 1987 , 11, 843-7	2.7	12	
64	Increased levels of free circulating DNA in patients with idiopathic pulmonary fibrosis. <i>International Journal of Biological Markers</i> , 2010 , 25, 229-35	2.8	12	
63	Pulmonary adenocarcinoma with enteric differentiation: Dissecting oncogenic genes alterations with DNA sequencing and FISH analysis. <i>Experimental and Molecular Pathology</i> , 2017 , 102, 276-279	4.4	11	
62	Classical lobular breast carcinoma consistently lacks topoisomerase-II gene amplification: implications for the tailored use of anthracycline-based chemotherapies. <i>Histopathology</i> , 2012 , 60, 482	-87.3	11	
61	Highly concentrated urine-purified Tac peptide fails to inhibit IL-2-dependent cell proliferation in vitro. <i>Cellular Immunology</i> , 1992 , 141, 253-9	4.4	11	
60	Immunohistochemical differentiation of follicular lymphoma from florid reactive follicular hyperplasia with monoclonal antibodies reactive on paraffin sections. <i>Cancer</i> , 1990 , 65, 1562-9	6.4	11	
59	Keratin-14 expression in pneumocytes as a marker of lung regeneration/repair during diffuse alveolar damage. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 1142-5	10.2	10	
58	True 3q chromosomal amplification in squamous cell lung carcinoma by FISH and aCGH molecular analysis: impact on targeted drugs. <i>PLoS ONE</i> , 2012 , 7, e49689	3.7	10	
57	The crazy-paving pattern in granulomatous mycosis fungoides: high-resolution computed tomography-pathological correlation. <i>Journal of Computer Assisted Tomography</i> , 2006 , 30, 843-5	2.2	10	
56	Biovularity and "coalescence of primary follicles" in ovaries with mature teratomas. <i>International Journal of Surgical Pathology</i> , 2001 , 9, 121-5	1.2	10	
55	A re-emerging marker for prognosis in hepatocellular carcinoma: the add-value of fishing c-myc gene for early relapse. <i>PLoS ONE</i> , 2013 , 8, e68203	3.7	10	
54	Anti-angiogenic drugs and biomarkers in non-small-cell lung cancer: a Phard days night? Current Pharmaceutical Design, 2014 , 20, 3958-72	3.3	10	
53	Cell of origin markers identify different prognostic subgroups of lung adenocarcinoma. <i>Human Pathology</i> , 2018 , 75, 167-178	3.7	9	
52	Report Standardization in Transbronchial Lung Cryobiopsy. <i>Archives of Pathology and Laboratory Medicine</i> , 2019 , 143, 416-417	5	8	
51	Biopathologic features of Hodgkinß disease. <i>Leukemia and Lymphoma</i> , 1995 , 16, 385-95	1.9	8	
50	Soluble interleukin-2 receptor in hairy-cell leukemia: a reliable marker of disease. <i>International Journal of Clinical and Laboratory Research</i> , 1993 , 23, 34-7		8	
49	Characterization of a new B-ALL cell line with constitutional defect of the Notch signaling pathway. <i>Oncotarget</i> , 2018 , 9, 18341-18350	3.3	8	
48	Break-apart interphase fluorescence in situ hybridization assay in papillary thyroid carcinoma: on the road to optimizing the cut-off level for RET/PTC rearrangements. <i>European Journal of Endocrinology</i> , 2015 , 172, 571-82	6.5	7	

47	Cathepsin K expression in clear cell "sugar" tumor (PEComa) of the lung. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 473, 55-59	5.1	7
46	Absence of TCL1A expression is a useful diagnostic feature in splenic marginal zone lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012 , 461, 677-85	5.1	7
45	Age influence on hypersensitivity pneumonitis induced in mice by exposure to Pantoea agglomerans. <i>Inhalation Toxicology</i> , 2013 , 25, 640-50	2.7	7
44	Her-2/neu evaluation in Sister Mary Josephß nodule from breast carcinoma: a case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2009 , 36, 702-5	1.7	7
43	Keratin14 mRNA expression in human pneumocytes during quiescence, repair and disease. <i>PLoS ONE</i> , 2017 , 12, e0172130	3.7	7
42	Suitability of infiltrative lobular breast carcinoma for anti-human epidermal growth factor receptor 2 treatment after the ASCO/CAP and 2009 St Gallen International Expert Consensus meeting. <i>Histopathology</i> , 2010 , 57, 935-40	7.3	6
41	Utility of racemase and other immunomarkers in the detection of adenocarcinoma in prostatic tissue damaged by high intensity focused ultrasound therapy. <i>Pathology</i> , 2010 , 42, 1-5	1.6	5
40	Clinical, radiological, and pathological findings in patients with persistent lung disease following SARS-CoV-2 infection <i>European Respiratory Journal</i> , 2022 ,	13.6	5
39	OA06.06 Druggable Alterations Involving Crucial Carcinogenesis Pathways Drive the Prognosis of Squamous Cell Lung Carcinoma (SqCLC). <i>Journal of Thoracic Oncology</i> , 2017 , 12, S266-S267	8.9	4
3 8	Magno- and parvocellular pathways are segregated in the human optic tract. <i>NeuroReport</i> , 1994 , 5, 142	5 <u>18</u> 7	4
37	ALK gene copy number in lung cancer: Unspecific polyploidy versus specific amplification visible as double minutes. <i>Cancer Biomarkers</i> , 2017 , 18, 215-220	3.8	3
36	CAL2 monoclonal antibody is a rapid and sensitive assay for the detection of calreticulin mutations in essential thrombocythemia patients. <i>Annals of Hematology</i> , 2019 , 98, 2339-2346	3	3
35	The identification of a small but significant subset of patients still targetable with anti-HER2 inhibitors when affected by triple negative breast carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 1563-8	4.9	3
34	De Novo Renal Neoplasia After Kidney Transplantation According to New 2016 WHO Classification of Renal Tumors. <i>Annals of Transplantation</i> , 2016 , 21, 745-754	1.4	3
33	Methods to identify molecular expression of mTOR pathway: a rationale approach to stratify patients affected by clear cell renal cell carcinoma for more likely response to mTOR inhibitors. American Journal of Cancer Research, 2014, 4, 907-15	4.4	3
32	FISH scoring on paraffin sections versus single-cell suspension for chromophobe renal carcinoma and renal oncocytoma. <i>Anticancer Research</i> , 2011 , 31, 3137-42	2.3	3
31	Next-generation repeat-free FISH probes for DNA amplification in glioblastoma in vivo: Improving patient selection to MDM2-targeted inhibitors. <i>Cancer Genetics</i> , 2017 , 210, 28-33	2.3	2
30	Lack of expression of TUBB3 characterizes both BCL2-positive and BCL2-negative follicular lymphoma. <i>Modern Pathology</i> , 2014 , 27, 808-13	9.8	2

29	Quantitative score modulation of HSP90 and HSP27 in clear cell renal cell carcinoma. <i>Pathology</i> , 2014 , 46, 523-6	1.6	2
28	CD5+ leukemic monocytoid B-cell lymphoma and lymphocytic lymphomas. <i>American Journal of Clinical Pathology</i> , 1993 , 100, 187-8	1.9	2
27	High Serum Levels of Soluble Interleukin-2 Receptor and Absence of Detectable Levels of Soluble CD30 Molecule: A Specific Diagnostic Combination for Hairy Cell Leukemia. <i>Leukemia and Lymphoma</i> , 1992 , 6, 385-388	1.9	2
26	Establishment and Characterization of a New Human Melanoma Cell Line (HU 214) with a High Growth Potential and Stable Properties. <i>Tumori</i> , 1988 , 74, 151-155	1.7	2
25	Concerning monocytoid cells. American Journal of Clinical Pathology, 1985, 84, 573-4	1.9	2
24	Comparison Between Bone Marrow Mesenchymal Stromal Cells (BM-MSC) and Lung Mesenchymal Stromal Cells (Lung-MSC) For Epithelial Regeneration. <i>Blood</i> , 2013 , 122, 5414-5414	2.2	2
23	Age influence on mice lung tissue response to Aspergillus fumigatus chronic exposure. <i>Annals of Agricultural and Environmental Medicine</i> , 2015 , 22, 69-75	1.4	2
22	Anaplastic lymphoma kinase (ALK) activates Stat3 and protects hematopoietic cells from cell death		2
21	Middle age has a significant impact on gene expression during skin wound healing in male mice. <i>Biogerontology</i> , 2016 , 17, 763-70	4.5	2
20	Usual Interstitial Pneumonia. <i>Molecular Pathology Library</i> , 2008 , 607-615		2
19	HER2/neu gene determination in women screened for breast carcinoma: how screening programs reduce the skyrocketing cost of targeted therapy. <i>Anticancer Research</i> , 2013 , 33, 3705-10	2.3	2
18	A rare disorder in an orphan disease: Kikuchi-Fujimoto disease in a young-adult patient with sickle cell anemia. <i>American Journal of Hematology</i> , 2014 , 89, 1151-2	7.1	1
17	Diffuse Parenchymal Lung Diseases [Histopathologic Patterns 2007 , 44-57		1
16	Avoiding the problem of melanin pigment. American Journal of Clinical Pathology, 1988, 90, 521-2	1.9	1
15	Conjunctival biopsy in sarcoidosis. American Journal of Ophthalmology, 1985, 100, 347-9	4.9	1
14	Histopathology and cryobiopsy57-73		1
13	Immunohistochemistry and Molecular Biology in Transbronchial Cryobiopsies 2019 , 81-99		1
12	Pulmonary involvement in haematological disorders and bone marrow transplant recipients 2019 , 333	-358	1

11	The pathologist® role in the diagnosis of idiopathic pulmonary fibrosis. <i>Pathologica</i> , 2010 , 102, 443-52	1.9	1
10	Colorectal adenocarcinoma spread through small vessels. <i>International Journal of Surgical Pathology</i> , 2008 , 16, 438-9	1.2	O
9	Idiopathic Pulmonary Fibrosis 2019 , 109-115		
8	Prognostic factors in malignant transformation of monoclonal gammopathy of undetermined significance. <i>Leukemia and Lymphoma</i> , 2002 , 43, 1713-4	1.9	
7	Unusual Association of Hairy Cell Leukemia and Monoclonal Large Granular Lymphocyte Proliferation. <i>Leukemia and Lymphoma</i> , 1990 , 2, 433-6	1.9	
6	Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. <i>Lung Biology in Health and Disease</i> , 2003 , 631-664		
5	Prognostic Value of ZAP-70 Expression Detected by Immunohistochemistry on Bone Marrow Biopsies in Early Phase Chronic Lymphocytic Leukaemia <i>Blood</i> , 2004 , 104, 4800-4800	2.2	
4	P53 and p21waf1lExpression by Immunohistochemistry in Diffuse Large B-Cell Lymphoma Has a Strong and Independent Impact on Survival of Patients with Germinal Center Phenotype <i>Blood</i> , 2005 , 106, 1920-1920	2.2	
3	Cytology of the lung 2019 , 7-19		
2	Prognostic value of ALK gene copy number (GCN) status for resected and metastatic non-small-cell lung cancer (NSCLC): A retrospective analysis of 205 patients (pts) <i>Journal of Clinical Oncology</i> , 2014 , 32, e19059-e19059	2.2	
1	CAL2 Monoclonal Antibody Is a Rapid and Sensitive Assay for the Detection of Calreticulin Mutations in Essential Thrombocythemia and May Provide Prognostic Informations. <i>Blood</i> , 2016 , 128, 3122-3122	2.2	