

Marco Chilosi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/5540773/marco-chilosi-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

190
papers

8,672
citations

49
h-index

87
g-index

196
ext. papers

9,673
ext. citations

4.7
avg, IF

5.32
L-index

#	Paper	IF	Citations
190	Clinical, radiological, and pathological findings in patients with persistent lung disease following SARS-CoV-2 infection.. <i>European Respiratory Journal</i> , 2022 ,	13.6	5
189	The pathogenic role of epithelial and endothelial cells in early-phase COVID-19 pneumonia: victims and partners in crime. <i>Modern Pathology</i> , 2021 , 34, 1444-1455	9.8	18
188	Covid-19 Interstitial Pneumonia: Histological and Immunohistochemical Features on Cryobiopsies. <i>Respiration</i> , 2021 , 100, 488-498	3.7	41
187	Idiopathic Pulmonary Fibrosis 2019 , 109-115		
186	Report Standardization in Transbronchial Lung Cryobiopsy. <i>Archives of Pathology and Laboratory Medicine</i> , 2019 , 143, 416-417	5	8
185	CAL2 monoclonal antibody is a rapid and sensitive assay for the detection of calreticulin mutations in essential thrombocythemia patients. <i>Annals of Hematology</i> , 2019 , 98, 2339-2346	3	3
184	Immunohistochemistry and Molecular Biology in Transbronchial Cryobiopsies 2019 , 81-99		1
183	Cytology of the lung 2019 , 7-19		
182	Pulmonary involvement in haematological disorders and bone marrow transplant recipients 2019 , 333-358		1
181	Inhibition of Notch Signaling Enhances Chemosensitivity in B-cell Precursor Acute Lymphoblastic Leukemia. <i>Cancer Research</i> , 2019 , 79, 639-649	10.1	23
180	Cathepsin K expression in clear cell "sugar" tumor (PEComa) of the lung. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 473, 55-59	5.1	7
179	Cell of origin markers identify different prognostic subgroups of lung adenocarcinoma. <i>Human Pathology</i> , 2018 , 75, 167-178	3.7	9
178	Transbronchial Cryobiopsies for the Diagnosis of Diffuse Parenchymal Lung Diseases: Expert Statement from the Cryobiopsy Working Group on Safety and Utility and a Call for Standardization of the Procedure. <i>Respiration</i> , 2018 , 95, 188-200	3.7	185
177	Characterization of a new B-ALL cell line with constitutional defect of the Notch signaling pathway. <i>Oncotarget</i> , 2018 , 9, 18341-18350	3.3	8
176	LKB1 Expression Correlates with Increased Survival in Patients with Advanced Non-Small Cell Lung Cancer Treated with Chemotherapy and Bevacizumab. <i>Clinical Cancer Research</i> , 2017 , 23, 3316-3324	12.9	28
175	Pulmonary adenocarcinoma with enteric differentiation: Dissecting oncogenic genes alterations with DNA sequencing and FISH analysis. <i>Experimental and Molecular Pathology</i> , 2017 , 102, 276-279	4.4	11
174	Next-generation repeat-free FISH probes for DNA amplification in glioblastoma in vivo: Improving patient selection to MDM2-targeted inhibitors. <i>Cancer Genetics</i> , 2017 , 210, 28-33	2.3	2

173	Increased frequency of bronchiolar histotypes in lung carcinomas associated with idiopathic pulmonary fibrosis. <i>Histopathology</i> , 2017 , 71, 725-735	7.3	23
172	OA06.06 Druggable Alterations Involving Crucial Carcinogenesis Pathways Drive the Prognosis of Squamous Cell Lung Carcinoma (SqCLC). <i>Journal of Thoracic Oncology</i> , 2017 , 12, S266-S267	8.9	4
171	Transbronchial Lung Cryobiopsy in Diffuse Parenchymal Lung Disease: Comparison between Biopsy from 1 Segment and Biopsy from 2 Segments - Diagnostic Yield and Complications. <i>Respiration</i> , 2017 , 93, 285-292	3.7	55
170	ALK gene copy number in lung cancer: Unspecific polyploidy versus specific amplification visible as double minutes. <i>Cancer Biomarkers</i> , 2017 , 18, 215-220	3.8	3
169	Lung neuroendocrine tumours: deep sequencing of the four World Health Organization histotypes reveals chromatin-remodelling genes as major players and a prognostic role for TERT, RB1, MEN1 and KMT2D. <i>Journal of Pathology</i> , 2017 , 241, 488-500	9.4	122
168	Epithelial to mesenchymal transition-related proteins ZEB1, Ecatenin, and Etubulin-III in idiopathic pulmonary fibrosis. <i>Modern Pathology</i> , 2017 , 30, 26-38	9.8	44
167	Chronic obstructive pulmonary disease with mild airflow limitation: current knowledge and proposal for future research - a consensus document from six scientific societies. <i>International Journal of COPD</i> , 2017 , 12, 2593-2610	3	32
166	Keratin14 mRNA expression in human pneumocytes during quiescence, repair and disease. <i>PLoS ONE</i> , 2017 , 12, e0172130	3.7	7
165	From "traction bronchiectasis" to honeycombing in idiopathic pulmonary fibrosis: A spectrum of bronchiolar remodeling also in radiology?. <i>BMC Pulmonary Medicine</i> , 2016 , 16, 87	3.5	27
164	Invasive diagnostic techniques in idiopathic interstitial pneumonias. <i>Respirology</i> , 2016 , 21, 44-50	3.6	28
163	Digital reporting of whole-slide images is safe and suitable for assessing organ quality in preimplantation renal biopsies. <i>Human Pathology</i> , 2016 , 47, 115-20	3.7	22
162	Safety and Diagnostic Yield of Transbronchial Lung Cryobiopsy in Diffuse Parenchymal Lung Diseases: A Comparative Study versus Video-Assisted Thoracoscopic Lung Biopsy and a Systematic Review of the Literature. <i>Respiration</i> , 2016 , 91, 215-27	3.7	211
161	Magnitude of PD-1, PD-L1 and T Lymphocyte Expression on Tissue from Castration-Resistant Prostate Adenocarcinoma: An Exploratory Analysis. <i>Targeted Oncology</i> , 2016 , 11, 345-51	5	48
160	De Novo Renal Neoplasia After Kidney Transplantation According to New 2016 WHO Classification of Renal Tumors. <i>Annals of Transplantation</i> , 2016 , 21, 745-754	1.4	3
159	CAL2 Monoclonal Antibody Is a Rapid and Sensitive Assay for the Detection of Calreticulin Mutations in Essential Thrombocythemia and May Provide Prognostic Informations. <i>Blood</i> , 2016 , 128, 3122-3122	2.2	
158	Middle age has a significant impact on gene expression during skin wound healing in male mice. <i>Biogerontology</i> , 2016 , 17, 763-70	4.5	2
157	Everolimus-induced epithelial to mesenchymal transition (EMT) in bronchial/pulmonary cells: when the dosage does matter in transplantation. <i>Journal of Nephrology</i> , 2016 , 29, 881-891	4.8	19
156	Nonspecific Interstitial Pneumonia: What Is the Optimal Approach to Management?. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2016 , 37, 378-94	3.9	21

155	Break-apart interphase fluorescence in situ hybridization assay in papillary thyroid carcinoma: on the road to optimizing the cut-off level for RET/PTC rearrangements. <i>European Journal of Endocrinology</i> , 2015 , 172, 571-82	6.5	7
154	Cellular Senescence Markers p16INK4a and p21CIP1/WAF Are Predictors of Hodgkin Lymphoma Outcome. <i>Clinical Cancer Research</i> , 2015 , 21, 5164-72	12.9	27
153	The impact of lung cancer on survival of idiopathic pulmonary fibrosis. <i>Chest</i> , 2015 , 147, 157-164	5.3	183
152	Regulation of IL-8 gene expression in gliomas by microRNA miR-93. <i>BMC Cancer</i> , 2015 , 15, 661	4.8	29
151	Differential Activity of Nivolumab, Pembrolizumab and MPDL3280A according to the Tumor Expression of Programmed Death-Ligand-1 (PD-L1): Sensitivity Analysis of Trials in Melanoma, Lung and Genitourinary Cancers. <i>PLoS ONE</i> , 2015 , 10, e0130142	3.7	339
150	Wound healing and longevity: lessons from long-lived MUPA mice. <i>Aging</i> , 2015 , 7, 167-76	5.6	12
149	Risk Stratification Model for Resected Squamous-Cell Lung Cancer Patients According to Clinical and Pathological Factors. <i>Journal of Thoracic Oncology</i> , 2015 , 10, 1341-1348	8.9	13
148	Molecular heterogeneity assessment by next-generation sequencing and response to gefitinib of EGFR mutant advanced lung adenocarcinoma. <i>Oncotarget</i> , 2015 , 6, 12783-95	3.3	44
147	Age influence on mice lung tissue response to <i>Aspergillus fumigatus</i> chronic exposure. <i>Annals of Agricultural and Environmental Medicine</i> , 2015 , 22, 69-75	1.4	2
146	Oncogene-induced senescence distinguishes indolent from aggressive forms of pulmonary and non-pulmonary Langerhans cell histiocytosis. <i>Leukemia and Lymphoma</i> , 2014 , 55, 2620-6	1.9	34
145	A rare disorder in an orphan disease: Kikuchi-Fujimoto disease in a young-adult patient with sickle cell anemia. <i>American Journal of Hematology</i> , 2014 , 89, 1151-2	7.1	1
144	Transbronchial lung cryobiopsy in the diagnosis of fibrotic interstitial lung diseases. <i>PLoS ONE</i> , 2014 , 9, e86716	3.7	220
143	Lack of expression of TUBB3 characterizes both BCL2-positive and BCL2-negative follicular lymphoma. <i>Modern Pathology</i> , 2014 , 27, 808-13	9.8	2
142	Renal cell carcinoma with smooth muscle stroma lacks chromosome 3p and VHL alterations. <i>Modern Pathology</i> , 2014 , 27, 765-74	9.8	25
141	Keratin-14 expression in pneumocytes as a marker of lung regeneration/repair during diffuse alveolar damage. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014 , 189, 1142-5	10.2	10
140	iPathology cockpit diagnostic station: validation according to College of American Pathologists Pathology and Laboratory Quality Center recommendation at the Hospital Trust and University of Verona. <i>Diagnostic Pathology</i> , 2014 , 9 Suppl 1, S12	3	31
139	Quantitative score modulation of HSP90 and HSP27 in clear cell renal cell carcinoma. <i>Pathology</i> , 2014 , 46, 523-6	1.6	2
138	ALK/EML4 fusion gene may be found in pure squamous carcinoma of the lung. <i>Journal of Thoracic Oncology</i> , 2014 , 9, 729-32	8.9	39

137	High-throughput mutation profiling identifies novel molecular dysregulation in high-grade intraepithelial neoplasia and early gastric cancers. <i>Gastric Cancer</i> , 2014 , 17, 442-9	7.6	45
136	Methods to identify molecular expression of mTOR pathway: a rationale approach to stratify patients affected by clear cell renal cell carcinoma for more likely response to mTOR inhibitors. <i>American Journal of Cancer Research</i> , 2014 , 4, 907-15	4.4	3
135	Anti-angiogenic drugs and biomarkers in non-small-cell lung cancer: a hard days night? <i>Current Pharmaceutical Design</i> , 2014 , 20, 3958-72	3.3	10
134	Prognostic value of ALK gene copy number (GCN) status for resected and metastatic non-small-cell lung cancer (NSCLC): A retrospective analysis of 205 patients (pts).. <i>Journal of Clinical Oncology</i> , 2014 , 32, e19059-e19059	2.2	
133	The identification of a small but significant subset of patients still targetable with anti-HER2 inhibitors when affected by triple negative breast carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 1563-8	4.9	3
132	Premature lung aging and cellular senescence in the pathogenesis of idiopathic pulmonary fibrosis and COPD/emphysema. <i>Translational Research</i> , 2013 , 162, 156-73	11	185
131	Heterogeneous distribution of mechanical stress in human lung: a mathematical approach to evaluate abnormal remodeling in IPF. <i>Journal of Theoretical Biology</i> , 2013 , 332, 136-40	2.3	37
130	Lymphoproliferative lung disorders: clinicopathological aspects. <i>European Respiratory Review</i> , 2013 , 22, 427-36	9.8	15
129	Age influence on hypersensitivity pneumonitis induced in mice by exposure to Pantoea agglomerans. <i>Inhalation Toxicology</i> , 2013 , 25, 640-50	2.7	7
128	Idiopathic pulmonary fibrosis: diagnosis and prognostic evaluation. <i>Respiration</i> , 2013 , 86, 5-12	3.7	37
127	Uncommon pulmonary presentation of IgG4-related disease in a 15-year-old boy. <i>Chest</i> , 2013 , 144, 669-671	6.1	16
126	Comparison Between Bone Marrow Mesenchymal Stromal Cells (BM-MSc) and Lung Mesenchymal Stromal Cells (Lung-MSc) For Epithelial Regeneration. <i>Blood</i> , 2013 , 122, 5414-5414	2.2	2
125	A re-emerging marker for prognosis in hepatocellular carcinoma: the add-value of fishing c-myc gene for early relapse. <i>PLoS ONE</i> , 2013 , 8, e68203	3.7	10
124	Molecular typing of lung adenocarcinoma on cytological samples using a multigene next generation sequencing panel. <i>PLoS ONE</i> , 2013 , 8, e80478	3.7	88
123	HER2/neu gene determination in women screened for breast carcinoma: how screening programs reduce the skyrocketing cost of targeted therapy. <i>Anticancer Research</i> , 2013 , 33, 3705-10	2.3	2
122	Absence of TCL1A expression is a useful diagnostic feature in splenic marginal zone lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2012 , 461, 677-85	5.1	7
121	Application of microfluidic technology to the BIOMED-2 protocol for detection of B-cell clonality. <i>Journal of Molecular Diagnostics</i> , 2012 , 14, 30-7	5.1	19
120	Comparison of epithelial differentiation and immune regulatory properties of mesenchymal stromal cells derived from human lung and bone marrow. <i>PLoS ONE</i> , 2012 , 7, e35639	3.7	59

119	True 3q chromosomal amplification in squamous cell lung carcinoma by FISH and aCGH molecular analysis: impact on targeted drugs. <i>PLoS ONE</i> , 2012 , 7, e49689	3.7	10
118	The pathogenesis of COPD and IPF: distinct horns of the same devil?. <i>Respiratory Research</i> , 2012 , 13, 3	7.3	128
117	Classical lobular breast carcinoma consistently lacks topoisomerase-II β gene amplification: implications for the tailored use of anthracycline-based chemotherapies. <i>Histopathology</i> , 2012 , 60, 482-8	7.3	11
116	Cathepsin K expression in the spectrum of perivascular epithelioid cell (PEC) lesions of the kidney. <i>Modern Pathology</i> , 2012 , 25, 100-11	9.8	81
115	Current status of idiopathic nonspecific interstitial pneumonia. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2012 , 33, 440-9	3.9	21
114	Isolated bone marrow mastocytosis: an underestimated subvariant of indolent systemic mastocytosis. <i>Haematologica</i> , 2011 , 96, 482-4	6.6	42
113	Primary role of multiparametric flow cytometry in the diagnostic work-up of indolent clonal mast cell disorders. <i>Cytometry Part B - Clinical Cytometry</i> , 2011 , 80, 362-8	3.4	17
112	Differential expression of cathepsin K in neoplasms harboring TFE3 gene fusions. <i>Modern Pathology</i> , 2011 , 24, 1313-9	9.8	90
111	FISH scoring on paraffin sections versus single-cell suspension for chromophobe renal carcinoma and renal oncocytoma. <i>Anticancer Research</i> , 2011 , 31, 3137-42	2.3	3
110	Suitability of infiltrative lobular breast carcinoma for anti-human epidermal growth factor receptor 2 treatment after the ASCO/CAP and 2009 St Gallen International Expert Consensus meeting. <i>Histopathology</i> , 2010 , 57, 935-40	7.3	6
109	Utility of racemase and other immunomarkers in the detection of adenocarcinoma in prostatic tissue damaged by high intensity focused ultrasound therapy. <i>Pathology</i> , 2010 , 42, 1-5	1.6	5
108	MEN1 in pancreatic endocrine tumors: analysis of gene and protein status in 169 sporadic neoplasms reveals alterations in the vast majority of cases. <i>Endocrine-Related Cancer</i> , 2010 , 17, 771-83	5.7	110
107	Biopsy-proved idiopathic pulmonary fibrosis: spectrum of nondiagnostic thin-section CT diagnoses. <i>Radiology</i> , 2010 , 254, 957-64	20.5	109
106	Increased Levels of Free Circulating Dna in Patients with Idiopathic Pulmonary Fibrosis. <i>International Journal of Biological Markers</i> , 2010 , 25, 229-235	2.8	19
105	ZAP-70 expression is associated with increased risk of autoimmune cytopenias in CLL patients. <i>American Journal of Hematology</i> , 2010 , 85, 494-8	7.1	23
104	Mixed adenocarcinomas of the lung: place in new proposals in classification, mandatory for target therapy. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 55-65	5	25
103	Molecular pathology of lymphangiomyomatosis and other perivascular epithelioid cell tumors. <i>Archives of Pathology and Laboratory Medicine</i> , 2010 , 134, 33-40	5	45
102	Epithelial stem cell exhaustion in the pathogenesis of idiopathic pulmonary fibrosis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2010 , 27, 7-18	1.1	47

101	Increased levels of free circulating DNA in patients with idiopathic pulmonary fibrosis. <i>International Journal of Biological Markers</i> , 2010 , 25, 229-35	2.8	12
100	The pathologist's role in the diagnosis of idiopathic pulmonary fibrosis. <i>Pathologica</i> , 2010 , 102, 443-52	1.9	1
99	Genotypic intratumoral heterogeneity in breast carcinoma with HER2/neu amplification: evaluation according to ASCO/CAP criteria. <i>American Journal of Clinical Pathology</i> , 2009 , 131, 678-82	1.9	87
98	Cathepsin-k expression in pulmonary lymphangiomyomatosis. <i>Modern Pathology</i> , 2009 , 22, 161-6	9.8	77
97	Her-2/neu evaluation in Sister Mary Joseph's nodule from breast carcinoma: a case report and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2009 , 36, 702-5	1.7	7
96	Clonal mast cell disorders in patients with systemic reactions to Hymenoptera stings and increased serum tryptase levels. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 680-6	11.5	301
95	Expression pattern of claudins 5 and 7 distinguishes solid-pseudopapillary from pancreatoblastoma, acinar cell and endocrine tumors of the pancreas. <i>American Journal of Surgical Pathology</i> , 2009 , 33, 768-74	6.7	45
94	Allergen specific immunotherapy is safe and effective in patients with systemic mastocytosis and Hymenoptera allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 256-7	11.5	56
93	An international collaborative pathologic study of surgical lung biopsies from mustard gas-exposed patients. <i>Respiratory Medicine</i> , 2008 , 102, 825-30	4.6	98
92	Induction of apoptosis in Jeko-1 mantle cell lymphoma cell line by resveratrol: a proteomic analysis. <i>Journal of Proteome Research</i> , 2008 , 7, 2670-80	5.6	19
91	Colorectal adenocarcinoma spread through small vessels. <i>International Journal of Surgical Pathology</i> , 2008 , 16, 438-9	1.2	0
90	HER-2/neu assessment in breast cancer using the original FDA and new ASCO/CAP guideline recommendations: impact on selecting patients for herceptin therapy. <i>American Journal of Clinical Pathology</i> , 2008 , 129, 907-11	1.9	45
89	Signal transduction pathways of mantle cell lymphoma: a phosphoproteome-based study. <i>Proteomics</i> , 2008 , 8, 4495-506	4.8	26
88	Usual Interstitial Pneumonia. <i>Molecular Pathology Library</i> , 2008 , 607-615		2
87	Diffuse Parenchymal Lung Diseases [Histopathologic Patterns] 2007 , 44-57		1
86	Chromosomal gains in the sarcomatoid transformation of chromophobe renal cell carcinoma. <i>Modern Pathology</i> , 2007 , 20, 303-9	9.8	68
85	Pathological assessment of pericolonc tumor deposits in advanced colonic carcinoma: relevance to prognosis and tumor staging. <i>Modern Pathology</i> , 2007 , 20, 843-55	9.8	87
84	Diagnostic utility of S100A1 expression in renal cell neoplasms: an immunohistochemical and quantitative RT-PCR study. <i>Modern Pathology</i> , 2007 , 20, 722-8	9.8	58

83	Bronchoalveolar lavage in malignancy. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2007 , 28, 534-45	3.9	42
82	Microfluidic deletion/insertion analysis for rapid screening of KIT and PDGFRA mutations in CD117-positive gastrointestinal stromal tumors: diagnostic applications and report of a new KIT mutation. <i>Journal of Molecular Diagnostics</i> , 2007 , 9, 151-7	5.1	13
81	Multivariate statistical tools applied to the characterization of the proteomic profiles of two human lymphoma cell lines by two-dimensional gel electrophoresis. <i>Electrophoresis</i> , 2006 , 27, 484-94	3.6	32
80	Migratory marker expression in fibroblast foci of idiopathic pulmonary fibrosis. <i>Respiratory Research</i> , 2006 , 7, 95	7.3	72
79	Oncocytic papillary renal cell carcinoma: a clinicopathologic, immunohistochemical, ultrastructural, and interphase cytogenetic study of 12 cases. <i>Annals of Diagnostic Pathology</i> , 2006 , 10, 133-9	2.2	100
78	Role of dendritic cell-derived CXCL13 in the pathogenesis of Bartonella henselae B-rich granuloma. <i>Blood</i> , 2006 , 107, 454-62	2.2	58
77	The crazy-paving pattern in granulomatous mycosis fungoides: high-resolution computed tomography-pathological correlation. <i>Journal of Computer Assisted Tomography</i> , 2006 , 30, 843-5	2.2	10
76	Molecular characterization of composite mantle cell and follicular lymphoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006 , 448, 639-43	5.1	21
75	Establishment of the MAVER-1 cell line, a model for leukemic and aggressive mantle cell lymphoma. <i>Haematologica</i> , 2006 , 91, 40-7	6.6	22
74	The impact of P53 and P21(waf1) expression on the survival of patients with the germinal center phenotype of diffuse large B-cell lymphoma. <i>Haematologica</i> , 2006 , 91, 687-90	6.6	16
73	Expression of TP73L is a helpful diagnostic marker of primary mediastinal large B-cell lymphomas. <i>Modern Pathology</i> , 2005 , 18, 1448-53	9.8	21
72	Lymphoproliferative lung disorders. <i>Seminars in Respiratory and Critical Care Medicine</i> , 2005 , 26, 490-501	3.9	36
71	P53 and p21waf1 Expression by Immunohistochemistry in Diffuse Large B-Cell Lymphoma Has a Strong and Independent Impact on Survival of Patients with Germinal Center Phenotype.. <i>Blood</i> , 2005 , 106, 1920-1920	2.2	
70	HHV-8 and EBV are not commonly found in idiopathic pulmonary fibrosis. <i>Sarcoidosis Vasculitis and Diffuse Lung Diseases</i> , 2005 , 22, 123-8	1.1	32
69	Diagnostic invasive procedures in diffuse infiltrative lung diseases. <i>Respiration</i> , 2004 , 71, 107-19	3.7	77
68	Most cases of primary salivary mucosa-associated lymphoid tissue lymphoma are associated either with Sjogren syndrome or hepatitis C virus infection. <i>British Journal of Haematology</i> , 2004 , 126, 43-9	4.5	102
67	CD10 is expressed in a subset of chromophobe renal cell carcinomas. <i>Modern Pathology</i> , 2004 , 17, 1455-63	6.3	51
66	CDX-2 homeobox gene product expression in neuroendocrine tumors: its role as a marker of intestinal neuroendocrine tumors. <i>American Journal of Surgical Pathology</i> , 2004 , 28, 1169-76	6.7	87

65	Prognostic Value of ZAP-70 Expression Detected by Immunohistochemistry on Bone Marrow Biopsies in Early Phase Chronic Lymphocytic Leukaemia.. <i>Blood</i> , 2004 , 104, 4800-4800	2.2	
64	Primary mediastinal B-cell lymphoma: hypermutation of the BCL6 gene targets motifs different from those in diffuse large B-cell and follicular lymphomas. <i>Haematologica</i> , 2004 , 89, 1091-9	6.6	17
63	Gene therapy of thyroid cancer via retrovirally-driven combined expression of human interleukin-2 and herpes simplex virus thymidine kinase. <i>European Journal of Endocrinology</i> , 2003 , 148, 73-80	6.5	32
62	In situ study of chemokine and chemokine-receptor expression in Kaposi sarcoma. <i>American Journal of Dermatopathology</i> , 2003 , 25, 377-83	0.9	13
61	Neoplasms derived from plasmacytoid monocytes/interferon-producing cells: variability of CD56 and granzyme B expression. <i>American Journal of Surgical Pathology</i> , 2003 , 27, 1489-92; author reply 1492-3	6.7	30
60	Constitutive expression of DeltaN-p63alpha isoform in human thymus and thymic epithelial tumours. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2003 , 443, 175-83	5.1	44
59	Two-dimensional molecular profiling of mantle cell lymphoma. <i>Electrophoresis</i> , 2003 , 24, 2376-85	3.6	33
58	Aberrant Wnt/beta-catenin pathway activation in idiopathic pulmonary fibrosis. <i>American Journal of Pathology</i> , 2003 , 162, 1495-502	5.8	541
57	Bronchiolar Epithelium in Idiopathic Pulmonary Fibrosis/Usual Interstitial Fibrosis. <i>Lung Biology in Health and Disease</i> , 2003 , 631-664		
56	Expression of Epstein-Barr virus latent membrane protein-1 in Hodgkin and Reed-Sternberg cells of classical Hodgkin lymphoma: associations with presenting features, serum interleukin 10 levels, and clinical outcome. <i>Clinical Cancer Research</i> , 2003 , 9, 2114-20	12.9	47
55	CD20 expression in Hodgkin and Reed-Sternberg cells of classical Hodgkin disease: associations with presenting features and clinical outcome. <i>Journal of Clinical Oncology</i> , 2002 , 20, 1278-87	2.2	69
54	Chronic lymphocytic leukemia B cells are endowed with the capacity to attract CD4+, CD40L+ T cells by producing CCL22. <i>European Journal of Immunology</i> , 2002 , 32, 1403-13	6.1	201
53	Proteomics and immunomapping of reactive lymph-node and lymphoma. <i>Electrophoresis</i> , 2002 , 23, 356-626	5.2	20
52	Anaplastic lymphoma kinase (ALK) activates Stat3 and protects hematopoietic cells from cell death. <i>Oncogene</i> , 2002 , 21, 1038-47	9.2	311
51	Abnormal re-epithelialization and lung remodeling in idiopathic pulmonary fibrosis: the role of deltaN-p63. <i>Laboratory Investigation</i> , 2002 , 82, 1335-45	5.9	164
50	Chronic B cell malignancies and bone marrow microenvironment. <i>Seminars in Cancer Biology</i> , 2002 , 12, 149-55	12.7	76
49	Prognostic factors in malignant transformation of monoclonal gammopathy of undetermined significance. <i>Leukemia and Lymphoma</i> , 2002 , 43, 1713-4	1.9	
48	Transcriptionally targeted retroviral vector for combined suicide and immunomodulating gene therapy of thyroid cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 5304-11	5.6	31

47	BCL-2 expression in Hodgkin and Reed-Sternberg cells of classical Hodgkin disease predicts a poorer prognosis in patients treated with ABVD or equivalent regimens. <i>Blood</i> , 2002 , 100, 3935-41	2.2	81
46	S-phase kinase-associated protein 2 expression in non-Hodgkin lymphoma inversely correlates with p27 expression and defines cells in S phase. <i>American Journal of Pathology</i> , 2002 , 160, 1457-66	5.8	89
45	BAX expression in Hodgkin and Reed-Sternberg cells of Hodgkin disease: correlation with clinical outcome. <i>Clinical Cancer Research</i> , 2002 , 8, 488-93	12.9	18
44	Survivin is expressed on CD40 stimulation and interfaces proliferation and apoptosis in B-cell chronic lymphocytic leukemia. <i>Blood</i> , 2001 , 97, 2777-83	2.2	280
43	Alveolar macrophage-T cell interactions during Th1-type sarcoid inflammation. <i>Microscopy Research and Technique</i> , 2001 , 53, 278-87	2.8	27
42	Parvalbumin is constantly expressed in chromophobe renal carcinoma. <i>Modern Pathology</i> , 2001 , 14, 760-7	3.8	86
41	Biovularity and "coalescence of primary follicles" in ovaries with mature teratomas. <i>International Journal of Surgical Pathology</i> , 2001 , 9, 121-5	1.2	10
40	Low expression of p27 and low proliferation index do not correlate in hairy cell leukaemia. <i>British Journal of Haematology</i> , 2000 , 111, 263-71	4.5	18
39	Expression of inducible nitric oxide synthase in human granulomas and histiocytic reactions. <i>American Journal of Pathology</i> , 1999 , 154, 145-52	5.8	99
38	Linker for activation of T cells (LAT), a novel immunohistochemical marker for T cells, NK cells, mast cells, and megakaryocytes: evaluation in normal and pathological conditions. <i>American Journal of Pathology</i> , 1999 , 154, 1037-46	5.8	44
37	Serum levels of p55 and p75 soluble TNF receptors in adult acute leukaemia at diagnosis: correlation with clinical and biological features and outcome. <i>British Journal of Haematology</i> , 1998 , 102, 1025-34	4.5	35
36	CD30 cell expression and abnormal soluble CD30 serum accumulation in Omenn syndrome: evidence for a T helper 2-mediated condition. <i>European Journal of Immunology</i> , 1996 , 26, 329-34	6.1	101
35	Biopathologic features of Hodgkin disease. <i>Leukemia and Lymphoma</i> , 1995 , 16, 385-95	1.9	8
34	Routine application of polymerase chain reaction in the diagnosis of monoclonality of B-cell lymphoid proliferations. <i>Diagnostic Molecular Pathology</i> , 1995 , 4, 14-24		101
33	CD30 and type 2 T helper (Th2) responses. <i>Journal of Leukocyte Biology</i> , 1995 , 57, 726-30	6.5	113
32	A rapid immunostaining method for frozen sections. <i>Biotechnic and Histochemistry</i> , 1994 , 69, 235-9	1.8	54
31	Magno- and parvocellular pathways are segregated in the human optic tract. <i>NeuroReport</i> , 1994 , 5, 1425-8		4
30	CD5+ leukemic monocytoid B-cell lymphoma and lymphocytic lymphomas. <i>American Journal of Clinical Pathology</i> , 1993 , 100, 187-8	1.9	2

29	Serum levels of soluble interleukin-2 receptor in Hodgkin disease. Relationship with clinical stage, tumor burden, and treatment outcome. <i>Cancer</i> , 1993 , 72, 201-6	6.4	35
28	Soluble interleukin-2 receptor in hairy-cell leukemia: a reliable marker of disease. <i>International Journal of Clinical and Laboratory Research</i> , 1993 , 23, 34-7		8
27	High Serum Levels of Soluble Interleukin-2 Receptor and Absence of Detectable Levels of Soluble CD30 Molecule: A Specific Diagnostic Combination for Hairy Cell Leukemia. <i>Leukemia and Lymphoma</i> , 1992 , 6, 385-388	1.9	2
26	Highly concentrated urine-purified Tac peptide fails to inhibit IL-2-dependent cell proliferation in vitro. <i>Cellular Immunology</i> , 1992 , 141, 253-9	4.4	11
25	Small-cell neuroendocrine carcinoma of the ampullary region. A clinicopathologic, immunohistochemical, and ultrastructural study of three cases. <i>American Journal of Surgical Pathology</i> , 1990 , 14, 703-13	6.7	57
24	Peripheral giant cell granuloma: evidence for osteoclastic differentiation. <i>Oral Surgery, Oral Medicine, and Oral Pathology</i> , 1990 , 70, 471-5		39
23	Immunohistochemical differentiation of follicular lymphoma from florid reactive follicular hyperplasia with monoclonal antibodies reactive on paraffin sections. <i>Cancer</i> , 1990 , 65, 1562-9	6.4	11
22	Unusual Association of Hairy Cell Leukemia and Monoclonal Large Granular Lymphocyte Proliferation. <i>Leukemia and Lymphoma</i> , 1990 , 2, 433-6	1.9	
21	Isolation of multicellular complexes of follicular dendritic cells and lymphocytes: immunophenotypical characterization, electron microscopy and culture studies. <i>Cell and Tissue Research</i> , 1989 , 257, 9-15	4.2	13
20	T-cell-rich B-cell lymphoma. <i>American Journal of Surgical Pathology</i> , 1989 , 13, 335-7	6.7	27
19	Increased levels of soluble interleukin-2 receptor in non-Hodgkin B lymphomas. Relationship with clinical, histologic, and phenotypic features. <i>American Journal of Clinical Pathology</i> , 1989 , 92, 186-91	1.9	46
18	Breast carcinoma with positive results for melanoma marker (HMB-45). HMB-45 immunoreactivity in normal and neoplastic breast. <i>American Journal of Clinical Pathology</i> , 1989 , 92, 491-5	1.9	59
17	Signet ring melanoma, S-100 negative. <i>American Journal of Surgical Pathology</i> , 1989 , 13, 522-3	6.7	39
16	Avoiding the problem of melanin pigment. <i>American Journal of Clinical Pathology</i> , 1988 , 90, 521-2	1.9	1
15	Establishment and Characterization of a New Human Melanoma Cell Line (HU 214) with a High Growth Potential and Stable Properties. <i>Tumori</i> , 1988 , 74, 151-155	1.7	2
14	Immunologic abnormalities in angioimmunoblastic lymphadenopathy. <i>Cancer</i> , 1987 , 60, 2412-8	6.4	24
13	Alpha-interferon activated cytotoxic lymphocytes in hairy cell leukemia patients: evaluation of cytotoxic events. <i>Leukemia Research</i> , 1987 , 11, 843-7	2.7	12
12	The soluble interleukin-2 receptor in haematological disorders. <i>British Journal of Haematology</i> , 1987 , 67, 377-80	4.5	64

11	Concerning monocytoïd cells. <i>American Journal of Clinical Pathology</i> , 1985 , 84, 573-4	1.9	2
10	A distinctive cutaneous malignant neoplasm expressing the Langerhans cell phenotype. Synchronous occurrence with B-chronic lymphocytic leukemia. <i>Cancer</i> , 1985 , 55, 2417-25	6.4	46
9	Immunohistochemical demonstration of follicular dendritic cells in bone marrow involvement of B-cell chronic lymphocytic leukemia. <i>Cancer</i> , 1985 , 56, 328-32	6.4	58
8	Conjunctival biopsy in sarcoidosis. <i>American Journal of Ophthalmology</i> , 1985 , 100, 347-9	4.9	1
7	Lineage relationship of chronic lymphocytic leukemia and hairy cell leukemia: studies with TPA. <i>Leukemia Research</i> , 1984 , 8, 567-78	2.7	49
6	Double immunostaining of lymph node sections by monoclonal antibodies using phycoerythrin labeling and haptened reagents. <i>American Journal of Clinical Pathology</i> , 1984 , 82, 44-7	1.9	18
5	Immunohistochemical analysis of thymoma. Evidence for medullary origin of epithelial cells. <i>American Journal of Surgical Pathology</i> , 1984 , 8, 309-18	6.7	37
4	Dipeptidyl(amino)peptidase IV (DAP-IV) histochemistry on normal and pathologic lymphoid tissues. <i>American Journal of Clinical Pathology</i> , 1982 , 77, 714-9	1.9	25
3	Enzyme histochemistry on normal and pathologic paraffin-embedded lymphoid tissues. <i>American Journal of Clinical Pathology</i> , 1981 , 76, 729-36	1.9	23
2	Histopathology and cryobiopsy 57-73		1
1	Anaplastic lymphoma kinase (ALK) activates Stat3 and protects hematopoietic cells from cell death		2