

Youxin Wang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/5541958/youxin-wang-publications-by-citations.pdf>

Version: 2023-10-04

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

1,974
citations

24
h-index

36
g-index

144
ext. papers

2,570
ext. citations

5.2
avg, IF

4.82
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 129 | Association of systemic lupus erythematosus with decreased immunosuppressive potential of the IgG glycome. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2978-89 | 9.5 | 152 |
| 128 | The N-glycosylation of immunoglobulin G as a novel biomarker of Parkinson's disease. <i>Glycobiology</i> , 2017 , 27, 501-510 | 5.8 | 92 |
| 127 | Increasing incidence of thyroid cancer in Shanghai, China, 1983-2007. <i>Asia-Pacific Journal of Public Health</i> , 2015 , 27, NP223-9 | 2 | 78 |
| 126 | The Association Between Glycosylation of Immunoglobulin G and Hypertension: A Multiple Ethnic Cross-Sectional Study. <i>Medicine (United States)</i> , 2016 , 95, e3379 | 1.8 | 69 |
| 125 | Profiling IgG N-glycans as potential biomarker of chronological and biological ages: A community-based study in a Han Chinese population. <i>Medicine (United States)</i> , 2016 , 95, e4112 | 1.8 | 68 |
| 124 | China suboptimal health cohort study: rationale, design and baseline characteristics. <i>Journal of Translational Medicine</i> , 2016 , 14, 291 | 8.5 | 48 |
| 123 | Ischemic stroke is associated with the pro-inflammatory potential of N-glycosylated immunoglobulin G. <i>Journal of Neuroinflammation</i> , 2018 , 15, 123 | 10.1 | 40 |
| 122 | Association between dopaminergic genes (SLC6A3 and DRD2) and stuttering among Han Chinese. <i>Journal of Human Genetics</i> , 2009 , 54, 457-60 | 4.3 | 40 |
| 121 | The changes of immunoglobulin G N-glycosylation in blood lipids and dyslipidaemia. <i>Journal of Translational Medicine</i> , 2018 , 16, 235 | 8.5 | 36 |
| 120 | Glycan Biomarkers for Rheumatoid Arthritis and Its Remission Status in Han Chinese Patients. <i>OMICS A Journal of Integrative Biology</i> , 2016 , 20, 343-51 | 3.8 | 34 |
| 119 | The ecology of medical care in Beijing. <i>PLoS ONE</i> , 2013 , 8, e82446 | 3.7 | 33 |
| 118 | Association between Ideal Cardiovascular Health Metrics and Suboptimal Health Status in Chinese Population. <i>Scientific Reports</i> , 2017 , 7, 14975 | 4.9 | 32 |
| 117 | Type 2 Diabetes Mellitus: Integrative Analysis of Multiomics Data for Biomarker Discovery. <i>OMICS A Journal of Integrative Biology</i> , 2018 , 22, 514-523 | 3.8 | 31 |
| 116 | Abnormal Methylation of Imprinted Genes and Cigarette Smoking: Assessment of Their Association With the Risk of Male Infertility. <i>Reproductive Sciences</i> , 2017 , 24, 114-123 | 3 | 30 |
| 115 | Combination of CT and RT-PCR in the screening or diagnosis of COVID-19. <i>Journal of Global Health</i> , 2020 , 10, 010347 | 4.3 | 30 |
| 114 | Innovation Analysis on Postgenomic Biomarkers: Glycomics for Chronic Diseases. <i>OMICS A Journal of Integrative Biology</i> , 2017 , 21, 183-196 | 3.8 | 29 |
| 113 | The association between subclass-specific IgG Fc N-glycosylation profiles and hypertension in the Uygur, Kazak, Kirgiz, and Tajik populations. <i>Journal of Human Hypertension</i> , 2018 , 32, 555-563 | 2.6 | 29 |

| | | | |
|-----|---|-----|----|
| 112 | Immunoglobulin G N-Glycans as Potential Postgenomic Biomarkers for Hypertension in the Kazakh Population. <i>OMICS A Journal of Integrative Biology</i> , 2017 , 21, 380-389 | 3.8 | 29 |
| 111 | Development of a medical academic degree system in China. <i>Medical Education Online</i> , 2014 , 19, 23141 | 4.4 | 29 |
| 110 | Survival of Esophageal Cancer in China: A Pooled Analysis on Hospital-Based Studies From 2000 to 2018. <i>Frontiers in Oncology</i> , 2019 , 9, 548 | 5.3 | 28 |
| 109 | Telomere Length and Accelerated Biological Aging in the China Suboptimal Health Cohort: A Case-Control Study. <i>OMICS A Journal of Integrative Biology</i> , 2017 , 21, 333-339 | 3.8 | 27 |
| 108 | hCLP46 regulates U937 cell proliferation via Notch signaling pathway. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 408, 84-8 | 3.4 | 26 |
| 107 | Cloning, expression and characterization of a novel human CAP10-like gene hCLP46 from CD34(+) stem/progenitor cells. <i>Gene</i> , 2006 , 371, 7-15 | 3.8 | 25 |
| 106 | Association between IGF2BP2 Polymorphisms and Type 2 Diabetes Mellitus: A Case-Control Study and Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13, | 4.6 | 25 |
| 105 | Association of Ideal Cardiovascular Health and Brachial-Ankle Pulse Wave Velocity: A Cross-Sectional Study in Northern China. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016 , 25, 41-8 | 2.8 | 24 |
| 104 | Overexpression of human CAP10-like protein 46 KD in T-acute lymphoblastic leukemia and acute myelogenous leukemia. <i>Genetic Testing and Molecular Biomarkers</i> , 2010 , 14, 127-33 | 1.6 | 24 |
| 103 | Profiling plasma peptides for the identification of potential ageing biomarkers in Chinese Han adults. <i>PLoS ONE</i> , 2012 , 7, e39726 | 3.7 | 24 |
| 102 | Associations between non-traditional lipid measures and risk for type 2 diabetes mellitus in a Chinese community population: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2016 , 15, 70 | 4.4 | 23 |
| 101 | Screening for potential serum-based proteomic biomarkers for human type 2 diabetes mellitus using MALDI-TOF MS. <i>Proteomics - Clinical Applications</i> , 2017 , 11, 1600079 | 3.1 | 21 |
| 100 | Suboptimal health status as an independent risk factor for type 2 diabetes mellitus in a community-based cohort: the China suboptimal health cohort study. <i>EPMA Journal</i> , 2019 , 10, 65-72 | 8.8 | 20 |
| 99 | The Uyghur population and genetic susceptibility to type 2 diabetes: potential role for variants in CDKAL1, JAZF1, and IGF1 genes. <i>OMICS A Journal of Integrative Biology</i> , 2015 , 19, 230-7 | 3.8 | 20 |
| 98 | Chuanhu anti-gout mixture versus colchicine for acute gouty arthritis: a randomized, double-blind, double-dummy, non-inferiority trial. <i>International Journal of Medical Sciences</i> , 2014 , 11, 880-5 | 3.7 | 20 |
| 97 | Association between Insomnia and Metabolic Syndrome in a Chinese Han Population: A Cross-sectional Study. <i>Scientific Reports</i> , 2017 , 7, 10893 | 4.9 | 20 |
| 96 | All around suboptimal health - a joint position paper of the Suboptimal Health Study Consortium and European Association for Predictive, Preventive and Personalised Medicine. <i>EPMA Journal</i> , 2021 , 1-31 | 8.8 | 20 |
| 95 | Association between insomnia and atrial fibrillation in a Chinese population: A cross-sectional study. <i>Clinical Cardiology</i> , 2017 , 40, 765-769 | 3.3 | 19 |

| | | | |
|----|---|-----|----|
| 94 | Association between high-sensitivity C-reactive protein, lipoprotein-associated phospholipase A2 and carotid atherosclerosis: A cross-sectional study. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5145-5150 | 5.6 | 19 |
| 93 | Contribution of Genetic Polymorphisms and Haplotypes in DRD2, BDNF, and Opioid Receptors to Heroin Dependence and Endophenotypes Among the Han Chinese. <i>OMICS A Journal of Integrative Biology</i> , 2017 , 21, 404-412 | 3.8 | 19 |
| 92 | Genetic model. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 765 | 5.6 | 19 |
| 91 | Association Between Night-Shift Work and Cancer Risk: Updated Systematic Review and Meta-Analysis. <i>Frontiers in Oncology</i> , 2020 , 10, 1006 | 5.3 | 18 |
| 90 | The Uyghur population and genetic susceptibility to type 2 diabetes: potential role for variants in CAPN10, APM1 and FUT6 genes. <i>Journal of Cellular and Molecular Medicine</i> , 2016 , 20, 2138-2147 | 5.6 | 18 |
| 89 | Serum peptidome profiling for the diagnosis of colorectal cancer: discovery and validation in two independent cohorts. <i>Oncotarget</i> , 2017 , 8, 59376-59386 | 3.3 | 17 |
| 88 | Integration of suboptimal health status evaluation as a criterion for prediction of preeclampsia is strongly recommended for healthcare management in pregnancy: a prospective cohort study in a Ghanaian population. <i>EPMA Journal</i> , 2019 , 10, 211-226 | 8.8 | 17 |
| 87 | Body Mass Index and the Risk of Rheumatoid Arthritis: An Updated Dose-Response Meta-Analysis. <i>BioMed Research International</i> , 2019 , 2019, 3579081 | 3 | 17 |
| 86 | Prevalence and factors associated with hepatitis B immunization and infection among men who have sex with men in Beijing, China. <i>PLoS ONE</i> , 2012 , 7, e48219 | 3.7 | 17 |
| 85 | Novel Epigenomic Biomarkers of Male Infertility Identified by Methylation Patterns of CpG Sites Within Imprinting Control Regions of H19 and SNRPN Genes. <i>OMICS A Journal of Integrative Biology</i> , 2018 , 22, 354-364 | 3.8 | 16 |
| 84 | Nonalcoholic Fatty Liver Disease and Coronary Artery Calcification in a Northern Chinese Population: a Cross Sectional Study. <i>Scientific Reports</i> , 2017 , 7, 9933 | 4.9 | 16 |
| 83 | Global variability of the human IgG glycome. <i>Ageing</i> , 2020 , 12, 15222-15259 | 5.6 | 15 |
| 82 | Prevalence of metabolic syndrome and optimal waist circumference cut-off points for adults in Beijing. <i>Diabetes Research and Clinical Practice</i> , 2010 , 88, 209-16 | 7.4 | 14 |
| 81 | All-cause mortality in metabolically healthy individuals was not predicted by overweight and obesity. <i>JCI Insight</i> , 2020 , 5, | 9.9 | 14 |
| 80 | Association between the metabolically healthy obese phenotype and the risk of myocardial infarction: results from the Kailuan study. <i>European Journal of Endocrinology</i> , 2018 , 179, 343-352 | 6.5 | 14 |
| 79 | Cancer risk in patients with hepatitis C virus infection: a population-based study in Sweden. <i>Cancer Medicine</i> , 2017 , 6, 1135-1140 | 4.8 | 13 |
| 78 | Longitudinal association between serum uric acid levels and multiterritorial atherosclerosis. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 4970-4979 | 5.6 | 13 |
| 77 | No Causal Effect of Telomere Length on Ischemic Stroke and Its Subtypes: A Mendelian Randomization Study. <i>Cells</i> , 2019 , 8, | 7.9 | 13 |

| | | | |
|----|---|-----|----|
| 76 | Population-based case-control study revealed metabolomic biomarkers of suboptimal health status in Chinese population-potential utility for innovative approach by predictive, preventive, and personalized medicine. <i>EPMA Journal</i> , 2020 , 11, 147-160 | 8.8 | 13 |
| 75 | Systematic Review: Immunoglobulin G -Glycans as Next-Generation Diagnostic Biomarkers for Common Chronic Diseases. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 607-614 | 3.8 | 13 |
| 74 | Next-Generation (Glycomic) Biomarkers for Cardiometabolic Health: A Community-Based Study of Immunoglobulin G -Glycans in a Chinese Han Population. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 649-659 | 3.8 | 13 |
| 73 | A quantitative analysis of the mass media coverage of genomics medicine in China: a call for science journalism in the developing world. <i>OMICS A Journal of Integrative Biology</i> , 2014 , 18, 222-30 | 3.8 | 13 |
| 72 | Association of suboptimal health status with intestinal microbiota in Chinese youths. <i>Journal of Cellular and Molecular Medicine</i> , 2020 , 24, 1837-1847 | 5.6 | 13 |
| 71 | Glycomics for Type 2 Diabetes Biomarker Discovery: Promise of Immunoglobulin G Subclass-Specific Fragment Crystallizable N-glycosylation in the Uyghur Population. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 640-648 | 3.8 | 12 |
| 70 | Association between modifiable lifestyle and the prevalence of atrial fibrillation in a Chinese population: Based on the cardiovascular health score. <i>Clinical Cardiology</i> , 2017 , 40, 1061-1067 | 3.3 | 12 |
| 69 | Type 2 Diabetes Mellitus is Associated with the Immunoglobulin G N-Glycome through Putative Proinflammatory Mechanisms in an Australian Population. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 631-639 | 3.8 | 11 |
| 68 | The Association Between Cancer and Dementia: A National Cohort Study in Sweden. <i>Frontiers in Oncology</i> , 2020 , 10, 73 | 5.3 | 11 |
| 67 | The Association Between Normal BMI With Central Adiposity And Proinflammatory Potential Immunoglobulin G -Glycosylation. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2019 , 12, 2373-2385 | 3.4 | 11 |
| 66 | Positive correlation between the expression of hEag1 and HIF-1 α in breast cancers: an observational study. <i>BMJ Open</i> , 2014 , 4, e005049 | 3 | 11 |
| 65 | Influence of brain-derived neurotrophic factor genetic polymorphisms on the ages of onset for heroin dependence in a Chinese population. <i>Genetic Testing and Molecular Biomarkers</i> , 2012 , 16, 1044-50 ^{1.6} | 1.6 | 11 |
| 64 | Hyperuricemia is Associated with Immunoglobulin G -Glycosylation: A Community-Based Study of Glycan Biomarkers. <i>OMICS A Journal of Integrative Biology</i> , 2019 , 23, 660-667 | 3.8 | 10 |
| 63 | The Malaysian health care system: Ecology, plans, and reforms. <i>Family Medicine and Community Health</i> , 2016 , 4, 19-29 | 4.7 | 10 |
| 62 | The relationship between oxidized low-density lipoprotein and the NIHSS score among patients with acute ischemic stroke: The SOS-Stroke Study. <i>Atherosclerosis</i> , 2018 , 270, 21-25 | 3.1 | 9 |
| 61 | The Indirect Efficacy Comparison of DNA Methylation in Sputum for Early Screening and Auxiliary Detection of Lung Cancer: A Meta-Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14, | 4.6 | 9 |
| 60 | Association of high-density lipoprotein with development of metabolic syndrome components: a five-year follow-up in adults. <i>BMC Public Health</i> , 2015 , 15, 412 | 4.1 | 9 |
| 59 | Association of dementia with immunoglobulin G N-glycans in a Chinese Han Population. <i>Npj Aging and Mechanisms of Disease</i> , 2021 , 7, 3 | 5.5 | 9 |

| | | | |
|----|---|-----|---|
| 58 | Causal association of circulating cholesterol levels with dementia: a mendelian randomization meta-analysis. <i>Translational Psychiatry</i> , 2020 , 10, 145 | 8.6 | 8 |
| 57 | Electroacupuncture at acupoints could predict the outcome of anterior nucleus thalamus high-frequency electrical stimulation in medically refractory epilepsy. <i>Medical Hypotheses</i> , 2013 , 81, 426-8 | 3.8 | 8 |
| 56 | The expected number of background disease events during mass immunization in China. <i>PLoS ONE</i> , 2013 , 8, e71818 | 3.7 | 8 |
| 55 | Suboptimal health pregnant women are associated with increased oxidative stress and unbalanced pro- and antiangiogenic growth mediators: a cross-sectional study in a Ghanaian population. <i>Free Radical Research</i> , 2020 , 54, 27-42 | 4 | 8 |
| 54 | Prevalence and Associations of Fundus Tessellation Among Junior Students From Greater Beijing 2019 , 60, 4033-4040 | | 7 |
| 53 | Ideal cardiovascular health metrics and the risk of non-alcoholic fatty liver disease: A cross-sectional study in northern China. <i>Liver International</i> , 2019 , 39, 950-955 | 7.9 | 7 |
| 52 | Association of lipoprotein-associated phospholipase A2 mass with asymptomatic cerebral artery stenosis. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 2329-2336 | 5.6 | 7 |
| 51 | Evaluation of two single-factor models of metabolic syndrome: a confirmatory factor analysis for an adult population in Beijing. <i>Lipids in Health and Disease</i> , 2013 , 12, 61 | 4.4 | 7 |
| 50 | Validation of Type 2 Diabetes Risk Variants Identified by Genome-Wide Association Studies in Northern Han Chinese. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13, | 4.6 | 7 |
| 49 | The association of work stress with somatic symptoms in Chinese working women: a large cross-sectional survey. <i>Journal of Psychosomatic Research</i> , 2016 , 89, 7-10 | 4.1 | 7 |
| 48 | Parity and serum lipid levels: a cross-sectional study in chinese female adults. <i>Scientific Reports</i> , 2016 , 6, 33831 | 4.9 | 6 |
| 47 | Profile of Immunoglobulin G -Glycome in COVID-19 Patients: A Case-Control Study. <i>Frontiers in Immunology</i> , 2021 , 12, 748566 | 8.4 | 6 |
| 46 | IgG Glycosylation Profile and the Glycan Score Are Associated with Type 2 Diabetes in Independent Chinese Populations: A Case-Control Study. <i>Journal of Diabetes Research</i> , 2020 , 2020, 5041346 | 3.9 | 5 |
| 45 | Association of FPGS genetic polymorphisms with primary retroperitoneal liposarcoma. <i>Scientific Reports</i> , 2015 , 5, 9079 | 4.9 | 5 |
| 44 | Blood transcriptome profiling as potential biomarkers of suboptimal health status: potential utility of novel biomarkers for predictive, preventive, and personalized medicine strategy. <i>EPMA Journal</i> , 2021 , 12, 103-115 | 8.8 | 5 |
| 43 | Evaluation of the relationship between cognitive impairment and suboptimal health status in a northern Chinese population: a cross-sectional study. <i>Journal of Global Health</i> , 2020 , 10, 010804 | 4.3 | 5 |
| 42 | Mendelian randomization integrating GWAS and mQTL data identified novel pleiotropic DNA methylation loci for neuropathology of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2021 , 97, 18-27 | 5.6 | 5 |
| 41 | Human CAP10-Like Protein 46 kDa Gene Promotes Malignancy in Colorectal Cancer. <i>OMICS A Journal of Integrative Biology</i> , 2017 , 21, 266-274 | 3.8 | 4 |

| | | | |
|----|--|------|---|
| 40 | Immunoglobulin G N-Glycan Analysis by Ultra-Performance Liquid Chromatography. <i>Journal of Visualized Experiments</i> , 2020 , | 1.6 | 4 |
| 39 | Temporal Trends of Sex Disparity in Incidence and Survival of Colorectal Cancer: Variations by Anatomical Site and Age at Diagnosis. <i>Clinical Epidemiology</i> , 2020 , 12, 73-81 | 5.9 | 4 |
| 38 | Ideal Cardiovascular Health Metrics Associated with Reductions in the Risk of Extracranial Carotid Artery Stenosis: a Population-based Cohort Study. <i>Scientific Reports</i> , 2018 , 8, 12277 | 4.9 | 4 |
| 37 | Reduced lung cancer incidence attributable to decreased tobacco use in urban Shanghai. <i>Cancer Causes and Control</i> , 2013 , 24, 2021-5 | 2.8 | 4 |
| 36 | An old disease, a new disease or something in between: evidence from China. <i>Nature Reviews Cancer</i> , 2011 , 11, 76 | 31.3 | 4 |
| 35 | The genetic associations and epistatic effects of the CCR5 promoter and CCR2-V64I polymorphisms on susceptibility to HIV-1 infection in a Northern Han Chinese population. <i>Genetic Testing and Molecular Biomarkers</i> , 2012 , 16, 1369-75 | 1.6 | 4 |
| 34 | Construct validity of the Suboptimal Health Status Questionnaire-25 in a Ghanaian population. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 180 | 3 | 4 |
| 33 | Relation of serum uric acid to asymptomatic proximal extracranial artery stenosis in a middle-aged Chinese population: a community-based cross-sectional study. <i>BMJ Open</i> , 2018 , 8, e020681 | 3 | 3 |
| 32 | Awareness of the background rate of sudden cardiac death during mass immunization with pandemic H1N1 influenza vaccines increases the intended vaccination rate. <i>Preventive Medicine</i> , 2010 , 51, 445-6 | 4.3 | 3 |
| 31 | Modelling biological age based on plasma peptides in Han Chinese adults. <i>Aging</i> , 2020 , 12, 10676-10686 | 5.6 | 3 |
| 30 | Association between telomere length in peripheral blood leukocytes and risk of ischemic stroke in a Han Chinese population: a linear and non-linear Mendelian randomization analysis. <i>Journal of Translational Medicine</i> , 2020 , 18, 385 | 8.5 | 3 |
| 29 | SARS-CoV-2 updates in a West African population and precautionary measures for sustaining quality antenatal care delivery. <i>Journal of Global Health</i> , 2020 , 10, 020365 | 4.3 | 3 |
| 28 | CDK5 positively regulates Notch1 signaling in pancreatic cancer cells by phosphorylation. <i>Cancer Medicine</i> , 2021 , 10, 3689-3699 | 4.8 | 3 |
| 27 | Variation of IgG N-linked glycosylation profile in diabetic retinopathy. <i>Journal of Diabetes</i> , 2021 , 13, 672-680 | 5.80 | 3 |
| 26 | Association between Alzheimer's disease and COVID-19: A bidirectional Mendelian randomization | | 2 |
| 25 | Causal Relationship Between Lung Function and Atrial Fibrillation: A Two Sample Univariable and Multivariable, Bidirectional Mendelian Randomization Study. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 769198 | 5.4 | 2 |
| 24 | Global variability of the human IgG glycome | | 2 |
| 23 | Glycomics: Immunoglobulin G -Glycosylation Associated with Mammary Gland Hyperplasia in Women. <i>OMICS A Journal of Integrative Biology</i> , 2020 , 24, 551-558 | 3.8 | 2 |

| | | | |
|----|--|-----|---|
| 22 | Prevention of dementia using mobile phone applications (PRODEMOS): protocol for an international randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e049762 | 3 | 2 |
| 21 | The Role of C-Reactive Protein and Fibrinogen in the Development of Intracerebral Hemorrhage: A Mendelian Randomization Study in European Population. <i>Frontiers in Genetics</i> , 2021 , 12, 608714 | 4.5 | 2 |
| 20 | Increasing incidence of thyroid cancer in shanghai, China, 1983-2007. <i>Nature Precedings</i> , 2011 , | | 1 |
| 19 | Association of IgG Glycosylation and Esophageal Precancerosis Beyond Inflammation. <i>Cancer Prevention Research</i> , 2021 , 14, 347-354 | 3.2 | 1 |
| 18 | Causal associations between COVID-19 and atrial fibrillation: A bidirectional Mendelian randomization study.. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021 , | 4.5 | 1 |
| 17 | Early gestational profiling of oxidative stress and angiogenic growth mediators as predictive, preventive and personalised (3P) medical approach to identify suboptimal health pregnant mothers likely to develop preeclampsia.. <i>EPMA Journal</i> , 2021 , 12, 517-534 | 8.8 | 1 |
| 16 | Association of 25 hydroxyvitamin D concentration with risk of COVID-19: a Mendelian randomization study | | 1 |
| 15 | Glycosylation of IgG Associates with Hypertension and Type 2 Diabetes Mellitus Comorbidity in the Chinese Muslim Ethnic Minorities and the Han Chinese. <i>Journal of Personalized Medicine</i> , 2021 , 11, | 3.6 | 1 |
| 14 | Needs and views on healthy lifestyles for the prevention of dementia through mobile health (mHealth) interventions in China: a qualitative study. (Preprint) | | 1 |
| 13 | Choroidal and Retinal Thickness and Axial Eye Elongation in Chinese Junior Students 2021 , 62, 26 | | 1 |
| 12 | Glycomic biomarkers are instrumental for suboptimal health status management in the context of predictive, preventive, and personalized medicine. <i>EPMA Journal</i> ,1 | 8.8 | 1 |
| 11 | Moderate physical activity may not decrease the risk of cardiovascular disease in persistently overweight and obesity adults.. <i>Journal of Translational Medicine</i> , 2022 , 20, 45 | 8.5 | 0 |
| 10 | Protocol of the Inner Mongolian Healthy Aging Study (IMAGINS): a longitudinal cohort study.. <i>BMC Public Health</i> , 2022 , 22, 115 | 4.1 | 0 |
| 9 | Population-Based Incidence of Guillain-Barré Syndrome During Mass Immunization With Viral Vaccines: A Pooled Analysis.. <i>Frontiers in Immunology</i> , 2022 , 13, 782198 | 8.4 | 0 |
| 8 | Heritability Enrichment of Immunoglobulin G N-Glycosylation in Specific Tissues. <i>Frontiers in Immunology</i> , 2021 , 12, 741705 | 8.4 | 0 |
| 7 | Association between high-density lipoprotein cholesterol and type 2 diabetes mellitus among Chinese: the Beijing longitudinal study of aging. <i>Lipids in Health and Disease</i> , 2021 , 20, 71 | 4.4 | 0 |
| 6 | Novel DNA methylation loci and genes showing pleiotropic association with Alzheimer's dementia: a network Mendelian randomization analysis. <i>Epigenetics</i> , 2021 , 1-13 | 5.7 | 0 |
| 5 | Design and Development of a Mobile Health (mHealth) Platform for Dementia Prevention in the Prevention of Dementia by Mobile Phone Applications (PRODEMOS) Project.. <i>Frontiers in Neurology</i> , 2021 , 12, 733878 | 4.1 | 0 |

- 4 Future diagnosis of sepsis. *Lancet, The*, **2010**, 375, 1780; author reply 1780 4.0
- 3 Prevention of dementia using mobile phone applications (PRODEMOS): A randomized controlled trial in progress. *Alzheimerjs and Dementia*, **2020**, 16, e043039 1.2
- 2 Beijing Eye Public Health Care Project. *Acta Ophthalmologica*, **2011**, 89, 0-0 3.7
- 1 Placental lesions and differential expression of pro-and anti-angiogenic growth mediators and oxidative DNA damage marker in placentae of Ghanaian suboptimal and optimal health status pregnant women who later developed preeclampsia.. *PLoS ONE*, **2022**, 17, e0265717 3.7